

HTML TAGS/ ELEMENTS

EASY TO CODE



HTML BASIC TAGS

HTML BASIC TAGS -

- | | |
|--------------------|---|
| 1) HEADING | <code><h1></h1></code> n = 1,2,...6 |
| 2) PARAGRAPH | <code><p></p></code> |
| 3) HORIZONTAL LINE | <code><hr></code> |
| 4) LINE BREAK | <code>
</code> |
| 5) PRE TAGS | <code><pre></pre></code> |

SOME TAGS TO STYLE TEXT -

- | | | | |
|------------|---|----|--|
| BOLD | <code></code> | or | <code></code> |
| ITALIC | <code><i></i></code> | or | <code></code> |
| ABRIVATION | <code><abbr title = ' defination ' > </abbr></code> | | |
| | <code><sup></sup></code> | | |
| | <code><sub></sub></code> | | |
| | <code><mark></mark></code> | | |
| | <code><address></address></code> | | |
| | <code><code></code></code> | | |

It is used to define the characteristics of an HTML element.
It is placed in the opening tag of the HTML element.
All attributes are made up of two parts: Name and Value.

Name: It is used to set the property for that element.

Value: It is used to set the value of that property for that element.

Core Attributes -

id , class , title , style

Internationalization Attributes -

dir, lang, xml:lang

Generic attributes include various attributes which are mostly used

align ,valign , bgcolor , width ,height , src,alt ,href

It is used to define the characteristics of an HTML element.
It is placed in the opening tag of the HTML element.
All attributes are made up of two parts: Name and Value.

Name: It is used to set the property for that element.

Value: It is used to set the value of that property for that element.

Core Attributes -

id , class , title , style

Internationalization Attributes -

dir, lang, xml:lang

Generic attributes include various attributes which are mostly used

align ,valign , bgcolor , width ,height , src,alt ,href

Html Basics Tags –

Tags –

To build a beautiful website tags will help us

A tag is like a container

enclosed within < and > braces.

They are like keywords which defines that how web browser will format and display the content

Some of the tags – html , head , body , title

Empty Tags –

<br / >

<hr / >

HTML Element = Start tag + Content + End tag

Note – Nesting is also allowed

Skeletal Tags –

<html> </html> <!-- root element -->

<head> </head> <!--to store metadata -->

<body> </body> <!-- main content of our body -->

<title> </title> <!-- to define title of our webpage -->

Heading Tags –

For any heading we use heading tags

h1 h2 h6

h1 > h2 >> h6

```
<h1> Heading </h1>
```

Paragraph Tag –

For paragraph

```
<p> Content </p>
```

Horizontal line Tag –

For horizontal line we use < hr / > Tag

```
<hr/>
```

Line Break Tag –

For line Break we use < br /> Tag

```
<br / >
```

Center Tag –

To Put content in the center

```
<center> </center>
```

Preserve Formatting tag –

To put exact code as we write in editor

```
<pre> </pre>
```


Abbreviation Tags – abbr

Text Tags –

bold , strong , idiomatic , underline

Superscript Tag

Subscript Tag

Mark Tag

Quotation Tags

Blockquote Tag – to insert a long quote

Quote Tag – to insert short quote

Address

code