

System configuration export

T-02 · Bank reconciliations reviewed monthly

Treasury — Group Treasury · Control owner A. Verma · Companies: Altura Infra Holdings Ltd, Altura Solar Pvt Ltd, Altura Wind Pvt Ltd, Altura Smart Metering Pvt Ltd

1. What the configuration controls

This control addresses the risk that bank balances misstated through unreconciled differences (AIH/TRY/R002), supporting the accuracy and existence / occurrence assertions over bank reconciliations.

The control is performed by A. Verma (Group Treasury) on every transaction, as it is processed: the team matches bank statement lines to the ledger automatically in SAP (FEBAN) and lists every unmatched line for review.

Setting	Value
FEBAN rule set	ZBANK_MATCH_01
Match keys	Amount, value date, bank reference
Value-date window	2 days
Auto-clear	On
Open-item report	ZFI_BANK_OPEN (daily)

2. Precision

Matching tolerance: zero on amount and two days on value date; anything outside the tolerance stays open for review.

3. Segregation

The matching rules are maintained by IT under change control, independent of the Treasury team that reviews the open items.

4. Exceptions

Any exception older than 30 days is escalated to the Group CFO with an explanation and an owner.

5. Change history

Configuration changes go through ServiceNow change control; the SAP table-change audit trail (SCU3) is retained.