

jsFiddle

jsFiddle

the Web is your Playground

Choose Framework

onDomReady

Mootools Core 1.2.4

☐ More 1.2.4.4☐ Clientcide 2.2.0☐ FormCheck 1.5☐ Upgrade Helper (1.1 to 1.2)☒ More 1.2.4.2

Library tag attributes

Add Resources

Change Settings

Backend for Ajax

Examples

Credits

License

All code belongs to the poster and no license is enforced

We are not responsible or liable for any loss or damage of any kind during the usage of provided code.

```
src="http://farm3.static.flickr.com/2697/4106711273_969cc50546_s.jpg" />





<img width="75" height="75"
```

HTML

```
/*
----
script: ElementStacks.js
decription: ElementStacks stacks
elements/images on top of each other with a
funky transition
license: MIT-style license.
authors:
- Oskar Krawczyk (http://nouincolor.com/)
requires:
core:1.2.4:
- Class.Extras
- Array
- Function
- Event
- Element.Style
- Element.Dimensions
- Fx.Morph
- Fx.Transitions
provides: [ElementStacks]
...
*/

// bigger demo: http://nouincolor.com
/ElementStack/
```

JavaScript

```
body {
background: url(http://img263.imageshack.us
/img263/343/darkwoodsx7.jpg);
font-family: "Georgia", "Times New Roman",
serif;
font-size: .8em;
color: #fff;
text-align: center;
text-shadow: 0 -1px 0 #000;
```

CSS

ElementStack.js

Click on one of the images to toggle stacks



Result

features

- supports all major JavaScript frameworks
- external resources (css, js)
- store your docs on GitHub
- easy sharing via link or embedding
- per demo discussions
- code indentation with “tidy up”
- test real Ajax requests
- ...

frameworks

jsFiddle ALPHA

Run

Update

Save as new

Clear

TidyUp

Discussion (0)

Share

Choose Framework

onDomReady

Mootools Core 1.2.4

Mootools

Mootools Core 1.1.2

Mootools Core 1.2.3

Mootools Core 1.2.4

Mootools Core 1.3 (nightly)

Mootools Core 1.3 beta 1.1

jQuery

jQuery 1.2.6

jQuery 1.3.2

jQuery 1.4.2

Prototype

Prototype 1.6.1.0

Prototype 1.7 RC1

YUI

YUI 2.7.0

YUI 2.8.0r4

YUI 3 (min)

Glow

Glow Core 1.7.0

Vanilla

Credits

License

All code belongs to the poster and no license is enforced

We are not responsible or liable for any loss or damage of any kind during the usage of provided code.

src="http://farm3.static.flickr.com/2697/4106711273_969cc50546_s.jpg" />

<img width="75" height="75"

HTML

/*

script: ElementStacks.js

decription: ElementStacks stacks

elements/images on top of each other with a

funky transition

license: MIT-style license.

authors:

- Oskar Krawczyk (<http://nouincolor.com/>)

requires:

core:1.2.4:

- Class.Extras

- Array

- Function

- Event

- Element.Style

- Element.Dimensions

- Fx.Morph

- Fx.Transitions

provides: [ElementStacks]

...

*/

// bigger demo: <http://nouincolor.com/ElementStack/>

JavaScript

body {

background: url(<http://img263.imageshack.us/img263/343/darkwoodsx7.jpg>);

font-family: "Georgia", "Times New Roman",

serif;

font-size: .8em;

color: #fff;

text-align: center;

text-shadow: 0 -1px 0 #000;


}

CSS

Result

ElementStack.js

Click on one of the images to toggle stacks



frameworks

jsFiddle ALPHA

Run

Update

Save as new

Clear

TidyUp

Discussion (0)

Share

Choose Framework

onDomReady

No wrap

onDomReady

onLoad

☐ Clientcide 2.2.0

☐ FormCheck 1.5

☐ Upgrade Helper (1.1 to 1.2)

☒ More 1.2.4.2

Library tag attributes

Add Resources

Change Settings

Backend for Ajax

Examples

Credits

License

All code belongs to the poster and no license is enforced

We are not responsible or liable for any loss or damage of any kind during the usage of provided code.

src="http://farm3.static.flickr.com/2697/4106711273_969cc50546_s.jpg" />

HTML

/*

script: ElementStacks.js
decription: ElementStacks stacks
elements/images on top of each other with a
funky transition
license: MIT-style license.
authors:
- Oskar Krawczyk (http://nouincolor.com/)
requires:
core:1.2.4:
- Class.Extras
- Array
- Function
- Event
- Element.Style
- Element.Dimensions
- Fx.Morph
- Fx.Transitions
provides: [ElementStacks]
...
*/

// bigger demo: http://nouincolor.com
/ElementStack/

JavaScript


body {
background: url(http://img263.imageshack.us
/img263/343/darkwoodsx7.jpg);
font-family: "Georgia", "Times New Roman",
serif;
font-size: .8em;
color: #fff;
text-align: center;
text-shadow: 0 -1px 0 #000;


CSS


Result


ElementStack.js


Click on one of the images to toggle stacks























examples

jsFiddle ALPHA

Run

Update

Save as new

Clear

TidyUp

Discussion (0)

Share

Choose Framework

Add Resources

Change Settings

Backend for Ajax

Examples

jQuery

ElementStacks, Delay, jquery tweets

Processing.js

Delayed Mouse Tracking

Mootools

ElementStack, Delay, Request.JSON, Request.HTML, Enhanced form

ExtJS

Delay

YUI

YQL/YUI3/Twitter example

Credits

License

All code belongs to the poster and no license is enforced

We are not responsible or liable for any loss or damage of any kind during the usage of provided code.

src="http://farm3.static.flickr.com/2697/4106711273_969cc50546_s.jpg" />

HTML

/*

script: ElementStacks.js
decription: ElementStacks stacks
elements/images on top of each other with a
funky transition
license: MIT-style license.
authors:
- Oskar Krawczyk (http://nouincolor.com/)
requires:
core:1.2.4:
- Class.Extras
- Array
- Function
- Event
- Element.Style
- Element.Dimensions
- Fx.Morph
- Fx.Transitions
provides: [ElementStacks]
...
*/

// bigger demo: http://nouincolor.com
/ElementStack/


JavaScript

body {
background: url(http://img263.imageshack.us
/img263/343/darkwoodsx7.jpg);
font-family: "Georgia", "Times New Roman",
serif;
font-size: .8em;
color: #fff;
text-align: center;
text-shadow: 0 -1px 0 #000;

CSS

ElementStack.js

Click on one of the images to toggle stacks



Result

discussions

jsFiddle ALPHA

Run

Update

Save as new

Clear

TidyUp

Discussion (0)

Share

Choose Framework

onDomReady

Mootools Core 1.2.4

☐ More 1.2.4.4

☐ Clientcide 2.2.0

☐ FormCheck 1.5

☐ Upgrade Helper (1.1 to

☒ More 1.2.4.2

Library tag attributes

Add Resources

Change Settings

Backend for Ajax

Examples

Credits

License

All code belongs to the poster and the license is enforced

We are not responsible for any loss or damage of any kind due to the usage of provided code.

Discussion

You are commenting as a [Guest](#). Optional: Login below.

DISQUS

Connect

Twitter

OpenID

Type your comment here.

Name

Email

Website (Optional)

☐ Subscribe to all comments by email

Post as Guest

zalun 1 month ago

Tell us Oskar.
Was this written entirely in jsFiddle or copied from TextMate?

Like

Reply

Oskar Krawczyk ★ 1 month ago [in reply to zalun](#)

A pure jsFiddle creation! No TextMate whatsoever!

CSS

pageshack.us

new Roman",

Result

js

gle stacks



MooTools Users

jsfiddle

Search this group

Search Groups

234 results for **jsfiddle**.

Sorted by relevance [Sort by date](#)

[addevent and webkittransitionend issue](#)

gmail.com> I came up with this [solution](http://jsfiddle.net/6ceug/)<http://jsfiddle.net/6ceug/>. It works in the latest chrome ff3.7 and opera. There are some quirks, maybe the browser ... gmail.com> wrote: [Can you set up a fiddle](#) (<http://jsfiddle.net>) with your code? In regards to Fx using CSS Transitions – a few people tried it already ...
May 10 by [=?UTF-8?Q?Andr=C3=A9_Fiedler?=](#) - 36 messages - 5 authors

[settimeout in a less Ghetto fashion](#)

Matthew Hazlett hzl...@gmail.com mootools-users Dunno, if it's more elegant, but it's in a class: <http://www.jsfiddle.net/jcmkv/> Its more mooish, still needs work but it uses the ideas I was thinking about. You can change the time between fades in the mousemove function. Hopefully it gives you a starting point. ...
May 7 by [Matthew Hazlett](#) - 17 messages - 5 authors

[\[Just for fun\] How to get this work?](#)

fiedler.an...@gmail.com mootools-users Ups, second link was wrong: The result should look like this: <http://jsfiddle.net/gqtam/4/> 2010/5/15 André Fiedler <fiedler.an...@gmail.com> I've commented out, what's not working: <http://jsfiddle.net/sunbox/gqtam/5/> So, how to get this work the mootools way?
...
10:42am by [=?UTF-8?Q?Andr=C3=A9_Fiedler?=](#) - 3 messages - 2 authors

[Problems with cloning and injection in IE](#)

Sent from my iPhone On 13 Apr 2010, at 09:33, Barry van Oudtshoorn <bvanoudtsho...@gmail.com> wrote: Hi, I've put this into a **jsFiddle** here: ... I've [done this on the JSFiddle](#) I linked above. - Barry On 13/04/10 15:19, eceers wrote: Hi all. After a bit of looking around for a plugin that allowed me to

[HOME](#)

[DISCUSSIONS](#)

[PAGES](#)

[FILES](#)

[About this group](#)

[Apply for group membership](#)



2 days ago from Seesmic



SeekTom Whoa!! -- Nice CSS trick -- <http://jsfiddle.net/Fk3Kj/> (via @hugoware) you can say that again, that's ace!

2 days ago from Tweetie



hugoware Whoa!! -- Nice CSS trick -- <http://jsfiddle.net/Fk3Kj/>

2 days ago from Seesmic



Gabizouari Check out my new jsFiddle – jquery tweets – <http://jsfiddle.net/pborreli/pJgyu/>

2 days ago from web



farooko <http://jsfiddle.net/qnwpS/> Editeur for the web Online

2 days ago from web



danielhansson <http://jsfiddle.net> saved my day!!!

3 days ago from Tweetie



integralist RT @js_fiddle: Fiddler on the edge: Dojo 1.5 beta <http://jsfiddle.net/zalun/kddSL/>

3 days ago from DestroyTwitter



netaneo RT @js_fiddle: Fiddler on the edge: Dojo 1.5 beta <http://jsfiddle.net/zalun/kddSL/>

3 days ago from Ping.fm

jQuery wrapper classes ? – [martin](#) Mar 13 at 11:28

@martin: You're kidding at me, aren't you? How can such a monster sentence be plainer? Maybe it's because I'm not a native speaker :) – [prinzdezibel](#) Mar 13 at 11:32 /

LOL okay shorter not plainer. – [martin](#) Mar 13 at 11:38

@mixedpickles that is korrekt! The library does not matter. You could use any library or POJOs (plain ol' Javascript objects) to do the same thing. But the important thing like you said is setting up the `execution context` to the native object (or anywhere else who is buddies with the native object). – [Anurag](#) Mar 14 at 2:33

4 Answers

oldest

newest

votes



1



For the four objects that need to be synchronized, you could have a single object and pass the reference around in a constructor, or as function arguments.

The way I fix this problem is to never lose a reference to the wrapper object. Whenever a DOM object is needed (for example inserting into the page), this wrapper object provides it. But sticking that widget onto the screen, the wrapper object sets up all event handling and AJAX handling code specific to the widget, so the reference the the wrapper is maintained at all times in these event handlers and AJAX callbacks.

I've created a [simple example on jsfiddle](#) using MooTools that might make sense to you.

[link](#) | [flag](#)

edited [Mar 13 at 9:13](#)

community wiki

[3 revs](#)

[Anurag](#)

I think this is very close to my core problem. I'll investigate your example more thoroughly. Thanks for your effort!

– [prinzdezibel](#) Mar 13 at 9:30

Btw, [jsfiddle rocks!](#) – [prinzdezibel](#) Mar 13 at 12:14

[jsfiddle is amazing :D](#) – [Anurag](#) Mar 14 at 2:21

[Activate your free membership](#)

ajaxian

The Web Renaissance is here

Free chapter downloads, white papers,
Click here to activate your FREE membership today.

Search

GO

NEWS PODCASTS SHOWCASES RESOURCES TRAINING CONFERENCE JOBS PLANET PATTERNS CONTRIBU

ADVERTISEMENT



TechTarget Events, the most targeted events for today's top enterprise IT pros. [View full schedule of upcoming topics and dates!](#)



JOBS @ AJAXIAN

Find a Job, Post a job.

TOPICS

.NET (68)

3D (3)

Accessibility (57)

Adobe (91)

Advertising (3)

Ajax (384)

Ajaxian.com

Announcements (15)

Android (2)

Announcements (98)

Appcelerator (2)

Tuesday, February 23rd, 2010

jsFiddle: a Web playground

Category: **Debugging, JavaScript, Utility**

js.Fiddle(alpha)

Run Update Save New Clean

jsFiddle is under very heavy development, please follow us on Twitter or become a fan on Facebook for updates!

Choose Framework

onLoad

jQuery 1.4.0 (google)

☐ jQuery UI 1.7.2

☒ jQuery Lint (edge)

Library tag attributes

Add Resources

Change Settings

Backend for Ajax

Examples

<div id="test">test</div>

HTML

```
#test {
width: 100px;
height: 100px;
background: #ffb;
padding: 10px;
border: 2px solid #999;
}
```

CSS

```
$(function() {
$('#test').delay(9000).fadeOut();
});
```

JavaScript

test

Result

SPONSORS

Access useful iPhone and services info with our Mobile Development Resource Guide. [Join today.](#)

ABOUT THE AJAX EXPERIENCE

#1 Ajax and development planet! Sign up to stay informed about the Experience 2010.

Ajaxian.com.
[stay informed](#)

[Learn More](#)

MooTools ThreeSixty Viewer Featuring the iPad

February 1, 2010

I thought Apple's new 360 degree product viewer was flippin' awesome. So I created a feature light version in mootools last night. I hope to add more (like throwing) and clean up the api a bit, but still, this is sweet.

js.Fiddle

Result

JavaScript

HTML

CSS



ThreeSixty Viewer Demo by [Ryan Florence](#)
Click and drag



community matters

- community is involved in design process
- gives valuable feedback
- collaborates and provides patches (UI)
- expects API to integrate with third party tools (MooTools docs, Phiddle)
- follows the changes

statistics

- 3k+ unique developers every day
- 45k+ demos
- 180k+ versions

future

- user accounts with settings
- private and group demos
- search
- more plugins
- download (.zip?)
- mobile support
- UI improvements
 - templates
 - skins
- split MooShell and jsFiddle codebase

links

- <http://jsfiddle.net/> site
- <http://doc.jsfiddle.net/> docs
- <http://blog.jsfiddle.net/> blog
- http://twitter.com/js_fiddle twitter
- <http://bit.ly/dwzl0y> facebook

developers

- Piotr Zalewa - @zalun
<http://webdev.zalewa.info>
- Oskar Krawczyk - @oskar
<http://nouincolor.com>