SEVEN BITS, SEVEN KEYS: THE PRECEDENT TRAVELS AS A RULE

THE 128 PATTERNS OF THE SEVEN VALUES, EACH REALIZED ON THE PRODUCT OF THE ROWS' OWN FRAMES

0000000	0000001	0000010	0000011	0000100	0000101	0000110	0000111	0001000	0001001	0001010	0001011	0001100	0001101	0001110	0001111
0010000	0010001	0010010	0010011	0010100	0010101	0010110	0010111	0011000	0011001	0011010	0011011	0011100	0011101	0011110	0011111
0100000	0100001	0100010	0100011	0100100	0100101	0100110	0100111	0101000	0101001	0101010	0101011	0101100	0101101	0101110	0101111
0110000	0110001	0110010	0110011	0110100	0110101	0110110	0110111	0111000	0111001	0111010	0111011	0111100	0111101	0111110	0111111
1000000	1000001	1000010	1000011	1000100	1000101	1000110	1000111	1001000	1001001	1001010	1001011	1001100	1001101	1001110	1001111
1010000	1010001	1010010	1010011	1010100	1010101	1010110	1010111	1011000	1011001	1011010	1011011	1011100	1011101	1011110	1011111
1100000	1100001	1100010	1100011	1100100	1100101	1100110	1100111	1101000	1101001	1101010	1101011	1101100	1101101	1101110	1101111
1110000	1110001	1110010	1110011	1110100	1110101	1110110	1110111	1111000	1111001	1111010	1111011	1111100	1111101	1111110	**1111111**

SEVEN BITS, SEVEN KEYS, EACH DELIVERED ON ITS OWN ROW

Bits read RH, P ≠ NP, NS, YM, Hodge, BSD, Poincaré from left to right; gold is all seven, violet is Poincaré alone. Every pattern is realized, so the seven bits are independent: a principle delivering all seven rejects the other 127 patterns and carries a key on every row, and the Poincaré bit settles no other.

`the_seven_values_are_independent` · `seven_keys` · `a_unified_principle_rejects_every_counter_pattern` · `poincare_settles_no_other`

READING theorem on no axiom · on propext (and Quot.sound) · on Lean's standard axioms · definition or structure — names shown by their last component