THE TEN STEPS ACROSS THE SEVEN ROWS

STEP	RH	P≠NP	NS	YM	Hodge	BSD	Poincaré
1 · The floor	theorem	theorem	theorem	theorem	theorem	theorem	theorem
2 · The basis	theorem	theorem	theorem	theorem	theorem	theorem	theorem
3 · The domain	theorem	theorem	theorem	theorem	theorem	theorem	theorem
4 · The record	theorem	theorem	theorem	theorem	theorem	theorem	theorem
5 · Self-recursion, halted	theorem	theorem	theorem	theorem	theorem	theorem	theorem
6 · Two worlds, one record	theorem	theorem	theorem	theorem	theorem	theorem	theorem
7 · The axis: bit iff value	theorem	theorem	theorem	theorem	theorem	theorem	theorem
8 · The real part	theorem	theorem	over a cited field	over a cited field	over a cited field	over a cited field	over a cited field
9 · Every route passes the bit	theorem	theorem	theorem	theorem	theorem	theorem	theorem
10 · The bit, delivered twice	premise, twice	premise, twice	premise, twice	premise, twice	premise, twice	premise, twice	accepted · Clay

CELLS theorem on no axiom · theorem on Lean's standard axioms · theorem over a cited published result · the bit: premise, delivered twice · delivery accepted as unconditional

EACH ROW'S TEN STEPS, BY EXACT TYPE

A cell carries the cone of the row's bound ten-step theorem, named below in row order. Steps 1 to 9 are theorems on every row; at five rows Step 8 takes the published real part as a structure field. Step 10 proves that either kind of delivery yields the sentence, the delivery itself a premise on all seven rows; the Poincaré delivery was accepted as unconditional by the Clay Institute.

`the_terminal_verdict` · `the_terminal_paper_closure` · `the_ten_steps` · `the_ten_steps` · `the_ten_steps` · `the_ten_steps` · `the_ten_steps`

READING theorem on no axiom · on propext (and Quot.sound) · on Lean's standard axioms · definition or structure · names shown by their last component