Program No: 1 **Date: 03.02.2026**

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Activity 2</title>
  </head>
  <body>
    <h1 style='text-align:center;'><span style ="color:blue">G</span> <span style
="color:red">O</span> <span style ="color:yellow">O</span> <span style
="color:blue">G</span> <span style ="color:green">L</span> <span style
="color:red">E</span>
  </body>
</html>
```

OUTPUT

Program No: 2 **Date: 06.02.2026**

Nested List

I. Background Skills
- A. Unix Commands
- B. Vim Test Editors

II. HTML
- A. Minimal Page
- B. Headings
- C. Elements
- D. Lists
  - i. Unordered
  - ii. Ordered
  - iii. Definition
  - iv. Nested
- E. Links
  - i. Absolute
  - ii. Relative
- F. Images

III. CSS
- A. Anatomy
- B. Basic Selectors
  - i. Element
  - ii. Class
  - iii. ID
  - iv. Group
- C. The DOM
- D. Advanced Selectors
- E. Box Model

IV. Programming
- A. Python
- B. JavaScript

V. Database
- A. Flat File
- B. Relational

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Activity 2</title>
  </head>
  <body>
    <h2>Nested List</h2>
    <ol type="I">
      <li>Background Skills</li>
      <ol type="A">
        <li>Unix Commands</li>
        <li>Vim Test Editors</li>
      </ol>
      <li>HTML</li>
      <ol type="A">
        <li>Minimal Page</li>
        <li>Headings</li>
```

```
      <li>Elements</li>
      <li>Lists</li>
        <ol type="i">
          <li>Unordered</li>
          <li>Ordered</li>
          <li>Definition</li>
          <li>Nested</li>
        </ol>
        <li>Links</li>
        <ol type="i">
          <li>Absolute</li>
          <li>Relative</li>
        </ol>
        <li>Images</li>
    </ol>
    <li>CSS</li>
    <ol type="A">
      <li>Anatomy</li>
      <li>Basic Selectors</li>
      <ol type="i">
        <li>Element</li>
        <li>Class</li>
        <li>ID</li>
        <li>Group</li>
      </ol>
      <li>The DOm</li>
      <li>Advanced Selectors</li>
      <li>Box Model</li>
    </ol>
    <li>Programming</li>
    <ol type="A">
      <li>Python</li>
      <li>JavaScript</li>
    </ol>
    <li>DataBase</li>
    <ol types="A">
      <li>Flat File</li>
      <li>Relational</li>

    </ol>
  </ol>

 </body>
</html>
```

OUTPUT

Nested List

I. Background Skills
- A. Unix Commands
- B. Vim Test Editors

II. HTML
- A. Minimal Page
- B. Headings
- C. Elements
- D. Lists
  - i. Unordered
  - ii. Ordered
  - iii. Definition
  - iv. Nested
- E. Links
  - i. Absolute
  - ii. Relative
- F. Images

III. CSS
- A. Anatomy
- B. Basic Selectors
  - i. Element
  - ii. Class
  - iii. ID
  - iv. Group
- C. The DOm
- D. Advanced Selectors
- E. Box Model

IV. Programming
- A. Python
- B. JavaScript

V. DataBase
- 1. Flat File
- 2. Relational

Program No: 3 **Date: 06.02.2026**

Color Name	Color Code	Sample Color
Red	#FF0000	
Green	#00FF00	
Blue	#0000FF	
Yellow	#FFFF00	
Orange	#FFA500	
Purple	#800080	
Pink	#FFC0CB	
Brown	#A52A2A	
Gray	#808080	
Black	#000000	
White	#FFFFFF	
Light Blue	#ADD8E6	
Dark Green	#006400	
Violet	#EE82EE	
Indigo	#4B0082	
Gold	#FFD700	
Silver	#C0C0C0	
Teal	#008080	
Crimson	#DC143C	
Magenta	#FF00FF	

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Table Color</title>
  </head>
  <body>
    <table border='1'>
      <tr>
      <th>Color Name</th>
      <th>Color Code</th>
      <th>Sample Color</th>
      </tr>

      <tr>
        <td>Red</td>
        <td>#FF0000</td>
        <td style="background-color:#FF0000"></td>
      </tr>
```

```
<tr>
  <td>Green</td>
  <td>#00FF00</td>
  <td style="background-color:#00FF00"></td>
</tr>

<tr>
  <td>Blue</td>
  <td>#0000FF</td>
  <td style="background-color:#0000FF"></td>
</tr>

<tr>
  <td>Yellow</td>
  <td>#FFFF00</td>
  <td style="background-color:#FFFF00"></td>
</tr>

<tr>
  <td>Orange</td>
  <td>#FFA500</td>
  <td style="background-color:#FFA500"></td>
</tr>

<tr>
  <td>Purple</td>
  <td>#800080</td>
  <td style="background-color:#800080"></td>
</tr>

<tr>
  <td>Pink</td>
  <td>#FFC0CB</td>
  <td style="background-color:#FFC0CB"></td>
</tr>

<tr>
  <td>Brown</td>
  <td>#A52A2A</td>
  <td style="background-color:#A52A2A"></td>
</tr>

<tr>
  <td>Gray</td>
  <td>#808080</td>
  <td style="background-color:#808080"></td>
```

```
</tr>

<tr>
  <td>Black</td>
  <td>#000000</td>
  <td style="background-color:#000000"></td>
</tr>

<tr>
  <td>White</td>
  <td>#FFFFFF</td>
  <td style="background-color:#FFFFFF"></td>
</tr>

<tr>
  <td>Light Blue</td>
  <td>#ADD8E6</td>
  <td style="background-color:#ADD8E6"></td>
</tr>

<tr>
  <td>Dark Green</td>
  <td>#006400</td>
  <td style="background-color:#006400"></td>
</tr>

<tr>
  <td>Violet</td>
  <td>#EE82EE</td>
  <td style="background-color:#EE82EE"></td>
</tr>

<tr>
  <td>Indigo</td>
  <td>#4B0082</td>
  <td style="background-color:#4B0082"></td>
</tr>

<tr>
  <td>Gold</td>
  <td>#FFD700</td>
  <td style="background-color:#FFD700"></td>
</tr>

<tr>
  <td>Silver</td>
```

```
      <td>#C0C0C0</td>
      <td style="background-color:#C0C0C0"></td>
    </tr>

    <tr>
      <td>Teal</td>
      <td>#008080</td>
      <td style="background-color:#008080"></td>
    </tr>

    <tr>
      <td>Crimson</td>
      <td>#DC143C</td>
      <td style="background-color:#DC143C"></td>
    </tr>

    <tr>
      <td>Magenta</td>
      <td>#FF00FF</td>
      <td style="background-color:#FF00FF"></td>
    </tr>
  </table>
 </body>
</html>
```

OUTPUT

Color Name	Color Code	Sample Color
Red	#FF0000	
Green	#00FF00	
Blue	#0000FF	
Yellow	#FFFF00	
Orange	#FFA500	
Purple	#800080	
Pink	#FFC0CB	
Brown	#A52A2A	
Gray	#808080	
Black	#000000	
White	#FFFFFF	
Light Blue	#ADD8E6	
Dark Green	#006400	
Violet	#EE82EE	
Indigo	#4B0082	
Gold	#FFD700	
Silver	#C0C0C0	
Teal	#008080	
Crimson	#DC143C	
Magenta	#FF00FF	

Program No: 4 **Date: 13.02.2026**

TIME TABLE

Day/Period	I 9:30-10:20	II 10:20-11:10	III 12:00-12:40	12:00-12:40	IV 12:40-1:30	V 1:30-2:20	VI 2:20-3:10	VII 3:10-4:00
Monday	Eng	Mat	Che	LUNCH	LAB			Phy
Tuesday	LAB				Eng	Che	Mat	SPORTS
Wednesday	Mat	Phy	Eng		Che	LIBRARY		
Thursday	Phy	Eng	Che		LAB			Mat
Friday	Phy	Eng	Che		LAB			Mat

```
<!DOCTYPE html>
<html>
<head>
<title>Time Table</title>
</head>
<body>
<h2 align="center">TIME TABLE</h2>
<table border="1" cellspacing="0" cellpadding="8" align="center">

<tr>
<th>Day/Period</th>
```

<th>I
9:30-10:20</th>
<th>II
10:20-11:10</th>
<th>III
12:00-12:40</th>
<th>**12:00-12:40**</th>
<th>IV
12:40-1:30</th>
<th>V
1:30-2:20</th>
<th>VI
2:20-3:10</th>
<th>VII
3:10-4:00</th>
</tr>

<tr>
<td>**Monday**</td>
<td>**Eng**</td>
<td>**Ma**t</td>
<td>**Che**</td>
<td rowspan="5">**LUNCH**</td>
<td colspan="3">**LAB**</td>
<td>**Ph**y</td>
</tr>

<tr>
<td>**Tuesda**y</td>
<td colspan="3">**LAB**</td>
<td>**Eng**</td>
<td>**Che**</td>
<td>**Ma**t</td>
<td>**SPORTS**</td>
</tr>

<tr>
<td>**Wednesday**</td>
<td>**Mat**</td>
<td>**Phy**</td>
<td>**Eng**</td>
<td>**Che**</td>
<td colspan="3">**LIBRARY**</td>
</tr>

<tr>
<td>**Thursday**</td>
<td>**Phy**</td>
<td>**Eng**</td>
<td>**Che**</td>
<td colspan="3">**LAB**</td>
<td>**Ma**t</td>
</tr>

```
<tr>
<td>Friday</td>
<td>Phy</td>
<td>Eng</td>
<td>Che</td>
<td colspan="3">LAB</td>
<td>Mat</td>
</tr>
</table>
</body>
</html>
```

OUTPUT

TIME TABLE

Day/Period	I 9:30-10:20	II 10:20-11:10	III 12:00-12:40	12:00-12:40	IV 12:40-1:30	V 1:30-2:20	VI 2:20-3:10	VII 3:10-4:00
Monday	Eng	Mat	Che	LUNCH	LAB			Phy
Tuesday	LAB				Eng	Che	Mat	SPORTS
Wednesday	Mat	Phy	Eng		Che	LIBRARY		
Thursday	Phy	Eng	Che		LAB			Mat
Friday	Phy	Eng	Che		LAB			Mat

Program No: 5 **Date: 13.02.2026**

```
<!DOCTYPE html>
<html>
<head>
   <title>Doctor Appointment Form</title>
   <style>
```

```
body {
    margin: 0;
    font-family: Arial, sans-serif;
    background-color: #ffffff;
}

.container {
    display: flex;
    align-items: center;
    justify-content: center;
    gap: 20px;
    padding: 40px;
}

.doctor-img img {
    width: 500px;
}

.form-section {
    width: 700px;
}

h2 {
    text-align: center;
    font-size: 28px;
}

hr {
    border: 1px solid red;
    margin-bottom: 20px;
}

label {
    display: inline-block;
    width: 150px;
    margin-top: 10px;
}

input, textarea {
    padding: 5px;
    margin-top: 10px;
    margin-left: 10px;
    margin-right: 10px;
}

textarea {
```

```
            width: 300px;
            height: 80px;
        }

        .checkbox-group {
            margin-left: 150px;
        }

        button {
            margin-top: 15px;
            padding: 5px 15px;
        }
    </style>
</head>
<body>
<div class="container">
    <div class="doctor-img">

        <img src="https://imgs.search.brave.com/-R1DB8nN-FgXL8Twrdxph3nwTi_LESwr-
bm0-
mXsMLo/rs:fit:860:0:0:0/g:ce/aHR0cHM6Ly9tb29k/ZHAuY29tL3dwLWNv/bnRlbnQvdXB
sb2Fk/cy8yMDI1LzEwL3do/YXRzYXBwLWRwLWRv/Y3Rvci53ZWJw" alt="Doctor">
    </div>
    <hr>
    <div class="form-section">
        <form id="appointmentForm" novalidate>
            <h2>Doctor Appointment Form</h2>
            <hr>
            <label>Appointment Date</label>
            <input type="date" id="appointmentDate" required><br>

        <label>Appointment Time</label>
        <input type="time" id="appointmentTime" required><br>

        <label>Name</label>
        <input type="text" id="firstName" placeholder="First" required>
        <input type="text" id="lastName" placeholder="Last" required><br>

        <label>Gender</label>
        <input type="radio" name="gender" value="Male" required> Male
        <input type="radio" name="gender" value="Female" required> Female<br>

        <label>Phone</label>
        <input type="tel" id="phone" placeholder="10-digit" pattern="[0-9]{10}"
required><br>
```

```
        <label>Address</label>
        <input type="text" id="city" placeholder="city" required>
        <input type="text" id="state" placeholder="state" required><br>

        <label>Your Query</label>
        <textarea id="query" required></textarea><br>

        <label>Appointment Type</label>
        <div class="checkbox-group">
            <p>Select which appointment type(s) you require <br>
            <input type="checkbox" name="appointmentType" value="Cervix checkup"> Cervix
checkup<br>
            <input type="checkbox" name="appointmentType" value="Heart checkup"> Heart
checkup<br>
            <input type="checkbox" name="appointmentType" value="Eye check-up"> Eye
check-up<br>
            <input type="checkbox" name="appointmentType" value="Hearing Test"> Hearing
Test<br>
            </p>
        </div>
        <div style="margin-left:150px;">
            <button type="submit">Send</button>
        </div>

        <p id="formError" style="color: red; margin-left:150px;"></p>

    </form>
    </div>
</div>

<script>
    const form = document.getElementById("appointmentForm");
    const error = document.getElementById("formError");

    form.addEventListener("submit", function (event) {
        error.textContent = "";
        if (!form.checkValidity()) {
            event.preventDefault();
            error.textContent = "Please fill all required fields correctly.";
            return;
        }
        const checkedTypes =
document.querySelectorAll("input[name='appointmentType']:checked");
        if (checkedTypes.length === 0) {
            event.preventDefault();
            error.textContent = "Select at least one appointment type.";
```

```
        }
    });
</script>
</body>
</html>
```

OUTPUT



Program No: 6 **Date: 20.02.2026**



```
<!DOCTYPE html>
<html>
<head>
    <title>Mark-Sheet Calculator</title>
```

```
</head>
<body>

   <center>
      <h2>Mark-Sheet Calculator</h2>

      <table border="1" cellpadding="5" style="border-collapse: collapse;">
         <tr>
            <td>Hindi</td>
            <td><input type="number" min="0" max="100" id="hindi" req> (Max : 100)</td>
         </tr>
         <tr>
            <td>English</td>
            <td><input type="number"  min="0" max="100" id="english"> (Max : 100)</td>
         </tr>
         <tr>
            <td>Maths</td>
            <td><input type="number" min="0" max="100" id="maths"> (Max : 100)</td>
         </tr>
         <tr>
            <td>Science</td>
            <td><input type="number"  min="0" max="100" id="science"> (Max : 100)</td>
         </tr>
         <tr>
            <td>Art<</td>
            <td><input type="number" min="0" max="100"  id="art"> (Max : 100)</td>
         </tr>
         <tr>
            <td>Computer</td>
            <td><input type="number" min="0" max="100"  id="computer"> (Max :
100)</td>
         </tr>

         <tr>
            <td>Total</td>
            <td><input type="text" id="total" readonly></td>
         </tr>
         <tr>
            <td>Percentage</td>
            <td><input type="text" id="percent" readonly></td>
         </tr>
         <tr>
            <td>Grade</td>
            <td><input type="text" id="grade" readonly style="width: 100%;"></td>
         </tr>
```

```
            <tr>
                <td colspan="2" align="center">
                    <button onclick="calculate()">Calculate</button>
                </td>
            </tr>
        </table>
    </center>

    <script>
function calculate() {

    let subjects = ["hindi","english","maths","science","art","computer"];
    let total = 0;

    for (let sub of subjects) {

        let value = parseFloat(document.getElementById(sub).value);

        if (isNaN(value)) {
            alert("Please enter all marks.");
            return;
        }

        if (value < 0 || value > 100) {
            alert("Marks must be between 0 and 100 only.");
            return;
        }
        total += value;
    }

    let percentage = (total / 600) * 100;

    let grade = "";
    if (percentage >= 90) grade = "A+ (Excellent)";
    else if (percentage >= 80) grade = "A (Very Good)";
    else if (percentage >= 70) grade = "B (Good)";
    else if (percentage >= 60) grade = "C (Satisfactory)";
    else if (percentage >= 50) grade = "D (Pass)";
    else grade = "F (Fail)";

    document.getElementById("total").value = total;
    document.getElementById("percent").value = percentage.toFixed(2) + "%";
    document.getElementById("grade").value = grade;
}
</script>
</body>
</html>
```

OUTPUT

Mark-Sheet Calculator

Hindi	80 (Max : 100)
English	70 (Max : 100)
Maths	65 (Max : 100)
Science	70 (Max : 100)
Art	80 (Max : 100)
Computer	90 (Max : 100)
Total	455
Percentage	75.83%
Grade	B (Good)
Calculate	

Program No: 7 **Date: 20.02.2026**

Online Quiz Generator with Result Summary

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Online Test Result Summary</title>
   <script>
   function calculateScore()
   {
      let score = 0;
      const totalQuestions = 5;
      let i = 1;
      for (i = 1; i <= totalQuestions; i++)
         {
            let answer = document.querySelector('input[name="q' + i + '"]:checked');

            if (answer && answer.value === "correct") {
```

```
                score++;
        }
    }
    document.getElementById("result").innerHTML =
        "Your score is: " + score + " / " + totalQuestions;
    let percentage = (score / totalQuestions) * 100;
    document.getElementById("percentage").innerHTML =
        "Percentage: " + percentage + "%";
    let passFail = (percentage >= 50) ? "Pass" : "Fail";
    document.getElementById("passFail").innerHTML =
        "Result: " + passFail;
    }
    </script>
</head>
<body>
    <h1 align="center">Online Test: With Result Summary</h1>
    <form id="quiz">
        <p>1.JavaScript is a ___ language.</p>
        <input type="radio" id="q1a1" name="q1" value="correct">
        <label for="q1a1">Programming</label>
        <br>
        <input type="radio" id="q1a2" name="q1" value="wrong">
        <label for="q1a2">Markup</label><br>

        <p>2.HTML is a ___ language.</p>
        <input type="radio" id="q2a1" name="q2" value="correct">
        <label for="q2a1">Markup</label>
        <br>
        <input type="radio" id="q2a2" name="q2" value="wrong">
        <label for="q2a2">Programming</label><br>

        <p>3. Founder of HTML:</p>
        <input type="radio" id="q3a1" name="q3" value="wrong">
        <label for="q3a1">James Gosling</label>
        <br>
        <input type="radio" id="q3a2" name="q3" value="correct">
        <label for="q3a2">Tim Berners-Lee</label>
        <br>

        <p>4. BootStrap is a ____</p>
        <input type="radio" id="q4a1" name="q4" value="wrong">
        <label for="q4a1">Scripting Language</label>
        <br>
        <input type="radio" id="q4a2" name="q4" value="correct">
        <label for="q4a2">Front-End FrameWork</label><br>
```

```
        <p>5.Which JavaScript method changes the content of an HTML element?</p>
        <input type="radio" id="q5a1" name="q5" value="wrong">
        <label for="q5a1">getElementById()</label>
        <br>
        <input type="radio" id="q5a2" name="q5" value="correct">
        <label for="q5a2">innerHTML</label><br>

        <input type="submit" value="Submit" onclick="calculateScore(); return false;">
    </form>
    <p id="result"></p>
    <p id="percentage"></p>
    <p id="passFail"></p>
</body>
</html>
```

OUTPUT

Online Test: With Result Summary

1.JavaScript is a ___ language.

- (●) Programming
- ( ) Markup

2.HTML is a ___ language.

- (●) Markup
- ( ) Programming

3. Founder of HTML:

- ( ) James Gosling
- (●) Tim Berners-Lee

4. BootStrap is a ____

- ( ) Scripting Language
- (●) Front-End FrameWork

5.Which JavaScript method changes the content of an HTML element?

- ( ) getElementById()
- (●) innerHTML

[Submit]

Your score is: 5 / 5

Percentage: 100%

Result: Pass

Program No: 8 **Date: 27.02.2026**

Student Management System with Add, Search and display

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title></title>
   <script>
      function addStudent(){
         const name = document.getElementById("name").value;
         const course = document.getElementById("course").value;

         if(name && course){
            const table = document.getElementById("studentTable");
            let row = table.insertRow();
            let cell1 = row.insertCell(0);
            let cell2 = row.insertCell(1);
            cell1.innerHTML = name;
            cell2.innerHTML = course;

            document.getElementById("name").value = "";
            document.getElementById("course").value = "";
         } else {
            alert("Please enter both name and course.");
         }
      }
     function searchStudent()
     {
   const nameToSearch = document.getElementById("name").value.toLowerCase();
   const table = document.getElementById("studentTable");

   for (let i = 1; i < table.rows.length; i++)
   {
      const name = table.rows[i].cells[0].innerText.toLowerCase();

      if (name === nameToSearch)
       {
         document.getElementById("searchResult").innerText =
            "Found: " + table.rows[i].cells[0].innerText +
            " - " + table.rows[i].cells[1].innerText;
         return;
      }
   }

   document.getElementById("searchResult").innerText = "Not Found";
}
```

```
    </script>
</head>
<body>
    <h1 align="center">Student Management</h1>
    <form id="studentForm">
        <label for="name">Name:</label>
        <input type="text" id="name" name="name" required>
        <br><br>
        <label for="course">Course:</label>
        <input type="text" id="course" name="course" required>
        <br><br>
        <button type="button" onclick="addStudent()">Add</button>
        <button type="button" onclick="searchStudent()">Search</button>
    </form>
    <br>
    <div id="searchResult" align="center"></div>
    <br>
    <table border="2" id="studentTable" align="center">
        <tr>
            <th>Name</th>
            <th>Course</th>
        </tr>
    </table>
</body>
</html>
```

OUTPUT



Program No: 9 **Date: 27.02.2026**

Registration Form Validation

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Registration Page</title>
</head>
<body>

   <h1>Registration Page</h1>

   <form id="registrationForm">
      <label>Name:</label>
      <input type="text" id="name"><br><br>

      <label>Email:</label>
      <input type="text" id="email"><br><br>

      <label>Password:</label>
      <input type="password" id="password"><br><br>

      <button type="submit">Register</button>
   </form>

<script>
document.getElementById("registrationForm").addEventListener("submit", function(event)
{
   event.preventDefault();

   let name = document.getElementById("name").value.trim();
   let email = document.getElementById("email").value.trim();
   let password = document.getElementById("password").value;

   if (name === "" || email === "" || password === "") {
      alert("All fields are required.");
      return;
   }

   if (!email.includes("@")) {
      alert("Email must contain '@'.");
      return;
   }

   if (password.length > 7) {
      alert("Password must be Maximum 7 characters long.");
      return;
```

```
    }

    alert("Registration successful!");
});
</script>
</body>
</html>
```

OUTPUT



Program No: 10 **Date: 27.02.2026**

Create a form to check whether a user is eligible to vote (age ≥ 18)

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Voting Eligibility</title>
</head>
<body>
   <center>
      <h1>Registration Page</h1>

      <form id="registrationForm">
         <table border="1" cellpadding="10" style="border-collapse: collapse;">
            <tr>
               <td><label>Name:</label></td>
               <td><input type="text" id="name" placeholder="Your Name"></td>
            </tr>

            <tr>
               <td><label>Date of Birth:</label></td>
               <td><input type="date" id="dob"></td>
            </tr>

            <tr>
               <td><label>Address:</label></td>
               <td><textarea id="address" placeholder="Your Address"></textarea></td>
            </tr>

            <tr>
               <td><label>Phone Number:</label></td>
               <td><input type="tel" id="phone" placeholder="Phone Number"></td>
            </tr>

            <tr>
               <td><label>Age:</label></td>
               <td>
                  <span id="ageDisplay">Submit to calculate age</span>
               </td>
            </tr>

            <tr>
               <td colspan="2" align="center">
                  <button type="submit">Submit</button>
                  <button type="button" onclick="checkEligibility()">Check
Eligibility</button>
               </td>
```

```
            </tr>

            <tr>
                <td colspan="2" align="center">
                    <div id="eligibilityResult"></div>
                </td>
            </tr>
        </table>
    </form>
</center>

<script>
document.getElementById("registrationForm").addEventListener("submit", function(event)
{
    event.preventDefault();

    let name = document.getElementById("name").value.trim();
    let dob = document.getElementById("dob").value;
    let address = document.getElementById("address").value.trim();
    let phone = document.getElementById("phone").value.trim();

    if (name === "" || dob === "" || address === "" || phone === "") {
        alert("All fields are required!");
        return;
    }

    let age = calculateAge(dob);
    document.getElementById("ageDisplay").innerHTML = age;
});

function calculateAge(dobString) {
    let today = new Date();
    let birthDate = new Date(dobString);
    let age = today.getFullYear() - birthDate.getFullYear();
    let monthDiff = today.getMonth() - birthDate.getMonth();

    if (monthDiff < 0 || (monthDiff === 0 && today.getDate() < birthDate.getDate())) {
        age--;
    }
    return age;
}

function checkEligibility()
{
    let name = document.getElementById("name").value.trim();
    let dob = document.getElementById("dob").value;
```

```
    if (name === "" || dob === "") {
        alert("Please enter Name and Date of Birth first!");
        return;
    }

    let age = calculateAge(dob);

    if (age >= 18) {
        document.getElementById("eligibilityResult").innerHTML =
            "<b>User " + name + " is eligible for voting.</b>";
        document.getElementById("eligibilityResult").style.color = "green";
    } else {
        document.getElementById("eligibilityResult").innerHTML =
            "<b>User " + name + " is not eligible for voting.</b>";
        document.getElementById("eligibilityResult").style.color = "red";
    }
}
</script>
</body>
</html>
```

OUTPUT