Copyright 2018

	7
Sp	ВОВ ТО А СОММИМІСАТІОМ ГАУЕЯ ЕВВОВ
לל	ог Сеитев (<u>нттр://Lосагноsт:1947)</u>
7 7	
£p	(тиоятсит)
	(тиотяон2
Zp	(тиэтяо
Tb	(JPDATE.EXE
Tb	(TUDT





ς

lease go to the

een similar to that shown in **Figure 2**, that assures that the licensing has ne user can move to the client computer to complete the program occess. If the screen shown in **Figure 2** does not open, it is likely due to 5 the drivers or the License Manager service is being blocked or has not 5 the drivers or the License Manager service is being blocked or has not



Figure 8

you received with your order in the 'Product Key' box in the ADAPT

nse Manager has been installed correctly, the Gemalto Sentinel Admin CO) will open and you should see the Metwork key after clicking on Options menu. An example of this window is shown in Figure 11. For screen will show just one key with Vendor code 57769 and the key type ninMode (Rehostable).

OL 80 10 21akt Injenu Padari Licensing Utilities Psentinel Admin

a different subnet than the licensing server, or if the client computer is ver over a VPN please go to the Accessing a Network License from a section of this manual for additional steps to ensure the client's computer

2d, the license search sequence is to find an uncommitted perpetual first. If a perpetual license is not found, the program will search for a anse is a timed version of a Local Soffware License (SL) and is the client machine when a program is installed. The ADAPT Licensing I will indicate that the trial license has been engaged with the message:

le-clicking on the desktop shortcut and the splash screen will open.

Server, Debian 8.x)

n that has been protected for performance profiling (with AppOnChip) riler versions of Virtual Box) art is not supported at this stage and will cause the license to be flagged

in click **Submit.** Please note it may take a few minutes for the license e updated settings active. After completing these steps at the server,

Control Panel->Administrative Tools->Services, and make sure the

o to http://localhost:1947 or if you have installed the ADAPT-Licensing

complete the following steps.

be configured as well.

and machine you can go to **Start Menu →ADAPT Licensing**Control Center. The screen sown in Figure 15 will open. If the following

ss to Remote Licenses, Broadcast Search for Remote Licenses, and note Licenses all have checks in their respective check boxes.

h Parameters text box defines the specific computers that may be

for remote Sentinel License Managers. To point directly to the server commend input of the server IP address or name in this field.

s information if you have not selected the **Broadcast Search for Remote**

user is unable to "see" the network license in the **Sentinel Keys** table lect the **Access to Remote License Managers** tab and modify the reckboxes and inputting the server IP address as shown in **Figure 21**. a bottom of page. Note: If the network license is shown in the Sentinel

n or page.

skipped and you can proceed to the next step.

193 M Deteched Reserved Res. % Max. Days Actions

Figure 23

Figure 24

proper network key. The key will be shown as an SL type. From the ducts to open the window shown in Figure 28.

alled on the recipient machine.


, you will see the screen shown in Figure 30 if the detaching was no for Save As and save the .h2r file to a known location. Note that the

O=lbfqis.gnisnaoiJ-T9ADA_quta2\sultauf4Edqiqpql\s\moz

5 program by going to **Start Menu → ADAPT-Licensing Utilities → ADAPT**US) or by double clicking the ADAPT_RUS executable located within hPTADAPT-Licensing\tools. This will open the dialog window shown in

87

Figure 39



d and install the latest ADAPT-Licensing Utilities software. Make sure versions of the ADAPT-Licensing Ithe user can do this through the upersions of the ADAPT-Licensing The LOBS-WES software on the computer am Files (x86/ADA/PAPT/tools folder) before installing the ADAPT-Licensing ing Utilities software can be found on your installation CD or

ted. This executable usually will have a name similar to HASPUpdate_

:om/s/lpqpj9h34hua1uz/Setup_ADAPT-Licensing.zip?dl=0

wing link:


magon from this computer to enable: of existing protection key vari

Figure 44

se tab. This will display the window shown in Figure 45.

32

Figure 46





generated license transfer file is: sers/David/Desktop/LicenseTransferFile.h2h.

Figure 51

.det elle tab. S program on the Recipient Computer. ted to the Recipient Computer.

ne computer to receive the license (recipient computer), use the Apply use tile (or a copy of this file).

OK

can start using the software and accessing the license from the new are.

pts to complete the installation. procedure. d the ADAPT-Licensing 20xx Setup (20xx-xx-xx).exe, double click on the

ctivate a license on a network server that does not have any other

TOOI or by navigating to C:\Program Files (x86)\ADAPT-TADAPTan be accessed by going to Start Menu >ADAPT Licensing

ng on the ADPTLicensingApp.exe, after the ADAPT Licensing Utilities

6ε

the installation has been completed.

(ensingApp.exe)

07

Figure 54

smallon from this computer to enable: s of existing protection key

agou of new protection key

.e., rife enterties is unable to view of terminate open sessions.
.ame subnet as the licensing server. To solve this issue please see the
icense from a Different Subnet or VPN section of this manual.

Control Center (http://Localhost:1947)

the Sentinel Admin Control Center cannot be accessed is that the ger Service is not installed or running. You can check to see if this service going to Control Panel->Administrative Tools->Services. Here, the user nel LDK License Manager Service is in the list and the service is started. st please reinstall the licensing drivers. The user can download and

nstalling the ADAPT-Licensing Utilities software. Once this software is

for a failed update is that it was not performed at the computer where se make sure you are on the computer where the license is located and e file physically on that computer and not through a Remote Desktop

can fail is missing or skipping a previous update that had been created is event, the ADAPT-RUS program will output a key mismatch error. To can find the previous update and install it before installing the latest the previous update ADAPT will have to format the license and start the instat <u>support@adaptsoft.com</u> in order to start the process of resolving that when ADAPT sends a license update, the assumption is made that

.04 Server, Debian 8.x)

cation that has been protected for performance profiling (with contectly with Virtual Box versions prior to 4.3.28)

p/start is not supported at this stage and will cause the license to be