

Robot Inspection Checklist

Team Number: _____



Size Inspection

Robot fits within starting size restrictions (18" x 18" x 18") without touching walls or ceiling of the sizing tool. Once	R4, SG14
expanded, no horizontal dimension exceeds 36". Team ID Plates must be installed for sizing inspection.	14, 0014

Overall Inspection

Team is only competing with ONE robot. They have no spare or replacement robots.	R1
Robot displays colored VEX Team Identification plates on at least (2) opposing sides.	R19
Robot does NOT contain any components which will be intentionally detached on the playing-field.	G11
Robot does NOT contain any components that could entangle or damage the playing-field or other robots.	R3
Robot does NOT contain any sharp edges or corners.	R3
Robot on/off switch is accessible & Microcontroller lights are visible without moving or lifting the robot.	R16

VEX Parts Inspection

ALL Robot components are (or are IDENTICAL to) OFFICIAL VEX Products as sold on VEXrobotics.com (No 3D printed functional parts are allowed)	R5, R6, R7
Robot does not use VEX products not intended for use as a robot component or any VEX packaging.	R5b
ALL Components on the Robot NOT meeting VRC Inspection Criteria are NON-FUNCTIONAL decorations	R7d
Any grease is used only in moderation on components that do not contact the field, objects, or other robots.	R7e
Any non-shattering plastic on the robot was cut from a single sheet of 0.070" material not larger than 12"x24".	R7f
Robot has only (1) VEX EDR Microcontroller.	R9
Robot utilizes the VEXnet wireless communication system.	R10
None of the electronics are from the VEXplorer, VEXpro, VEX-RCR, VEX IQ, or VEX Robotics by Hexbug.	R10b
Total number of Servos and Motors is not more than twelve (12) without use of pneumatics or ten (10) with use of pneumatics.	R11
Each 2-wire motor is plugged into its own 2-wire port or into a Model 29 motor controller	R11-2a
A motor may only be controlled by a single controller port	R11-2b
Robot uses a maximum of (1) Y-Cable per each 3-wire Motor Port (cannot "Y" off a 2-wire Motor Port)	R12
Robot uses (1) VEX 7.2V (Robot) Power Pack as the primary power source.	R13
If the Robot has a Power Expander, it has a 2nd 7.2V (Robot) Power Pack	R13
Robot uses a maximum of (1) VEX Power Expander	R13b
Robot has a charged 9V Backup Battery connected	R13c
Team only utilize VEX Battery Chargers for charging VEX 7.2V Battery Packs	R13e
Robot is not controlled by more than (2) VEX hand-held transmitters.	R14
NO VEX electrical components have been modified from their original state.	R15a
NO Method of attachment NOT provided by the VEX Design System is used. (Welding, Gluing, etc.)	R15b
Robot uses a maximum of two (2) VEX pneumatic air reservoirs. (Maximum 100 psi per air reservoir)	R18

Field Control Check

Robot successfully completes the "Field Control Check" Procedure. See Inspection Guidelines.	R21
Robot enters Autonomous mode when prompted with no driver control for duration of Autonomous.	R20
The Hand-held Controller(s) ONLY control the robot when robot is in Driver mode.	R20

PTC Verification Testing

Failure to pass this test will result in immediate Event Disqualification	Pass/Fail:	Tested By:	R15, R21
Final Inspection Pass/Fail:	Inspector Signature:	Team Initials:	