



# Cybersecurity Academy: Configuring a FortiGate 40F for Small Office or Home Office

Hunter Zhuang

## Contents

|                                                    |    |
|----------------------------------------------------|----|
| Purpose.....                                       | 3  |
| Background Information.....                        | 3  |
| Lab Summary.....                                   | 3  |
| Network Diagram with IPs .....                     | 4  |
| Problems .....                                     | 4  |
| Conclusion .....                                   | 4  |
| Lab Configuration.....                             | 5  |
| Factory Reset .....                                | 5  |
| Secure Small Office Home Office Configuration..... | 6  |
| Updating the Firewall .....                        | 13 |
| Configuration File .....                           | 20 |

## Purpose

This lab details how to factory reset a FortiGate 40F and set it up in a small office/home office (SOHO) configuration. This configuration is the base configuration for a small office, opening paths to configure security policies, virtual private networks (VPNs), and other Fortinet devices. Though very similar to the default SOHO that comes with the FortiGate 40F, this guide introduces more security by moving the management interface off the LAN hardware switch.

## Background Information

A small office/home office (SOHO) configuration for the purposes of this write-up requires a local area network (LAN) for devices to get internet access from and a management interface for a network administrator to configure the firewall so that local users cannot access the firewall. For internet connectivity to occur on the LAN, devices need to receive IP addresses from a DHCP server; this will be accomplished by FortiGate 40F, which can host a DHCP server on it. When the FortiGate 40F receives packets it will route those packets to the internet and use network address translation (NAT) to conserve the number of public IP addresses.

In this case the FortiGate 40F is being used as an edge device because it offers many features. It can provide routing, NAT, DHCP, and firewall capabilities, like networking filtering. This makes it a compact device that can do many things to both route packets and secure the network.


As of now the configuration is simple, but it serves as a steppingstone for network segmentation based on VLANs, VPNs, quality of service (QoS), and network monitoring. Positioned at the edge, the FortiGate 40F has many possibilities for more abilities, which makes it paramount that the base SOHO configuration is done correctly.

The FortiGate 40F, made by Fortinet, Inc., is a small next-generation firewall (NGFW) made for small businesses and organizations. Regarding its physical specifications, it has a console port, a USB port, and five RJ45 ports. One of the RJ45 ports is designated for WAN and the other is designed to be a FortiLink interface. The FortiGate 40F comes with a secure SD-WAN and wireless controller, making it a great device for a small office. Additionally, the FortiGate 40F is integrated with FortiGuard security services, so it ensures that malware and attacks won't penetrate one's networks.

## Lab Summary

In this lab a FortiGate 40F was factory reset, updated and configured for SOHO. Because the default SOHO configuration on the FortiGate 40F is not the most secure there were still some changes made. A separate interface (lan1) was designated as the management interface on a different physical port, so that the firewall can only be configured if a person has physical access to it. Additionally, administrative access was removed from the virtual switch on the FortiGate 40F so that no LAN devices can configure the firewall.

## Network Diagram with IPs



## Problems

For the separate management interface on the FortiGate 40F, I wanted it to be logically separated from the rest of the firewall, but also have the admin be within the LAN, so that the admin could test any security changes made on the LAN quickly. An initial attempt was made at using a loopback interface as the management. However, the loopback interface would not be secure because if someone had connection to the firewall, they would be able to access that. So then, a second attempt was made using a piggyback interface that connected the LAN and management interface but then it was realized that the management interface wasn't logically separated that way because any packets would be directly routed to the management and not through the piggyback interface. As a compromise, lan1 was logically separated, but the device used to configure the firewall couldn't be put on the LAN. I selected the most secure way to have administrative access, separating user data traffic from management traffic.


## Conclusion

The SOHO configuration is important because it is the first step towards many other features. Following the guidelines in this document, anyone can configure a FortiGate 40F for SOHO. This *initial* configuration is needed for all small offices and homes offices.

## Lab Configuration

### Factory Reset

#### Back Panel



Power cycle the FortiGate. As the FortiGate boots up, use a pin to hold the reset button down for about 60 seconds.

```
FortiGate-40F (00:32-03.17.2023)
Ver:05000030
Serial number: FGT40FTK23099CGF
CPU: 1200MHz
Total RAM: 2 GB
Initializing boot device...
Initializing MAC... NP6XLITE#0
Please wait for OS to boot, or press any key to display configuration menu.....

Booting OS...
Initializing firewall...

System is starting...
Starting system maintenance...
Scanning /dev/mmcblk0p2... (100%)
Scanning /dev/mmcblk0p3... (100%)

FortiGate-40F login:
System is resetting to factory default...


Please stand by while rebooting the system.
Restarting system.

FortiGate-40F (00:32-03.17.2023)
Ver:05000030
Serial number: FGT40FTK23099CGF
CPU: 1200MHz
Total RAM: 2 GB
Initializing boot device...
Initializing MAC... NP6XLITE#0
Please wait for OS to boot, or press any key to display configuration menu.....


Booting OS...
Initializing firewall...

System is starting...
```

## Secure Small Office Home Office Configuration



**Password is blank**



## Change Password

 You are required to change the default password.

Password must conform to the following rules:

- 1 Upper case letters
- 1 Lower case letters
- 1 Special characters
- 1 Numbers (0-9)
- 12 Minimum length

**Use a  
secure  
password**

Old password



••••••••••••••••




••••••••••••••••



OK

Logout

## Login with newly created password




The image shows the FortiGate login interface. It features a green header with the FortiGate logo. Below the header, there are two input fields: the first is labeled 'admin' and the second is a password field with a red box around it and a red arrow pointing to the 'Login' button. The 'Login' button is a green rectangle with the text 'Login' in white.

### FortiGate Setup

 Perform the following steps to complete the setup of this FortiGate.

- Register with FortiCare ✓
- Migrate Config with FortiConverter
- Automatic Patch Upgrades
- Dashboard Setup
- Change Your Password ✓

 A green button with the text 'Begin' in white, highlighted with a red box and a red arrow pointing to it.

Setup Progress

Register with FortiCare ✓

> Migrate Config with FortiConverter

Automatic Patch Upgrades

Dashboard Setup

Change Your Password ✓

Migrate Config with FortiConverter



Are you migrating from a different FortiGate with older firmware? The [FortiConverter Service](#) can convert the config so it is compatible with the current FortiOS version of this device. Conversions generally take one business day.

Convert

Later

Don't show again ☐

If not migrating from older firmware

Setup Progress

Register with FortiCare ✓

Migrate Config with FortiConverter

> Automatic Patch Upgrades

Dashboard Setup

Change Your Password ✓

Automatic Patch Upgrades for v7.6

☒ Enable automatic patch upgrades for v7.6

Regularly check for available patch upgrades within the v7.6 version during a configured time window. If any are available, automatically download and install them. The device will reboot during the upgrade.

☐ Disable automatic patch upgrades

Do not automatically download or install patch upgrades.

Upgrade schedule

DelaySpecify days

Delay by number of days

3

Install during specified time

01:00 AMto 04:00 AM

Previous

Save and continue

Configure according to company standards

Setup Progress

Register with FortiCare ✓

Migrate Config with FortiConverter

Automatic Patch Upgrades

> Dashboard Setup

Change Your Password ✓

Dashboard Setup



Select one of the following options to decide what dashboards will be available by default. You can always change your selection or manually customize your own dashboards later.

☒ Optimal

A set of popular default dashboards and FortiView monitors.

☐ Comprehensive



A set of default dashboards as well as all monitors and FortiViews. This set will be familiar to users coming from previous FortiOS versions



Previous

OK

Later

Configure according to company standards





FortiGate-40F

Dashboard

Network

Interfaces

DNS

IPAM

FortiExtenders

SD-WAN

Static Routes

Diagnostics

Policy & Objects

Security Profiles

VPN

User & Authentication

WiFi & Switch Controller

System

Security Fabric

Log & Report

FortiGate 40F

LAN

1 2 3 A WAN

Create new

Search

802.3ad Aggregate

fortilink

802.3ad Aggregate

a

Hardware Switch

lan

Hardware Switch

lan2

lan3

Edit

Delete

Set Status

More

Physical Interface

Management (lan1)

Physical Interface

192.168.1.254/255.255.255.0

wan

Physical Interface

192.168.40.94/255.255.254.0

Tunnel Interface

NAT interface (naf.root)

Tunnel Interface

0.0.0.0/0.0.0.0

WiFi SSID

fortinet.mesh.root (default-mesh)

WiFi SSID

0.0.0.0/0.0.0.0

Edit Interface

Name

lan

Alias

Type

Hardware Switch

Interface members

lan2

lan3

Role

LAN

Address

Addressing mode

Manual

IPAM

DHCP

PPPoE

IP/Netmask

10.0.0.1/255.255.255.0

Create address object matching subnet

Name

lan

Destination

10.0.0.0/24

Secondary IP Address

Administrative Access

IPv4

HTTPS

HTTP

SSH

PING

SNMP

Security Fabric Connection

FMG Access

FTM

RADIUS Accounting

Speed Test

SCIM

Receive LLDP

Use VDOM Setting

Enable

Disable

Transmit LLDP

Use VDOM Setting

Enable

Disable

DHCP Server

DHCP status

Enabled

Disabled

Address range

10.0.0.5-10.0.0.253

Netmask

255.255.255.0

Default gateway

Same as Interface IP

Specify

DNS server

Same as System DNS

Same as Interface IP

Specify

Lease time

604800

second(s)

Advanced

Network

OK

Cancel

Remove administrative access from lan default gateway

FortiGate-40F

Dashboard

Network

Interfaces

DNS

IPAM

FortiExtenders

SD-WAN

Static Routes

Diagnostics

Policy & Objects

Security Profiles

VPN

User & Authentication

WiFi & Switch Controller

System

Security Fabric

Log & Report

FortiGate 40F

LAN

1 2 3 A WAN

Create new

Search

802.3ad Aggregate

fortilink

802.3ad Aggregate

a

Dedicated to FortiSwitch

Hardware Switch

lan

Hardware Switch

lan2

lan3

10.0.0.1/255.255.255.0

Edit

Delete

Set Status

More

Physical Interface

Management (lan1)

Physical Interface

192.168.1.254/255.255.255.0

wan

Physical Interface

192.168.40.94/255.255.254.0

Tunnel Interface

NAT interface (naf.root)

Tunnel Interface

0.0.0.0/0.0.0.0

WiFi SSID

fortinet.mesh.root (default-mesh)

WiFi SSID

0.0.0.0/0.0.0.0

Plug a switch or any LAN devices into lan2 or lan3

# Updating the Firewall

Backup System Configuration

Backup to: ☐ Local PC ☐ USB Disk

File format: ☐ FortiOS ☐ YAML

Password mask: ☐ ☐

Encryption: ☐

FortiGate-40F

FortiGate times is out of sync.

Device Type: FortiGate

Upgrade Status: Upgrade available

Device # Status # Registration Status # Firmware Version # Upgrade Status #

FortiGate-40F Online Registered v7.2.10 build1706 (Mature) v7.2.11 (Mature) available

Take note of your current version

FortiGate Upgrade

Current FortiGate version: v7.2.10 build1706 (Mature)

Select Firmware

Latest All Upgrades All Downgrades File Upload

7.6

7.6.6 Mature FortiOS v7.6.6 build3652 (GA) Release notes Security Fabric upgrade notes

7.4

7.4.11 Mature FortiOS v7.4.11 build2878 (GA) Release notes Security Fabric upgrade notes

7.2

7.2.13 Mature FortiOS v7.2.13 build1762 (GA) Release notes Security Fabric upgrade notes

Confirm and Backup Config

## FortiGate Upgrade

Current FortiGate version v7.2.10 build1706 (Mature)

### Select Firmware

**7.6.6**  
Mature

FortiOS v7.6.6 build3652 (GA)  
[Release notes](#)   
[Security Fabric upgrade notes](#) 

**Follow upgrade path** Directly update to v7.6.6

v7.2.10 >  v7.4.8 > v7.6.6

 FortiOS v7.4.8 build2795 will be installed as part of the incremental upgrade process

**Upgrade to desired version,  
make sure to research  
beforehand to confirm that  
desired version is stable**


Confirm and Backup Config

Cancel

**This configuration dialog  
will reappear along the  
upgrade path**

|                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Setup Progress</b><br>Register with FortiCare ✓<br>➤ Automatic Patch Upgrades<br>Dashboard Setup<br>Change Your Password ✓ | <b>Automatic Patch Upgrades for v7.4</b><br><br><input type="radio"/> Enable automatic patch upgrades for v7.4<br>Regularly check for available patch upgrades within the v7.4 version during a configured time window. If any are available, automatically download and install them. The device will reboot during the upgrade.<br><br><div><input checked="" type="radio"/> <b>Disable automatic patch upgrades</b><br/>Do not automatically download or install patch upgrades.</div><br><div> <b>Save and continue</b></div> |
|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Configure according  
to organization  
standards**

|                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Setup Progress</b><br>Register with FortiCare ✓<br>Automatic Patch Upgrades<br>➤ Dashboard Setup<br>Change Your Password ✓ | <b>Dashboard Setup</b><br><br><div> Select one of the following options to decide what dashboards will be available by default. You can always change your selection or manually customize your own dashboards later.</div><br><div><input checked="" type="radio"/> <b>Optimal</b><br/>A set of popular default dashboards and FortiView monitors.</div><br><div><input type="radio"/> Comprehensive<br/>A set of default dashboards as well as all monitors and FortiViews. This set will be familiar to users coming from previous FortiOS versions</div><br><div><div>Previous</div><div> <b>OK</b></div><div>Later</div></div> |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Configure according  
to organization  
standards**

FortiGate-40F

Dashboard

Network

Policy & Objects

Security Profiles

VPN

User & Authentication

WiFi & Switch Controller

System

Administrators

Admin Profiles

Firmware & Registration

Settings

HA

SNMP

Replacement Messages

FortiGuard

Feature Visibility

Security Fabric

Log & Report

+

Add widget

System Information

HostnameFortiGate-40F

Serial numberFGT40FTK23099CGF

Firmwarev7.4.8 build2795 (Mature)

ModeNAT

System time2026/02/24 12:07:33

Uptime10m 10s

A new firmware version is available v7.4.11 (Mature)

Licenses (173.243.141.6)

Support

Updates

IPS

AntiVirus

Web Filter

Rating

FortiToken

0%

Memory

1 minute

100%

80%

60%

40%

20%

0%

45 seconds ago

30 seconds ago

15 seconds ago

Now

Current usage 43%

FortiGate-40F Status

Sessions

4

3

2

1

0

Go back here to continue along upgrade path

1

1 total

Device Type

FortiGate

1

1 total

Upgrade

Fabric upgrade

Upgrade

Register

Refresh registration

Authorization

Search

Device

Status

FortiGate-40F

Online

Reg

FortiGate Upgrade

Current FortiGate version v7.4.8 build2795 (Mature)

Select Firmware

Latest All Upgrades All Downgrades File Upload

7.6

7.6.6

Mature

FortiOS v7.6.6 build3652 (GA)

Release notes

Security Fabric upgrade notes

Show More

7.4

7.4.11

Mature

FortiOS v7.4.11 build2878 (GA)

Release notes

Security Fabric upgrade notes

Show More

Confirm and Backup Config

Cancel

1. Arrow pointing to the 'FortiGate-40F' device entry in the main table.

2. Arrow pointing to the 'Upgrade' button in the top navigation bar.

3. Arrow pointing to the 'FortiOS v7.6.6 build3652 (GA)' firmware option in the 'FortiGate Upgrade' panel.

FortiGate Upgrade

Current FortiGate version v7.4.8 build2795 (Mature)

Select Firmware

7.6.6  
Mature

FortiOS v7.6.6 build3652 (GA) ✕

Release notes [↗](#)

Security Fabric upgrade notes [↗](#)

**Ensure that this is the most recent stable version**

Confirm and Backup Config

Cancel

### Upgrading to FortiOS v7.6.6 build3652



Upgrading the firmware will cause the system to reboot. Are you sure you want to continue?

Continue

Cancel

### Change Password



Your password does not conform to the password policy, please input a new password.

Password must conform to the following rules:

- ① Upper case letters
- ① Lower case letters
- ① Special characters
- ① Numbers (0-9)
- ⑫ Minimum length

**When reopening your firewall GUI, create a new password if the prompt instructs you to do so**

Old password



New password




Confirm password



OK

Logout



## Configuration File

```
#config-version=FGT40F-7.6.6-FW-build3652-260127:opmode=0:vdom=0:user=admin
#conf_file_ver=256877699065639
#buildno=3652
#global_vdom=1
config system global
    set alias "FortiGate-40F"
    set gui-auto-upgrade-setup-warning disable
    set hostname "FortiGate-40F"
    set switch-controller enable
    set timezone "US/Pacific"
end
config system accprofile
    edit "prof_admin"
        set secfabgrp read-write
        set ftviewgrp read-write
        set authgrp read-write
```

```
        set sysgrp read-write
        set netgrp read-write
        set loggrp read-write
        set fwgrp read-write
        set vpngrp read-write
        set utmgrp read-write
        set wifi read-write
        set cli-get enable
        set cli-show enable
        set cli-exec enable
        set cli-config enable
    next
end
config system np6xlite
    edit "np6xlite_0"
    next
end
config system interface
    edit "wan"
        set vdom "root"
        set mode dhcp
        set allowaccess ping
        set type physical
        set role wan
        set snmp-index 1
    next
    edit "lan1"
        set vdom "root"
        set type physical
        set snmp-index 2
    next
    edit "lan2"
        set vdom "root"
        set ip 10.0.0.1 255.255.255.0
        set allowaccess ping https ssh http speed-test
        set type physical
        set device-identification enable
        set lldp-transmission enable
        set role lan
        set snmp-index 3
    next
    edit "lan3"
        set vdom "root"
        set type physical
        set snmp-index 4
    next
end
```

```
edit "a"
    set vdom "root"
    set type physical
    set snmp-index 5
next
edit "modem"
    set vdom "root"
    set mode pppoe
    set status down
    set type physical
    set snmp-index 6
next
edit "naf.root"
    set vdom "root"
    set type tunnel
    set src-check disable
    set snmp-index 7
next
edit "l2t.root"
    set vdom "root"
    set type tunnel
    set snmp-index 8
next
edit "ssl.root"
    set vdom "root"
    set type tunnel
    set alias "SSL VPN interface"
    set snmp-index 9
next
edit "lan"
    set vdom "root"
    set ip 192.168.1.99 255.255.255.0
    set allowaccess ping https ssh fabric
    set type hard-switch
    set stp enable
    set role lan
    set snmp-index 10
next
edit "fortilink"
    set vdom "root"
    set fortilink enable
    set ip 10.255.1.1 255.255.255.0
    set allowaccess ping fabric
    set type aggregate
    set member "a"
    set lldp-reception enable
```

```
        set lldp-transmission enable
        set snmp-index 11
        set fortalink-neighbor-detect fortalink
    next
end
config system physical-switch
    edit "sw0"
        set age-val 0
    next
end
config system virtual-switch
    edit "lan"
        set physical-switch "sw0"
        config port
            edit "lan1"
            next
            edit "lan3"
            next
        end
    next
end
config system password-policy
    set status enable
end
config system custom-language
    edit "en"
        set filename "en"
    next
    edit "fr"
        set filename "fr"
    next
    edit "sp"
        set filename "sp"
    next
    edit "pg"
        set filename "pg"
    next
    edit "x-sjis"
        set filename "x-sjis"
    next
    edit "big5"
        set filename "big5"
    next
    edit "GB2312"
        set filename "GB2312"
    next
end
```

```

    edit "euc-kr"
        set filename "euc-kr"
    next
end
config system admin
    edit "admin"
        set vdom "root"
        set old-password ENC
SH2LxEg4VZDaukCv/3vmEOGlstindJRkULz0yU57eZD1w4P+o4q31Tx1G1GK6A=
        set accprofile "super_admin"
        config gui-dashboard
            edit 12
                set name "Status"
                set vdom "root"
                set permanent enable
                config widget
                    edit 1
                        set width 1
                        set height 1
                    next
                    edit 2
                        set type licinfo
                        set x-pos 1
                        set width 1
                        set height 1
                    next
                    edit 3
                        set type forticloud
                        set x-pos 2
                        set width 1
                        set height 1
                    next
                    edit 4
                        set type security-fabric
                        set x-pos 3
                        set width 1
                        set height 1
                    next
                    edit 5
                        set type admins
                        set x-pos 4
                        set width 1
                        set height 1
                    next
                    edit 6
                        set type cpu-usage

```

```

        set x-pos 5
        set width 2
        set height 1
    next
    edit 7
        set type memory-usage
        set x-pos 6
        set width 2
        set height 1
    next
    edit 8
        set type sessions
        set x-pos 7
        set width 2
        set height 1
    next
end
next
edit 13
    set name "Security"
    set vdom "root"
    config widget
        edit 1
            set type fortiview
            set width 2
            set height 1
            set fortiview-type "compromisedHosts"
            set fortiview-sort-by "verdict"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
        edit 2
            set type fortiview
            set x-pos 1
            set width 2
            set height 1
            set fortiview-type "threats"
            set fortiview-sort-by "threatLevel"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
        edit 3
            set type device-vulnerability
            set x-pos 2
            set width 2
            set height 1

```

```
        next
    end
next
edit 14
    set name "Network"
    set vdom "root"
    config widget
        edit 1
            set type routing
            set width 2
            set height 1
            set router-view-type "staticdynamic"
        next
        edit 2
            set type dhcp
            set x-pos 1
            set width 2
            set height 1
        next
        edit 3
            set type virtual-wan
            set x-pos 2
            set width 2
            set height 1
        next
        edit 4
            set type ipsec-vpn
            set x-pos 3
            set width 2
            set height 1
        next
    end
next
edit 15
    set name "Assets & Identities"
    set vdom "root"
    config widget
        edit 1
            set type device-inventory
            set width 2
            set height 1
        next
        edit 2
            set type identities
            set x-pos 1
            set width 2
```

```
        set height 1
    next
    edit 3
        set type firewall-user
        set x-pos 2
        set width 2
        set height 1
    next
    edit 4
        set type quarantine
        set x-pos 3
        set width 2
        set height 1
    next
    edit 5
        set type nac-vlans
        set x-pos 4
        set width 2
        set height 1
    next
end
next
edit 16
    set name "WiFi"
    set vdom "root"
    config widget
        edit 1
            set type ap-status
            set width 2
            set height 1
        next
        edit 2
            set type channel-utilization
            set x-pos 1
            set width 2
            set height 1
            set wifi-band "both"
        next
        edit 3
            set type clients-by-ap
            set x-pos 2
            set width 2
            set height 1
            set wifi-band "both"
        next
    edit 4
```

```
        set type client-signal-strength
        set x-pos 3
        set width 2
        set height 1
        set wifi-band "both"
    next
    edit 5
        set type rogue-ap
        set x-pos 4
        set width 2
        set height 1
    next
    edit 6
        set type historical-clients
        set x-pos 5
        set width 2
        set height 1
        set wifi-band "both"
    next
    edit 7
        set type interfering-ssids
        set x-pos 6
        set width 2
        set height 1
        set wifi-band "both"
    next
    edit 8
        set type wifi-login-failures
        set x-pos 7
        set width 2
        set height 1
    next
end
next
edit 17
    set name "FortiView Sources"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "source"
            set fortiview-sort-by "bytes"
```

```

        set fortiview-timeframe "hour"
        set fortiview-visualization "table"
    next
end
next
edit 18
    set name "FortiView Destinations"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "destination"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 19
    set name "FortiView Applications"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "application"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 20
    set name "FortiView Web Sites"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1

```

```

        set type fortiview
        set width 6
        set height 3
        set fortiview-type "website"
        set fortiview-sort-by "sessions"
        set fortiview-timeframe "hour"
        set fortiview-visualization "table"
    next
end
next
edit 21
    set name "FortiView Policies"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "policy"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 22
    set name "FortiView Sessions"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "realtimeSessions"
            set fortiview-timeframe "realtime"
            set fortiview-visualization "table"
        next
    end
next
end
set gui-default-dashboard-template "minimal"

```

```
        set password ENC
PB2XqHI80bZiA93NiFzAepIV+XC0zcvK5zuKwF49hMGP7fHyFzF+mfJsjrqhJPQ0Q
7JXBgTvFlv54fmAvz0u/If0q9t1MYUYPx7TK2oDB14K10=
    next
end
config system sso-admin
end
config system ha
    set override disable
end
config system dns
    set primary 96.45.45.45
    set secondary 96.45.46.46
    set protocol dot
    set server-hostname "globalsdns.fortinet.net"
end
config system replacemsg-image
    edit "logo_fnet"
    next
    edit "logo_fguard_wf"
    next
    edit "logo_v3_fguard_app"
    next
end
config system replacemsg mail "partial"
end
config system replacemsg http "url-block"
end
config system replacemsg http "urlfilter-err"
end
config system replacemsg http "infcache-block"
end
config system replacemsg http "http-contenttypeblock"
end
config system replacemsg http "https-invalid-cert-block"
end
config system replacemsg http "https-untrusted-cert-block"
end
config system replacemsg http "https-blocklisted-cert-block"
end
config system replacemsg http "https-ech-block"
end
config system replacemsg http "switching-protocols-block"
end
config system replacemsg http "http-antiphish-block"
end
```

```
config system replacemsg http "videofilter-block"
end
config system replacemsg http "videofilter-block-text"
end
config system replacemsg fortiguard-wf "ftgd-block"
end
config system replacemsg fortiguard-wf "ftgd-ovrd"
end
config system replacemsg fortiguard-wf "ftgd-quota"
end
config system replacemsg fortiguard-wf "ftgd-warning"
end
config system replacemsg spam "ipblocklist"
end
config system replacemsg spam "smtp-spam-dnsbl"
end
config system replacemsg spam "smtp-spam-feip"
end
config system replacemsg spam "smtp-spam-helo"
end
config system replacemsg spam "smtp-spam-emailblock-to"
end
config system replacemsg spam "smtp-spam-emailblock-from"
end
config system replacemsg spam "smtp-spam-emailblock-subject"
end
config system replacemsg spam "smtp-spam-mimeheader"
end
config system replacemsg spam "reversedns"
end
config system replacemsg spam "smtp-spam-ase"
end
config system replacemsg spam "submit"
end
config system replacemsg alertmail "alertmail-virus"
end
config system replacemsg alertmail "alertmail-block"
end
config system replacemsg alertmail "alertmail-nids-event"
end
config system replacemsg alertmail "alertmail-crit-event"
end
config system replacemsg alertmail "alertmail-disk-full"
end
config system replacemsg admin "pre_admin-disclaimer-text"
end
```

```
config system replacemsg admin "post_admin-disclaimer-text"
end
config system replacemsg auth "auth-disclaimer-page-1"
end
config system replacemsg auth "auth-disclaimer-page-2"
end
config system replacemsg auth "auth-disclaimer-page-3"
end
config system replacemsg auth "auth-reject-page"
end
config system replacemsg auth "auth-login-page"
end
config system replacemsg auth "auth-login-failed-page"
end
config system replacemsg auth "auth-token-login-page"
end
config system replacemsg auth "auth-token-login-failed-page"
end
config system replacemsg auth "auth-success-msg"
end
config system replacemsg auth "auth-challenge-page"
end
config system replacemsg auth "auth-keepalive-page"
end
config system replacemsg auth "auth-portal-page"
end
config system replacemsg auth "auth-password-page"
end
config system replacemsg auth "auth-fortitoken-page"
end
config system replacemsg auth "auth-next-fortitoken-page"
end
config system replacemsg auth "auth-email-token-page"
end
config system replacemsg auth "auth-sms-token-page"
end
config system replacemsg auth "auth-email-harvesting-page"
end
config system replacemsg auth "auth-email-failed-page"
end
config system replacemsg auth "auth-cert-passwd-page"
end
config system replacemsg auth "auth-guest-print-page"
end
config system replacemsg auth "auth-guest-email-page"
end
```

```
config system replacemsg auth "auth-success-page"
end
config system replacemsg auth "auth-block-notification-page"
end
config system replacemsg auth "auth-quarantine-page"
end
config system replacemsg auth "auth-qtn-reject-page"
end
config system replacemsg auth "auth-saml-page"
end
config system replacemsg nac-quar "nac-quar-virus"
end
config system replacemsg nac-quar "nac-quar-dos"
end
config system replacemsg nac-quar "nac-quar-ips"
end
config system replacemsg nac-quar "nac-quar-dlp"
end
config system replacemsg nac-quar "nac-quar-admin"
end
config system replacemsg nac-quar "nac-quar-app"
end
config system replacemsg traffic-quota "per-ip-shaper-block"
end
config system replacemsg utm "virus-html"
end
config system replacemsg utm "client-virus-html"
end
config system replacemsg utm "virus-text"
end
config system replacemsg utm "dlp-html"
end
config system replacemsg utm "dlp-text"
end
config system replacemsg utm "appblk-html"
end
config system replacemsg utm "ipsblk-html"
end
config system replacemsg utm "virpatchblk-html"
end
config system replacemsg utm "ipsfail-html"
end
config system replacemsg utm "exe-text"
end
config system replacemsg utm "outbreak-prevention-html"
end
```

```
config system replacemsg utm "outbreak-prevention-text"
end
config system replacemsg utm "external-blocklist-html"
end
config system replacemsg utm "external-blocklist-text"
end
config system replacemsg utm "malware-stream-html"
end
config system replacemsg utm "malware-stream-text"
end
config system replacemsg utm "ems-threat-feed-html"
end
config system replacemsg utm "ems-threat-feed-text"
end
config system replacemsg utm "file-filter-html"
end
config system replacemsg utm "file-filter-text"
end
config system replacemsg utm "file-size-text"
end
config system replacemsg utm "transfer-size-text"
end
config system replacemsg utm "internal-error-text"
end
config system replacemsg utm "archive-block-html"
end
config system replacemsg utm "archive-block-text"
end
config system replacemsg utm "file-av-fail-text"
end
config system replacemsg utm "transfer-av-fail-text"
end
config system replacemsg utm "banned-word-html"
end
config system replacemsg utm "banned-word-text"
end
config system replacemsg utm "block-html"
end
config system replacemsg utm "block-text"
end
config system replacemsg utm "decompress-limit-text"
end
config system replacemsg utm "dlp-subject-text"
end
config system replacemsg utm "file-size-html"
end
```

```
config system replacemsg utm "client-file-size-html"
end
config system replacemsg utm "inline-scan-timeout-html"
end
config system replacemsg utm "inline-scan-timeout-text"
end
config system replacemsg utm "inline-scan-error-html"
end
config system replacemsg utm "fortidata-query-error-html"
end
config system replacemsg utm "fortidata-query-error-text"
end
config system replacemsg utm "inline-scan-error-text"
end
config system replacemsg automation "automation-email"
end
config system snmp sysinfo
    set append-index enable
end
config system autoupdate schedule
    set frequency automatic
end
config system central-management
    set type fortiguard
end
config firewall internet-service-name
    edit "Google-Other"
        set internet-service-id 65536
    next
    edit "Google-Web"
        set internet-service-id 65537
    next
    edit "Google-ICMP"
        set internet-service-id 65538
    next
    edit "Google-DNS"
        set internet-service-id 65539
    next
    edit "Google-Outbound_Email"
        set internet-service-id 65540
    next
    edit "Google-SSH"
        set internet-service-id 65542
    next
    edit "Google-FTP"
        set internet-service-id 65543
```

```
next
edit "Google-NTP"
    set internet-service-id 65544
next
edit "Google-Inbound_Email"
    set internet-service-id 65545
next
edit "Google-LDAP"
    set internet-service-id 65550
next
edit "Google-NetBIOS.Session.Service"
    set internet-service-id 65551
next
edit "Google-RTMP"
    set internet-service-id 65552
next
edit "Google-NetBIOS.Name.Service"
    set internet-service-id 65560
next
edit "Google-Google.Cloud"
    set internet-service-id 65641
next
edit "Google-Google.Bot"
    set internet-service-id 65643
next
edit "Google-Gmail"
    set internet-service-id 65646
next
edit "Meta-Other"
    set internet-service-id 131072
next
edit "Meta-Web"
    set internet-service-id 131073
next
edit "Meta-ICMP"
    set internet-service-id 131074
next
edit "Meta-DNS"
    set internet-service-id 131075
next
edit "Meta-Outbound_Email"
    set internet-service-id 131076
next
edit "Meta-SSH"
    set internet-service-id 131078
next
```

```
edit "Meta-FTP"
    set internet-service-id 131079
next
edit "Meta-NTP"
    set internet-service-id 131080
next
edit "Meta-Inbound_Email"
    set internet-service-id 131081
next
edit "Meta-LDAP"
    set internet-service-id 131086
next
edit "Meta-NetBIOS.Session.Service"
    set internet-service-id 131087
next
edit "Meta-RTMP"
    set internet-service-id 131088
next
edit "Meta-NetBIOS.Name.Service"
    set internet-service-id 131096
next
edit "Meta-Whatsapp"
    set internet-service-id 131184
next
edit "Meta-Instagram"
    set internet-service-id 131189
next
edit "Apple-Other"
    set internet-service-id 196608
next
edit "Apple-Web"
    set internet-service-id 196609
next
edit "Apple-ICMP"
    set internet-service-id 196610
next
edit "Apple-DNS"
    set internet-service-id 196611
next
edit "Apple-Outbound_Email"
    set internet-service-id 196612
next
edit "Apple-SSH"
    set internet-service-id 196614
next
edit "Apple-FTP"
```

```
        set internet-service-id 196615
next
edit "Apple-NTP"
        set internet-service-id 196616
next
edit "Apple-Inbound_Email"
        set internet-service-id 196617
next
edit "Apple-LDAP"
        set internet-service-id 196622
next
edit "Apple-NetBIOS.Session.Service"
        set internet-service-id 196623
next
edit "Apple-RTMP"
        set internet-service-id 196624
next
edit "Apple-NetBIOS.Name.Service"
        set internet-service-id 196632
next
edit "Apple-App.Store"
        set internet-service-id 196723
next
edit "Apple-APNs"
        set internet-service-id 196747
next
edit "Yahoo-Other"
        set internet-service-id 262144
next
edit "Yahoo-Web"
        set internet-service-id 262145
next
edit "Yahoo-ICMP"
        set internet-service-id 262146
next
edit "Yahoo-DNS"
        set internet-service-id 262147
next
edit "Yahoo-Outbound_Email"
        set internet-service-id 262148
next
edit "Yahoo-SSH"
        set internet-service-id 262150
next
edit "Yahoo-FTP"
        set internet-service-id 262151
```

```
next
edit "Yahoo-NTP"
    set internet-service-id 262152
next
edit "Yahoo-Inbound_Email"
    set internet-service-id 262153
next
edit "Yahoo-LDAP"
    set internet-service-id 262158
next
edit "Yahoo-NetBIOS.Session.Service"
    set internet-service-id 262159
next
edit "Yahoo-RTMP"
    set internet-service-id 262160
next
edit "Yahoo-NetBIOS.Name.Service"
    set internet-service-id 262168
next
edit "Microsoft-Other"
    set internet-service-id 327680
next
edit "Microsoft-Web"
    set internet-service-id 327681
next
edit "Microsoft-ICMP"
    set internet-service-id 327682
next
edit "Microsoft-DNS"
    set internet-service-id 327683
next
edit "Microsoft-Outbound_Email"
    set internet-service-id 327684
next
edit "Microsoft-SSH"
    set internet-service-id 327686
next
edit "Microsoft-FTP"
    set internet-service-id 327687
next
edit "Microsoft-NTP"
    set internet-service-id 327688
next
edit "Microsoft-Inbound_Email"
    set internet-service-id 327689
next
```

```
edit "Microsoft-LDAP"
    set internet-service-id 327694
next
edit "Microsoft-NetBIOS.Session.Service"
    set internet-service-id 327695
next
edit "Microsoft-RTMP"
    set internet-service-id 327696
next
edit "Microsoft-NetBIOS.Name.Service"
    set internet-service-id 327704
next
edit "Microsoft-Skype_Teams"
    set internet-service-id 327781
next
edit "Microsoft-Office365"
    set internet-service-id 327782
next
edit "Microsoft-Azure"
    set internet-service-id 327786
next
edit "Microsoft-Bing.Bot"
    set internet-service-id 327788
next
edit "Microsoft-Outlook"
    set internet-service-id 327791
next
edit "Microsoft-Microsoft.Update"
    set internet-service-id 327793
next
edit "Microsoft-Dynamics"
    set internet-service-id 327837
next
edit "Microsoft-WNS"
    set internet-service-id 327839
next
edit "Microsoft-Office365.Published"
    set internet-service-id 327880
next
edit "Microsoft-Intune"
    set internet-service-id 327886
next
edit "Microsoft-Office365.Published.Optimize"
    set internet-service-id 327902
next
edit "Microsoft-Office365.Published.Allow"
```

```
        set internet-service-id 327903
next
edit "Microsoft-Office365.Published.USGOV"
    set internet-service-id 327917
next
edit "Microsoft-Azure.Monitor"
    set internet-service-id 327958
next
edit "Microsoft-Azure.SQL"
    set internet-service-id 327959
next
edit "Microsoft-Azure.AD"
    set internet-service-id 327960
next
edit "Microsoft-Azure.Data.Factory"
    set internet-service-id 327961
next
edit "Microsoft-Azure.Virtual.Desktop"
    set internet-service-id 327962
next
edit "Microsoft-Azure.Power.BI"
    set internet-service-id 327963
next
edit "Microsoft-Azure.Connectors"
    set internet-service-id 327980
next
edit "Microsoft-Teams.Published.Worldwide.Optimize"
    set internet-service-id 327991
next
edit "Microsoft-Teams.Published.Worldwide.Allow"
    set internet-service-id 327992
next
edit "Microsoft-Azure.Front.Door"
    set internet-service-id 327993
next
edit "Microsoft-Azure.Service.Bus"
    set internet-service-id 328007
next
edit "Microsoft-Azure.Microsoft.Defender"
    set internet-service-id 328009
next
edit "Microsoft-Azure.Resource.Manager"
    set internet-service-id 328013
next
edit "Microsoft-Azure.Arc.Infrastructure"
    set internet-service-id 328014
```

```
next
edit "Microsoft-Azure.Storage"
    set internet-service-id 328015
next
edit "Microsoft-Azure.ATP"
    set internet-service-id 328016
next
edit "Microsoft-Azure.Traffic.Manager"
    set internet-service-id 328017
next
edit "Microsoft-Azure.Windows.Admin.Center"
    set internet-service-id 328018
next
edit "Microsoft-Azure.KeyVault"
    set internet-service-id 328021
next
edit "Microsoft-Azure.Databricks"
    set internet-service-id 328034
next
edit "Microsoft-Azure.Event.Hub"
    set internet-service-id 328035
next
edit "Microsoft-Azure.Power.Platform"
    set internet-service-id 328043
next
edit "Microsoft-Azure.Front.Door.MicrosoftSecurity"
    set internet-service-id 328080
next
edit "Microsoft-Azure.OneDsCollector"
    set internet-service-id 328104
next
edit "Amazon-Other"
    set internet-service-id 393216
next
edit "Amazon-Web"
    set internet-service-id 393217
next
edit "Amazon-ICMP"
    set internet-service-id 393218
next
edit "Amazon-DNS"
    set internet-service-id 393219
next
edit "Amazon-Outbound_Email"
    set internet-service-id 393220
next
```

```
edit "Amazon-SSH"
    set internet-service-id 393222
next
edit "Amazon-FTP"
    set internet-service-id 393223
next
edit "Amazon-NTP"
    set internet-service-id 393224
next
edit "Amazon-Inbound_Email"
    set internet-service-id 393225
next
edit "Amazon-LDAP"
    set internet-service-id 393230
next
edit "Amazon-NetBIOS.Session.Service"
    set internet-service-id 393231
next
edit "Amazon-RTMP"
    set internet-service-id 393232
next
edit "Amazon-NetBIOS.Name.Service"
    set internet-service-id 393240
next
edit "Amazon-AWS"
    set internet-service-id 393320
next
edit "Amazon-AWS.WorkSpaces.Gateway"
    set internet-service-id 393403
next
edit "Amazon-Twitch"
    set internet-service-id 393446
next
edit "Amazon-AWS.GovCloud.US"
    set internet-service-id 393452
next
edit "Amazon-AWS.EBS"
    set internet-service-id 393470
next
edit "Amazon-AWS.Cloud9"
    set internet-service-id 393471
next
edit "Amazon-AWS.DynamoDB"
    set internet-service-id 393472
next
edit "Amazon-AWS.Route53"
```

```
        set internet-service-id 393473
next
edit "Amazon-AWS.S3"
    set internet-service-id 393474
next
edit "Amazon-AWS.Kinesis.Video.Streams"
    set internet-service-id 393475
next
edit "Amazon-AWS.Global.Accelerator"
    set internet-service-id 393476
next
edit "Amazon-AWS.EC2"
    set internet-service-id 393477
next
edit "Amazon-AWS.API.Gateway"
    set internet-service-id 393478
next
edit "Amazon-AWS.Chime.Voice.Connector"
    set internet-service-id 393479
next
edit "Amazon-AWS.Connect"
    set internet-service-id 393480
next
edit "Amazon-AWS.CloudFront"
    set internet-service-id 393481
next
edit "Amazon-AWS.CodeBuild"
    set internet-service-id 393482
next
edit "Amazon-AWS.Chime.Meetings"
    set internet-service-id 393483
next
edit "Amazon-AWS.AppFlow"
    set internet-service-id 393484
next
edit "Amazon-Amazon.SES"
    set internet-service-id 393493
next
edit "eBay-Other"
    set internet-service-id 458752
next
edit "eBay-Web"
    set internet-service-id 458753
next
edit "eBay-ICMP"
    set internet-service-id 458754
```

```
next
edit "eBay-DNS"
    set internet-service-id 458755
next
edit "eBay-Outbound_Email"
    set internet-service-id 458756
next
edit "eBay-SSH"
    set internet-service-id 458758
next
edit "eBay-FTP"
    set internet-service-id 458759
next
edit "eBay-NTP"
    set internet-service-id 458760
next
edit "eBay-Inbound_Email"
    set internet-service-id 458761
next
edit "eBay-LDAP"
    set internet-service-id 458766
next
edit "eBay-NetBIOS.Session.Service"
    set internet-service-id 458767
next
edit "eBay-RTMP"
    set internet-service-id 458768
next
edit "eBay-NetBIOS.Name.Service"
    set internet-service-id 458776
next
edit "PayPal-Other"
    set internet-service-id 524288
next
edit "PayPal-Web"
    set internet-service-id 524289
next
edit "PayPal-ICMP"
    set internet-service-id 524290
next
edit "PayPal-DNS"
    set internet-service-id 524291
next
edit "PayPal-Outbound_Email"
    set internet-service-id 524292
next
```

```
edit "PayPal-SSH"
    set internet-service-id 524294
next
edit "PayPal-FTP"
    set internet-service-id 524295
next
edit "PayPal-NTP"
    set internet-service-id 524296
next
edit "PayPal-Inbound_Email"
    set internet-service-id 524297
next
edit "PayPal-LDAP"
    set internet-service-id 524302
next
edit "PayPal-NetBIOS.Session.Service"
    set internet-service-id 524303
next
edit "PayPal-RTMP"
    set internet-service-id 524304
next
edit "PayPal-NetBIOS.Name.Service"
    set internet-service-id 524312
next
edit "Box-Other"
    set internet-service-id 589824
next
edit "Box-Web"
    set internet-service-id 589825
next
edit "Box-ICMP"
    set internet-service-id 589826
next
edit "Box-DNS"
    set internet-service-id 589827
next
edit "Box-Outbound_Email"
    set internet-service-id 589828
next
edit "Box-SSH"
    set internet-service-id 589830
next
edit "Box-FTP"
    set internet-service-id 589831
next
edit "Box-NTP"
```

```
        set internet-service-id 589832
next
edit "Box-Inbound_Email"
        set internet-service-id 589833
next
edit "Box-LDAP"
        set internet-service-id 589838
next
edit "Box-NetBIOS.Session.Service"
        set internet-service-id 589839
next
edit "Box-RTMP"
        set internet-service-id 589840
next
edit "Box-NetBIOS.Name.Service"
        set internet-service-id 589848
next
edit "Salesforce-Other"
        set internet-service-id 655360
next
edit "Salesforce-Web"
        set internet-service-id 655361
next
edit "Salesforce-ICMP"
        set internet-service-id 655362
next
edit "Salesforce-DNS"
        set internet-service-id 655363
next
edit "Salesforce-Outbound_Email"
        set internet-service-id 655364
next
edit "Salesforce-SSH"
        set internet-service-id 655366
next
edit "Salesforce-FTP"
        set internet-service-id 655367
next
edit "Salesforce-NTP"
        set internet-service-id 655368
next
edit "Salesforce-Inbound_Email"
        set internet-service-id 655369
next
edit "Salesforce-LDAP"
        set internet-service-id 655374
```

```
next
edit "Salesforce-NetBIOS.Session.Service"
    set internet-service-id 655375
next
edit "Salesforce-RTMP"
    set internet-service-id 655376
next
edit "Salesforce-NetBIOS.Name.Service"
    set internet-service-id 655384
next
edit "Salesforce-Email.Relay"
    set internet-service-id 655530
next
edit "Salesforce-Hyperforce"
    set internet-service-id 655738
next
edit "Dropbox-Other"
    set internet-service-id 720896
next
edit "Dropbox-Web"
    set internet-service-id 720897
next
edit "Dropbox-ICMP"
    set internet-service-id 720898
next
edit "Dropbox-DNS"
    set internet-service-id 720899
next
edit "Dropbox-Outbound_Email"
    set internet-service-id 720900
next
edit "Dropbox-SSH"
    set internet-service-id 720902
next
edit "Dropbox-FTP"
    set internet-service-id 720903
next
edit "Dropbox-NTP"
    set internet-service-id 720904
next
edit "Dropbox-Inbound_Email"
    set internet-service-id 720905
next
edit "Dropbox-LDAP"
    set internet-service-id 720910
next
```

```
edit "Dropbox-NetBIOS.Session.Service"
    set internet-service-id 720911
next
edit "Dropbox-RTMP"
    set internet-service-id 720912
next
edit "Dropbox-NetBIOS.Name.Service"
    set internet-service-id 720920
next
edit "Netflix-Other"
    set internet-service-id 786432
next
edit "Netflix-Web"
    set internet-service-id 786433
next
edit "Netflix-ICMP"
    set internet-service-id 786434
next
edit "Netflix-DNS"
    set internet-service-id 786435
next
edit "Netflix-Outbound_Email"
    set internet-service-id 786436
next
edit "Netflix-SSH"
    set internet-service-id 786438
next
edit "Netflix-FTP"
    set internet-service-id 786439
next
edit "Netflix-NTP"
    set internet-service-id 786440
next
edit "Netflix-Inbound_Email"
    set internet-service-id 786441
next
edit "Netflix-LDAP"
    set internet-service-id 786446
next
edit "Netflix-NetBIOS.Session.Service"
    set internet-service-id 786447
next
edit "Netflix-RTMP"
    set internet-service-id 786448
next
edit "Netflix-NetBIOS.Name.Service"
```

```
        set internet-service-id 786456
next
edit "LinkedIn-Other"
        set internet-service-id 851968
next
edit "LinkedIn-Web"
        set internet-service-id 851969
next
edit "LinkedIn-ICMP"
        set internet-service-id 851970
next
edit "LinkedIn-DNS"
        set internet-service-id 851971
next
edit "LinkedIn-Outbound_Email"
        set internet-service-id 851972
next
edit "LinkedIn-SSH"
        set internet-service-id 851974
next
edit "LinkedIn-FTP"
        set internet-service-id 851975
next
edit "LinkedIn-NTP"
        set internet-service-id 851976
next
edit "LinkedIn-Inbound_Email"
        set internet-service-id 851977
next
edit "LinkedIn-LDAP"
        set internet-service-id 851982
next
edit "LinkedIn-NetBIOS.Session.Service"
        set internet-service-id 851983
next
edit "LinkedIn-RTMP"
        set internet-service-id 851984
next
edit "LinkedIn-NetBIOS.Name.Service"
        set internet-service-id 851992
next
edit "Adobe-Other"
        set internet-service-id 917504
next
edit "Adobe-Web"
        set internet-service-id 917505
```

```
next
edit "Adobe-ICMP"
    set internet-service-id 917506
next
edit "Adobe-DNS"
    set internet-service-id 917507
next
edit "Adobe-Outbound_Email"
    set internet-service-id 917508
next
edit "Adobe-SSH"
    set internet-service-id 917510
next
edit "Adobe-FTP"
    set internet-service-id 917511
next
edit "Adobe-NTP"
    set internet-service-id 917512
next
edit "Adobe-Inbound_Email"
    set internet-service-id 917513
next
edit "Adobe-LDAP"
    set internet-service-id 917518
next
edit "Adobe-NetBIOS.Session.Service"
    set internet-service-id 917519
next
edit "Adobe-RTMP"
    set internet-service-id 917520
next
edit "Adobe-NetBIOS.Name.Service"
    set internet-service-id 917528
next
edit "Adobe-Adobe.Experience.Cloud"
    set internet-service-id 917640
next
edit "Adobe-Adobe.Sign"
    set internet-service-id 917776
next
edit "Oracle-Other"
    set internet-service-id 983040
next
edit "Oracle-Web"
    set internet-service-id 983041
next
```

```
edit "Oracle-ICMP"
    set internet-service-id 983042
next
edit "Oracle-DNS"
    set internet-service-id 983043
next
edit "Oracle-Outbound_Email"
    set internet-service-id 983044
next
edit "Oracle-SSH"
    set internet-service-id 983046
next
edit "Oracle-FTP"
    set internet-service-id 983047
next
edit "Oracle-NTP"
    set internet-service-id 983048
next
edit "Oracle-Inbound_Email"
    set internet-service-id 983049
next
edit "Oracle-LDAP"
    set internet-service-id 983054
next
edit "Oracle-NetBIOS.Session.Service"
    set internet-service-id 983055
next
edit "Oracle-RTMP"
    set internet-service-id 983056
next
edit "Oracle-NetBIOS.Name.Service"
    set internet-service-id 983064
next
edit "Oracle-Oracle.Cloud"
    set internet-service-id 983171
next
edit "Hulu-Other"
    set internet-service-id 1048576
next
edit "Hulu-Web"
    set internet-service-id 1048577
next
edit "Hulu-ICMP"
    set internet-service-id 1048578
next
edit "Hulu-DNS"
```

```
        set internet-service-id 1048579
next
edit "Hulu-Outbound_Email"
        set internet-service-id 1048580
next
edit "Hulu-SSH"
        set internet-service-id 1048582
next
edit "Hulu-FTP"
        set internet-service-id 1048583
next
edit "Hulu-NTP"
        set internet-service-id 1048584
next
edit "Hulu-Inbound_Email"
        set internet-service-id 1048585
next
edit "Hulu-LDAP"
        set internet-service-id 1048590
next
edit "Hulu-NetBIOS.Session.Service"
        set internet-service-id 1048591
next
edit "Hulu-RTMP"
        set internet-service-id 1048592
next
edit "Hulu-NetBIOS.Name.Service"
        set internet-service-id 1048600
next
edit "Pinterest-Other"
        set internet-service-id 1114112
next
edit "Pinterest-Web"
        set internet-service-id 1114113
next
edit "Pinterest-ICMP"
        set internet-service-id 1114114
next
edit "Pinterest-DNS"
        set internet-service-id 1114115
next
edit "Pinterest-Outbound_Email"
        set internet-service-id 1114116
next
edit "Pinterest-SSH"
        set internet-service-id 1114118
```

```
next
edit "Pinterest-FTP"
    set internet-service-id 1114119
next
edit "Pinterest-NTP"
    set internet-service-id 1114120
next
edit "Pinterest-Inbound_Email"
    set internet-service-id 1114121
next
edit "Pinterest-LDAP"
    set internet-service-id 1114126
next
edit "Pinterest-NetBIOS.Session.Service"
    set internet-service-id 1114127
next
edit "Pinterest-RTMP"
    set internet-service-id 1114128
next
edit "Pinterest-NetBIOS.Name.Service"
    set internet-service-id 1114136
next
edit "LogMeIn-Other"
    set internet-service-id 1179648
next
edit "LogMeIn-Web"
    set internet-service-id 1179649
next
edit "LogMeIn-ICMP"
    set internet-service-id 1179650
next
edit "LogMeIn-DNS"
    set internet-service-id 1179651
next
edit "LogMeIn-Outbound_Email"
    set internet-service-id 1179652
next
edit "LogMeIn-SSH"
    set internet-service-id 1179654
next
edit "LogMeIn-FTP"
    set internet-service-id 1179655
next
edit "LogMeIn-NTP"
    set internet-service-id 1179656
next
```

```
edit "LogMeIn-Inbound_Email"
    set internet-service-id 1179657
next
edit "LogMeIn-LDAP"
    set internet-service-id 1179662
next
edit "LogMeIn-NetBIOS.Session.Service"
    set internet-service-id 1179663
next
edit "LogMeIn-RTMP"
    set internet-service-id 1179664
next
edit "LogMeIn-NetBIOS.Name.Service"
    set internet-service-id 1179672
next
edit "LogMeIn-GoTo.Suite"
    set internet-service-id 1179767
next
edit "Fortinet-Other"
    set internet-service-id 1245184
next
edit "Fortinet-Web"
    set internet-service-id 1245185
next
edit "Fortinet-ICMP"
    set internet-service-id 1245186
next
edit "Fortinet-DNS"
    set internet-service-id 1245187
next
edit "Fortinet-Outbound_Email"
    set internet-service-id 1245188
next
edit "Fortinet-SSH"
    set internet-service-id 1245190
next
edit "Fortinet-FTP"
    set internet-service-id 1245191
next
edit "Fortinet-NTP"
    set internet-service-id 1245192
next
edit "Fortinet-Inbound_Email"
    set internet-service-id 1245193
next
edit "Fortinet-LDAP"
```

```
        set internet-service-id 1245198
next
edit "Fortinet-NetBIOS.Session.Service"
    set internet-service-id 1245199
next
edit "Fortinet-RTMP"
    set internet-service-id 1245200
next
edit "Fortinet-NetBIOS.Name.Service"
    set internet-service-id 1245208
next
edit "Fortinet-FortiGuard"
    set internet-service-id 1245324
next
edit "Fortinet-FortiMail.Cloud"
    set internet-service-id 1245325
next
edit "Fortinet-FortiCloud"
    set internet-service-id 1245326
next
edit "Fortinet-FortiVoice.Cloud"
    set internet-service-id 1245432
next
edit "Fortinet-FortiGuard.Secure.DNS"
    set internet-service-id 1245454
next
edit "Fortinet-FortiEDR"
    set internet-service-id 1245475
next
edit "Fortinet-FortiClient.EMS"
    set internet-service-id 1245477
next
edit "Fortinet-FortiWeb.Cloud"
    set internet-service-id 1245480
next
edit "Fortinet-FortiSASE"
    set internet-service-id 1245481
next
edit "Fortinet-FortiGuard.SOCaaS"
    set internet-service-id 1245514
next
edit "Fortinet-FortiDLP.Cloud"
    set internet-service-id 1245546
next
edit "Fortinet-FortiMonitor"
    set internet-service-id 1245558
```

```
next
edit "Fortinet-FortiSandbox"
    set internet-service-id 1245560
next
edit "Fortinet-FortiSandbox.Cloud"
    set internet-service-id 1245561
next
edit "Kaspersky-Other"
    set internet-service-id 1310720
next
edit "Kaspersky-Web"
    set internet-service-id 1310721
next
edit "Kaspersky-ICMP"
    set internet-service-id 1310722
next
edit "Kaspersky-DNS"
    set internet-service-id 1310723
next
edit "Kaspersky-Outbound_Email"
    set internet-service-id 1310724
next
edit "Kaspersky-SSH"
    set internet-service-id 1310726
next
edit "Kaspersky-FTP"
    set internet-service-id 1310727
next
edit "Kaspersky-NTP"
    set internet-service-id 1310728
next
edit "Kaspersky-Inbound_Email"
    set internet-service-id 1310729
next
edit "Kaspersky-LDAP"
    set internet-service-id 1310734
next
edit "Kaspersky-NetBIOS.Session.Service"
    set internet-service-id 1310735
next
edit "Kaspersky-RTMP"
    set internet-service-id 1310736
next
edit "Kaspersky-NetBIOS.Name.Service"
    set internet-service-id 1310744
next
```

```
edit "McAfee-Other"  
    set internet-service-id 1376256  
next  
edit "McAfee-Web"  
    set internet-service-id 1376257  
next  
edit "McAfee-ICMP"  
    set internet-service-id 1376258  
next  
edit "McAfee-DNS"  
    set internet-service-id 1376259  
next  
edit "McAfee-Outbound_Email"  
    set internet-service-id 1376260  
next  
edit "McAfee-SSH"  
    set internet-service-id 1376262  
next  
edit "McAfee-FTP"  
    set internet-service-id 1376263  
next  
edit "McAfee-NTP"  
    set internet-service-id 1376264  
next  
edit "McAfee-Inbound_Email"  
    set internet-service-id 1376265  
next  
edit "McAfee-LDAP"  
    set internet-service-id 1376270  
next  
edit "McAfee-NetBIOS.Session.Service"  
    set internet-service-id 1376271  
next  
edit "McAfee-RTMP"  
    set internet-service-id 1376272  
next  
edit "McAfee-NetBIOS.Name.Service"  
    set internet-service-id 1376280  
next  
edit "Symantec-Other"  
    set internet-service-id 1441792  
next  
edit "Symantec-Web"  
    set internet-service-id 1441793  
next  
edit "Symantec-ICMP"
```

```
        set internet-service-id 1441794
next
edit "Symantec-DNS"
        set internet-service-id 1441795
next
edit "Symantec-Outbound_Email"
        set internet-service-id 1441796
next
edit "Symantec-SSH"
        set internet-service-id 1441798
next
edit "Symantec-FTP"
        set internet-service-id 1441799
next
edit "Symantec-NTP"
        set internet-service-id 1441800
next
edit "Symantec-Inbound_Email"
        set internet-service-id 1441801
next
edit "Symantec-LDAP"
        set internet-service-id 1441806
next
edit "Symantec-NetBIOS.Session.Service"
        set internet-service-id 1441807
next
edit "Symantec-RTMP"
        set internet-service-id 1441808
next
edit "Symantec-NetBIOS.Name.Service"
        set internet-service-id 1441816
next
edit "Symantec-Symantec.Cloud"
        set internet-service-id 1441922
next
edit "VMware-Other"
        set internet-service-id 1507328
next
edit "VMware-Web"
        set internet-service-id 1507329
next
edit "VMware-ICMP"
        set internet-service-id 1507330
next
edit "VMware-DNS"
        set internet-service-id 1507331
```

```
next
edit "VMware-Outbound_Email"
    set internet-service-id 1507332
next
edit "VMware-SSH"
    set internet-service-id 1507334
next
edit "VMware-FTP"
    set internet-service-id 1507335
next
edit "VMware-NTP"
    set internet-service-id 1507336
next
edit "VMware-Inbound_Email"
    set internet-service-id 1507337
next
edit "VMware-LDAP"
    set internet-service-id 1507342
next
edit "VMware-NetBIOS.Session.Service"
    set internet-service-id 1507343
next
edit "VMware-RTMP"
    set internet-service-id 1507344
next
edit "VMware-NetBIOS.Name.Service"
    set internet-service-id 1507352
next
edit "VMware-Workspace.ONE"
    set internet-service-id 1507461
next
edit "AOL-Other"
    set internet-service-id 1572864
next
edit "AOL-Web"
    set internet-service-id 1572865
next
edit "AOL-ICMP"
    set internet-service-id 1572866
next
edit "AOL-DNS"
    set internet-service-id 1572867
next
edit "AOL-Outbound_Email"
    set internet-service-id 1572868
next
```

```
edit "AOL-SSH"
    set internet-service-id 1572870
next
edit "AOL-FTP"
    set internet-service-id 1572871
next
edit "AOL-NTP"
    set internet-service-id 1572872
next
edit "AOL-Inbound_Email"
    set internet-service-id 1572873
next
edit "AOL-LDAP"
    set internet-service-id 1572878
next
edit "AOL-NetBIOS.Session.Service"
    set internet-service-id 1572879
next
edit "AOL-RTMP"
    set internet-service-id 1572880
next
edit "AOL-NetBIOS.Name.Service"
    set internet-service-id 1572888
next
edit "RealNetworks-Other"
    set internet-service-id 1638400
next
edit "RealNetworks-Web"
    set internet-service-id 1638401
next
edit "RealNetworks-ICMP"
    set internet-service-id 1638402
next
edit "RealNetworks-DNS"
    set internet-service-id 1638403
next
edit "RealNetworks-Outbound_Email"
    set internet-service-id 1638404
next
edit "RealNetworks-SSH"
    set internet-service-id 1638406
next
edit "RealNetworks-FTP"
    set internet-service-id 1638407
next
edit "RealNetworks-NTP"
```

```
        set internet-service-id 1638408
next
edit "RealNetworks-Inbound_Email"
    set internet-service-id 1638409
next
edit "RealNetworks-LDAP"
    set internet-service-id 1638414
next
edit "RealNetworks-NetBIOS.Session.Service"
    set internet-service-id 1638415
next
edit "RealNetworks-RTMP"
    set internet-service-id 1638416
next
edit "RealNetworks-NetBIOS.Name.Service"
    set internet-service-id 1638424
next
edit "Zoho-Other"
    set internet-service-id 1703936
next
edit "Zoho-Web"
    set internet-service-id 1703937
next
edit "Zoho-ICMP"
    set internet-service-id 1703938
next
edit "Zoho-DNS"
    set internet-service-id 1703939
next
edit "Zoho-Outbound_Email"
    set internet-service-id 1703940
next
edit "Zoho-SSH"
    set internet-service-id 1703942
next
edit "Zoho-FTP"
    set internet-service-id 1703943
next
edit "Zoho-NTP"
    set internet-service-id 1703944
next
edit "Zoho-Inbound_Email"
    set internet-service-id 1703945
next
edit "Zoho-LDAP"
    set internet-service-id 1703950
```

```
next
edit "Zoho-NetBIOS.Session.Service"
    set internet-service-id 1703951
next
edit "Zoho-RTMP"
    set internet-service-id 1703952
next
edit "Zoho-NetBIOS.Name.Service"
    set internet-service-id 1703960
next
edit "Zoho-Site24x7.Monitor"
    set internet-service-id 1704153
next
edit "Mozilla-Other"
    set internet-service-id 1769472
next
edit "Mozilla-Web"
    set internet-service-id 1769473
next
edit "Mozilla-ICMP"
    set internet-service-id 1769474
next
edit "Mozilla-DNS"
    set internet-service-id 1769475
next
edit "Mozilla-Outbound_Email"
    set internet-service-id 1769476
next
edit "Mozilla-SSH"
    set internet-service-id 1769478
next
edit "Mozilla-FTP"
    set internet-service-id 1769479
next
edit "Mozilla-NTP"
    set internet-service-id 1769480
next
edit "Mozilla-Inbound_Email"
    set internet-service-id 1769481
next
edit "Mozilla-LDAP"
    set internet-service-id 1769486
next
edit "Mozilla-NetBIOS.Session.Service"
    set internet-service-id 1769487
next
```

```
edit "Mozilla-RTMP"
    set internet-service-id 1769488
next
edit "Mozilla-NetBIOS.Name.Service"
    set internet-service-id 1769496
next
edit "TeamViewer-Other"
    set internet-service-id 1835008
next
edit "TeamViewer-Web"
    set internet-service-id 1835009
next
edit "TeamViewer-ICMP"
    set internet-service-id 1835010
next
edit "TeamViewer-DNS"
    set internet-service-id 1835011
next
edit "TeamViewer-Outbound_Email"
    set internet-service-id 1835012
next
edit "TeamViewer-SSH"
    set internet-service-id 1835014
next
edit "TeamViewer-FTP"
    set internet-service-id 1835015
next
edit "TeamViewer-NTP"
    set internet-service-id 1835016
next
edit "TeamViewer-Inbound_Email"
    set internet-service-id 1835017
next
edit "TeamViewer-LDAP"
    set internet-service-id 1835022
next
edit "TeamViewer-NetBIOS.Session.Service"
    set internet-service-id 1835023
next
edit "TeamViewer-RTMP"
    set internet-service-id 1835024
next
edit "TeamViewer-NetBIOS.Name.Service"
    set internet-service-id 1835032
next
edit "TeamViewer-TeamViewer"
```

```
        set internet-service-id 1835117
next
edit "HP-Other"
    set internet-service-id 1900544
next
edit "HP-Web"
    set internet-service-id 1900545
next
edit "HP-ICMP"
    set internet-service-id 1900546
next
edit "HP-DNS"
    set internet-service-id 1900547
next
edit "HP-Outbound_Email"
    set internet-service-id 1900548
next
edit "HP-SSH"
    set internet-service-id 1900550
next
edit "HP-FTP"
    set internet-service-id 1900551
next
edit "HP-NTP"
    set internet-service-id 1900552
next
edit "HP-Inbound_Email"
    set internet-service-id 1900553
next
edit "HP-LDAP"
    set internet-service-id 1900558
next
edit "HP-NetBIOS.Session.Service"
    set internet-service-id 1900559
next
edit "HP-RTMP"
    set internet-service-id 1900560
next
edit "HP-NetBIOS.Name.Service"
    set internet-service-id 1900568
next
edit "HP-Aruba"
    set internet-service-id 1900726
next
edit "Cisco-Other"
    set internet-service-id 1966080
```

```
next
edit "Cisco-Web"
    set internet-service-id 1966081
next
edit "Cisco-ICMP"
    set internet-service-id 1966082
next
edit "Cisco-DNS"
    set internet-service-id 1966083
next
edit "Cisco-Outbound_Email"
    set internet-service-id 1966084
next
edit "Cisco-SSH"
    set internet-service-id 1966086
next
edit "Cisco-FTP"
    set internet-service-id 1966087
next
edit "Cisco-NTP"
    set internet-service-id 1966088
next
edit "Cisco-Inbound_Email"
    set internet-service-id 1966089
next
edit "Cisco-LDAP"
    set internet-service-id 1966094
next
edit "Cisco-NetBIOS.Session.Service"
    set internet-service-id 1966095
next
edit "Cisco-RTMP"
    set internet-service-id 1966096
next
edit "Cisco-NetBIOS.Name.Service"
    set internet-service-id 1966104
next
edit "Cisco-Webex"
    set internet-service-id 1966183
next
edit "Cisco-Meraki.Cloud"
    set internet-service-id 1966218
next
edit "Cisco-Duo.Security"
    set internet-service-id 1966225
next
```

```
edit "Cisco-AppDynamic"
    set internet-service-id 1966260
next
edit "Cisco-Webex.FedRAMP"
    set internet-service-id 1966315
next
edit "Cisco-Secure.Endpoint"
    set internet-service-id 1966324
next
edit "IBM-Other"
    set internet-service-id 2031616
next
edit "IBM-Web"
    set internet-service-id 2031617
next
edit "IBM-ICMP"
    set internet-service-id 2031618
next
edit "IBM-DNS"
    set internet-service-id 2031619
next
edit "IBM-Outbound_Email"
    set internet-service-id 2031620
next
edit "IBM-SSH"
    set internet-service-id 2031622
next
edit "IBM-FTP"
    set internet-service-id 2031623
next
edit "IBM-NTP"
    set internet-service-id 2031624
next
edit "IBM-Inbound_Email"
    set internet-service-id 2031625
next
edit "IBM-LDAP"
    set internet-service-id 2031630
next
edit "IBM-NetBIOS.Session.Service"
    set internet-service-id 2031631
next
edit "IBM-RTMP"
    set internet-service-id 2031632
next
edit "IBM-NetBIOS.Name.Service"
```

```
        set internet-service-id 2031640
next
edit "IBM-IBM.Cloud"
        set internet-service-id 2031748
next
edit "Citrix-Other"
        set internet-service-id 2097152
next
edit "Citrix-Web"
        set internet-service-id 2097153
next
edit "Citrix-ICMP"
        set internet-service-id 2097154
next
edit "Citrix-DNS"
        set internet-service-id 2097155
next
edit "Citrix-Outbound_Email"
        set internet-service-id 2097156
next
edit "Citrix-SSH"
        set internet-service-id 2097158
next
edit "Citrix-FTP"
        set internet-service-id 2097159
next
edit "Citrix-NTP"
        set internet-service-id 2097160
next
edit "Citrix-Inbound_Email"
        set internet-service-id 2097161
next
edit "Citrix-LDAP"
        set internet-service-id 2097166
next
edit "Citrix-NetBIOS.Session.Service"
        set internet-service-id 2097167
next
edit "Citrix-RTMP"
        set internet-service-id 2097168
next
edit "Citrix-NetBIOS.Name.Service"
        set internet-service-id 2097176
next
edit "Twitter-Other"
        set internet-service-id 2162688
```

```
next
edit "Twitter-Web"
    set internet-service-id 2162689
next
edit "Twitter-ICMP"
    set internet-service-id 2162690
next
edit "Twitter-DNS"
    set internet-service-id 2162691
next
edit "Twitter-Outbound_Email"
    set internet-service-id 2162692
next
edit "Twitter-SSH"
    set internet-service-id 2162694
next
edit "Twitter-FTP"
    set internet-service-id 2162695
next
edit "Twitter-NTP"
    set internet-service-id 2162696
next
edit "Twitter-Inbound_Email"
    set internet-service-id 2162697
next
edit "Twitter-LDAP"
    set internet-service-id 2162702
next
edit "Twitter-NetBIOS.Session.Service"
    set internet-service-id 2162703
next
edit "Twitter-RTMP"
    set internet-service-id 2162704
next
edit "Twitter-NetBIOS.Name.Service"
    set internet-service-id 2162712
next
edit "Dell-Other"
    set internet-service-id 2228224
next
edit "Dell-Web"
    set internet-service-id 2228225
next
edit "Dell-ICMP"
    set internet-service-id 2228226
next
```

```
edit "Dell-DNS"
    set internet-service-id 2228227
next
edit "Dell-Outbound_Email"
    set internet-service-id 2228228
next
edit "Dell-SSH"
    set internet-service-id 2228230
next
edit "Dell-FTP"
    set internet-service-id 2228231
next
edit "Dell-NTP"
    set internet-service-id 2228232
next
edit "Dell-Inbound_Email"
    set internet-service-id 2228233
next
edit "Dell-LDAP"
    set internet-service-id 2228238
next
edit "Dell-NetBIOS.Session.Service"
    set internet-service-id 2228239
next
edit "Dell-RTMP"
    set internet-service-id 2228240
next
edit "Dell-NetBIOS.Name.Service"
    set internet-service-id 2228248
next
edit "Vimeo-Other"
    set internet-service-id 2293760
next
edit "Vimeo-Web"
    set internet-service-id 2293761
next
edit "Vimeo-ICMP"
    set internet-service-id 2293762
next
edit "Vimeo-DNS"
    set internet-service-id 2293763
next
edit "Vimeo-Outbound_Email"
    set internet-service-id 2293764
next
edit "Vimeo-SSH"
```

```
        set internet-service-id 2293766
next
edit "Vimeo-FTP"
        set internet-service-id 2293767
next
edit "Vimeo-NTP"
        set internet-service-id 2293768
next
edit "Vimeo-Inbound_Email"
        set internet-service-id 2293769
next
edit "Vimeo-LDAP"
        set internet-service-id 2293774
next
edit "Vimeo-NetBIOS.Session.Service"
        set internet-service-id 2293775
next
edit "Vimeo-RTMP"
        set internet-service-id 2293776
next
edit "Vimeo-NetBIOS.Name.Service"
        set internet-service-id 2293784
next
edit "Redhat-Other"
        set internet-service-id 2359296
next
edit "Redhat-Web"
        set internet-service-id 2359297
next
edit "Redhat-ICMP"
        set internet-service-id 2359298
next
edit "Redhat-DNS"
        set internet-service-id 2359299
next
edit "Redhat-Outbound_Email"
        set internet-service-id 2359300
next
edit "Redhat-SSH"
        set internet-service-id 2359302
next
edit "Redhat-FTP"
        set internet-service-id 2359303
next
edit "Redhat-NTP"
        set internet-service-id 2359304
```

```
next
edit "Redhat-Inbound_Email"
    set internet-service-id 2359305
next
edit "Redhat-LDAP"
    set internet-service-id 2359310
next
edit "Redhat-NetBIOS.Session.Service"
    set internet-service-id 2359311
next
edit "Redhat-RTMP"
    set internet-service-id 2359312
next
edit "Redhat-NetBIOS.Name.Service"
    set internet-service-id 2359320
next
edit "VK-Other"
    set internet-service-id 2424832
next
edit "VK-Web"
    set internet-service-id 2424833
next
edit "VK-ICMP"
    set internet-service-id 2424834
next
edit "VK-DNS"
    set internet-service-id 2424835
next
edit "VK-Outbound_Email"
    set internet-service-id 2424836
next
edit "VK-SSH"
    set internet-service-id 2424838
next
edit "VK-FTP"
    set internet-service-id 2424839
next
edit "VK-NTP"
    set internet-service-id 2424840
next
edit "VK-Inbound_Email"
    set internet-service-id 2424841
next
edit "VK-LDAP"
    set internet-service-id 2424846
next
```

```
edit "VK-NetBIOS.Session.Service"
    set internet-service-id 2424847
next
edit "VK-RTMP"
    set internet-service-id 2424848
next
edit "VK-NetBIOS.Name.Service"
    set internet-service-id 2424856
next
edit "TrendMicro-Other"
    set internet-service-id 2490368
next
edit "TrendMicro-Web"
    set internet-service-id 2490369
next
edit "TrendMicro-ICMP"
    set internet-service-id 2490370
next
edit "TrendMicro-DNS"
    set internet-service-id 2490371
next
edit "TrendMicro-Outbound_Email"
    set internet-service-id 2490372
next
edit "TrendMicro-SSH"
    set internet-service-id 2490374
next
edit "TrendMicro-FTP"
    set internet-service-id 2490375
next
edit "TrendMicro-NTP"
    set internet-service-id 2490376
next
edit "TrendMicro-Inbound_Email"
    set internet-service-id 2490377
next
edit "TrendMicro-LDAP"
    set internet-service-id 2490382
next
edit "TrendMicro-NetBIOS.Session.Service"
    set internet-service-id 2490383
next
edit "TrendMicro-RTMP"
    set internet-service-id 2490384
next
edit "TrendMicro-NetBIOS.Name.Service"
```

```
        set internet-service-id 2490392
next
edit "Tencent-Other"
        set internet-service-id 2555904
next
edit "Tencent-Web"
        set internet-service-id 2555905
next
edit "Tencent-ICMP"
        set internet-service-id 2555906
next
edit "Tencent-DNS"
        set internet-service-id 2555907
next
edit "Tencent-Outbound_Email"
        set internet-service-id 2555908
next
edit "Tencent-SSH"
        set internet-service-id 2555910
next
edit "Tencent-FTP"
        set internet-service-id 2555911
next
edit "Tencent-NTP"
        set internet-service-id 2555912
next
edit "Tencent-Inbound_Email"
        set internet-service-id 2555913
next
edit "Tencent-LDAP"
        set internet-service-id 2555918
next
edit "Tencent-NetBIOS.Session.Service"
        set internet-service-id 2555919
next
edit "Tencent-RTMP"
        set internet-service-id 2555920
next
edit "Tencent-NetBIOS.Name.Service"
        set internet-service-id 2555928
next
edit "Tencent-VooV.Meeting"
        set internet-service-id 2556219
next
edit "Ask-Other"
        set internet-service-id 2621440
```

```
next
edit "Ask-Web"
    set internet-service-id 2621441
next
edit "Ask-ICMP"
    set internet-service-id 2621442
next
edit "Ask-DNS"
    set internet-service-id 2621443
next
edit "Ask-Outbound_Email"
    set internet-service-id 2621444
next
edit "Ask-SSH"
    set internet-service-id 2621446
next
edit "Ask-FTP"
    set internet-service-id 2621447
next
edit "Ask-NTP"
    set internet-service-id 2621448
next
edit "Ask-Inbound_Email"
    set internet-service-id 2621449
next
edit "Ask-LDAP"
    set internet-service-id 2621454
next
edit "Ask-NetBIOS.Session.Service"
    set internet-service-id 2621455
next
edit "Ask-RTMP"
    set internet-service-id 2621456
next
edit "Ask-NetBIOS.Name.Service"
    set internet-service-id 2621464
next
edit "CNN-Other"
    set internet-service-id 2686976
next
edit "CNN-Web"
    set internet-service-id 2686977
next
edit "CNN-ICMP"
    set internet-service-id 2686978
next
```

```
edit "CNN-DNS"
    set internet-service-id 2686979
next
edit "CNN-Outbound_Email"
    set internet-service-id 2686980
next
edit "CNN-SSH"
    set internet-service-id 2686982
next
edit "CNN-FTP"
    set internet-service-id 2686983
next
edit "CNN-NTP"
    set internet-service-id 2686984
next
edit "CNN-Inbound_Email"
    set internet-service-id 2686985
next
edit "CNN-LDAP"
    set internet-service-id 2686990
next
edit "CNN-NetBIOS.Session.Service"
    set internet-service-id 2686991
next
edit "CNN-RTMP"
    set internet-service-id 2686992
next
edit "CNN-NetBIOS.Name.Service"
    set internet-service-id 2687000
next
edit "Myspace-Other"
    set internet-service-id 2752512
next
edit "Myspace-Web"
    set internet-service-id 2752513
next
edit "Myspace-ICMP"
    set internet-service-id 2752514
next
edit "Myspace-DNS"
    set internet-service-id 2752515
next
edit "Myspace-Outbound_Email"
    set internet-service-id 2752516
next
edit "Myspace-SSH"
```

```
        set internet-service-id 2752518
next
edit "Myspace-FTP"
        set internet-service-id 2752519
next
edit "Myspace-NTP"
        set internet-service-id 2752520
next
edit "Myspace-Inbound_Email"
        set internet-service-id 2752521
next
edit "Myspace-LDAP"
        set internet-service-id 2752526
next
edit "Myspace-NetBIOS.Session.Service"
        set internet-service-id 2752527
next
edit "Myspace-RTMP"
        set internet-service-id 2752528
next
edit "Myspace-NetBIOS.Name.Service"
        set internet-service-id 2752536
next
edit "Tor-Relay.Node"
        set internet-service-id 2818238
next
edit "Tor-Exit.Node"
        set internet-service-id 2818243
next
edit "Tor-Tor.Node"
        set internet-service-id 2818432
next
edit "Baidu-Other"
        set internet-service-id 2883584
next
edit "Baidu-Web"
        set internet-service-id 2883585
next
edit "Baidu-ICMP"
        set internet-service-id 2883586
next
edit "Baidu-DNS"
        set internet-service-id 2883587
next
edit "Baidu-Outbound_Email"
        set internet-service-id 2883588
```

```
next
edit "Baidu-SSH"
    set internet-service-id 2883590
next
edit "Baidu-FTP"
    set internet-service-id 2883591
next
edit "Baidu-NTP"
    set internet-service-id 2883592
next
edit "Baidu-Inbound_Email"
    set internet-service-id 2883593
next
edit "Baidu-LDAP"
    set internet-service-id 2883598
next
edit "Baidu-NetBIOS.Session.Service"
    set internet-service-id 2883599
next
edit "Baidu-RTMP"
    set internet-service-id 2883600
next
edit "Baidu-NetBIOS.Name.Service"
    set internet-service-id 2883608
next
edit "ntp.org-Other"
    set internet-service-id 2949120
next
edit "ntp.org-Web"
    set internet-service-id 2949121
next
edit "ntp.org-ICMP"
    set internet-service-id 2949122
next
edit "ntp.org-DNS"
    set internet-service-id 2949123
next
edit "ntp.org-Outbound_Email"
    set internet-service-id 2949124
next
edit "ntp.org-SSH"
    set internet-service-id 2949126
next
edit "ntp.org-FTP"
    set internet-service-id 2949127
next
```

```
edit "ntp.org-NTP"
    set internet-service-id 2949128
next
edit "ntp.org-Inbound_Email"
    set internet-service-id 2949129
next
edit "ntp.org-LDAP"
    set internet-service-id 2949134
next
edit "ntp.org-NetBIOS.Session.Service"
    set internet-service-id 2949135
next
edit "ntp.org-RTMP"
    set internet-service-id 2949136
next
edit "ntp.org-NetBIOS.Name.Service"
    set internet-service-id 2949144
next
edit "Proxy-Proxy.Server"
    set internet-service-id 3014850
next
edit "Botnet-C&C.Server"
    set internet-service-id 3080383
next
edit "Spam-Spamming.Server"
    set internet-service-id 3145920
next
edit "Phishing-Phishing.Server"
    set internet-service-id 3211457
next
edit "Zendesk-Other"
    set internet-service-id 3407872
next
edit "Zendesk-Web"
    set internet-service-id 3407873
next
edit "Zendesk-ICMP"
    set internet-service-id 3407874
next
edit "Zendesk-DNS"
    set internet-service-id 3407875
next
edit "Zendesk-Outbound_Email"
    set internet-service-id 3407876
next
edit "Zendesk-SSH"
```

```
        set internet-service-id 3407878
next
edit "Zendesk-FTP"
        set internet-service-id 3407879
next
edit "Zendesk-NTP"
        set internet-service-id 3407880
next
edit "Zendesk-Inbound_Email"
        set internet-service-id 3407881
next
edit "Zendesk-LDAP"
        set internet-service-id 3407886
next
edit "Zendesk-NetBIOS.Session.Service"
        set internet-service-id 3407887
next
edit "Zendesk-RTMP"
        set internet-service-id 3407888
next
edit "Zendesk-NetBIOS.Name.Service"
        set internet-service-id 3407896
next
edit "Zendesk-Zendesk.Suite"
        set internet-service-id 3408047
next
edit "DocuSign-Other"
        set internet-service-id 3473408
next
edit "DocuSign-Web"
        set internet-service-id 3473409
next
edit "DocuSign-ICMP"
        set internet-service-id 3473410
next
edit "DocuSign-DNS"
        set internet-service-id 3473411
next
edit "DocuSign-Outbound_Email"
        set internet-service-id 3473412
next
edit "DocuSign-SSH"
        set internet-service-id 3473414
next
edit "DocuSign-FTP"
        set internet-service-id 3473415
```

```
next
edit "DocuSign-NTP"
    set internet-service-id 3473416
next
edit "DocuSign-Inbound_Email"
    set internet-service-id 3473417
next
edit "DocuSign-LDAP"
    set internet-service-id 3473422
next
edit "DocuSign-NetBIOS.Session.Service"
    set internet-service-id 3473423
next
edit "DocuSign-RTMP"
    set internet-service-id 3473424
next
edit "DocuSign-NetBIOS.Name.Service"
    set internet-service-id 3473432
next
edit "ServiceNow-Other"
    set internet-service-id 3538944
next
edit "ServiceNow-Web"
    set internet-service-id 3538945
next
edit "ServiceNow-ICMP"
    set internet-service-id 3538946
next
edit "ServiceNow-DNS"
    set internet-service-id 3538947
next
edit "ServiceNow-Outbound_Email"
    set internet-service-id 3538948
next
edit "ServiceNow-SSH"
    set internet-service-id 3538950
next
edit "ServiceNow-FTP"
    set internet-service-id 3538951
next
edit "ServiceNow-NTP"
    set internet-service-id 3538952
next
edit "ServiceNow-Inbound_Email"
    set internet-service-id 3538953
next
```

```
edit "ServiceNow-LDAP"
    set internet-service-id 3538958
next
edit "ServiceNow-NetBIOS.Session.Service"
    set internet-service-id 3538959
next
edit "ServiceNow-RTMP"
    set internet-service-id 3538960
next
edit "ServiceNow-NetBIOS.Name.Service"
    set internet-service-id 3538968
next
edit "GitHub-GitHub"
    set internet-service-id 3604638
next
edit "Workday-Other"
    set internet-service-id 3670016
next
edit "Workday-Web"
    set internet-service-id 3670017
next
edit "Workday-ICMP"
    set internet-service-id 3670018
next
edit "Workday-DNS"
    set internet-service-id 3670019
next
edit "Workday-Outbound_Email"
    set internet-service-id 3670020
next
edit "Workday-SSH"
    set internet-service-id 3670022
next
edit "Workday-FTP"
    set internet-service-id 3670023
next
edit "Workday-NTP"
    set internet-service-id 3670024
next
edit "Workday-Inbound_Email"
    set internet-service-id 3670025
next
edit "Workday-LDAP"
    set internet-service-id 3670030
next
edit "Workday-NetBIOS.Session.Service"
```

```
        set internet-service-id 3670031
next
edit "Workday-RTMP"
        set internet-service-id 3670032
next
edit "Workday-NetBIOS.Name.Service"
        set internet-service-id 3670040
next
edit "HubSpot-Other"
        set internet-service-id 3735552
next
edit "HubSpot-Web"
        set internet-service-id 3735553
next
edit "HubSpot-ICMP"
        set internet-service-id 3735554
next
edit "HubSpot-DNS"
        set internet-service-id 3735555
next
edit "HubSpot-Outbound_Email"
        set internet-service-id 3735556
next
edit "HubSpot-SSH"
        set internet-service-id 3735558
next
edit "HubSpot-FTP"
        set internet-service-id 3735559
next
edit "HubSpot-NTP"
        set internet-service-id 3735560
next
edit "HubSpot-Inbound_Email"
        set internet-service-id 3735561
next
edit "HubSpot-LDAP"
        set internet-service-id 3735566
next
edit "HubSpot-NetBIOS.Session.Service"
        set internet-service-id 3735567
next
edit "HubSpot-RTMP"
        set internet-service-id 3735568
next
edit "HubSpot-NetBIOS.Name.Service"
        set internet-service-id 3735576
```

```
next
edit "Twilio-Other"
    set internet-service-id 3801088
next
edit "Twilio-Web"
    set internet-service-id 3801089
next
edit "Twilio-ICMP"
    set internet-service-id 3801090
next
edit "Twilio-DNS"
    set internet-service-id 3801091
next
edit "Twilio-Outbound_Email"
    set internet-service-id 3801092
next
edit "Twilio-SSH"
    set internet-service-id 3801094
next
edit "Twilio-FTP"
    set internet-service-id 3801095
next
edit "Twilio-NTP"
    set internet-service-id 3801096
next
edit "Twilio-Inbound_Email"
    set internet-service-id 3801097
next
edit "Twilio-LDAP"
    set internet-service-id 3801102
next
edit "Twilio-NetBIOS.Session.Service"
    set internet-service-id 3801103
next
edit "Twilio-RTMP"
    set internet-service-id 3801104
next
edit "Twilio-NetBIOS.Name.Service"
    set internet-service-id 3801112
next
edit "Twilio-Elastic.SIP.Trunking"
    set internet-service-id 3801277
next
edit "Coupa-Other"
    set internet-service-id 3866624
next
```

```
edit "Coupa-Web"
    set internet-service-id 3866625
next
edit "Coupa-ICMP"
    set internet-service-id 3866626
next
edit "Coupa-DNS"
    set internet-service-id 3866627
next
edit "Coupa-Outbound_Email"
    set internet-service-id 3866628
next
edit "Coupa-SSH"
    set internet-service-id 3866630
next
edit "Coupa-FTP"
    set internet-service-id 3866631
next
edit "Coupa-NTP"
    set internet-service-id 3866632
next
edit "Coupa-Inbound_Email"
    set internet-service-id 3866633
next
edit "Coupa-LDAP"
    set internet-service-id 3866638
next
edit "Coupa-NetBIOS.Session.Service"
    set internet-service-id 3866639
next
edit "Coupa-RTMP"
    set internet-service-id 3866640
next
edit "Coupa-NetBIOS.Name.Service"
    set internet-service-id 3866648
next
edit "Atlassian-Other"
    set internet-service-id 3932160
next
edit "Atlassian-Web"
    set internet-service-id 3932161
next
edit "Atlassian-ICMP"
    set internet-service-id 3932162
next
edit "Atlassian-DNS"
```

```
        set internet-service-id 3932163
next
edit "Atlassian-Outbound_Email"
    set internet-service-id 3932164
next
edit "Atlassian-SSH"
    set internet-service-id 3932166
next
edit "Atlassian-FTP"
    set internet-service-id 3932167
next
edit "Atlassian-NTP"
    set internet-service-id 3932168
next
edit "Atlassian-Inbound_Email"
    set internet-service-id 3932169
next
edit "Atlassian-LDAP"
    set internet-service-id 3932174
next
edit "Atlassian-NetBIOS.Session.Service"
    set internet-service-id 3932175
next
edit "Atlassian-RTMP"
    set internet-service-id 3932176
next
edit "Atlassian-NetBIOS.Name.Service"
    set internet-service-id 3932184
next
edit "Atlassian-Atlassian.Cloud"
    set internet-service-id 3932388
next
edit "Atlassian-Atlassian.Notification"
    set internet-service-id 3932436
next
edit "Xero-Other"
    set internet-service-id 3997696
next
edit "Xero-Web"
    set internet-service-id 3997697
next
edit "Xero-ICMP"
    set internet-service-id 3997698
next
edit "Xero-DNS"
    set internet-service-id 3997699
```

```
next
edit "Xero-Outbound_Email"
    set internet-service-id 3997700
next
edit "Xero-SSH"
    set internet-service-id 3997702
next
edit "Xero-FTP"
    set internet-service-id 3997703
next
edit "Xero-NTP"
    set internet-service-id 3997704
next
edit "Xero-Inbound_Email"
    set internet-service-id 3997705
next
edit "Xero-LDAP"
    set internet-service-id 3997710
next
edit "Xero-NetBIOS.Session.Service"
    set internet-service-id 3997711
next
edit "Xero-RTMP"
    set internet-service-id 3997712
next
edit "Xero-NetBIOS.Name.Service"
    set internet-service-id 3997720
next
edit "Zuora-Other"
    set internet-service-id 4063232
next
edit "Zuora-Web"
    set internet-service-id 4063233
next
edit "Zuora-ICMP"
    set internet-service-id 4063234
next
edit "Zuora-DNS"
    set internet-service-id 4063235
next
edit "Zuora-Outbound_Email"
    set internet-service-id 4063236
next
edit "Zuora-SSH"
    set internet-service-id 4063238
next
```

```
edit "Zuora-FTP"
    set internet-service-id 4063239
next
edit "Zuora-NTP"
    set internet-service-id 4063240
next
edit "Zuora-Inbound_Email"
    set internet-service-id 4063241
next
edit "Zuora-LDAP"
    set internet-service-id 4063246
next
edit "Zuora-NetBIOS.Session.Service"
    set internet-service-id 4063247
next
edit "Zuora-RTMP"
    set internet-service-id 4063248
next
edit "Zuora-NetBIOS.Name.Service"
    set internet-service-id 4063256
next
edit "AdRoll-Other"
    set internet-service-id 4128768
next
edit "AdRoll-Web"
    set internet-service-id 4128769
next
edit "AdRoll-ICMP"
    set internet-service-id 4128770
next
edit "AdRoll-DNS"
    set internet-service-id 4128771
next
edit "AdRoll-Outbound_Email"
    set internet-service-id 4128772
next
edit "AdRoll-SSH"
    set internet-service-id 4128774
next
edit "AdRoll-FTP"
    set internet-service-id 4128775
next
edit "AdRoll-NTP"
    set internet-service-id 4128776
next
edit "AdRoll-Inbound_Email"
```

```
        set internet-service-id 4128777
next
edit "AdRoll-LDAP"
    set internet-service-id 4128782
next
edit "AdRoll-NetBIOS.Session.Service"
    set internet-service-id 4128783
next
edit "AdRoll-RTMP"
    set internet-service-id 4128784
next
edit "AdRoll-NetBIOS.Name.Service"
    set internet-service-id 4128792
next
edit "Xactly-Other"
    set internet-service-id 4194304
next
edit "Xactly-Web"
    set internet-service-id 4194305
next
edit "Xactly-ICMP"
    set internet-service-id 4194306
next
edit "Xactly-DNS"
    set internet-service-id 4194307
next
edit "Xactly-Outbound_Email"
    set internet-service-id 4194308
next
edit "Xactly-SSH"
    set internet-service-id 4194310
next
edit "Xactly-FTP"
    set internet-service-id 4194311
next
edit "Xactly-NTP"
    set internet-service-id 4194312
next
edit "Xactly-Inbound_Email"
    set internet-service-id 4194313
next
edit "Xactly-LDAP"
    set internet-service-id 4194318
next
edit "Xactly-NetBIOS.Session.Service"
    set internet-service-id 4194319
```

```
next
edit "Xactly-RTMP"
    set internet-service-id 4194320
next
edit "Xactly-NetBIOS.Name.Service"
    set internet-service-id 4194328
next
edit "Intuit-Other"
    set internet-service-id 4259840
next
edit "Intuit-Web"
    set internet-service-id 4259841
next
edit "Intuit-ICMP"
    set internet-service-id 4259842
next
edit "Intuit-DNS"
    set internet-service-id 4259843
next
edit "Intuit-Outbound_Email"
    set internet-service-id 4259844
next
edit "Intuit-SSH"
    set internet-service-id 4259846
next
edit "Intuit-FTP"
    set internet-service-id 4259847
next
edit "Intuit-NTP"
    set internet-service-id 4259848
next
edit "Intuit-Inbound_Email"
    set internet-service-id 4259849
next
edit "Intuit-LDAP"
    set internet-service-id 4259854
next
edit "Intuit-NetBIOS.Session.Service"
    set internet-service-id 4259855
next
edit "Intuit-RTMP"
    set internet-service-id 4259856
next
edit "Intuit-NetBIOS.Name.Service"
    set internet-service-id 4259864
next
```

```
edit "Marketo-Other"
    set internet-service-id 4325376
next
edit "Marketo-Web"
    set internet-service-id 4325377
next
edit "Marketo-ICMP"
    set internet-service-id 4325378
next
edit "Marketo-DNS"
    set internet-service-id 4325379
next
edit "Marketo-Outbound_Email"
    set internet-service-id 4325380
next
edit "Marketo-SSH"
    set internet-service-id 4325382
next
edit "Marketo-FTP"
    set internet-service-id 4325383
next
edit "Marketo-NTP"
    set internet-service-id 4325384
next
edit "Marketo-Inbound_Email"
    set internet-service-id 4325385
next
edit "Marketo-LDAP"
    set internet-service-id 4325390
next
edit "Marketo-NetBIOS.Session.Service"
    set internet-service-id 4325391
next
edit "Marketo-RTMP"
    set internet-service-id 4325392
next
edit "Marketo-NetBIOS.Name.Service"
    set internet-service-id 4325400
next
edit "Bill-Other"
    set internet-service-id 4456448
next
edit "Bill-Web"
    set internet-service-id 4456449
next
edit "Bill-ICMP"
```

```
        set internet-service-id 4456450
next
edit "Bill-DNS"
        set internet-service-id 4456451
next
edit "Bill-Outbound_Email"
        set internet-service-id 4456452
next
edit "Bill-SSH"
        set internet-service-id 4456454
next
edit "Bill-FTP"
        set internet-service-id 4456455
next
edit "Bill-NTP"
        set internet-service-id 4456456
next
edit "Bill-Inbound_Email"
        set internet-service-id 4456457
next
edit "Bill-LDAP"
        set internet-service-id 4456462
next
edit "Bill-NetBIOS.Session.Service"
        set internet-service-id 4456463
next
edit "Bill-RTMP"
        set internet-service-id 4456464
next
edit "Bill-NetBIOS.Name.Service"
        set internet-service-id 4456472
next
edit "Shopify-Other"
        set internet-service-id 4521984
next
edit "Shopify-Web"
        set internet-service-id 4521985
next
edit "Shopify-ICMP"
        set internet-service-id 4521986
next
edit "Shopify-DNS"
        set internet-service-id 4521987
next
edit "Shopify-Outbound_Email"
        set internet-service-id 4521988
```

```
next
edit "Shopify-SSH"
    set internet-service-id 4521990
next
edit "Shopify-FTP"
    set internet-service-id 4521991
next
edit "Shopify-NTP"
    set internet-service-id 4521992
next
edit "Shopify-Inbound_Email"
    set internet-service-id 4521993
next
edit "Shopify-LDAP"
    set internet-service-id 4521998
next
edit "Shopify-NetBIOS.Session.Service"
    set internet-service-id 4521999
next
edit "Shopify-RTMP"
    set internet-service-id 4522000
next
edit "Shopify-NetBIOS.Name.Service"
    set internet-service-id 4522008
next
edit "Shopify-Shopify"
    set internet-service-id 4522162
next
edit "MuleSoft-Other"
    set internet-service-id 4587520
next
edit "MuleSoft-Web"
    set internet-service-id 4587521
next
edit "MuleSoft-ICMP"
    set internet-service-id 4587522
next
edit "MuleSoft-DNS"
    set internet-service-id 4587523
next
edit "MuleSoft-Outbound_Email"
    set internet-service-id 4587524
next
edit "MuleSoft-SSH"
    set internet-service-id 4587526
next
```

```
edit "MuleSoft-FTP"
    set internet-service-id 4587527
next
edit "MuleSoft-NTP"
    set internet-service-id 4587528
next
edit "MuleSoft-Inbound_Email"
    set internet-service-id 4587529
next
edit "MuleSoft-LDAP"
    set internet-service-id 4587534
next
edit "MuleSoft-NetBIOS.Session.Service"
    set internet-service-id 4587535
next
edit "MuleSoft-RTMP"
    set internet-service-id 4587536
next
edit "MuleSoft-NetBIOS.Name.Service"
    set internet-service-id 4587544
next
edit "Cornerstone-Other"
    set internet-service-id 4653056
next
edit "Cornerstone-Web"
    set internet-service-id 4653057
next
edit "Cornerstone-ICMP"
    set internet-service-id 4653058
next
edit "Cornerstone-DNS"
    set internet-service-id 4653059
next
edit "Cornerstone-Outbound_Email"
    set internet-service-id 4653060
next
edit "Cornerstone-SSH"
    set internet-service-id 4653062
next
edit "Cornerstone-FTP"
    set internet-service-id 4653063
next
edit "Cornerstone-NTP"
    set internet-service-id 4653064
next
edit "Cornerstone-Inbound_Email"
```

```
        set internet-service-id 4653065
next
edit "Cornerstone-LDAP"
    set internet-service-id 4653070
next
edit "Cornerstone-NetBIOS.Session.Service"
    set internet-service-id 4653071
next
edit "Cornerstone-RTMP"
    set internet-service-id 4653072
next
edit "Cornerstone-NetBIOS.Name.Service"
    set internet-service-id 4653080
next
edit "Eventbrite-Other"
    set internet-service-id 4718592
next
edit "Eventbrite-Web"
    set internet-service-id 4718593
next
edit "Eventbrite-ICMP"
    set internet-service-id 4718594
next
edit "Eventbrite-DNS"
    set internet-service-id 4718595
next
edit "Eventbrite-Outbound_Email"
    set internet-service-id 4718596
next
edit "Eventbrite-SSH"
    set internet-service-id 4718598
next
edit "Eventbrite-FTP"
    set internet-service-id 4718599
next
edit "Eventbrite-NTP"
    set internet-service-id 4718600
next
edit "Eventbrite-Inbound_Email"
    set internet-service-id 4718601
next
edit "Eventbrite-LDAP"
    set internet-service-id 4718606
next
edit "Eventbrite-NetBIOS.Session.Service"
    set internet-service-id 4718607
```

```
next
edit "Eventbrite-RTMP"
    set internet-service-id 4718608
next
edit "Eventbrite-NetBIOS.Name.Service"
    set internet-service-id 4718616
next
edit "Paychex-Other"
    set internet-service-id 4784128
next
edit "Paychex-Web"
    set internet-service-id 4784129
next
edit "Paychex-ICMP"
    set internet-service-id 4784130
next
edit "Paychex-DNS"
    set internet-service-id 4784131
next
edit "Paychex-Outbound_Email"
    set internet-service-id 4784132
next
edit "Paychex-SSH"
    set internet-service-id 4784134
next
edit "Paychex-FTP"
    set internet-service-id 4784135
next
edit "Paychex-NTP"
    set internet-service-id 4784136
next
edit "Paychex-Inbound_Email"
    set internet-service-id 4784137
next
edit "Paychex-LDAP"
    set internet-service-id 4784142
next
edit "Paychex-NetBIOS.Session.Service"
    set internet-service-id 4784143
next
edit "Paychex-RTMP"
    set internet-service-id 4784144
next
edit "Paychex-NetBIOS.Name.Service"
    set internet-service-id 4784152
next
```

```
edit "NewRelic-Other"
    set internet-service-id 4849664
next
edit "NewRelic-Web"
    set internet-service-id 4849665
next
edit "NewRelic-ICMP"
    set internet-service-id 4849666
next
edit "NewRelic-DNS"
    set internet-service-id 4849667
next
edit "NewRelic-Outbound_Email"
    set internet-service-id 4849668
next
edit "NewRelic-SSH"
    set internet-service-id 4849670
next
edit "NewRelic-FTP"
    set internet-service-id 4849671
next
edit "NewRelic-NTP"
    set internet-service-id 4849672
next
edit "NewRelic-Inbound_Email"
    set internet-service-id 4849673
next
edit "NewRelic-LDAP"
    set internet-service-id 4849678
next
edit "NewRelic-NetBIOS.Session.Service"
    set internet-service-id 4849679
next
edit "NewRelic-RTMP"
    set internet-service-id 4849680
next
edit "NewRelic-NetBIOS.Name.Service"
    set internet-service-id 4849688
next
edit "NewRelic-Synthetic.Monitor"
    set internet-service-id 4849970
next
edit "Splunk-Other"
    set internet-service-id 4915200
next
edit "Splunk-Web"
```

```
        set internet-service-id 4915201
next
edit "Splunk-ICMP"
        set internet-service-id 4915202
next
edit "Splunk-DNS"
        set internet-service-id 4915203
next
edit "Splunk-Outbound_Email"
        set internet-service-id 4915204
next
edit "Splunk-SSH"
        set internet-service-id 4915206
next
edit "Splunk-FTP"
        set internet-service-id 4915207
next
edit "Splunk-NTP"
        set internet-service-id 4915208
next
edit "Splunk-Inbound_Email"
        set internet-service-id 4915209
next
edit "Splunk-LDAP"
        set internet-service-id 4915214
next
edit "Splunk-NetBIOS.Session.Service"
        set internet-service-id 4915215
next
edit "Splunk-RTMP"
        set internet-service-id 4915216
next
edit "Splunk-NetBIOS.Name.Service"
        set internet-service-id 4915224
next
edit "Domo-Other"
        set internet-service-id 4980736
next
edit "Domo-Web"
        set internet-service-id 4980737
next
edit "Domo-ICMP"
        set internet-service-id 4980738
next
edit "Domo-DNS"
        set internet-service-id 4980739
```

```
next
edit "Domo-Outbound_Email"
    set internet-service-id 4980740
next
edit "Domo-SSH"
    set internet-service-id 4980742
next
edit "Domo-FTP"
    set internet-service-id 4980743
next
edit "Domo-NTP"
    set internet-service-id 4980744
next
edit "Domo-Inbound_Email"
    set internet-service-id 4980745
next
edit "Domo-LDAP"
    set internet-service-id 4980750
next
edit "Domo-NetBIOS.Session.Service"
    set internet-service-id 4980751
next
edit "Domo-RTMP"
    set internet-service-id 4980752
next
edit "Domo-NetBIOS.Name.Service"
    set internet-service-id 4980760
next
edit "FreshBooks-Other"
    set internet-service-id 5046272
next
edit "FreshBooks-Web"
    set internet-service-id 5046273
next
edit "FreshBooks-ICMP"
    set internet-service-id 5046274
next
edit "FreshBooks-DNS"
    set internet-service-id 5046275
next
edit "FreshBooks-Outbound_Email"
    set internet-service-id 5046276
next
edit "FreshBooks-SSH"
    set internet-service-id 5046278
next
```

```
edit "FreshBooks-FTP"
    set internet-service-id 5046279
next
edit "FreshBooks-NTP"
    set internet-service-id 5046280
next
edit "FreshBooks-Inbound_Email"
    set internet-service-id 5046281
next
edit "FreshBooks-LDAP"
    set internet-service-id 5046286
next
edit "FreshBooks-NetBIOS.Session.Service"
    set internet-service-id 5046287
next
edit "FreshBooks-RTMP"
    set internet-service-id 5046288
next
edit "FreshBooks-NetBIOS.Name.Service"
    set internet-service-id 5046296
next
edit "Tableau-Other"
    set internet-service-id 5111808
next
edit "Tableau-Web"
    set internet-service-id 5111809
next
edit "Tableau-ICMP"
    set internet-service-id 5111810
next
edit "Tableau-DNS"
    set internet-service-id 5111811
next
edit "Tableau-Outbound_Email"
    set internet-service-id 5111812
next
edit "Tableau-SSH"
    set internet-service-id 5111814
next
edit "Tableau-FTP"
    set internet-service-id 5111815
next
edit "Tableau-NTP"
    set internet-service-id 5111816
next
edit "Tableau-Inbound_Email"
```

```
        set internet-service-id 5111817
next
edit "Tableau-LDAP"
        set internet-service-id 5111822
next
edit "Tableau-NetBIOS.Session.Service"
        set internet-service-id 5111823
next
edit "Tableau-RTMP"
        set internet-service-id 5111824
next
edit "Tableau-NetBIOS.Name.Service"
        set internet-service-id 5111832
next
edit "Druva-Other"
        set internet-service-id 5177344
next
edit "Druva-Web"
        set internet-service-id 5177345
next
edit "Druva-ICMP"
        set internet-service-id 5177346
next
edit "Druva-DNS"
        set internet-service-id 5177347
next
edit "Druva-Outbound_Email"
        set internet-service-id 5177348
next
edit "Druva-SSH"
        set internet-service-id 5177350
next
edit "Druva-FTP"
        set internet-service-id 5177351
next
edit "Druva-NTP"
        set internet-service-id 5177352
next
edit "Druva-Inbound_Email"
        set internet-service-id 5177353
next
edit "Druva-LDAP"
        set internet-service-id 5177358
next
edit "Druva-NetBIOS.Session.Service"
        set internet-service-id 5177359
```

```
next
edit "Druva-RTMP"
    set internet-service-id 5177360
next
edit "Druva-NetBIOS.Name.Service"
    set internet-service-id 5177368
next
edit "Act-on-Other"
    set internet-service-id 5242880
next
edit "Act-on-Web"
    set internet-service-id 5242881
next
edit "Act-on-ICMP"
    set internet-service-id 5242882
next
edit "Act-on-DNS"
    set internet-service-id 5242883
next
edit "Act-on-Outbound_Email"
    set internet-service-id 5242884
next
edit "Act-on-SSH"
    set internet-service-id 5242886
next
edit "Act-on-FTP"
    set internet-service-id 5242887
next
edit "Act-on-NTP"
    set internet-service-id 5242888
next
edit "Act-on-Inbound_Email"
    set internet-service-id 5242889
next
edit "Act-on-LDAP"
    set internet-service-id 5242894
next
edit "Act-on-NetBIOS.Session.Service"
    set internet-service-id 5242895
next
edit "Act-on-RTMP"
    set internet-service-id 5242896
next
edit "Act-on-NetBIOS.Name.Service"
    set internet-service-id 5242904
next
```

```
edit "GoodData-Other"
    set internet-service-id 5308416
next
edit "GoodData-Web"
    set internet-service-id 5308417
next
edit "GoodData-ICMP"
    set internet-service-id 5308418
next
edit "GoodData-DNS"
    set internet-service-id 5308419
next
edit "GoodData-Outbound_Email"
    set internet-service-id 5308420
next
edit "GoodData-SSH"
    set internet-service-id 5308422
next
edit "GoodData-FTP"
    set internet-service-id 5308423
next
edit "GoodData-NTP"
    set internet-service-id 5308424
next
edit "GoodData-Inbound_Email"
    set internet-service-id 5308425
next
edit "GoodData-LDAP"
    set internet-service-id 5308430
next
edit "GoodData-NetBIOS.Session.Service"
    set internet-service-id 5308431
next
edit "GoodData-RTMP"
    set internet-service-id 5308432
next
edit "GoodData-NetBIOS.Name.Service"
    set internet-service-id 5308440
next
edit "SurveyMonkey-Other"
    set internet-service-id 5373952
next
edit "SurveyMonkey-Web"
    set internet-service-id 5373953
next
edit "SurveyMonkey-ICMP"
```

```
        set internet-service-id 5373954
next
edit "SurveyMonkey-DNS"
        set internet-service-id 5373955
next
edit "SurveyMonkey-Outbound_Email"
        set internet-service-id 5373956
next
edit "SurveyMonkey-SSH"
        set internet-service-id 5373958
next
edit "SurveyMonkey-FTP"
        set internet-service-id 5373959
next
edit "SurveyMonkey-NTP"
        set internet-service-id 5373960
next
edit "SurveyMonkey-Inbound_Email"
        set internet-service-id 5373961
next
edit "SurveyMonkey-LDAP"
        set internet-service-id 5373966
next
edit "SurveyMonkey-NetBIOS.Session.Service"
        set internet-service-id 5373967
next
edit "SurveyMonkey-RTMP"
        set internet-service-id 5373968
next
edit "SurveyMonkey-NetBIOS.Name.Service"
        set internet-service-id 5373976
next
edit "Cvent-Other"
        set internet-service-id 5439488
next
edit "Cvent-Web"
        set internet-service-id 5439489
next
edit "Cvent-ICMP"
        set internet-service-id 5439490
next
edit "Cvent-DNS"
        set internet-service-id 5439491
next
edit "Cvent-Outbound_Email"
        set internet-service-id 5439492
```

```
next
edit "Cvent-SSH"
    set internet-service-id 5439494
next
edit "Cvent-FTP"
    set internet-service-id 5439495
next
edit "Cvent-NTP"
    set internet-service-id 5439496
next
edit "Cvent-Inbound_Email"
    set internet-service-id 5439497
next
edit "Cvent-LDAP"
    set internet-service-id 5439502
next
edit "Cvent-NetBIOS.Session.Service"
    set internet-service-id 5439503
next
edit "Cvent-RTMP"
    set internet-service-id 5439504
next
edit "Cvent-NetBIOS.Name.Service"
    set internet-service-id 5439512
next
edit "Blackbaud-Other"
    set internet-service-id 5505024
next
edit "Blackbaud-Web"
    set internet-service-id 5505025
next
edit "Blackbaud-ICMP"
    set internet-service-id 5505026
next
edit "Blackbaud-DNS"
    set internet-service-id 5505027
next
edit "Blackbaud-Outbound_Email"
    set internet-service-id 5505028
next
edit "Blackbaud-SSH"
    set internet-service-id 5505030
next
edit "Blackbaud-FTP"
    set internet-service-id 5505031
next
```

```
edit "Blackbaud-NTP"
    set internet-service-id 5505032
next
edit "Blackbaud-Inbound_Email"
    set internet-service-id 5505033
next
edit "Blackbaud-LDAP"
    set internet-service-id 5505038
next
edit "Blackbaud-NetBIOS.Session.Service"
    set internet-service-id 5505039
next
edit "Blackbaud-RTMP"
    set internet-service-id 5505040
next
edit "Blackbaud-NetBIOS.Name.Service"
    set internet-service-id 5505048
next
edit "InsideSales-Other"
    set internet-service-id 5570560
next
edit "InsideSales-Web"
    set internet-service-id 5570561
next
edit "InsideSales-ICMP"
    set internet-service-id 5570562
next
edit "InsideSales-DNS"
    set internet-service-id 5570563
next
edit "InsideSales-Outbound_Email"
    set internet-service-id 5570564
next
edit "InsideSales-SSH"
    set internet-service-id 5570566
next
edit "InsideSales-FTP"
    set internet-service-id 5570567
next
edit "InsideSales-NTP"
    set internet-service-id 5570568
next
edit "InsideSales-Inbound_Email"
    set internet-service-id 5570569
next
edit "InsideSales-LDAP"
```

```
        set internet-service-id 5570574
next
edit "InsideSales-NetBIOS.Session.Service"
    set internet-service-id 5570575
next
edit "InsideSales-RTMP"
    set internet-service-id 5570576
next
edit "InsideSales-NetBIOS.Name.Service"
    set internet-service-id 5570584
next
edit "ServiceMax-Other"
    set internet-service-id 5636096
next
edit "ServiceMax-Web"
    set internet-service-id 5636097
next
edit "ServiceMax-ICMP"
    set internet-service-id 5636098
next
edit "ServiceMax-DNS"
    set internet-service-id 5636099
next
edit "ServiceMax-Outbound_Email"
    set internet-service-id 5636100
next
edit "ServiceMax-SSH"
    set internet-service-id 5636102
next
edit "ServiceMax-FTP"
    set internet-service-id 5636103
next
edit "ServiceMax-NTP"
    set internet-service-id 5636104
next
edit "ServiceMax-Inbound_Email"
    set internet-service-id 5636105
next
edit "ServiceMax-LDAP"
    set internet-service-id 5636110
next
edit "ServiceMax-NetBIOS.Session.Service"
    set internet-service-id 5636111
next
edit "ServiceMax-RTMP"
    set internet-service-id 5636112
```

```
next
edit "ServiceMax-NetBIOS.Name.Service"
    set internet-service-id 5636120
next
edit "Apptio-Other"
    set internet-service-id 5701632
next
edit "Apptio-Web"
    set internet-service-id 5701633
next
edit "Apptio-ICMP"
    set internet-service-id 5701634
next
edit "Apptio-DNS"
    set internet-service-id 5701635
next
edit "Apptio-Outbound_Email"
    set internet-service-id 5701636
next
edit "Apptio-SSH"
    set internet-service-id 5701638
next
edit "Apptio-FTP"
    set internet-service-id 5701639
next
edit "Apptio-NTP"
    set internet-service-id 5701640
next
edit "Apptio-Inbound_Email"
    set internet-service-id 5701641
next
edit "Apptio-LDAP"
    set internet-service-id 5701646
next
edit "Apptio-NetBIOS.Session.Service"
    set internet-service-id 5701647
next
edit "Apptio-RTMP"
    set internet-service-id 5701648
next
edit "Apptio-NetBIOS.Name.Service"
    set internet-service-id 5701656
next
edit "Veracode-Other"
    set internet-service-id 5767168
next
```

```
edit "Veracode-Web"
    set internet-service-id 5767169
next
edit "Veracode-ICMP"
    set internet-service-id 5767170
next
edit "Veracode-DNS"
    set internet-service-id 5767171
next
edit "Veracode-Outbound_Email"
    set internet-service-id 5767172
next
edit "Veracode-SSH"
    set internet-service-id 5767174
next
edit "Veracode-FTP"
    set internet-service-id 5767175
next
edit "Veracode-NTP"
    set internet-service-id 5767176
next
edit "Veracode-Inbound_Email"
    set internet-service-id 5767177
next
edit "Veracode-LDAP"
    set internet-service-id 5767182
next
edit "Veracode-NetBIOS.Session.Service"
    set internet-service-id 5767183
next
edit "Veracode-RTMP"
    set internet-service-id 5767184
next
edit "Veracode-NetBIOS.Name.Service"
    set internet-service-id 5767192
next
edit "Anaplan-Other"
    set internet-service-id 5832704
next
edit "Anaplan-Web"
    set internet-service-id 5832705
next
edit "Anaplan-ICMP"
    set internet-service-id 5832706
next
edit "Anaplan-DNS"
```

```
        set internet-service-id 5832707
next
edit "Anaplan-Outbound_Email"
    set internet-service-id 5832708
next
edit "Anaplan-SSH"
    set internet-service-id 5832710
next
edit "Anaplan-FTP"
    set internet-service-id 5832711
next
edit "Anaplan-NTP"
    set internet-service-id 5832712
next
edit "Anaplan-Inbound_Email"
    set internet-service-id 5832713
next
edit "Anaplan-LDAP"
    set internet-service-id 5832718
next
edit "Anaplan-NetBIOS.Session.Service"
    set internet-service-id 5832719
next
edit "Anaplan-RTMP"
    set internet-service-id 5832720
next
edit "Anaplan-NetBIOS.Name.Service"
    set internet-service-id 5832728
next
edit "Rapid7-Other"
    set internet-service-id 5898240
next
edit "Rapid7-Web"
    set internet-service-id 5898241
next
edit "Rapid7-ICMP"
    set internet-service-id 5898242
next
edit "Rapid7-DNS"
    set internet-service-id 5898243
next
edit "Rapid7-Outbound_Email"
    set internet-service-id 5898244
next
edit "Rapid7-SSH"
    set internet-service-id 5898246
```

```
next
edit "Rapid7-FTP"
    set internet-service-id 5898247
next
edit "Rapid7-NTP"
    set internet-service-id 5898248
next
edit "Rapid7-Inbound_Email"
    set internet-service-id 5898249
next
edit "Rapid7-LDAP"
    set internet-service-id 5898254
next
edit "Rapid7-NetBIOS.Session.Service"
    set internet-service-id 5898255
next
edit "Rapid7-RTMP"
    set internet-service-id 5898256
next
edit "Rapid7-NetBIOS.Name.Service"
    set internet-service-id 5898264
next
edit "Rapid7-Scanner"
    set internet-service-id 5898406
next
edit "AnyDesk-AnyDesk"
    set internet-service-id 5963927
next
edit "ESET-Eset.Service"
    set internet-service-id 6029426
next
edit "Slack-Other"
    set internet-service-id 6094848
next
edit "Slack-Web"
    set internet-service-id 6094849
next
edit "Slack-ICMP"
    set internet-service-id 6094850
next
edit "Slack-DNS"
    set internet-service-id 6094851
next
edit "Slack-Outbound_Email"
    set internet-service-id 6094852
next
```

```
edit "Slack-SSH"
    set internet-service-id 6094854
next
edit "Slack-FTP"
    set internet-service-id 6094855
next
edit "Slack-NTP"
    set internet-service-id 6094856
next
edit "Slack-Inbound_Email"
    set internet-service-id 6094857
next
edit "Slack-LDAP"
    set internet-service-id 6094862
next
edit "Slack-NetBIOS.Session.Service"
    set internet-service-id 6094863
next
edit "Slack-RTMP"
    set internet-service-id 6094864
next
edit "Slack-NetBIOS.Name.Service"
    set internet-service-id 6094872
next
edit "Slack-Slack"
    set internet-service-id 6095024
next
edit "ADP-Other"
    set internet-service-id 6160384
next
edit "ADP-Web"
    set internet-service-id 6160385
next
edit "ADP-ICMP"
    set internet-service-id 6160386
next
edit "ADP-DNS"
    set internet-service-id 6160387
next
edit "ADP-Outbound_Email"
    set internet-service-id 6160388
next
edit "ADP-SSH"
    set internet-service-id 6160390
next
edit "ADP-FTP"
```

```
        set internet-service-id 6160391
next
edit "ADP-NTP"
        set internet-service-id 6160392
next
edit "ADP-Inbound_Email"
        set internet-service-id 6160393
next
edit "ADP-LDAP"
        set internet-service-id 6160398
next
edit "ADP-NetBIOS.Session.Service"
        set internet-service-id 6160399
next
edit "ADP-RTMP"
        set internet-service-id 6160400
next
edit "ADP-NetBIOS.Name.Service"
        set internet-service-id 6160408
next
edit "Blackboard-Other"
        set internet-service-id 6225920
next
edit "Blackboard-Web"
        set internet-service-id 6225921
next
edit "Blackboard-ICMP"
        set internet-service-id 6225922
next
edit "Blackboard-DNS"
        set internet-service-id 6225923
next
edit "Blackboard-Outbound_Email"
        set internet-service-id 6225924
next
edit "Blackboard-SSH"
        set internet-service-id 6225926
next
edit "Blackboard-FTP"
        set internet-service-id 6225927
next
edit "Blackboard-NTP"
        set internet-service-id 6225928
next
edit "Blackboard-Inbound_Email"
        set internet-service-id 6225929
```

```
next
edit "Blackboard-LDAP"
    set internet-service-id 6225934
next
edit "Blackboard-NetBIOS.Session.Service"
    set internet-service-id 6225935
next
edit "Blackboard-RTMP"
    set internet-service-id 6225936
next
edit "Blackboard-NetBIOS.Name.Service"
    set internet-service-id 6225944
next
edit "SAP-Other"
    set internet-service-id 6291456
next
edit "SAP-Web"
    set internet-service-id 6291457
next
edit "SAP-ICMP"
    set internet-service-id 6291458
next
edit "SAP-DNS"
    set internet-service-id 6291459
next
edit "SAP-Outbound_Email"
    set internet-service-id 6291460
next
edit "SAP-SSH"
    set internet-service-id 6291462
next
edit "SAP-FTP"
    set internet-service-id 6291463
next
edit "SAP-NTP"
    set internet-service-id 6291464
next
edit "SAP-Inbound_Email"
    set internet-service-id 6291465
next
edit "SAP-LDAP"
    set internet-service-id 6291470
next
edit "SAP-NetBIOS.Session.Service"
    set internet-service-id 6291471
next
```

```
edit "SAP-RTMP"
    set internet-service-id 6291472
next
edit "SAP-NetBIOS.Name.Service"
    set internet-service-id 6291480
next
edit "SAP-HANA"
    set internet-service-id 6291612
next
edit "SAP-SuccessFactors"
    set internet-service-id 6291618
next
edit "SAP-SAP.Ariba"
    set internet-service-id 6291766
next
edit "Snap-Snapchat"
    set internet-service-id 6357108
next
edit "Zoom.us-Zoom.Meeting"
    set internet-service-id 6422646
next
edit "Sophos-Other"
    set internet-service-id 6488064
next
edit "Sophos-Web"
    set internet-service-id 6488065
next
edit "Sophos-ICMP"
    set internet-service-id 6488066
next
edit "Sophos-DNS"
    set internet-service-id 6488067
next
edit "Sophos-Outbound_Email"
    set internet-service-id 6488068
next
edit "Sophos-SSH"
    set internet-service-id 6488070
next
edit "Sophos-FTP"
    set internet-service-id 6488071
next
edit "Sophos-NTP"
    set internet-service-id 6488072
next
edit "Sophos-Inbound_Email"
```

```
        set internet-service-id 6488073
next
edit "Sophos-LDAP"
        set internet-service-id 6488078
next
edit "Sophos-NetBIOS.Session.Service"
        set internet-service-id 6488079
next
edit "Sophos-RTMP"
        set internet-service-id 6488080
next
edit "Sophos-NetBIOS.Name.Service"
        set internet-service-id 6488088
next
edit "Cloudflare-Other"
        set internet-service-id 6553600
next
edit "Cloudflare-Web"
        set internet-service-id 6553601
next
edit "Cloudflare-ICMP"
        set internet-service-id 6553602
next
edit "Cloudflare-DNS"
        set internet-service-id 6553603
next
edit "Cloudflare-Outbound_Email"
        set internet-service-id 6553604
next
edit "Cloudflare-SSH"
        set internet-service-id 6553606
next
edit "Cloudflare-FTP"
        set internet-service-id 6553607
next
edit "Cloudflare-NTP"
        set internet-service-id 6553608
next
edit "Cloudflare-Inbound_Email"
        set internet-service-id 6553609
next
edit "Cloudflare-LDAP"
        set internet-service-id 6553614
next
edit "Cloudflare-NetBIOS.Session.Service"
        set internet-service-id 6553615
```

```
next
edit "Cloudflare-RTMP"
    set internet-service-id 6553616
next
edit "Cloudflare-NetBIOS.Name.Service"
    set internet-service-id 6553624
next
edit "Cloudflare-CDN"
    set internet-service-id 6553737
next
edit "Pexip-Pexip.Meeting"
    set internet-service-id 6619256
next
edit "Zscaler-Other"
    set internet-service-id 6684672
next
edit "Zscaler-Web"
    set internet-service-id 6684673
next
edit "Zscaler-ICMP"
    set internet-service-id 6684674
next
edit "Zscaler-DNS"
    set internet-service-id 6684675
next
edit "Zscaler-Outbound_Email"
    set internet-service-id 6684676
next
edit "Zscaler-SSH"
    set internet-service-id 6684678
next
edit "Zscaler-FTP"
    set internet-service-id 6684679
next
edit "Zscaler-NTP"
    set internet-service-id 6684680
next
edit "Zscaler-Inbound_Email"
    set internet-service-id 6684681
next
edit "Zscaler-LDAP"
    set internet-service-id 6684686
next
edit "Zscaler-NetBIOS.Session.Service"
    set internet-service-id 6684687
next
```

```
edit "Zscaler-RTMP"
    set internet-service-id 6684688
next
edit "Zscaler-NetBIOS.Name.Service"
    set internet-service-id 6684696
next
edit "Zscaler-Zscaler.Cloud"
    set internet-service-id 6684793
next
edit "Yandex-Other"
    set internet-service-id 6750208
next
edit "Yandex-Web"
    set internet-service-id 6750209
next
edit "Yandex-ICMP"
    set internet-service-id 6750210
next
edit "Yandex-DNS"
    set internet-service-id 6750211
next
edit "Yandex-Outbound_Email"
    set internet-service-id 6750212
next
edit "Yandex-SSH"
    set internet-service-id 6750214
next
edit "Yandex-FTP"
    set internet-service-id 6750215
next
edit "Yandex-NTP"
    set internet-service-id 6750216
next
edit "Yandex-Inbound_Email"
    set internet-service-id 6750217
next
edit "Yandex-LDAP"
    set internet-service-id 6750222
next
edit "Yandex-NetBIOS.Session.Service"
    set internet-service-id 6750223
next
edit "Yandex-RTMP"
    set internet-service-id 6750224
next
edit "Yandex-NetBIOS.Name.Service"
```

```
        set internet-service-id 6750232
next
edit "mail.ru-Other"
    set internet-service-id 6815744
next
edit "mail.ru-Web"
    set internet-service-id 6815745
next
edit "mail.ru-ICMP"
    set internet-service-id 6815746
next
edit "mail.ru-DNS"
    set internet-service-id 6815747
next
edit "mail.ru-Outbound_Email"
    set internet-service-id 6815748
next
edit "mail.ru-SSH"
    set internet-service-id 6815750
next
edit "mail.ru-FTP"
    set internet-service-id 6815751
next
edit "mail.ru-NTP"
    set internet-service-id 6815752
next
edit "mail.ru-Inbound_Email"
    set internet-service-id 6815753
next
edit "mail.ru-LDAP"
    set internet-service-id 6815758
next
edit "mail.ru-NetBIOS.Session.Service"
    set internet-service-id 6815759
next
edit "mail.ru-RTMP"
    set internet-service-id 6815760
next
edit "mail.ru-NetBIOS.Name.Service"
    set internet-service-id 6815768
next
edit "Alibaba-Other"
    set internet-service-id 6881280
next
edit "Alibaba-Web"
    set internet-service-id 6881281
```

```
next
edit "Alibaba-ICMP"
    set internet-service-id 6881282
next
edit "Alibaba-DNS"
    set internet-service-id 6881283
next
edit "Alibaba-Outbound_Email"
    set internet-service-id 6881284
next
edit "Alibaba-SSH"
    set internet-service-id 6881286
next
edit "Alibaba-FTP"
    set internet-service-id 6881287
next
edit "Alibaba-NTP"
    set internet-service-id 6881288
next
edit "Alibaba-Inbound_Email"
    set internet-service-id 6881289
next
edit "Alibaba-LDAP"
    set internet-service-id 6881294
next
edit "Alibaba-NetBIOS.Session.Service"
    set internet-service-id 6881295
next
edit "Alibaba-RTMP"
    set internet-service-id 6881296
next
edit "Alibaba-NetBIOS.Name.Service"
    set internet-service-id 6881304
next
edit "Alibaba-Alibaba.Cloud"
    set internet-service-id 6881402
next
edit "Alibaba-DingTalk"
    set internet-service-id 6881623
next
edit "GoDaddy-Other"
    set internet-service-id 6946816
next
edit "GoDaddy-Web"
    set internet-service-id 6946817
next
```

```
edit "GoDaddy-ICMP"
    set internet-service-id 6946818
next
edit "GoDaddy-DNS"
    set internet-service-id 6946819
next
edit "GoDaddy-Outbound_Email"
    set internet-service-id 6946820
next
edit "GoDaddy-SSH"
    set internet-service-id 6946822
next
edit "GoDaddy-FTP"
    set internet-service-id 6946823
next
edit "GoDaddy-NTP"
    set internet-service-id 6946824
next
edit "GoDaddy-Inbound_Email"
    set internet-service-id 6946825
next
edit "GoDaddy-LDAP"
    set internet-service-id 6946830
next
edit "GoDaddy-NetBIOS.Session.Service"
    set internet-service-id 6946831
next
edit "GoDaddy-RTMP"
    set internet-service-id 6946832
next
edit "GoDaddy-NetBIOS.Name.Service"
    set internet-service-id 6946840
next
edit "GoDaddy-GoDaddy.Email"
    set internet-service-id 6946939
next
edit "Bluejeans-Bluejeans.Meeting"
    set internet-service-id 7012476
next
edit "Webroot-Webroot.SecureAnywhere"
    set internet-service-id 7078013
next
edit "Avast-Other"
    set internet-service-id 7143424
next
edit "Avast-Web"
```

```
        set internet-service-id 7143425
next
edit "Avast-ICMP"
        set internet-service-id 7143426
next
edit "Avast-DNS"
        set internet-service-id 7143427
next
edit "Avast-Outbound_Email"
        set internet-service-id 7143428
next
edit "Avast-SSH"
        set internet-service-id 7143430
next
edit "Avast-FTP"
        set internet-service-id 7143431
next
edit "Avast-NTP"
        set internet-service-id 7143432
next
edit "Avast-Inbound_Email"
        set internet-service-id 7143433
next
edit "Avast-LDAP"
        set internet-service-id 7143438
next
edit "Avast-NetBIOS.Session.Service"
        set internet-service-id 7143439
next
edit "Avast-RTMP"
        set internet-service-id 7143440
next
edit "Avast-NetBIOS.Name.Service"
        set internet-service-id 7143448
next
edit "Avast-Avast.Security"
        set internet-service-id 7143550
next
edit "Wetransfer-Other"
        set internet-service-id 7208960
next
edit "Wetransfer-Web"
        set internet-service-id 7208961
next
edit "Wetransfer-ICMP"
        set internet-service-id 7208962
```

```
next
edit "Wetransfer-DNS"
    set internet-service-id 7208963
next
edit "Wetransfer-Outbound_Email"
    set internet-service-id 7208964
next
edit "Wetransfer-SSH"
    set internet-service-id 7208966
next
edit "Wetransfer-FTP"
    set internet-service-id 7208967
next
edit "Wetransfer-NTP"
    set internet-service-id 7208968
next
edit "Wetransfer-Inbound_Email"
    set internet-service-id 7208969
next
edit "Wetransfer-LDAP"
    set internet-service-id 7208974
next
edit "Wetransfer-NetBIOS.Session.Service"
    set internet-service-id 7208975
next
edit "Wetransfer-RTMP"
    set internet-service-id 7208976
next
edit "Wetransfer-NetBIOS.Name.Service"
    set internet-service-id 7208984
next
edit "Sendgrid-Sendgrid.Email"
    set internet-service-id 7274623
next
edit "Ubiquiti-UniFi"
    set internet-service-id 7340160
next
edit "Lifesize-Lifesize.Cloud"
    set internet-service-id 7405697
next
edit "Okta-Other"
    set internet-service-id 7471104
next
edit "Okta-Web"
    set internet-service-id 7471105
next
```

```
edit "Okta-ICMP"
    set internet-service-id 7471106
next
edit "Okta-DNS"
    set internet-service-id 7471107
next
edit "Okta-Outbound_Email"
    set internet-service-id 7471108
next
edit "Okta-SSH"
    set internet-service-id 7471110
next
edit "Okta-FTP"
    set internet-service-id 7471111
next
edit "Okta-NTP"
    set internet-service-id 7471112
next
edit "Okta-Inbound_Email"
    set internet-service-id 7471113
next
edit "Okta-LDAP"
    set internet-service-id 7471118
next
edit "Okta-NetBIOS.Session.Service"
    set internet-service-id 7471119
next
edit "Okta-RTMP"
    set internet-service-id 7471120
next
edit "Okta-NetBIOS.Name.Service"
    set internet-service-id 7471128
next
edit "Okta-Okta"
    set internet-service-id 7471307
next
edit "Cybozu-Other"
    set internet-service-id 7536640
next
edit "Cybozu-Web"
    set internet-service-id 7536641
next
edit "Cybozu-ICMP"
    set internet-service-id 7536642
next
edit "Cybozu-DNS"
```

```
        set internet-service-id 7536643
next
edit "Cybozu-Outbound_Email"
        set internet-service-id 7536644
next
edit "Cybozu-SSH"
        set internet-service-id 7536646
next
edit "Cybozu-FTP"
        set internet-service-id 7536647
next
edit "Cybozu-NTP"
        set internet-service-id 7536648
next
edit "Cybozu-Inbound_Email"
        set internet-service-id 7536649
next
edit "Cybozu-LDAP"
        set internet-service-id 7536654
next
edit "Cybozu-NetBIOS.Session.Service"
        set internet-service-id 7536655
next
edit "Cybozu-RTMP"
        set internet-service-id 7536656
next
edit "Cybozu-NetBIOS.Name.Service"
        set internet-service-id 7536664
next
edit "VNC-Other"
        set internet-service-id 7602176
next
edit "VNC-Web"
        set internet-service-id 7602177
next
edit "VNC-ICMP"
        set internet-service-id 7602178
next
edit "VNC-DNS"
        set internet-service-id 7602179
next
edit "VNC-Outbound_Email"
        set internet-service-id 7602180
next
edit "VNC-SSH"
        set internet-service-id 7602182
```

```
next
edit "VNC-FTP"
    set internet-service-id 7602183
next
edit "VNC-NTP"
    set internet-service-id 7602184
next
edit "VNC-Inbound_Email"
    set internet-service-id 7602185
next
edit "VNC-LDAP"
    set internet-service-id 7602190
next
edit "VNC-NetBIOS.Session.Service"
    set internet-service-id 7602191
next
edit "VNC-RTMP"
    set internet-service-id 7602192
next
edit "VNC-NetBIOS.Name.Service"
    set internet-service-id 7602200
next
edit "Egnyte-Egnyte"
    set internet-service-id 7667846
next
edit "CrowdStrike-CrowdStrike.Falcon.Cloud"
    set internet-service-id 7733383
next
edit "Aruba.it-Other"
    set internet-service-id 7798784
next
edit "Aruba.it-Web"
    set internet-service-id 7798785
next
edit "Aruba.it-ICMP"
    set internet-service-id 7798786
next
edit "Aruba.it-DNS"
    set internet-service-id 7798787
next
edit "Aruba.it-Outbound_Email"
    set internet-service-id 7798788
next
edit "Aruba.it-SSH"
    set internet-service-id 7798790
next
```

```
edit "Aruba.it-FTP"
    set internet-service-id 7798791
next
edit "Aruba.it-NTP"
    set internet-service-id 7798792
next
edit "Aruba.it-Inbound_Email"
    set internet-service-id 7798793
next
edit "Aruba.it-LDAP"
    set internet-service-id 7798798
next
edit "Aruba.it-NetBIOS.Session.Service"
    set internet-service-id 7798799
next
edit "Aruba.it-RTMP"
    set internet-service-id 7798800
next
edit "Aruba.it-NetBIOS.Name.Service"
    set internet-service-id 7798808
next
edit "ISLOnline-Other"
    set internet-service-id 7864320
next
edit "ISLOnline-Web"
    set internet-service-id 7864321
next
edit "ISLOnline-ICMP"
    set internet-service-id 7864322
next
edit "ISLOnline-DNS"
    set internet-service-id 7864323
next
edit "ISLOnline-Outbound_Email"
    set internet-service-id 7864324
next
edit "ISLOnline-SSH"
    set internet-service-id 7864326
next
edit "ISLOnline-FTP"
    set internet-service-id 7864327
next
edit "ISLOnline-NTP"
    set internet-service-id 7864328
next
edit "ISLOnline-Inbound_Email"
```

```
        set internet-service-id 7864329
next
edit "ISLOnline-LDAP"
        set internet-service-id 7864334
next
edit "ISLOnline-NetBIOS.Session.Service"
        set internet-service-id 7864335
next
edit "ISLOnline-RTMP"
        set internet-service-id 7864336
next
edit "ISLOnline-NetBIOS.Name.Service"
        set internet-service-id 7864344
next
edit "ISLOnline-ISLOnline"
        set internet-service-id 7864667
next
edit "Akamai-CDN"
        set internet-service-id 7929993
next
edit "Akamai-Linode.Cloud"
        set internet-service-id 7930148
next
edit "Rackspace-CDN"
        set internet-service-id 7995529
next
edit "Instart-CDN"
        set internet-service-id 8061065
next
edit "Bitdefender-Other"
        set internet-service-id 8126464
next
edit "Bitdefender-Web"
        set internet-service-id 8126465
next
edit "Bitdefender-ICMP"
        set internet-service-id 8126466
next
edit "Bitdefender-DNS"
        set internet-service-id 8126467
next
edit "Bitdefender-Outbound_Email"
        set internet-service-id 8126468
next
edit "Bitdefender-SSH"
        set internet-service-id 8126470
```

```
next
edit "Bitdefender-FTP"
    set internet-service-id 8126471
next
edit "Bitdefender-NTP"
    set internet-service-id 8126472
next
edit "Bitdefender-Inbound_Email"
    set internet-service-id 8126473
next
edit "Bitdefender-LDAP"
    set internet-service-id 8126478
next
edit "Bitdefender-NetBIOS.Session.Service"
    set internet-service-id 8126479
next
edit "Bitdefender-RTMP"
    set internet-service-id 8126480
next
edit "Bitdefender-NetBIOS.Name.Service"
    set internet-service-id 8126488
next
edit "Pingdom-Other"
    set internet-service-id 8192000
next
edit "Pingdom-Web"
    set internet-service-id 8192001
next
edit "Pingdom-ICMP"
    set internet-service-id 8192002
next
edit "Pingdom-DNS"
    set internet-service-id 8192003
next
edit "Pingdom-Outbound_Email"
    set internet-service-id 8192004
next
edit "Pingdom-SSH"
    set internet-service-id 8192006
next
edit "Pingdom-FTP"
    set internet-service-id 8192007
next
edit "Pingdom-NTP"
    set internet-service-id 8192008
next
```

```
edit "Pingdom-Inbound_Email"
    set internet-service-id 8192009
next
edit "Pingdom-LDAP"
    set internet-service-id 8192014
next
edit "Pingdom-NetBIOS.Session.Service"
    set internet-service-id 8192015
next
edit "Pingdom-RTMP"
    set internet-service-id 8192016
next
edit "Pingdom-NetBIOS.Name.Service"
    set internet-service-id 8192024
next
edit "UptimeRobot-Other"
    set internet-service-id 8257536
next
edit "UptimeRobot-Web"
    set internet-service-id 8257537
next
edit "UptimeRobot-ICMP"
    set internet-service-id 8257538
next
edit "UptimeRobot-DNS"
    set internet-service-id 8257539
next
edit "UptimeRobot-Outbound_Email"
    set internet-service-id 8257540
next
edit "UptimeRobot-SSH"
    set internet-service-id 8257542
next
edit "UptimeRobot-FTP"
    set internet-service-id 8257543
next
edit "UptimeRobot-NTP"
    set internet-service-id 8257544
next
edit "UptimeRobot-Inbound_Email"
    set internet-service-id 8257545
next
edit "UptimeRobot-LDAP"
    set internet-service-id 8257550
next
edit "UptimeRobot-NetBIOS.Session.Service"
```

```
        set internet-service-id 8257551
next
edit "UptimeRobot-RTMP"
    set internet-service-id 8257552
next
edit "UptimeRobot-NetBIOS.Name.Service"
    set internet-service-id 8257560
next
edit "UptimeRobot-UptimeRobot.Monitor"
    set internet-service-id 8257709
next
edit "Quovadisglobal-Other"
    set internet-service-id 8323072
next
edit "Quovadisglobal-Web"
    set internet-service-id 8323073
next
edit "Quovadisglobal-ICMP"
    set internet-service-id 8323074
next
edit "Quovadisglobal-DNS"
    set internet-service-id 8323075
next
edit "Quovadisglobal-Outbound_Email"
    set internet-service-id 8323076
next
edit "Quovadisglobal-SSH"
    set internet-service-id 8323078
next
edit "Quovadisglobal-FTP"
    set internet-service-id 8323079
next
edit "Quovadisglobal-NTP"
    set internet-service-id 8323080
next
edit "Quovadisglobal-Inbound_Email"
    set internet-service-id 8323081
next
edit "Quovadisglobal-LDAP"
    set internet-service-id 8323086
next
edit "Quovadisglobal-NetBIOS.Session.Service"
    set internet-service-id 8323087
next
edit "Quovadisglobal-RTMP"
    set internet-service-id 8323088
```

```
next
edit "Quovadisglobal-NetBIOS.Name.Service"
    set internet-service-id 8323096
next
edit "Splashtop-Splashtop"
    set internet-service-id 8388751
next
edit "Zoox-Other"
    set internet-service-id 8454144
next
edit "Zoox-Web"
    set internet-service-id 8454145
next
edit "Zoox-ICMP"
    set internet-service-id 8454146
next
edit "Zoox-DNS"
    set internet-service-id 8454147
next
edit "Zoox-Outbound_Email"
    set internet-service-id 8454148
next
edit "Zoox-SSH"
    set internet-service-id 8454150
next
edit "Zoox-FTP"
    set internet-service-id 8454151
next
edit "Zoox-NTP"
    set internet-service-id 8454152
next
edit "Zoox-Inbound_Email"
    set internet-service-id 8454153
next
edit "Zoox-LDAP"
    set internet-service-id 8454158
next
edit "Zoox-NetBIOS.Session.Service"
    set internet-service-id 8454159
next
edit "Zoox-RTMP"
    set internet-service-id 8454160
next
edit "Zoox-NetBIOS.Name.Service"
    set internet-service-id 8454168
next
```

```
edit "Skyfii-Other"
    set internet-service-id 8519680
next
edit "Skyfii-Web"
    set internet-service-id 8519681
next
edit "Skyfii-ICMP"
    set internet-service-id 8519682
next
edit "Skyfii-DNS"
    set internet-service-id 8519683
next
edit "Skyfii-Outbound_Email"
    set internet-service-id 8519684
next
edit "Skyfii-SSH"
    set internet-service-id 8519686
next
edit "Skyfii-FTP"
    set internet-service-id 8519687
next
edit "Skyfii-NTP"
    set internet-service-id 8519688
next
edit "Skyfii-Inbound_Email"
    set internet-service-id 8519689
next
edit "Skyfii-LDAP"
    set internet-service-id 8519694
next
edit "Skyfii-NetBIOS.Session.Service"
    set internet-service-id 8519695
next
edit "Skyfii-RTMP"
    set internet-service-id 8519696
next
edit "Skyfii-NetBIOS.Name.Service"
    set internet-service-id 8519704
next
edit "CoffeeBean-Other"
    set internet-service-id 8585216
next
edit "CoffeeBean-Web"
    set internet-service-id 8585217
next
edit "CoffeeBean-ICMP"
```

```
        set internet-service-id 8585218
next
edit "CoffeeBean-DNS"
        set internet-service-id 8585219
next
edit "CoffeeBean-Outbound_Email"
        set internet-service-id 8585220
next
edit "CoffeeBean-SSH"
        set internet-service-id 8585222
next
edit "CoffeeBean-FTP"
        set internet-service-id 8585223
next
edit "CoffeeBean-NTP"
        set internet-service-id 8585224
next
edit "CoffeeBean-Inbound_Email"
        set internet-service-id 8585225
next
edit "CoffeeBean-LDAP"
        set internet-service-id 8585230
next
edit "CoffeeBean-NetBIOS.Session.Service"
        set internet-service-id 8585231
next
edit "CoffeeBean-RTMP"
        set internet-service-id 8585232
next
edit "CoffeeBean-NetBIOS.Name.Service"
        set internet-service-id 8585240
next
edit "Cloud4Wi-Other"
        set internet-service-id 8650752
next
edit "Cloud4Wi-Web"
        set internet-service-id 8650753
next
edit "Cloud4Wi-ICMP"
        set internet-service-id 8650754
next
edit "Cloud4Wi-DNS"
        set internet-service-id 8650755
next
edit "Cloud4Wi-Outbound_Email"
        set internet-service-id 8650756
```

```
next
edit "Cloud4Wi-SSH"
    set internet-service-id 8650758
next
edit "Cloud4Wi-FTP"
    set internet-service-id 8650759
next
edit "Cloud4Wi-NTP"
    set internet-service-id 8650760
next
edit "Cloud4Wi-Inbound_Email"
    set internet-service-id 8650761
next
edit "Cloud4Wi-LDAP"
    set internet-service-id 8650766
next
edit "Cloud4Wi-NetBIOS.Session.Service"
    set internet-service-id 8650767
next
edit "Cloud4Wi-RTMP"
    set internet-service-id 8650768
next
edit "Cloud4Wi-NetBIOS.Name.Service"
    set internet-service-id 8650776
next
edit "Panda-Panda.Security"
    set internet-service-id 8716432
next
edit "Ewon-Talk2M"
    set internet-service-id 8781970
next
edit "Nutanix-Nutanix.Cloud"
    set internet-service-id 8847507
next
edit "Backblaze-Other"
    set internet-service-id 8912896
next
edit "Backblaze-Web"
    set internet-service-id 8912897
next
edit "Backblaze-ICMP"
    set internet-service-id 8912898
next
edit "Backblaze-DNS"
    set internet-service-id 8912899
next
```

```
edit "Backblaze-Outbound_Email"
    set internet-service-id 8912900
next
edit "Backblaze-SSH"
    set internet-service-id 8912902
next
edit "Backblaze-FTP"
    set internet-service-id 8912903
next
edit "Backblaze-NTP"
    set internet-service-id 8912904
next
edit "Backblaze-Inbound_Email"
    set internet-service-id 8912905
next
edit "Backblaze-LDAP"
    set internet-service-id 8912910
next
edit "Backblaze-NetBIOS.Session.Service"
    set internet-service-id 8912911
next
edit "Backblaze-RTMP"
    set internet-service-id 8912912
next
edit "Backblaze-NetBIOS.Name.Service"
    set internet-service-id 8912920
next
edit "Extreme-Extreme.Cloud"
    set internet-service-id 8978580
next
edit "XING-Other"
    set internet-service-id 9043968
next
edit "XING-Web"
    set internet-service-id 9043969
next
edit "XING-ICMP"
    set internet-service-id 9043970
next
edit "XING-DNS"
    set internet-service-id 9043971
next
edit "XING-Outbound_Email"
    set internet-service-id 9043972
next
edit "XING-SSH"
```

```
        set internet-service-id 9043974
next
edit "XING-FTP"
        set internet-service-id 9043975
next
edit "XING-NTP"
        set internet-service-id 9043976
next
edit "XING-Inbound_Email"
        set internet-service-id 9043977
next
edit "XING-LDAP"
        set internet-service-id 9043982
next
edit "XING-NetBIOS.Session.Service"
        set internet-service-id 9043983
next
edit "XING-RTMP"
        set internet-service-id 9043984
next
edit "XING-NetBIOS.Name.Service"
        set internet-service-id 9043992
next
edit "Genesys-PureCloud"
        set internet-service-id 9109653
next
edit "BlackBerry-Cylance"
        set internet-service-id 9175190
next
edit "DigiCert-OCSP"
        set internet-service-id 9240728
next
edit "Infomaniak-SwissTransfer"
        set internet-service-id 9306265
next
edit "Fuze-Fuze"
        set internet-service-id 9371802
next
edit "Truecaller-Truecaller"
        set internet-service-id 9437339
next
edit "GlobalSign-OCSP"
        set internet-service-id 9502872
next
edit "VeriSign-OCSP"
        set internet-service-id 9568408
```

```
next
edit "Sony-PlayStation.Network"
    set internet-service-id 9633952
next
edit "Acronis-Cyber.Cloud"
    set internet-service-id 9699489
next
edit "RingCentral-RingCentral"
    set internet-service-id 9765027
next
edit "FSecure-FSecure"
    set internet-service-id 9830564
next
edit "Kaseya-Kaseya.Cloud"
    set internet-service-id 9896101
next
edit "Shodan-Scanner"
    set internet-service-id 9961638
next
edit "Censys-Scanner"
    set internet-service-id 10027174
next
edit "Valve-Steam"
    set internet-service-id 10092711
next
edit "YouSeeU-Bongo"
    set internet-service-id 10158248
next
edit "Cato-Cato.Cloud"
    set internet-service-id 10223785
next
edit "SolarWinds-SpamExperts"
    set internet-service-id 10289323
next
edit "SolarWinds-Pingdom.Probe"
    set internet-service-id 10289326
next
edit "SolarWinds-SolarWinds.RMM"
    set internet-service-id 10289379
next
edit "8X8-8X8.Cloud"
    set internet-service-id 10354860
next
edit "Zattoo-Zattoo.TV"
    set internet-service-id 10420401
next
```

```
edit "Datto-Datto.RMM"
    set internet-service-id 10485939
next
edit "Datto-Datto.BCDR"
    set internet-service-id 10486083
next
edit "Barracuda-Barracuda.Cloud"
    set internet-service-id 10551477
next
edit "Naver-Line"
    set internet-service-id 10617015
next
edit "Disney-Disney+"
    set internet-service-id 10682552
next
edit "DNS-DoH_DoT"
    set internet-service-id 10748089
next
edit "DNS-Root.Name.Servers"
    set internet-service-id 10748156
next
edit "DNS-ARPA.Name.Servers"
    set internet-service-id 10748206
next
edit "DNS-Generic.TLD.Name.Servers"
    set internet-service-id 10748284
next
edit "Quad9-Quad9.Standard.DNS"
    set internet-service-id 10813626
next
edit "Stretchoid-Scanner"
    set internet-service-id 10879142
next
edit "Poly-RealConnect.Service"
    set internet-service-id 10944700
next
edit "Telegram-Telegram"
    set internet-service-id 11010249
next
edit "Spotify-Spotify"
    set internet-service-id 11075786
next
edit "NextDNS-NextDNS"
    set internet-service-id 11141324
next
edit "Fastly-CDN"
```

```
        set internet-service-id 11206793
next
edit "Neustar-UltraDNS.Probes"
        set internet-service-id 11272397
next
edit "Malicious-Malicious.Server"
        set internet-service-id 11337935
next
edit "NIST-ITS"
        set internet-service-id 11403472
next
edit "Jamf-Jamf.Cloud"
        set internet-service-id 11469009
next
edit "Alcatel.Lucent-Rainbow"
        set internet-service-id 11534546
next
edit "Forcepoint-Forcepoint.Cloud"
        set internet-service-id 11600083
next
edit "Datadog-Datadog"
        set internet-service-id 11665620
next
edit "Mimecast-Mimecast"
        set internet-service-id 11731157
next
edit "MediaFire-Other"
        set internet-service-id 11796480
next
edit "MediaFire-Web"
        set internet-service-id 11796481
next
edit "MediaFire-ICMP"
        set internet-service-id 11796482
next
edit "MediaFire-DNS"
        set internet-service-id 11796483
next
edit "MediaFire-Outbound_Email"
        set internet-service-id 11796484
next
edit "MediaFire-SSH"
        set internet-service-id 11796486
next
edit "MediaFire-FTP"
        set internet-service-id 11796487
```

```
next
edit "MediaFire-NTP"
    set internet-service-id 11796488
next
edit "MediaFire-Inbound_Email"
    set internet-service-id 11796489
next
edit "MediaFire-LDAP"
    set internet-service-id 11796494
next
edit "MediaFire-NetBIOS.Session.Service"
    set internet-service-id 11796495
next
edit "MediaFire-RTMP"
    set internet-service-id 11796496
next
edit "MediaFire-NetBIOS.Name.Service"
    set internet-service-id 11796504
next
edit "Pandora-Pandora"
    set internet-service-id 11862230
next
edit "SiriusXM-SiriusXM"
    set internet-service-id 11927767
next
edit "Hopin-Hopin"
    set internet-service-id 11993304
next
edit "RedShield-RedShield.Cloud"
    set internet-service-id 12058842
next
edit "InterneTTL-Scanner"
    set internet-service-id 12124326
next
edit "VadeSecure-VadeSecure.Cloud"
    set internet-service-id 12189915
next
edit "Netskope-Netskope.Cloud"
    set internet-service-id 12255452
next
edit "ClickMeeting-ClickMeeting"
    set internet-service-id 12320989
next
edit "Tenable-Tenable.io.Cloud.Scanner"
    set internet-service-id 12386528
next
```

```
edit "Vidyo-VidyoCloud"
    set internet-service-id 12452065
next
edit "OpenNIC-OpenNIC.DNS"
    set internet-service-id 12517602
next
edit "Sectigo-Sectigo"
    set internet-service-id 12583141
next
edit "DigitalOcean-DigitalOcean.Platform"
    set internet-service-id 12648679
next
edit "Pitney.Bowes-Pitney.Bowes.Data.Center"
    set internet-service-id 12714216
next
edit "VPN-Anonymous.VPN"
    set internet-service-id 12779753
next
edit "Blockchain-Crypto.Mining.Pool"
    set internet-service-id 12845290
next
edit "FactSet-FactSet"
    set internet-service-id 12910830
next
edit "Bloomberg-Bloomberg"
    set internet-service-id 12976367
next
edit "Five9-Five9"
    set internet-service-id 13041904
next
edit "Gigas-Gigas.Cloud"
    set internet-service-id 13107441
next
edit "Imperva-Imperva.Cloud.WAF"
    set internet-service-id 13172978
next
edit "HorizonIQ-HorizonIQ"
    set internet-service-id 13238515
next
edit "Azion-Azion.Platform"
    set internet-service-id 13304053
next
edit "Hurricane.Electric-
Hurricane.Electric.Internet.Services"
    set internet-service-id 13369590
next
```

```
edit "NodePing-NodePing.Probe"
    set internet-service-id 13435127
next
edit "Frontline-Frontline"
    set internet-service-id 13500665
next
edit "Tally-Tally.ERP"
    set internet-service-id 13566202
next
edit "Hosting-Bulletproof.Hosting"
    set internet-service-id 13631739
next
edit "Okko-Okko.TV"
    set internet-service-id 13697277
next
edit "Voximplant-Voximplant.Platform"
    set internet-service-id 13762829
next
edit "OVHcloud-OVHcloud"
    set internet-service-id 13828367
next
edit "OVHcloud-OVH.Telecom"
    set internet-service-id 13828461
next
edit "SentinelOne-SentinelOne.Cloud"
    set internet-service-id 13893905
next
edit "Kakao-Kakao.Services"
    set internet-service-id 13959442
next
edit "Stripe-Stripe"
    set internet-service-id 14024979
next
edit "NetScout-Scanner"
    set internet-service-id 14090406
next
edit "Recyber-Scanner"
    set internet-service-id 14155942
next
edit "Cyber.Casa-Scanner"
    set internet-service-id 14221478
next
edit "GTHost-Dedicated.Instant.Servers"
    set internet-service-id 14287132
next
edit "ivi-ivi.Streaming"
```

```
        set internet-service-id 14352669
next
edit "BinaryEdge-Scanner"
    set internet-service-id 14418086
next
edit "Fintech-MarketMap.Terminal"
    set internet-service-id 14483742
next
edit "xMatters-xMatters.Platform"
    set internet-service-id 14549279
next
edit "Blizzard-Battle.Net"
    set internet-service-id 14614816
next
edit "Axon-Evidence"
    set internet-service-id 14680353
next
edit "CDN77-CDN"
    set internet-service-id 14745737
next
edit "GCore.Labs-CDN"
    set internet-service-id 14811273
next
edit "Matrix42-FastViewer"
    set internet-service-id 14876962
next
edit "Bunny.net-CDN"
    set internet-service-id 14942345
next
edit "StackPath-CDN"
    set internet-service-id 15007881
next
edit "Edgio-CDN"
    set internet-service-id 15073417
next
edit "CacheFly-CDN"
    set internet-service-id 15138953
next
edit "Paylocity-Paylocity"
    set internet-service-id 15204646
next
edit "Qualys-Qualys.Cloud.Platform"
    set internet-service-id 15270183
next
edit "Dailymotion-Other"
    set internet-service-id 15335424
```

```
next
edit "Dailymotion-Web"
    set internet-service-id 15335425
next
edit "Dailymotion-ICMP"
    set internet-service-id 15335426
next
edit "Dailymotion-DNS"
    set internet-service-id 15335427
next
edit "Dailymotion-Outbound_Email"
    set internet-service-id 15335428
next
edit "Dailymotion-SSH"
    set internet-service-id 15335430
next
edit "Dailymotion-FTP"
    set internet-service-id 15335431
next
edit "Dailymotion-NTP"
    set internet-service-id 15335432
next
edit "Dailymotion-Inbound_Email"
    set internet-service-id 15335433
next
edit "Dailymotion-LDAP"
    set internet-service-id 15335438
next
edit "Dailymotion-NetBIOS.Session.Service"
    set internet-service-id 15335439
next
edit "Dailymotion-RTMP"
    set internet-service-id 15335440
next
edit "Dailymotion-NetBIOS.Name.Service"
    set internet-service-id 15335448
next
edit "LaunchDarkly-LaunchDarkly.Platform"
    set internet-service-id 15401258
next
edit "Medianova-CDN"
    set internet-service-id 15466633
next
edit "NetDocuments-NetDocuments.Platform"
    set internet-service-id 15532331
next
```

```
edit "Vonage-Vonage.Contact.Center"
    set internet-service-id 15597869
next
edit "Vonage-Vonage.Video.API"
    set internet-service-id 15597872
next
edit "Veritas-Enterprise.Vault.Cloud"
    set internet-service-id 15663407
next
edit "UK.NCSC-Scanner"
    set internet-service-id 15728806
next
edit "Restream-Restream.Platform"
    set internet-service-id 15794481
next
edit "ArcticWolf-ArcticWolf.Cloud"
    set internet-service-id 15860019
next
edit "CounterPath-Bria"
    set internet-service-id 15925556
next
edit "CriminalIP-Scanner"
    set internet-service-id 15990950
next
edit "IPFS-IPFS.Gateway"
    set internet-service-id 16056629
next
edit "Internet.Census.Group-Scanner"
    set internet-service-id 16122022
next
edit "Performive-Performive.Cloud"
    set internet-service-id 16187706
next
edit "OneLogin-OneLogin"
    set internet-service-id 16253244
next
edit "Shadowserver-Scanner"
    set internet-service-id 16318630
next
edit "Turkcell-Suit.Conference"
    set internet-service-id 16384317
next
edit "LeakIX-Scanner"
    set internet-service-id 16449702
next
edit "Infoblox-BloxOne"
```

```
        set internet-service-id 16515390
next
edit "Nice-CXone"
        set internet-service-id 16580927
next
edit "Hetzner-Hetzner.Hosting.Service"
        set internet-service-id 16646464
next
edit "ThreatLocker-ThreatLocker"
        set internet-service-id 16712001
next
edit "ZPE-ZPE.Cloud"
        set internet-service-id 16777538
next
edit "ColoCrossing-ColoCrossing.Hosting.Service"
        set internet-service-id 16843076
next
edit "Sinch-Mailgun"
        set internet-service-id 16908613
next
edit "SpaceX-Starlink"
        set internet-service-id 16974150
next
edit "Ingenuity-Ingenuity.Cloud.Service"
        set internet-service-id 17039688
next
edit "Skyhigh.Security-Secure.Web.Gateway"
        set internet-service-id 17105227
next
edit "THE.Hosting-THE.Hosting.Hosting.Service"
        set internet-service-id 17170764
next
edit "StatusCake-StatusCake.Monitor"
        set internet-service-id 17236307
next
edit "NAP-NAPLAN"
        set internet-service-id 17301844
next
edit "Elastic-Elastic.Cloud"
        set internet-service-id 17367382
next
edit "NFON-NFON"
        set internet-service-id 17432920
next
edit "SERVERD-SERVERD.Hosting.Service"
        set internet-service-id 17498457
```

```
next
edit "MEGA-MEGA.Cloud"
    set internet-service-id 17563994
next
edit "Hadrian-Scanner"
    set internet-service-id 17629350
next
edit "Dotcom.Monitor-Dotcom.Monitor"
    set internet-service-id 17695068
next
edit "Ahrefs-AhrefsBot"
    set internet-service-id 17760605
next
edit "Semrush-SemrushBot"
    set internet-service-id 17826142
next
edit "Zero.Networks-Zero.Networks"
    set internet-service-id 17891679
next
edit "Vultr-Vultr.Cloud"
    set internet-service-id 17957216
next
edit "EGI-EGI.Hosting.Service"
    set internet-service-id 18022753
next
edit "ONYPHE-Scanner"
    set internet-service-id 18088102
next
edit "Proofpoint-Proofpoint"
    set internet-service-id 18153828
next
edit "Lookout-Lookout.Cloud"
    set internet-service-id 18219365
next
edit "Heimdal-Heimdal.Security"
    set internet-service-id 18284902
next
edit "Yealink-Yealink.Meeting"
    set internet-service-id 18350439
next
edit "Secomea-Secomea"
    set internet-service-id 18415976
next
edit "CallTower-CT.Cloud"
    set internet-service-id 18481513
next
```

```
edit "OpenAI-OpenAI.Bot"
    set internet-service-id 18547052
next
edit "OpenAI-GPT.Actions"
    set internet-service-id 18547073
next
edit "Alpemix-Alpemix"
    set internet-service-id 18612590
next
edit "M247-M247.Hosting.Service"
    set internet-service-id 18678127
next
edit "Quintex-Quintex.Hosting.Service"
    set internet-service-id 18743664
next
edit "Aeza-Aeza.Hosting.Service"
    set internet-service-id 18809201
next
edit "Amanah-Amanah.Hosting.Service"
    set internet-service-id 18874738
next
edit "ByteDance-Lark"
    set internet-service-id 18940275
next
edit "KnowBe4-KnowBe4"
    set internet-service-id 19005812
next
edit "Keeper-Keeper.Security"
    set internet-service-id 19071349
next
edit "NinjaOne-NinjaOne"
    set internet-service-id 19136887
next
edit "Modat-Scanner"
    set internet-service-id 19202214
next
edit "Make-Make.Platform"
    set internet-service-id 19267963
next
edit "Cloudzy-Cloudzy.Hosting.Service"
    set internet-service-id 19333501
next
edit "Nokia-Deepfield.Genome.Crawler"
    set internet-service-id 19399038
next
edit "Neat-Neat.Cloud"
```

```
        set internet-service-id 19464575
next
edit "Brighttree-Brighttree"
        set internet-service-id 19530114
next
edit "PagerDuty-PagerDuty"
        set internet-service-id 19595651
next
edit "JFrog-JFrog"
        set internet-service-id 19661188
next
edit "Tailscale-Tailscale"
        set internet-service-id 19726725
next
edit "Gamma-Horizon"
        set internet-service-id 19792265
next
edit "Automox-Automox"
        set internet-service-id 19857802
next
edit "Pulseway-Pulseway.RMM"
        set internet-service-id 19923339
next
edit "3xK-3xK.Hosting.Service"
        set internet-service-id 19988876
next
edit "ASEM-UBIQUITY"
        set internet-service-id 20054413
next
edit "Dialpad-Dialpad"
        set internet-service-id 20119950
next
edit "iboss-iboss.Cloud"
        set internet-service-id 20185487
next
edit "Redstor-Redstor"
        set internet-service-id 20251025
next
edit "Anthropic-Claude"
        set internet-service-id 20382099
next
edit "NETLOCK-NETLOCK"
        set internet-service-id 20578711
next
edit "Aircall-Aircall"
        set internet-service-id 20906400
```

```
next
edit "Mendix-Mendix.Cloud"
    set internet-service-id 20971937
next
edit "Palo.Alto.Networks-Cortex.Xpanse.Scanner"
    set internet-service-id 21365159
next
end
config firewall internet-service-definition
end
config firewall internet-service-fortiguard
    edit "FQDN-Google-Gmail"
        set id 4278190080
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Meta-Whatsapp"
        set id 4278190081
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Apple-App.Store"
        set id 4278190082
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Microsoft-Skype_Teams"
        set id 4278190083
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Office365"
    set id 4278190084
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Azure"
    set id 4278190085
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Outlook"
    set id 4278190086
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Microsoft.Update"
    set id 4278190087
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-WNS"
    set id 4278190088
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Intune"
    set id 4278190089
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS"
    set id 4278190090
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-Amazon.SES"
    set id 4278190091
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
```

```
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Adobe-Adobe.Sign"
    set id 4278190092
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Oracle-Oracle.Cloud"
    set id 4278190093
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-LogMeIn-GoTo.Suite"
    set id 4278190094
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Symantec-Symantec.Cloud"
    set id 4278190095
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
```

```
        next
    end
next
edit "FQDN-VMware-Workspace.ONE"
    set id 4278190096
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-TeamViewer-TeamViewer"
    set id 4278190097
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-HP-Aruba"
    set id 4278190098
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-Webex"
    set id 4278190099
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
end
```

```
next
edit "FQDN-Cisco-Meraki.Cloud"
    set id 4278190100
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-Duo.Security"
    set id 4278190101
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-AppDynamic"
    set id 4278190102
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-Secure.Endpoint"
    set id 4278190103
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-IBM-IBM.Cloud"
```

```
    set id 4278190104
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Tencent-VooV.Meeting"
    set id 4278190105
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zendesk-Zendesk.Suite"
    set id 4278190106
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-GitHub-GitHub"
    set id 4278190107
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-AnyDesk-AnyDesk"
    set id 4278190108
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-ESET-Eset.Service"
        set id 4278190109
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Slack-Slack"
        set id 4278190110
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-SAP-HANA"
        set id 4278190111
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-SAP-SuccessFactors"
        set id 4278190112
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
```

```
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SAP-SAP.Ariba"
    set id 4278190113
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zoom.us-Zoom.Meeting"
    set id 4278190114
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Pexip-Pexip.Meeting"
    set id 4278190115
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zscaler-Zscaler.Cloud"
    set id 4278190116
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
        edit 6
```

```
        set addr-mode ipv6
    next
end
next
edit "FQDN-Alibaba-DingTalk"
    set id 4278190117
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-GoDaddy-GoDaddy.Email"
    set id 4278190118
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-Webroot-Webroot.SecureAnywhere"
    set id 4278190119
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-Avast-Avast.Security"
    set id 4278190120
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
```

```
        end
    next
    edit "FQDN-Lifesize-Lifesize.Cloud"
        set id 4278190121
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Okta-Okta"
        set id 4278190122
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Egnyte-Egnyte"
        set id 4278190123
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-CrowdStrike-CrowdStrike.Falcon.Cloud"
        set id 4278190124
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
```

```
edit "FQDN-Splashtop-Splashtop"
    set id 4278190125
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Panda-Panda.Security"
    set id 4278190126
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Ewon-Talk2M"
    set id 4278190127
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Nutanix-Nutanix.Cloud"
    set id 4278190128
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Extreme-Extreme.Cloud"
    set id 4278190129
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Genesys-PureCloud"
    set id 4278190130
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-BlackBerry-Cylance"
    set id 4278190131
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-DigiCert-OCSP"
    set id 4278190132
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Acronis-Cyber.Cloud"
    set id 4278190133
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-RingCentral-RingCentral"
    set id 4278190134
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Valve-Steam"
    set id 4278190135
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cato-Cato.Cloud"
    set id 4278190136
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SolarWinds-SpamExperts"
    set id 4278190137
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
```

```
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-8X8-8X8.Cloud"
    set id 4278190138
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Datto-Datto.RMM"
    set id 4278190139
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Datto-Datto.BCDR"
    set id 4278190140
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Barracuda-Barracuda.Cloud"
    set id 4278190141
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
```

```
        next
    end
next
edit "FQDN-Poly-RealConnect.Service"
    set id 4278190142
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Jamf-Jamf.Cloud"
    set id 4278190143
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Alcatel.Lucent-Rainbow"
    set id 4278190144
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Datadog-Datadog"
    set id 4278190145
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
end
```

```
next
edit "FQDN-Mimecast-Mimecast"
  set id 4278190146
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
      set addr-mode ipv6
    next
  end
next
edit "FQDN-Pandora-Pandora"
  set id 4278190147
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
      set addr-mode ipv6
    next
  end
next
edit "FQDN-SiriusXM-SiriusXM"
  set id 4278190148
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
      set addr-mode ipv6
    next
  end
next
edit "FQDN-VadeSecure-VadeSecure.Cloud"
  set id 4278190149
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
      set addr-mode ipv6
    next
  end
next
edit "FQDN-Netskope-Netskope.Cloud"
```

```
    set id 4278190150
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Sectigo-Sectigo"
    set id 4278190151
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Pitney.Bowes-Pitney.Bowes.Data.Center"
    set id 4278190152
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-FactSet-FactSet"
    set id 4278190153
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Bloomberg-Bloomberg"
    set id 4278190154
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Five9-Five9"
        set id 4278190155
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Frontline-Frontline"
        set id 4278190156
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Tally-Tally.ERP"
        set id 4278190157
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Voximplant-Voximplant.Platform"
        set id 4278190158
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
```

```
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Kakao-Kakao.Services"
    set id 4278190159
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
edit "FQDN-Stripe-Stripe"
    set id 4278190160
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
edit "FQDN-xMatters-xMatters.Platform"
    set id 4278190161
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
edit "FQDN-Axon-Evidence"
    set id 4278190162
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
            next
            edit 6
```

```
        set addr-mode ipv6
    next
end
next
edit "FQDN-Matrix42-FastViewer"
    set id 4278190163
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-LaunchDarkly-LaunchDarkly.Platform"
    set id 4278190164
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-NetDocuments-NetDocuments.Platform"
    set id 4278190165
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Vonage-Vonage.Contact.Center"
    set id 4278190166
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
```

```
        end
    next
    edit "FQDN-Veritas-Enterprise.Vault.Cloud"
        set id 4278190167
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Restream-Restream.Platform"
        set id 4278190168
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-CounterPath-Bria"
        set id 4278190169
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-OneLogin-OneLogin"
        set id 4278190170
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
```

```
edit "FQDN-Turkcell-Suit.Conference"
    set id 4278190171
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Infoblox-BloxOne"
    set id 4278190172
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Nice-CXone"
    set id 4278190173
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ThreatLocker-ThreatLocker"
    set id 4278190174
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ZPE-ZPE.Cloud"
    set id 4278190175
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Skyhigh.Security-Secure.Web.Gateway"
    set id 4278190176
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-MEGA-MEGA.Cloud"
    set id 4278190177
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Proofpoint-Proofpoint"
    set id 4278190178
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Brighttree-Brighttree"
    set id 4278190179
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-PagerDuty-PagerDuty"
    set id 4278190180
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-JFrog-JFrog"
    set id 4278190181
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.Bedrock"
    set id 4278190182
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.SageMaker"
    set id 4278190183
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
```

```
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.Transcribe"
    set id 4278190184
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-HPE-Juniper.Mist.AI"
    set id 4278190185
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-DeepL-DeepL"
    set id 4278190186
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-DeepSeek"
    set id 4278190187
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
```

```

        next
    end
next
edit "FQDN-ByteDance-Doubao"
    set id 4278190188
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-GitHub-GitHub.Copilot"
    set id 4278190189
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Google-Google.Gemini"
    set id 4278190190
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Lightning.AI-Lightning.AI"
    set id 4278190191
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
end

```

```
next
edit "FQDN-Meta-Meta.AI"
  set id 4278190192
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
    set addr-mode ipv6
  next
end
next
edit "FQDN-NLP.Cloud-NLP.Cloud"
  set id 4278190193
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
    set addr-mode ipv6
  next
end
next
edit "FQDN-Pixlr-Pixlr"
  set id 4278190194
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
    set addr-mode ipv6
  next
end
next
edit "FQDN-Alibaba-Qwen.Chat"
  set id 4278190195
  set comment "Built-in fqdn entry from Fortiguard"
  config entry
    edit 4
    next
    edit 6
    set addr-mode ipv6
  next
end
next
edit "FQDN-Replicate-Replicate"
```

```
    set id 4278190196
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Alibaba-Alibaba.Cloud"
    set id 4278190197
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-iZotope-iZotope"
    set id 4278190198
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ipDTL-ipDTL"
    set id 4278190199
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-iLok-iLok"
    set id 4278190200
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-YoYotta-YoYotta"
        set id 4278190201
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Source.Elements-Source.Elements"
        set id 4278190202
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
config system health-check-fortiguard
    edit "Fortinet"
        set server "www.fortinet.com"
        set protocol http
    next
end
config system resource-limits
end
config system standalone-cluster
    config cluster-peer
    end
end
config system fortiguard
    set auto-firmware-upgrade disable
end
```

```
config endpoint-control fctems
  edit 1
  next
  edit 2
  next
  edit 3
  next
  edit 4
  next
  edit 5
  next
  edit 6
  next
  edit 7
  next
end
config system email-server
  set server "fortinet-notifications.com"
  set port 465
  set security smtps
end
config system session-helper
  edit 1
    set name pptp
    set protocol 6
    set port 1723
  next
  edit 2
    set name h323
    set protocol 6
    set port 1720
  next
  edit 3
    set name ras
    set protocol 17
    set port 1719
  next
  edit 4
    set name tns
    set protocol 6
    set port 1521
  next
  edit 5
    set name tftp
    set protocol 17
    set port 69
```

```
next
edit 6
    set name rtsp
    set protocol 6
    set port 554
next
edit 7
    set name rtsp
    set protocol 6
    set port 7070
next
edit 8
    set name rtsp
    set protocol 6
    set port 8554
next
edit 9
    set name ftp
    set protocol 6
    set port 21
next
edit 10
    set name mms
    set protocol 6
    set port 1863
next
edit 11
    set name pmap
    set protocol 6
    set port 111
next
edit 12
    set name pmap
    set protocol 17
    set port 111
next
edit 13
    set name sip
    set protocol 17
    set port 5060
next
edit 14
    set name dns-udp
    set protocol 17
    set port 53
next
```

```
edit 15
    set name rsh
    set protocol 6
    set port 514
next
edit 16
    set name rsh
    set protocol 6
    set port 512
next
edit 17
    set name dcerpc
    set protocol 6
    set port 135
next
edit 18
    set name dcerpc
    set protocol 17
    set port 135
next
edit 19
    set name mgcp
    set protocol 17
    set port 2427
next
edit 20
    set name mgcp
    set protocol 17
    set port 2727
next
end
config system auto-install
    set auto-install-config enable
    set auto-install-image enable
end
config system console
end
config system ntp
    set ntpsync enable
    set server-mode enable
    set interface "fortilink"
end
config system ftm-push
    set server-cert "Fortinet_GUI_Server"
end
config system automation-trigger
```

```
edit "Network Down"
    set description "Default automation trigger configuration
for when a network connection goes down."
    set event-type event-log
    set logid 20099
    config fields
        edit 1
            set name "status"
            set value "DOWN"
        next
    end
next
edit "HA Failover"
    set description "Default automation trigger configuration
for when an HA failover occurs."
    set event-type ha-failover
next
edit "Reboot"
    set description "Default automation trigger configuration
for when a FortiGate is rebooted."
    set event-type reboot
next
edit "FortiAnalyzer Connection Down"
    set description "Default automation trigger configuration
for when the FortiAnalyzer connection is lost."
    set event-type event-log
    set logid 22902
next
edit "License Expired Notification"
    set description "Default automation trigger configuration
for when a license is near expiration."
    set event-type license-near-expiry
    set license-type any
next
edit "Local Cert Expired Notification"
    set description "Default automation trigger configuration
for when a local certificate is near expiration."
next
edit "Compromised Host - High"
    set description "Default automation trigger configuration
for when a high severity compromised host is detected."
next
edit "Incoming Webhook Call"
    set description "Default automation trigger configuration
for an incoming webhook."
    set event-type incoming-webhook
```

```
next
edit "Security Rating Notification"
    set description "Default automation trigger configuration
for when a new Security Rating report is available."
    set event-type security-rating-summary
    set report-type any
next
edit "Compromised Host"
    set description "An incident of compromise has been
detected on a host endpoint."
next
edit "Any Security Rating Notification"
    set description "A security rating summary report has
been generated."
    set event-type security-rating-summary
next
edit "AV & IPS DB update"
    set description "The antivirus and IPS database has been
updated."
    set event-type virus-ips-db-updated
next
edit "Configuration Change"
    set description "An administrator\'s session that changed
a FortiGate\'s configuration has ended."
    set event-type config-change
next
edit "Conserve Mode"
    set description "A FortiGate has entered conserve mode
due to low memory."
    set event-type low-memory
next
edit "High CPU"
    set description "A FortiGate has high CPU usage."
    set event-type high-cpu
next
edit "License Expiry"
    set description "A FortiGate license is near expiration."
    set event-type license-near-expiry
    set license-type any
next
edit "Anomaly Logs"
    set description "An anomalous event has occurred."
    set event-type anomaly-logs
next
edit "IPS Logs"
    set description "An IPS event has occurred."
```

```

        set event-type ips-logs
    next
    edit "SSH Logs"
        set description "A SSH event has occurred."
        set event-type ssh-logs
    next
    edit "Traffic Violation"
        set description "A traffic policy has been violated."
        set event-type traffic-violation
    next
    edit "Virus Logs"
        set description "A virus event has occurred."
        set event-type virus-logs
    next
    edit "Webfilter Violation"
        set description "A webfilter policy has been violated."
        set event-type webfilter-violation
    next
    edit "Admin Login"
        set description "A FortiOS event with specified log ID
has occurred."
        set event-type event-log
        set logid 32001
    next
    edit "Local Certificate Expiry"
        set description "A local certificate is near expiration."
        set event-type local-cert-near-expiry
    next
    edit "Auto Firmware upgrade"
        set description "Automatic firmware upgrade."
        set event-type event-log
        set logid 22096 22097 22094 22095 32263
    next
    edit "Super Admin Creation"
        set description "A super admin is created."
        set event-type event-log
        set logid 44560
    next
end
config system automation-action
    edit "Default Email"
        set description "Default automation action configuration
for sending an email with basic information on the log event."
        set action-type email
        set email-subject "%log.logdesc%"
    next

```

```
edit "FortiExplorer Notification"
    set description "Default automation action configuration
for sending a notification to any FortiExplorer mobile
application."
    set action-type fortiexplorer-notification
next
edit "Quarantine on FortiSwitch + FortiAP"
    set description "Default automation action configuration
for quarantining a MAC address on FortiSwitches and FortiAPs."
    set action-type quarantine
next
edit "Quarantine FortiClient EMS Endpoint"
    set description "Default automation action configuration
for quarantining a FortiClient EMS endpoing device."
    set action-type quarantine-forticlient
next
edit "Reboot FortiGate"
    set description "Default automation action configuration
for rebooting this FortiGate unit."
    set action-type system-actions
    set system-action reboot
    set minimum-interval 300
next
edit "Shutdown FortiGate"
    set description "Default automation action configuration
for shutting down this FortiGate unit."
    set action-type system-actions
    set system-action shutdown
next
edit "Backup Config Disk"
    set description "Default automation action configuration
for backing up the configuration on disk."
    set action-type system-actions
    set system-action backup-config
next
edit "Access Layer Quarantine"
    set description "Quarantine the MAC address on access
layer devices (FortiSwitch and FortiAP)."
```

set action-type quarantine

```
next
edit "FortiClient Quarantine"
    set description "Use FortiClient EMS to quarantine the
endpoint device."
    set action-type quarantine-forticlient
next
edit "FortiNAC Quarantine"
```

```
        set description "Use FortiNAC to quarantine the endpoint
device."
        set action-type quarantine-fortinac
    next
    edit "IP Ban"
        set description "Ban the IP address specified in the
automation trigger event."
        set action-type ban-ip
    next
    edit "Email Notification"
        set description "Send a custom email notification to the
FortiCare email address registered on this device."
        set action-type email
        set forticare-email enable
        set email-subject "%log.logdesc%"
    next
    edit "CLI Script - System Status"
        set description "Execute a CLI script to return the
system status."
        set action-type cli-script
        set script "get system status"
        set accprofile "super_admin_readonly"
    next
end
config system automation-stitch
    edit "Network Down"
        set description "Default automation stitch to send an
email when a network goes down."
        set status disable
        set trigger "Network Down"
        config actions
            edit 1
                set action "Default Email"
            next
        end
    next
    edit "HA Failover"
        set description "Default automation stitch to send an
email when a HA failover is detected."
        set status disable
        set trigger "HA Failover"
        config actions
            edit 1
                set action "Default Email"
            next
        end
end
```

```

next
edit "Reboot"
    set description "Default automation stitch to send an
email when a FortiGate is rebooted."
    set status disable
    set trigger "Reboot"
    config actions
        edit 1
            set action "Default Email"
        next
    end
next
edit "FortiAnalyzer Connection Down"
    set description "Default automation stitch to send a
FortiExplorer notification when the connection to FortiAnalyzer
is lost."
    set trigger "FortiAnalyzer Connection Down"
    config actions
        edit 1
            set action "FortiExplorer Notification"
        next
    end
next
edit "License Expired Notification"
    set description "Default automation stitch to send a
FortiExplorer notification when a license is near expiration."
    set trigger "License Expired Notification"
    config actions
        edit 1
            set action "FortiExplorer Notification"
        next
    end
next
edit "Compromised Host Quarantine"
    set description "Default automation stitch to quarantine
a high severity compromised host on FortiAPs, FortiSwitches, and
FortiClient EMS."
    set status disable
    set trigger "Compromised Host - High"
    config actions
        edit 1
            set action "Quarantine on FortiSwitch + FortiAP"
        next
        edit 2
            set action "Quarantine FortiClient EMS Endpoint"
        next
    end

```

```
        end
    next
    edit "Incoming Webhook Quarantine"
        set description "Default automation stitch to quarantine
a provided MAC address on FortiAPs, FortiSwitches, and
FortiClient EMS using an Incoming Webhook."
        set status disable
        set trigger "Incoming Webhook Call"
        config actions
            edit 1
                set action "Quarantine on FortiSwitch + FortiAP"
            next
            edit 2
                set action "Quarantine FortiClient EMS Endpoint"
            next
        end
    next
    edit "Security Rating Notification"
        set description "Default automation stitch to send a
FortiExplorer notification when a new Security Rating report is
available."
        set trigger "Security Rating Notification"
        config actions
            edit 1
                set action "FortiExplorer Notification"
            next
        end
    next
    edit "Firmware upgrade notification"
        set description "Automatic firmware upgrade
notification."
        set trigger "Auto Firmware upgrade"
        set condition-logic or
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "Super Admin Creation Notification"
        set description "Send a email notification when a super
admin is created."
        set trigger "Super Admin Creation"
        config actions
            edit 1
                set action "Email Notification"
```

```
        set required enable
    next
end
next
end
config system federated-upgrade
    set status disabled
end
config system ike
end
config system ipam
    set status disable
    config pools
        edit "default-pool"
            set subnet 172.31.0.0 255.255.0.0
        next
        edit "lan-pool"
            set subnet 192.168.0.0 255.255.0.0
        next
    end
    config rules
        edit "role-lan"
            set device "*"
            set interface "*"
            set role lan
            set pool "lan-pool"
            set dhcp enable
        next
    end
end
config system object-tagging
    edit "default"
    next
end
config switch-controller traffic-policy
    edit "quarantine"
        set description "Rate control for quarantined traffic"
        set guaranteed-bandwidth 163840
        set guaranteed-burst 8192
        set maximum-burst 163840
        set cos-queue 0
        set id 1
    next
    edit "sniffer"
        set description "Rate control for sniffer mirrored
traffic"
```

```

        set guaranteed-bandwidth 50000
        set guaranteed-burst 8192
        set maximum-burst 163840
        set cos-queue 0
        set id 2
    next
end
config system settings
    set ike-tcp-port 4500
end
config system dhcp server
    edit 1
        set dns-service default
        set default-gateway 192.168.1.99
        set netmask 255.255.255.0
        set interface "lan"
        config ip-range
            edit 1
                set start-ip 192.168.1.110
                set end-ip 192.168.1.210
            next
        end
    next
    edit 2
        set ntp-service local
        set default-gateway 10.255.1.1
        set netmask 255.255.255.0
        set interface "fortilink"
        config ip-range
            edit 1
                set start-ip 10.255.1.2
                set end-ip 10.255.1.254
            next
        end
        set vci-match enable
        set vci-string "FortiSwitch" "FortiExtender"
    next
    edit 3
        set dns-service default
        set default-gateway 10.0.0.1
        set netmask 255.255.255.0
        set interface "lan2"
        config ip-range
            edit 1
                set start-ip 10.0.0.11
                set end-ip 10.0.0.254

```

```

        next
    end
next
end
config firewall address
    edit "EMS_ALL_UNKNOWN_CLIENTS"
        set uuid faed3002-06b9-51f1-31c4-f422e445b22d
        set type dynamic
        set sub-type ems-tag
        set dirty clean
    next
    edit "EMS_ALL_UNMANAGEABLE_CLIENTS"
        set uuid faec4a48-06b9-51f1-f33a-41c1fc98bb97
        set type dynamic
        set sub-type ems-tag
        set dirty clean
    next
    edit "none"
        set uuid e9478e10-06b9-51f1-d318-a5edf88438ff
        set subnet 0.0.0.0 255.255.255.255
    next
    edit "login.microsoftonline.com"
        set uuid e947aa6c-06b9-51f1-12f6-d31671f8f64b
        set type fqdn
        set fqdn "login.microsoftonline.com"
    next
    edit "login.microsoft.com"
        set uuid e947c3d0-06b9-51f1-89f4-9abc04d3f108
        set type fqdn
        set fqdn "login.microsoft.com"
    next
    edit "login.windows.net"
        set uuid e947da6e-06b9-51f1-079c-41fef9c278ff
        set type fqdn
        set fqdn "login.windows.net"
    next
    edit "gmail.com"
        set uuid e947f12a-06b9-51f1-ca14-18bb5705dd9d
        set type fqdn
        set fqdn "gmail.com"
    next
    edit "wildcard.google.com"
        set uuid e9480796-06b9-51f1-4069-f24feef7c83c
        set type fqdn
        set fqdn "*.google.com"
    next

```

```

edit "wildcard.dropbox.com"
    set uuid e9481fd8-06b9-51f1-a0e6-e16999116846
    set type fqdn
    set fqdn "*.dropbox.com"
next
edit "all"
    set uuid ec087df8-06b9-51f1-15b3-d4b020a86d07
next
edit "FIREWALL_AUTH_PORTAL_ADDRESS"
    set uuid ec08883e-06b9-51f1-38b7-9bb6150e2c02
next
edit "FABRIC_DEVICE"
    set uuid ec0890b8-06b9-51f1-35a8-f9999179dc60
    set comment "IPv4 addresses of Fabric Devices."
next
edit "SSLVPN_TUNNEL_ADDR1"
    set uuid ec0aea48-06b9-51f1-e6c7-34fc3d9a3c30
    set type iprange
    set start-ip 10.212.134.200
    set end-ip 10.212.134.210
next
edit "lan"
    set uuid ee56c498-06b9-51f1-8034-eb4c0513d1a6
    set type interface-subnet
    set subnet 192.168.1.0 255.255.255.0
    set interface "lan"
next
edit "lan2 address"
    set uuid b4731168-06bf-51f1-cb08-6c9f93b2592d
    set type interface-subnet
    set subnet 10.0.0.0 255.255.255.0
    set interface "lan2"
next
edit "FCTEMS_ALL_FORTICLOUD_SERVERS"
    set uuid 6cab78d2-084c-51f1-f684-e063e2c81134
    set type dynamic
    set sub-type ems-tag
    set dirty clean
next
end
config firewall multicast-address
    edit "all"
        set start-ip 224.0.0.0
        set end-ip 239.255.255.255
    next
    edit "all_hosts"

```

```

        set start-ip 224.0.0.1
        set end-ip 224.0.0.1
    next
    edit "all_routers"
        set start-ip 224.0.0.2
        set end-ip 224.0.0.2
    next
    edit "Bonjour"
        set start-ip 224.0.0.251
        set end-ip 224.0.0.251
    next
    edit "EIGRP"
        set start-ip 224.0.0.10
        set end-ip 224.0.0.10
    next
    edit "OSPF"
        set start-ip 224.0.0.5
        set end-ip 224.0.0.6
    next
end
config firewall address6
    edit "SSLVPN_TUNNEL_IPv6_ADDR1"
        set uuid ec0af3d0-06b9-51f1-febb-e406800c8ac4
        set ip6 fdff:ffff::/120
    next
    edit "all"
        set uuid e948792e-06b9-51f1-71b0-0644e146305d
    next
    edit "none"
        set uuid e9488c52-06b9-51f1-e783-5e7f16673ba9
        set ip6 ::/128
    next
end
config firewall multicast-address6
    edit "all"
        set ip6 ff00::/8
    next
end
config firewall addrgrp
    edit "G Suite"
        set member "gmail.com" "wildcard.google.com"
        set uuid e94838d8-06b9-51f1-8aad-b9084f045646
    next
    edit "Microsoft Office 365"
        set member "login.microsoftonline.com"
        "login.microsoft.com" "login.windows.net"

```

```
        set uuid e9485606-06b9-51f1-ce6d-f9669180e913
    next
end
config firewall wildcard-fqdn custom
    edit "adobe"
        set uuid e9580cf4-06b9-51f1-5600-49be795fa4b6
        set wildcard-fqdn "*.adobe.com"
    next
    edit "Adobe Login"
        set uuid e958129e-06b9-51f1-d137-be51ce11a390
        set wildcard-fqdn "*.adobelogin.com"
    next
    edit "android"
        set uuid e9581820-06b9-51f1-4711-da06b6c5eef8
        set wildcard-fqdn "*.android.com"
    next
    edit "apple"
        set uuid e9581d8e-06b9-51f1-40d0-8237ee01d6d8
        set wildcard-fqdn "*.apple.com"
    next
    edit "appstore"
        set uuid e95822fc-06b9-51f1-c659-f0500e215735
        set wildcard-fqdn "*.appstore.com"
    next
    edit "auth.gfx.ms"
        set uuid e958284c-06b9-51f1-1791-855e2dcd3b94
        set wildcard-fqdn "*.auth.gfx.ms"
    next
    edit "citrix"
        set uuid e9582d9c-06b9-51f1-d3ba-5e35983f1ad8
        set wildcard-fqdn "*.citrixonline.com"
    next
    edit "dropbox.com"
        set uuid e95832e2-06b9-51f1-faa6-bb861fddc3c8
        set wildcard-fqdn "*.dropbox.com"
    next
    edit "ease"
        set uuid e958385a-06b9-51f1-74da-5f22316ebc25
        set wildcard-fqdn "*.ease.com"
    next
    edit "firefox update server"
        set uuid e9583db4-06b9-51f1-c53d-357fb873ef97
        set wildcard-fqdn "aus*.mozilla.org"
    next
    edit "fortinet"
        set uuid e9584336-06b9-51f1-321d-9a717d3439e1
```

```
        set wildcard-fqdn "*.fortinet.com"
next
edit "googleapis.com"
    set uuid e9584b10-06b9-51f1-5450-e21ddbbdec12
    set wildcard-fqdn "*.googleapis.com"
next
edit "google-drive"
    set uuid e958507e-06b9-51f1-d5e8-9b0104ada8f0
    set wildcard-fqdn "*drive.google.com"
next
edit "google-play2"
    set uuid e9585614-06b9-51f1-ec59-e13e8e9d0133
    set wildcard-fqdn "*.ggpht.com"
next
edit "google-play3"
    set uuid e9585b82-06b9-51f1-b77d-842fd00b9fff
    set wildcard-fqdn "*.books.google.com"
next
edit "Gotomeeting"
    set uuid e95860e6-06b9-51f1-e831-020c0428574c
    set wildcard-fqdn "*.gotomeeting.com"
next
edit "icloud"
    set uuid e9586b54-06b9-51f1-0437-bd5127778ccc
    set wildcard-fqdn "*.icloud.com"
next
edit "itunes"
    set uuid e9587112-06b9-51f1-e186-53cbbb5a09cf
    set wildcard-fqdn "*.itunes.apple.com"
next
edit "microsoft"
    set uuid e9587680-06b9-51f1-4b73-60c8998799ec
    set wildcard-fqdn "*.microsoft.com"
next
edit "skype"
    set uuid e9587c02-06b9-51f1-d164-220a682a8a34
    set wildcard-fqdn "*.messenger.live.com"
next
edit "softwareupdate.vmware.com"
    set uuid e9588166-06b9-51f1-f5fc-c92c505251d5
    set wildcard-fqdn "*.softwareupdate.vmware.com"
next
edit "verisign"
    set uuid e95886f2-06b9-51f1-b4b9-946f2dd30da2
    set wildcard-fqdn "*.verisign.com"
next
```

```

edit "Windows update 2"
    set uuid e9588c56-06b9-51f1-2a1f-dbea0806e0db
    set wildcard-fqdn "*.windowsupdate.com"
next
edit "live.com"
    set uuid e95891d8-06b9-51f1-7716-11b07fa563ae
    set wildcard-fqdn "*.live.com"
next
edit "google-play"
    set uuid e9589746-06b9-51f1-6b22-5529793aa242
    set wildcard-fqdn "*play.google.com"
next
edit "update.microsoft.com"
    set uuid e9589cdc-06b9-51f1-bf6d-f9855b2de427
    set wildcard-fqdn "*update.microsoft.com"
next
edit "swscan.apple.com"
    set uuid e958a24a-06b9-51f1-c089-23bad05c3278
    set wildcard-fqdn "*swscan.apple.com"
next
edit "autoupdate.opera.com"
    set uuid e958a7c2-06b9-51f1-a069-2e0f5415af06
    set wildcard-fqdn "*autoupdate.opera.com"
next
edit "cdn-apple"
    set uuid e958ad3a-06b9-51f1-4823-d0290af07f3c
    set wildcard-fqdn "*.cdn-apple.com"
next
edit "mzstatic-apple"
    set uuid e958b2da-06b9-51f1-c363-bd8d0caf428d
    set wildcard-fqdn "*.mzstatic.com"
next
end
config firewall service category
    edit "General"
        set uuid 3cc9d904-11bd-51f1-97bf-8069e7868744
        set comment "General services."
    next
    edit "Web Access"
        set uuid 3cca0488-11bd-51f1-247f-b0167b6ba159
        set comment "Web access."
    next
    edit "File Access"
        set uuid 3cca097e-11bd-51f1-5d4c-9ba4ce9f01ea
        set comment "File access."
    next

```

```
edit "Email"
    set uuid 3cca0e60-11bd-51f1-dab6-ea98415e9243
    set comment "Email services."
next
edit "Network Services"
    set uuid 3cca134c-11bd-51f1-c332-879047d67d13
    set comment "Network services."
next
edit "Authentication"
    set uuid 3cca1842-11bd-51f1-71dc-afd71353fe71
    set comment "Authentication service."
next
edit "Remote Access"
    set uuid 3cca1d38-11bd-51f1-ea41-3d03bf6ff2f5
    set comment "Remote access."
next
edit "Tunneling"
    set uuid 3cca2224-11bd-51f1-00c6-c3dfdaf659ae
    set comment "Tunneling service."
next
edit "VoIP, Messaging & Other Applications"
    set uuid 3cca2724-11bd-51f1-0371-6a168b0ef370
    set comment "VoIP, messaging, and other applications."
next
end
config firewall service custom
edit "ALL"
    set uuid 25dbce70-11bb-51f1-dd1c-d251bc735451
    set category "General"
    set protocol IP
next
edit "FTP"
    set uuid 25dbd50a-11bb-51f1-47ca-e469e3cc5f7f
    set category "File Access"
    set tcp-portrange 21
next
edit "FTP_GET"
    set uuid 25dbd9ce-11bb-51f1-6124-19ac100d4614
    set category "File Access"
    set tcp-portrange 21
next
edit "FTP_PUT"
    set uuid 25dbde74-11bb-51f1-5de1-e1fc0dc5852a
    set category "File Access"
    set tcp-portrange 21
next
```

```
edit "DNS"
    set uuid 29e8be10-11bb-51f1-4e05-8ce9a20d09b9
    set category "Network Services"
    set tcp-portrange 53
    set udp-portrange 53
next
edit "HTTP"
    set uuid 29e8d7f6-11bb-51f1-f11c-8ac22d553503
    set category "Web Access"
    set tcp-portrange 80
next
edit "HTTPS"
    set uuid 29e8ede0-11bb-51f1-5124-35fda596b59d
    set category "Web Access"
    set tcp-portrange 443
next
edit "IMAP"
    set uuid 29e90410-11bb-51f1-d4e0-2f010f525387
    set category "Email"
    set tcp-portrange 143
next
edit "IMAPS"
    set uuid 29e919fa-11bb-51f1-a411-5d122e34a9cb
    set category "Email"
    set tcp-portrange 993
next
edit "LDAP"
    set uuid 29e92fe4-11bb-51f1-510f-cab107c00db9
    set category "Authentication"
    set tcp-portrange 389
next
edit "DCE-RPC"
    set uuid 29e9461e-11bb-51f1-d86a-282b9fee2113
    set category "Remote Access"
    set tcp-portrange 135
    set udp-portrange 135
next
edit "POP3"
    set uuid 29e95e24-11bb-51f1-c14f-e3ae21a78d06
    set category "Email"
    set tcp-portrange 110
next
edit "POP3S"
    set uuid 29e97404-11bb-51f1-9628-b59333a099d2
    set category "Email"
    set tcp-portrange 995
```

```
next
edit "SAMBA"
    set uuid 29e989e4-11bb-51f1-a343-01109f22c7e6
    set category "File Access"
    set tcp-portrange 139
next
edit "SMTP"
    set uuid 29e99fe2-11bb-51f1-4e50-ee2760a60cfa
    set category "Email"
    set tcp-portrange 25
next
edit "SMTPS"
    set uuid 29e9c0f8-11bb-51f1-0019-e7216787a002
    set category "Email"
    set tcp-portrange 465
next
edit "KERBEROS"
    set uuid 29e9ee3e-11bb-51f1-bc3b-33dac83e092e
    set category "Authentication"
    set tcp-portrange 88 464
    set udp-portrange 88 464
next
edit "LDAP_UDP"
    set uuid 29ea06a8-11bb-51f1-ed89-64d13d2eda48
    set category "Authentication"
    set udp-portrange 389
next
edit "SMB"
    set uuid 29ea1ca6-11bb-51f1-dd50-5e351eb14e93
    set category "File Access"
    set tcp-portrange 445
next
edit "ALL_TCP"
    set uuid 29ea8ce0-11bb-51f1-fa1e-edab377ec00b
    set category "General"
    set tcp-portrange 1-65535
next
edit "ALL_UDP"
    set uuid 29eaa388-11bb-51f1-215a-f3ae9535f622
    set category "General"
    set udp-portrange 1-65535
next
edit "ALL_ICMP"
    set uuid 29eaba30-11bb-51f1-b03b-7695af05b9da
    set category "General"
    set protocol ICMP
```

```
        unset icmptype
next
edit "ALL_ICMP6"
    set uuid 29ead1d2-11bb-51f1-0d4d-bfb7579f6345
    set category "General"
    set protocol ICMP6
    unset icmptype
next
edit "GRE"
    set uuid 29eae96a-11bb-51f1-e061-e57014476386
    set category "Tunneling"
    set protocol IP
    set protocol-number 47
next
edit "AH"
    set uuid 29eb00e4-11bb-51f1-c0bd-20ae599f404d
    set category "Tunneling"
    set protocol IP
    set protocol-number 51
next
edit "ESP"
    set uuid 29eb1890-11bb-51f1-508b-3fbb7b6023a3
    set category "Tunneling"
    set protocol IP
    set protocol-number 50
next
edit "AOL"
    set uuid 29eb3000-11bb-51f1-d790-82713ddba78a
    set tcp-portrange 5190-5194
next
edit "BGP"
    set uuid 29eb42ac-11bb-51f1-14db-071c01f32826
    set category "Network Services"
    set tcp-portrange 179
next
edit "DHCP"
    set uuid 29eb58aa-11bb-51f1-c903-86cd3ed3b934
    set category "Network Services"
    set udp-portrange 67-68
next
edit "FINGER"
    set uuid 29eb6eee-11bb-51f1-0e7e-2701f1a36b5f
    set tcp-portrange 79
next
edit "GOPHER"
    set uuid 29eb8186-11bb-51f1-dba7-756b73672327
```

```
        set tcp-portrange 70
next
edit "H323"
    set uuid 29eb9a72-11bb-51f1-69fd-631b38614bdf
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 1720 1503
    set udp-portrange 1719
next
edit "IKE"
    set uuid 29ebb37c-11bb-51f1-9ba4-52ba34e79b9a
    set category "Tunneling"
    set udp-portrange 500 4500
next
edit "Internet-Locator-Service"
    set uuid 29ebc9f2-11bb-51f1-662f-5bbe58e04609
    set tcp-portrange 389
next
edit "IRC"
    set uuid 29ebdc8a-11bb-51f1-25b3-b3070547e835
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 6660-6669
next
edit "L2TP"
    set uuid 29ebf33c-11bb-51f1-8e9b-95ee3a64457f
    set category "Tunneling"
    set tcp-portrange 1701
    set udp-portrange 1701
next
edit "NetMeeting"
    set uuid 29ec0b56-11bb-51f1-a528-67893deff275
    set tcp-portrange 1720
next
edit "NFS"
    set uuid 29ec1e0c-11bb-51f1-84f1-fba3e3251eb1
    set category "File Access"
    set tcp-portrange 111 2049
    set udp-portrange 111 2049
next
edit "NNTP"
    set uuid 29ec366c-11bb-51f1-f975-9c38a83d5008
    set tcp-portrange 119
next
edit "NTP"
    set uuid 29ec48e6-11bb-51f1-8635-ed4e8ff95f3e
    set category "Network Services"
    set tcp-portrange 123
```

```
        set udp-portrange 123
next
edit "OSPF"
    set uuid 29ec6114-11bb-51f1-9d07-dd430c7edfe7
    set category "Network Services"
    set protocol IP
    set protocol-number 89
next
edit "PC-Anywhere"
    set uuid 29ec788e-11bb-51f1-38f8-70c60d38f7de
    set category "Remote Access"
    set tcp-portrange 5631
    set udp-portrange 5632
next
edit "PING"
    set uuid 29ec90b2-11bb-51f1-6bd9-925a792b5076
    set category "Network Services"
    set protocol ICMP
    set icmptype 8
    unset icmpcode
next
edit "TIMESTAMP"
    set uuid 29ecaa52-11bb-51f1-a063-9f826adae5be
    set protocol ICMP
    set icmptype 13
    unset icmpcode
next
edit "INFO_REQUEST"
    set uuid 29ecc064-11bb-51f1-c6d4-83c1a237edae
    set protocol ICMP
    set icmptype 15
    unset icmpcode
next
edit "INFO_ADDRESS"
    set uuid 29ecd662-11bb-51f1-4dcf-393f7325963a
    set protocol ICMP
    set icmptype 17
    unset icmpcode
next
edit "ONC-RPC"
    set uuid 29ec9c9c-11bb-51f1-d940-c3c35804fffc
    set category "Remote Access"
    set tcp-portrange 111
    set udp-portrange 111
next
edit "PPTP"
```

```
        set uuid 29ed0ae2-11bb-51f1-b968-8fb904cfb07a
        set category "Tunneling"
        set tcp-portrange 1723
next
edit "QUAKE"
    set uuid 29ed34b8-11bb-51f1-c9b3-b8b87226cb40
    set udp-portrange 26000 27000 27910 27960
next
edit "RAUDIO"
    set uuid 29ed47b4-11bb-51f1-bf86-57a7ac9d7c36
    set udp-portrange 7070
next
edit "REXEC"
    set uuid 29ed5a38-11bb-51f1-9889-a2801a8839d2
    set tcp-portrange 512
next
edit "RIP"
    set uuid 29ed6cc6-11bb-51f1-95e5-bc2611953c80
    set category "Network Services"
    set udp-portrange 520
next
edit "RLOGIN"
    set uuid 29ed82f6-11bb-51f1-487b-9a0f6affa3fd
    set tcp-portrange 513:512-1023
next
edit "RSH"
    set uuid 29ed998a-11bb-51f1-09a3-9c5448c3f8d1
    set tcp-portrange 514:512-1023
next
edit "SCCP"
    set uuid 29edac90-11bb-51f1-8112-c655f70f6e09
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 2000
next
edit "SIP"
    set uuid 29edc2b6-11bb-51f1-8b78-bcd07dc5cc7c
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 5060
    set udp-portrange 5060
next
edit "SIP-MSNmessenger"
    set uuid 29eddb02-11bb-51f1-baf1-d8fae73b8f59
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 1863
next
edit "SNMP"
```

```
        set uuid 29edf11e-11bb-51f1-8c77-cc5ed6ff6d42
        set category "Network Services"
        set tcp-portrange 161-162
        set udp-portrange 161-162
    next
    edit "SSH"
        set uuid 29ee09a6-11bb-51f1-e103-f7d62930759b
        set category "Remote Access"
        set tcp-portrange 22
    next
    edit "SYSLOG"
        set uuid 29ee1fae-11bb-51f1-3472-4b7cd85ad246
        set category "Network Services"
        set udp-portrange 514
    next
    edit "TALK"
        set uuid 29ee35c0-11bb-51f1-eca6-aba7049b53c0
        set udp-portrange 517-518
    next
    edit "TELNET"
        set uuid 29ee497a-11bb-51f1-f037-e56777af8636
        set category "Remote Access"
        set tcp-portrange 23
    next
    edit "TFTP"
        set uuid 29ee5f78-11bb-51f1-4ad5-c55d840e4114
        set category "File Access"
        set udp-portrange 69
    next
    edit "MGCP"
        set uuid 29ee7b7a-11bb-51f1-ffb6-998946e224ba
        set category "VoIP, Messaging & Other Applications"
        set tcp-portrange 2428
        set udp-portrange 2427 2727
    next
    edit "UUCP"
        set uuid 29ee94c0-11bb-51f1-8e00-580298a3159c
        set tcp-portrange 540
    next
    edit "VDOLIVE"
        set uuid 29eea758-11bb-51f1-213b-446b4aac54cf
        set tcp-portrange 7000-7010
    next
    edit "WAIS"
        set uuid 29eeba5e-11bb-51f1-69f1-4b364ea53c4e
        set tcp-portrange 210
```

```
next
edit "WINFRAME"
    set uuid 29eecd8-11bb-51f1-3dc8-bcccfcab827
    set tcp-portrange 1494 2598
next
edit "X-WINDOWS"
    set uuid 29eedf8e-11bb-51f1-b226-e29073dd7385
    set category "Remote Access"
    set tcp-portrange 6000-6063
next
edit "PING6"
    set uuid 29eef604-11bb-51f1-6cce-80cbd6332bbd
    set protocol ICMP6
    set icmptype 128
    unset icmpcode
next
edit "MS-SQL"
    set uuid 29ef0c84-11bb-51f1-037f-697ed173ca73
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 1433 1434
next
edit "MYSQL"
    set uuid 29ef234a-11bb-51f1-b13f-b4de9fbd237d
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 3306
next
edit "RDP"
    set uuid 29ef397a-11bb-51f1-c225-ef63b400aee2
    set category "Remote Access"
    set tcp-portrange 3389
next
edit "VNC"
    set uuid 29ef4f6e-11bb-51f1-83b5-e51e8a7e9f72
    set category "Remote Access"
    set tcp-portrange 5900
next
edit "DHCP6"
    set uuid 29ef65b2-11bb-51f1-cae1-a30aced3977e
    set category "Network Services"
    set udp-portrange 546 547
next
edit "SQUID"
    set uuid 29ef7bec-11bb-51f1-c35d-85321b1daca8
    set category "Tunneling"
    set tcp-portrange 3128
next
```

```
edit "SOCKS"
    set uuid 29ef9230-11bb-51f1-139b-7a8bece6d5ff
    set category "Tunneling"
    set tcp-portrange 1080
    set udp-portrange 1080
next
edit "WINS"
    set uuid 29efaa54-11bb-51f1-bd60-51f1973e04d8
    set category "Remote Access"
    set tcp-portrange 1512
    set udp-portrange 1512
next
edit "RADIUS"
    set uuid 29efc282-11bb-51f1-d2ff-e469ebc805e2
    set category "Authentication"
    set udp-portrange 1812 1813
next
edit "RADIUS-OLD"
    set uuid 29efdfce-11bb-51f1-6ebe-c7e338706bc6
    set udp-portrange 1645 1646
next
edit "CVSPSERVER"
    set uuid 29eff392-11bb-51f1-208a-47986b575015
    set tcp-portrange 2401
    set udp-portrange 2401
next
edit "AFS3"
    set uuid 29f0085a-11bb-51f1-084c-80d206680f80
    set category "File Access"
    set tcp-portrange 7000-7009
    set udp-portrange 7000-7009
next
edit "TRACEROUTE"
    set uuid 29f0213c-11bb-51f1-7715-002c19be5c34
    set category "Network Services"
    set udp-portrange 33434-33535
next
edit "RTSP"
    set uuid 29f037a8-11bb-51f1-882f-c62863ca8e24
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 554 7070 8554
    set udp-portrange 554
next
edit "MMS"
    set uuid 29f05058-11bb-51f1-6e73-89a53e37c43b
    set tcp-portrange 1755
```

```

        set udp-portrange 1024-5000
    next
    edit "NONE"
        set uuid 29f0653e-11bb-51f1-03e8-39dbad656220
        set tcp-portrange 0
    next
end
config firewall service group
    edit "Email Access"
        set uuid 25dbe43c-11bb-51f1-b2e3-e8fa3ddceae2
        set member "DNS" "IMAP" "IMAPS" "POP3" "POP3S" "SMTP"
"SMTPS"
    next
    edit "Web Access"
        set uuid 25dc29c4-11bb-51f1-d421-1f6a39efa8f4
        set member "DNS" "HTTP" "HTTPS"
    next
    edit "Windows AD"
        set uuid 25dc438c-11bb-51f1-9e7e-40a9966971d5
        set member "DCE-RPC" "DNS" "KERBEROS" "LDAP" "LDAP_UDP"
"SAMBA" "SMB"
    next
    edit "Exchange Server"
        set uuid 25dc70b4-11bb-51f1-e64e-c74facba34a2
        set member "DCE-RPC" "DNS" "HTTPS"
    next
end
config vpn certificate ca
end
config vpn certificate local
    edit "Fortinet_CA_SSL"
        set password ENC
QWu0nq9fjQhZM1u4qUBhle7bh0txLhbG700F7CqZP7J6itmNYyxpHN1vbQVRysmPD
V21wcuLC87TGRJ66A5kceec4jjWGHm+HdfiPf/EHd+WydbJLOAXo75VeC9N7AInmk
P5iRrMdKOBQ+6JSAACuVb59QOL/EVGyuT9gXp+qiwGPEJ1Q1SdN/aL1sQBbg9PbJm
QG1lmMjY3dkVA
        set comments "This is the default CA certificate the SSL
Inspection will use when generating new server certificates."
        set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQRXOnTFhAc12tznS5
YV3JJJAICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEFIgVPdIy/tgqk4N
+WzVQnoEggTQjU2Ny7WMfTRlCa2qx0gJDuNAuOkw1PHMac+Tscy/bQGe0S4p9072
hZnJKBykMG3W2c1Iog2a11NWyZg+V2s436gSx+4aWp8UeiSqSQ0lAsN6+qPLCdKT
vdF18xMe9CxZ0tItXLgHzDjjI5PJ9q/Qyto5eqArvt3JPdZhZAYZ1ENZ0RouV18r
ZsoSrxILZKa6ZLB/Y9wSw0St1t39PhyXqSoexHH2F4y2jyHMw8CrKXTGcsEOmdSE
Q85DQJ+5rh+BtckvKW/W+p6A1fChpPvX9z6uyUXKNqdmppEccCu1ByK30iCs5Sy1

```

qrFmZuqfuv2KN7qViloUCNARrBxPJ/Av09pYVA71G5uG1hmH8kXcRGvJjL/Lixj0  
uIaZ2M3FA6uGgoMP31xf9Kfnc4WSS7k5t167raVa6oeb0jK98A0mVMPHyLh7Uq42  
cr2k8kLxUTQKrcHm1Jr0KX2Dv3G2oyFAyTSLRszuMzKxFqMG8aLtKRPgYsXeqqUw  
yE0Bz6wMJ//15fkm0WzLKTEM3Vipb0KICTsZ5gQFS+CMQ+CC+qgHcGoakIePNH8Y  
uwBWz14akgCyodjQCa3cMl/0HMCh9RhwqyejDSwCHq1NhBn296rHd0PkVer8F+J6  
/vXq4nFOjBRDRvARaNX+EwCD5wv5VhwW1wvWzAQizHeFLuksQ04/hwfssB9AQ5S0  
N72RMoLLko7jrSZsCyT/CFfH06RHa3rXaArFR/DdM2rG+cm4whilhbNogq3170sZ  
nPOLrDP7AI2aRZFbeLdXafaFtVrvLxK6ycgyIEKM38gp1Wrp3oE11e4Y/RA82Eo  
jQnBEkaTarPHH10RXzshB01xgpu1jfwH3aST5W+Nv63d6D7JdwnbDx5HGK0mgxhr  
t3knw4246fEMdDkCOMfeRaqjdF51Pu7H7WcUFAN6NcVEf1KFuzWj0i9M96+A0+6H  
Hbb8nwyd/04HIESjLlmkDDhu2WH7RasF9KuZOKInhqe3oh8XF6R9K00anQsq7oWy  
zZ6YPS+7SM5jTB67kGsLMgAqHy1tSh/OSmDq5w06KUyWjOVFRnNpGwbmoSlwdBMI  
qXvj4jk/eQ/yY1T1lGZU3N49ySHC1HvoEAypVm8kysa2p2WZbFZmoxblnugVXUnK  
sTcbSn86Wbe9HN5PvtLEJGcj75WL9y9VJujjY6/Y9eyWTZQK1bLx1gPiSeIAjFMd  
PQXMUXchdPGynHgbDANJJzBqaHetf/CgrLLwr+AK2KUjd9Kv5PuNehiRALXsn0zJ  
TaKt1chVo0PwEaxITel6QhKtqRkt39G7b074ReSB9lc8uRwtQ2olZgESaBKYHYqr  
PYiBkjQfFXHiPL/J3zyYptCJr9MKZuKsqpzRqePwTYUAfx40j0cXoyQmkEdkZm1Z  
cKMAosZegYvyloNBR1DkBTw06LAZrrhw0qYQWc0781Xn4KwvHXsqGX9Bb+60wnq0  
UFyVYpFiFiPiLGVyhiPxmqVWZDeqpfa0k5Dxxm5djyhpipwRQQEps8fFzynbeD5ZL  
7jNqLNkxK6g/FE0DXaWaYTZ/tfppG9RQA/ppnAqsN3yMVKb6E4sssLlnTvUvMnkH  
vhFYfIOzrfZ0wquBi8FMrFs+nGpTyiu6ImK1DOCCou968dOXmfaQ0fw=  
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIID8zCCAatugAwIBAgIIGZiJ9xLVzc0wDQYJKoZIhvcNAQELBQAwgaxCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDAlTdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVDZXJ0aWZpY2F0ZSBBDXR0b3Jp  
dHkxGTAXBgNVBAMMEEZHVdQWRlRlMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHFN1  
cHBvcnRAZm9ydGluZXQuY29tMB4XDTE2MDIxMDE5NTE5NTE5NTE5NTE5NTE5NTE5  
N1owgaxCzAJBgNVBAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHD  
AlTdW5ueXZhbGUxETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVDZXJ0aWZp  
Y2F0ZSBBDXR0b3JpdHkxGTAXBgNVBAMMEEZHVdQWRlRlMjMwOT1DR0YxIzAhBgkq  
hkiG9w0BCQEFHFN1cHBvcnRAZm9ydGluZXQuY29tMIIBIjANBgkqhkiG9w0BAQEF  
AAOCAQ8AMIIBCgKCAQEAsnxHLgigSEIqfwWAXrJdg7CGV1rTa7tUtv15X65BARmu  
+Q0UqLhi/Qm0Q5PfQYua1lQN/6871ruvIuURmdAMbtZ4Y4oQkVmTgNA6/ohajgnP  
7HJbJZFwesx9T+lpTOYUU2edF4j+fD4dq0iwoCeOb6oY5IAwQPouC+3KEG5panpM  
rV5V2waKEBJtItu79mG7IdN4eW+VQGI/veVsFzXheXrR6KfaZI4Qd2lV3Apx6yEN  
b0uFVfJ0iq5DSJm9sHeRamQRj5+bn7yrSBtn4R27HxQRous2p9z1RLaIUupMM4Wgq  
t9071Ksmz/+ai9SpZZREcMZLpSTMysv2VPiWUd4hJQIDAQABox0wGzAMBgNVHRME  
BTADAQH/MASGA1UdDwQEAwICBDANBgkqhkiG9w0BAQsFAAOCAQEATUH4Tj0TGyZb  
/hiRJoTwcIlN5j3jEoDOIlcOYX2NKjC6h0HfLJu4GiJItR+tYPXK+DE8K1EBXUpL  
qJJ1lT36pwkz1WxHafBisQIBm/5QCqWS8DtOFTHwiZYJxtEgMyg3iTak9fdxqVdI  
ijaZ9hs4UDtit/YtxEdURoAyC301PLFCwGiIvGM/jZkHyr90dpxp70Xb53BQvUXc  
HQ8Xa6xqfY00LmgzBeNrXcXer5mgvw03iTfYfTC8sBq9zCIo0AYPFUqUNbZdxsSy  
DBnjb40qx2GEDrIupLxHUUazH0PRHSZ8J/B+WyWQf59WLUvgOiuLUAnenTHPiMvz  
GkA8g0bztA==

-----END CERTIFICATE-----"

```
set range global
set source factory
set last-updated 1770753097
next
edit "Fortinet_CA_Untrusted"
set password ENC
NNeWeaT55Cp1/EHNALAgZK4WkKKtzGefHzn47g48YLRdNY8iZ2d9PcEWJ2De9xuzF
RsBXXLoNwabS6DfhsyYjAF4g8Q+o8T4MdSovelkDvGsXruS5dIbwBVB7miLSc7L2M
YAgKoVKIOuJBUpEa6eoot87ZxRurtacAhQdQ/i2oU12Ns/dJJGvd6kWkFRiJ+1Hu
sTF1mMjY3dkVA
set comments "This is the default CA certificate the SSL
Inspection will use when generating new server certificates."
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQ541PZFMFYyqUyg9l
04/NNwICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEE0AJ4JfHaIx68e1
cBjr3RMEggTQyyTNIyQdzoPkygmXtLqFkGwNdXPZ1sZXW4mM0Pvsop+M3ub0RPD
VgHq4/s0dLsMkogkkyLpsn7a0WMngBiKT3z5F3Kg0RsXam0JZn8XCn+IGbq4+SKy
Pi673/6P2jQ160YQyTHY30YKt947+TKniihROBmLe3DWxUxPJlnppPekVRInHGvE
Ym0XOCXbXZQtncVvVoQPMY2dgIzbRtNQmS4pUBb392dAM8F1tfdMKyGKQH+GuWIU
0BT9I6Wi7G1QgUUu+qP+oPVTI9m7y+ggna6puNGlAwCOleyBETAHmrRq64RrBuyY
fms/E1HlYJrh0uVRrqvolUBmwKIHU732kcdsnJcCzPUkef3iE07+2Gsi62zeEjuq
t6UwPLW17uSd62FbnWlm78HwWsBXJ60PWAdm9VqIx87leM3SNSeyqNAG4ikcj17
ubLIDAJkH19SoUzRDt5WEZYHPaVLjZcB/RHRfXuf01MBLUxL4WhKT2VwqWEnwODb
V1MYTUXz4Zs8r1ElbQ7U1kXKI5M5xnLnEPMZuTcnWT9Rn961919nXhJYdcs6nF1L
YvWm1zaAdb7A1D2bLgHKqpjk3sWISroDHEseQ0doMHgcmIJa1ixu6Bf/gvyScVvN
oE7z53MSv2tQc6VTrLEq+P3opIXAyQ42I0/Hujq0Ia28it3TnQs7RuvMoClF0t5k
cFhz5gebFGkioI7yFpWGic/m8s02sA2qjQY/pCuNs9U5ALd2MHluPDdeCPw08m3F
FaB15S3sTPpRVWoX1oXqGXNHInZjjJUL6W/cQBlzfBH2HCxBjtX1Qeepm7simjA0
QP+MsolvFw/KU8h6pWpIMouec0KBUSF+Jf6mwbA9vEEMDZbqLQTFy7JE0TBff1W+
ilgsv2tLyU8RtCDRCWr9KPXe80JUP04vtw2Waxz1DmTYr6M2ZPMRIAYM5IDGxCoz
Up9i3vrrmA90hyAa/SoyCr7eXvX8TaQoQZiCxbglQS/McOSAU/Ee6H20IqQL4tgI
4IvXChSqRGIXTAj/oZztH09DyCkZAtWS0feDo4b6ysEB1DYMdgJIIdZu9pUcXMrod
jrNBcDJA1lRkTIEZPOpNQLuNIFlSTdqreKEx5+Fi6fZV/248Q98wyDJSFwb6yg/B
qr3h/bRaLLmkixLUBw690SKF7VyCfwN43CKDUSAF4IImqTHw50oLQfODOQMudy2A
LOxTaDsMLnUbUG1SBvWN7UqA3TbhhGGf6/C6+SjnJ0z8ghFlnKOyZcAPsbwZravd
j8+iGEgMo0jkgN/3t+ietRyrFjlh16jVRBi2ncTmXHrV0Hhgs2AAthk3yc+kWCBJ
t03ynmLv/RAX/ohhHtc9j0PrLGrTD7AXF6bBseM+UBINFk2gkM1dpEPafxyxjgm
/rXJrEgSmVmTKtpcMK0q0IvvrSlcX+OxwQOnkbsqMB139aUiKpM1t9ZH+/hcJWwC
WN6k+9j3LPMoNLthQQ2NNLyqHijwSB1iywOyFDDaQBq4nS01R3VoDAQEKcVcZabW
An1Vvj2PehFwaagCbuYpHzMYqrDziP0NKJc+cbhnfnJBn9CZMMWYV02/VlF2Duwz
7Y37Kyv3rvF7x6aiH/OyR5NMUVV8BCcVU5vOVdvtS39GBEmn3PNP6Q=
-----END ENCRYPTED PRIVATE KEY-----"
set certificate "-----BEGIN CERTIFICATE-----
MIID/TCCAuwgAwIBAgIIA0c7wQk3MP4wDQYJKoZIhvcNAQELBQAwwga4xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVdXJ0aWZpY2F0ZSBBdXR0b3Jp
```

dHkxHjAcBgNVBAMMFUZvcnRpbmV0IFVudHJ1c3RlZCBDQTEjMCEGCSqGSIB3DQEE  
ARYUc3VwcG9ydEBmb3J0aW5ldC5jb20wHhcNMjYwMjEwMTk1MTE4WhcNMzYwMjEx  
MTk1MTE4WjCBcjELMAkGA1UEBhMCVVMxEzARBgNVBAgMCkNhbg1mb3JuaWExEjAQ  
BgNVBACMCVn1bm55dmFsZTERMA8GA1UECgwIRm9ydGluZXQxHjAcBgNVBAsMFUNl  
cnRpZm1jYXRlIEF1dGhvcml0eTEeMBwGA1UEAwwVRm9ydGluZXQgVW50cnVzdGVk  
IENBMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTCCASIwDQYJ  
KoZIhvcNAQEBBQADggEPADCCAQoCggEBALSKK2bks63V0wLOpz3g7ca4IC6WAWXc  
RVj639iBNPmtAspow+P1raeG5mMKXKy4MPsH82qB8jx3fczpG6YXcKtuwQzta5fk  
PU10Yb1jZLF7E8VYotfQtRYg9tNPXgZGZydcRiEypRevNUWr3p0W9EBKRYmD1VJ+  
lbqgtxsW4QLPACyrftTtYdSCwvTez1WeiJuh+udgxccoQjwBGQxMJP+fr0TWegs+r  
9wsYl8QuDVi6NvZ6TKthU8+Zc00Kag12tylySVdHLsmKyUZxRRzyYU5LEuathVWa  
xHI/Mj50/5NMntQ/7P7fcBXR+/S4Sc6y1Dvu32Ue0S+aEo2LTpu0i78CAwEAAaMd  
MBswDAYDVR0TBAAUwAwEB/zALBgNVHQ8EBAMCAgQwDQYJKoZIhvcNAQELBQADggEB  
AI5rjHk+nrdRkXE0XUSE0rgkeXbIb0HfhIb5f7r8H0Wro8fFw3Ji1WwU7jc8EkuI  
e3FdkIwg5C197YGU3LKec+c9r7UkFHTzIYsYe0p9etWBe/Y6o8+W42tTio9rPmRb  
nAMx81uVwgU1AlzASdRyRZ3ECSYGJU2Rjr0eMxy8Nm1JIzMbZMZQVAsbosSstr35  
9ZqC/TS50tJpnEpnEw31ELrgM0/XxC/NZR+872I/MFGuFHydUImipR0ikCZxEpo9  
BJoV7o/NghrX31PrkFPtRVjaDnXZ97rNZpv/J3KNA2Q092ix5xCyJs7iDDLxRTEw  
MJ5xPBDVBD0gPe0nkughWY8=

-----END CERTIFICATE-----"

```
set range global
set source factory
set last-updated 1770753097
```

next

edit "Fortinet\_SSL"

```
set password ENC
```

C31NkRdrBS4Qz6i7/oBBArxtUHG+GEU4QIz06JAeDZDFqp6neFFfb7p/3cRTfSvpj  
Qoa+0Ac5oY0IPdH2fzA0ff/JiGyyU8BZPl+wwkejybFu/UIDMN2bVuFWS5YrKeQdV  
1PKR/EAdoj6tTjYOC6q/yR0tgYtxb+p4p+8V08oPYhC1728nX6dka+vYXjGyMDNfx  
yVVlmMjY3dkVA

set comments "This certificate is embedded in the  
hardware at the factory and is unique to this unit. "

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
```

MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQ89T35cNP7wIRgggyr  
WzD8QAICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEInxsDeNJ6iP9BTh  
gY/S3qUEggTQVTbacy90IunkkBVN0g9a3zWSs9vchyQWArW38vP15g0906tAf5sE  
EySQuhQTeDxgBQnyCmzjFkS2Qy+ttE5RZkMo1MzlhJp1WmJDTKdvfAaI9ocixvES  
b/ddGkJWktGlrvc7VesfE0HruB2i1dCXK+rsYZf14d8zFBWItHJijyI1RFQCYBSD  
bw4G2bmLCbbNZIcRKabbGntufawKzHM2NEkt0HeahhXfogdj8umII8KzRr4IBJ7D  
9fIEq7VThcdlrf34mrtZCkdCzienGknUVysHHR4AxSp60vQdD460YZbkZ/e305UQ  
j9UC1sqpLQ92e1H3ywn13n7I4cDdJZfVb1kX+d8TaLQIsEzBJ9ANpH61x+u24BCZ  
jCxxj+7fhtYWXjm4M9ghkitdyY8TtoAHcs81WMLTDuSHT6B/C08j1wnb9dytnnIAf  
PwDWPSO3MpkKFw9/2ESUs9wN5qNRsEneqaenMegnerTn714kJ6JHFYHPoICPsuDt  
HA71NbJ5TlQkyVFzjkZpTB+U7rVa/sDcyb7Z0Zwx+0e8z+9tGB1t942D9uKovqdR  
DtnUPq/gcYJlmiQECxFc7mKF+W4bI01JIY93uuJ4sNBsxU4brUiKXJKJT/c0oAMA  
LImeHCrAfK1P7+PueWQSeQTJfZ8kUIOpfpwCfG0k58EqFumTXMinY+zR8Wh6Xxui

jab+vDOKTwSmuJufK3Aiol+JoFnLQEIGGokrZzWy64q7t4HrB6M1zMYFU+UNuAdB  
wt8PI9SLTBjvqMA80br8rhMM/p9K8jaYfPbxSnK3iI1XeSdxmYju2H3uzLP9omUR  
lRAVWlSQ9TpFw0e2ITXbsN+52g9lwKgXfTeTS3Gh+FjGFV1f0YrM/6ZffKy1lBnt  
vDUNJzzbYmdFiUvM408+3+8a9kHoQkmWwy6MG1zUhMJo4mDQIJj0+imgcMF0YQht  
rYrKc+xKph6+AZPVTT8bLZDTKBaPJxnRB/EcaHoZm6+d3wCHcq1VdGL9uCnGDZuC  
vClp3BZLQCQj685IvFazRUxm8puCp2yOTBoV69MMOIKa6bjM0iGGDPhyOR7J3lMd  
CH4CFoL6ikOelCDwuc71bbXiYNUIJucL2S+/rkEx45RbQ+zeCw/G5W7YPFm7voP  
504W7KqabgnJFUHILbEUWpg1y/BEEbbfCaNm/xWJO1ChAyZYAE7hEjt3UESQk1L2  
DvnpFzJPN3L0qaB9w6caXDAjRSKfGV7XtMt4KwyeoRBwzCP/xVZ8mjKWPG4Smx5d  
+/Iu2fk0mQscYkQ6WcL17D067+UJjSuCd8NTgpGZ81IHxZBxhdZVGvWl9mVLjjw  
0wA+o3yue5MDikmuIdBvD5UrYD/4XL3zoVniQFbc/LVG3IneJy2UAMqM+q054yxB  
J/rBui0NaNI+VMQYh4ootQ60Qng4vFMnwFcjR30XLAHQF8K2Crq4ksTFnvL5qiDl  
2bU/xMZEzCyXmDYUiaCjAZX6WaN3/hiGhPVIuHUobhxZrsA7Fh/blvz0nGwMrm  
V3s5piNBuQZ0hhRV3Mr9uCLFIvKgb1Bqtm+Hc8ZF0AuuXpTRmcDZEBtv4cy2XNpn  
KklW0tDwzqMVbmzWm70zoYHq3gJyMpUO+Y0fgYRmXA5FylzLxWi+LkU=  
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----  
MIID4DCCAsigAwIBAgIIMNRlUPZoXIswDQYJKoZIhvcNAQELBQAwgZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDAlTdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1G3J0aUdhGUXGTAXBgNVBAMM  
EEZHVDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMB4XDTE2MDIxMDE5NTE5OTF0XDTI4MDUxNTE5NTE5OTF0ZGZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDAlTdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1G3J0aUdhGUXGTAXBgNVBAMM  
EEZHVDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAsZLNp2so1BaM  
yX2XAtMkNr76Hak1SNlBAX23Hn+Z59EzzpoWKKsw+NEBqdhONPiNFjxS+SGWXIM8  
7R2+WnsQT2HBMfbtIx2EbeB7oUVvgw9wKzJ+UdH93em04WslDbr1SPQXaV61LAoC  
wTnLyFsAaXpNwXbhV9wVUw08EqJpSmEHgd4bZjTYLrkUb3dI9pT8B2f/amITSoZ  
1Gqni2PGcQfnRK1KwgNelGgnrhLIOQETNBeQ1+akMLELhFFT4Jep1ehOXPKdd0sf  
gPM6k5dqCvSzFJxj5FaQ1zVk7wdEn15xh/Z9Bq0NqjY7tcp28c2e+0/kXs/1StCe  
klI/MTL+RQIDAQABoyIwIDAjBgNVHRMEAjAAMBGA1UdJQQMMAoGCCsGAQUFBwMB  
MA0GCSqGSIb3DQEBChwAA4IBAQAckW5y1ycExZSgmI2Rj1SU0kZ4zNQ2zsSsLk4  
/iFFD0i18Ge66x/uE8+HNpTdCOHxv6OutZf1Rn+A25UrXSqKMx0B1geN82qFz7RG  
WffFTRWNEvQtbD1uMYz6E/C9zFLLuUaMn4uxP8VTqzzCOT1UHa6ieow/OJk8LdX  
VdUXHLyfcXx187xJe18f1mL0hdBcTePzgTlFxR8+uDoBYkVpLQvN9F8e2IgZqGBs  
TfJPbtmmTk/lgrXPfiA1ylfJschRnForbAKx0F5chUv09HpCd6Q/wGi77HaDCFex  
HLtS0ifhNvpg6uro81crCh4FKI0//DSroOGwhjJ9nf+MUCXz  
-----END CERTIFICATE-----"

set range global  
set source factory  
set last-updated 1770753097  
next  
edit "Fortinet\_GUI\_Server"  
set password ENC  
5uzJxIiHcEINvlfi41EQNdJfD47YM80XMV6hsqSj32p3GY1dJlRxnCaKnhGiHsdNr

rUa1RPxltBFM7WtDxRXq64JQD+ynvbEkz+xq5mxtQ4Pfw2B+0ECnMgGLi02dSHEJg  
I2ddPkXWnAX+YPKFODWuJLYB0MBVnvdNG3hGoX8nKSfqxAl2sQ2Kc3TT5Vq5IAXi4  
Md1lmMjY3dkVA

set comments "This is the default CA certificate the SSL  
Inspection will use when generating new server certificates."

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----  
MIIJtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQ8G/10DQgGiarNGgb  
y5ui+AICCAAdAYIKoZIHvcNAgKFADAdBgIghkgBZQMEASoEEIaktdl5/n9vtShV  
/79AJWoEgglQBFJMrI87ifJXbOj+ywHDztbNEe211JVmXntpRoTmoN/Sp7005fLX  
7+FvXdkMYUs0lPf2obegjLzWZ7+ewdGNJcaeinuQC03/jckFjU3EYlPrSaQYAYve  
zTF3Y/24F87UWUaZ1senckVznphErkJzxiAdq3K9wnLViaT21c/fUp2Vfxb9x7K3  
t8fiZe2q7Eiy+jaP9f84vz1XhtbdqeHDoTnc1LyUg00UEXNWIKNdd0P5n4PrxrXv  
g33Y5kDe0xN69NLuyp24E6kFbFgwundggqW13QV/l3eqIktVuWcXBzZkZvy0U0Le  
olIfV6YLdf4wpS7ypTONWrsxjFglYKya88j8y5plJcu1X0YHylh0iS0nCSgBGBUE  
thAw088gA50oY5xU5it34rcx0WUZWZWRWa9j/J15n2BpgwF1K30dLK0d/4oHle2Z  
GxlCKlUljz/hv5pXhI/bUxcfJxNyUaJQluHR1TCCPsdvG7lKI/13Hzqb5XlYZJmg  
0E5LnAvP4U8PTCAaZf705YXlwdwXycoYFDLcIiBe5o/HqoXL4u4vx80Fzz4FT/9Q  
57g5Ew4N7xJgbRGcjw/1P1HNJmf/bgpagZD0DUjFhr2yqZyvvSVvEW1m5jU8iibh  
oBARi+qp/+9KNZU1K8GuIOm0YujMlE9ypk9hpwJv7EP4VyHLe+27PZbcqQfFKj7  
ML7NBI/bFx6W9VC1KNzXWlf6sfo2U1G2X11l8e19jHCyn8u+x3t5bKT+nXX5dIMA  
VPQa/C94cH1lanvP7cFaxm9eIuOSTkmi6zeCMnK3UHi0aBYeP1ziQPxCUIEaGaRG  
fFhUEUhaespots/20lUodXoJsZ40YapqJDKJ8prsoq3MKN4BvLGoQM1QLrdT0t/p  
VDRORuqDfoqcL4jCf5HLSijSkY4W3Bdo3muIWQ+y/fxi1wIJOEULAPGE1ZP/qMY  
SFVNMP5y2AGIr2urlt4Bgqw3MRNlXWnc7XtXst6no0HeT6qclj03S1At6DtZVE6V  
4jIVMDMG2itBTEOE/tOVNeYy7Fv2X+Pal/snpZeAx/XQEptncGgbc2oHTNQXrboK  
ig2PdarieDxlfaU+LGz1IAAJsn7FOcB48emAxs8jnGsZ+rwG/j6DbJj4dslZBKpo  
jr/3sTgLaSees9UrL9BMISV/exEMA3UrB7+p3Cd+k3GPGZ2Xpz7cx33Dbwduewfo  
5VV4G00ML/IjyfXRMlmyJBj7DypuVMzCFnhxqSkBwBT1szoAKI9mma+UjOMogbAg  
4yY3ztWqVlq2V26TSb5PEhXwMqnClTmfy/Vb8acuygK3cph+Ueq5i8YsWrhf8ayH  
2yk/j8MoZqTlmyMwrVG4SjdAUMrSFOV7bSMi6qDP3pYFyX2Mduu7ReaMOgpEnK1B  
DdGYcTgXmMmao1bq574GJB0Kpwzsu83L39GXKq3GkeJZJhfH9JK0SMaFtyD0uHHe  
uM+u6ng9Hv2m0gG0b4N+CRFykp9HjihMXjH+8LC1k13zGJneD6IYes914xWhiUeK  
FvmdhY5zB+RiT7KzCLwKyU5pt9xxy+G5a2YU+pqS/B94yLd52sFCZW7d1fFq+JN  
oQPMSP2zi5aHiRiRtJ4zy0bgfJtCGR7377ztJBzYZejhSFh+Ejq3xmDqewtPaM7q  
L83n2k4tjit0QNItilu3ISEWFPO0qTCWl29s5v7y/p0YbrouWszvmYTAYB4paP8o  
ekqpuXRdcTnV/Oev/SAWG5bB/x3mSAaicdjRnuICXAUvF1BW7nL1f3cgEluxD0at  
W8wXTfWIV3Tg/SF70/zo7KkP3FN3YP/204relxmv+OBldB4R/O+UDVkBvV9zChqv  
91cgL0zf554K1UXVaQUxgn9gpNW0oGXnI9vyRwjFMlGe7y0a6cbbJQ4dEvN7MXmM  
TRufusRT3DdQYD1zlfnbdAXBoy4BCCNdRA2ZRGXqmp2K/BpTn2jB/zRCXD7Ge10f  
aeL3wP2005F1V00q/noB+WlFshnvNa0aN1btKa0hA68rA5eMoFR6eENx5JLS3bIY  
g02ogQKEIx8u9LsJd5QqajfNhn766cOv7Cs9JDXXHlYpAE+7+JEITm9IB3cef/PE  
3AhKiUuBExzjh06q9/ygzG+wBgRZ3pt3cee8dGHVLS3cjumkDzA0ae2ABrKskg2  
Orh0KE01Ha+HuQLtjQt3ZTctHR+Cz+OugRzMNqWs3Y1bAzjbXEBKoxv/DPgCMfrb  
fp4qo1bHDXvfeKEKc3+ny8bIf2KAEPgy47lQLMjohGdJQf1HKau9jeMSDEpySyyU  
lXmCNTCCi70NwpQjwV9uG1xPB2yRPCoFw0IqbIb9vaaefWUg3jP5rdp6XtccspT  
g41/XEbgIsFUK5UdrE+3KQ6ACdZZakSW52aw4h/njiqdJeIhQNna34ZzwNfsiQP7

Ac+VV8ERASicpGvEeelRquSXnzYaLpobmbhoYa/HjAwBGeUA3S9SSX8hYJa3ecoI  
ncI6DYI7Y+A0NqfNI4jNADeFw1jKrb7bT1zjfqu1TvGQYXqKMdyAGFthj3JSvKzZ  
HQjkR8Q8eAQhdqx+5NqIYtPXdwrrnU49S2xKHza0E5wIMeSN5Npy0Eji42Ju0VGax  
P6JzfZnVAiTs/PgH0WsTThcHPiZnnTgbZDsi+aAR4ah1a5BnrMCmoRfWBkIMwOwW  
4g2km0L8H9edxsZqizxP+30SdmZ4oVYCgQzNv7xjLQJxaWbqno1r1Uo2vL4Y+VaZ  
mpygWrDsni2Ad/LV19rityUvR96cSgJ0Kq/IcmVuUPvDQpArub4wsnBUcosmtKJx  
csuaX7INYoBSqNr+BigrJrPcJln4mtqwKxoBi1FqPeyj/8IXKD/y3bCaCeo+G1DX  
ov3gTjgjn9AbmiGiQLescC/j01vvzLWpliJ68QhgJ5fqvGt5GqKKQw8sGey2sgLS  
kxzSFxcvBPPhHyY+XCI7UcdBHGI/SuDMrY3jyLDLsTxXnSJZS+VhoqtdRu1/b08B  
X0Cth2QsZf4uYwNXhmqN+lwGlwMsRupWzN9nVG66WfVCGqsrgleiZE018ViBA4a  
q5eon3wLFjpb6T2Mt/G9KwKCMvEqVKV25Wws+XGqdAzEKF7cpHzbTd/JjPMBkRNL  
mFRml3Y0wZ8as3nxIBRJnrC8fo9CmiJXcPwpOvngl34LcUV3+JQaaQY=  
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIF1TCCBL2gAwIBAgIIGdrAtxI5n1MwDQYJKoZIhvcNAQELBQAwgaxCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQQHDA1TdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVZDZXJ0aWZpY2F0ZSBDbXRob3Jp  
dHkxGTAXBgNVBAMMEZHVdQwRlRlMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHFN1  
cHBvcnRAZm9ydGluZXQuY29tMB4XDTE2MDIxMjE5NDMwNVVoXDTI4MDUxNzE5NDMw  
NVowdjELMAKGA1UEBhMCVVMxEzARBgNVBAGMCkNhbg1mb3JuaWExEjAQBgNVBAcM  
CVN1bm55dmFsZTEWMBQGA1UECgwNRm9ydGluZXQgTHRKLjESMBAGA1UECwwJRm9y  
dGluHYXRlMRIwEAYDVQQQDDA1Gb3J0aUdhHGluwggIiMA0GCSqGSIb3DQEBAQUAA4IC  
DwAwggIKAoICAQDwex51lma7UNzVBmDgxnjTwa6zsP1TUBeJO/rvzmNpxLOWA+9Z  
/jChEyeIHyg4SgcBeIl6LB5AqsGZKcLkYaHkCvVZidgvtbjKauYE0SzcAjupKo4D  
n1SM3Bk/bBKilb9k2aw/e+D1wljY+pTl4yYqB6a3J41NM9dBEyEPAbVfIvpfb4uo  
Lz906ZyIkx83F0QAaHb3p5fp0AMEJu5C7cpgnu02L7zs4/ZBrCPXh1egoXBFgbgs  
z9UYt1sw/aC3hpcosEFREBGjeHoUENCDEhyRPCTSENH+1Y6npa8G8EhtaIP0vwME  
0aAJymKdkzV95MsdnX7u0C75ieqnUdMqQjQC/kVS/HQxwLImzic9uRch3qE00aek  
cV8tUIMJH5DraU5a0W5N8uEPf5MSAIawfLvPU6wP3dr1sYQvo9CW8zX4a27bPx6z  
07g01RFifoZnkAtV7hmz6BgYN0TdcPDLNsZvWV1Zx3ThZyswkdUyWCwS4Xhy5ySE  
00113772BQy8r/UmHNyYIEgcdA9XaQBwEmgzWpV08rzRU87aUEQIvTw6nxZn1Kk2  
W0LMiqfIHGRoXm8ajStiTws/vErGt1EejR15Un3aw6FfQbZKMY7ba8xu4qZnr13w  
T+SdkvJJFQ6ydfXc8hBbsdBBWy7j8U6lomQ9GkZUxoKc8h6V5xKskKoCCQIDAQAB  
o4IBMTCCAS0wCQYDVR0TBAlwADATBgNVHSUEDDAKBggrBgEFBQCcDATA1BgNVHQ8E  
BAMCB4AwHQYDVR0OBBYEFaEqM/ND2fAZXgxxfPYC3+680QCQMIHhBgNVHSMegb8w  
gbyhga+kgawwgakxCzAJBgNVBAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIw  
EAYDVQQQHDA1TdW5ueXZhbGUxETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVZD  
ZXJ0aWZpY2F0ZSBDbXRob3JpdHkxGTAXBgNVBAMMEZHVdQwRlRlMjMwOT1DR0Yx  
IzAhBgkqhkiG9w0BCQEFHFN1cHBvcnRAZm9ydGluZXQuY29tgggZmIn3EtXNzTAV  
BgNVHREEDjAMhwTAQAFjhwQKAAABMA0GCSqGSIb3DQEBCwUAA4IBAQAyL6hKtI6Z  
pJPY6PE+001FH3mdu95ItY2+gcq/zHoMiUVtKQEbJaY1M6VbvmRp+3Hu0gyaFYQS  
BLo2hLdiXHQWutyNUPQyadCHTBHDFvrRwbvYW4NBcx5NRt4T9qAryTFrNkd58B7X  
m9YwORz5XaST15BRb5CIPrUpHj4N7T/mgiyJAJGLClfShIb8qYsQF16k9HMJkPyx  
7c/ZZZm5s/HkPoMD4FJvnGx4Rg9xGHI+cAoQFj9Fs6J30gw00q7y6h6POHSUp5FK  
yzhgLF8XSW02bhuyib+vvORLlAj1BcbUtIdBQLMosdy0gtSD32dZAW739XuBCquU  
vRAAKAfakQq4

```

    set range global
    set source factory
    set last-updated 1770753097
next
edit "Fortinet_SSL_RSA1024"
    set password ENC
79H/nogBS+y2me9G19srt1R9a0cuQ5vZGWDQXItVqEoqgF3j45l3gYLsvMsgcxEOt
Z/imjIy9k7fHSXIrLwb7sdtBQ/EOr9JMVrbw76D1xmWZEoQWaMFY9PHHWiKAsGnbK
3+QD8vuNhFQk0BRJXJaCS5qhXh14jKM2MSR9RPR1IRi+MSfCjKDT1EVOh+aXgMyA9
Zs1lmMjY3dkVA

```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIC5TBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQYGV6/GaEGrCjE9ak
p6168gICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEJhwt8fa9WULDxUs
RwkpggEEggKAseibcvRQAio02ujlxvfil1M6qgl8HgNX5SFZUw0rus1t1sbKjyqt
kTV2T1/fqf9KNxEffL7vqqi0L1k+qlx9ENV8YRerGMivoqEh1H1D3RgqzxhNP9Gt
+G5ZQB2nnEy2QH+8wN2GKS04G2whZxWOL/TpFixWop6pYGGLEhgkjK9KrBwjYGwu
1tyv5a81DXM+LmbhMiujoaPaChWtUbKKq/ySF9UX+w8oXdVU9I5Jchi6mXW5Yead
1/PFXqo6zeA+QcJvRk0gAAz2WTVNMCzs1fAUe8viDu4K2QAlIP5gNbGM9vr4dYC+
9ifOMawIrbIANB6c1fZLgFTnPbD66yTHP1ESDry6UsGsN2kMQT/s1jzIy7pZiHMY
21ECovPf0fVjVr6IjWTKODhmISrI+3eXYXwlq81SVL12iM0gcpzYtb4AE/HEmLXH
kBNA5s6DkMGZT5m6IH8ikkBanqMEDwLstiktyTVuw43FEhJbRlIfhqK+fWodzb4b
TEYw6+n7wtGaj0TvLw+RZilauhdsPNlpVYjEGHIqUvV8HaKtxhamPQzvXSUKC886
TRHHcOYZbAwxfOCQzVz7y/sznubonNcfdJPRJAY8j/r1OwsorbHsG4h8EBDTUxen
r/F+/S5JDb8vhIqrZhgv7TU3Vr5xkyJJQKNSnrj+5puMpNopU48NP2jk1w1p62yg
UJ7g2peRCyfmFXN/YM64o13/TopOrB5Pp/vIQyPLZB+5u+H3LZUWaNULhn1HdT/4
+du+tUwV/pjbrdopvSkSMU/Qp1BiqATurnyJEewKzTX2w+gesJz6rU5swlgHV71k
rzSEfYbG52Y0qUk/aGhS+JekLWLHnPQeEw==
```

```
set certificate "-----BEGIN CERTIFICATE-----  
MIIC2zCCAkSgAwIBAgIIPRyiJXy6t78wDQYJKoZIhvcNAQELBQAwwGZ0xhbnV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbnV  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQLDA1Glb3J0aUdhhdGUxGTAXBgNVBAMM  
EEZHVDQWRlRlRMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1CHBvcnRAZm9ydGlu  
ZXQuY29tMB4XDTE2MDIxMDE5NTE5OFAwXDTI4MDUxNTE5NTE5OFowGZ0xhbnV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbnV  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQLDA1Glb3J0aUdhhdGUxGTAXBgNVBAMM  
EEZHVDQWRlRlRMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1CHBvcnRAZm9ydGlu  
ZXQuY29tMIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQDIx125pboG5pHm0s9h  
/a8T3V1AvEbnmA9C1g8nvW+x11Um/tD5N9auIrTunqiT0dpRJZUXIL515rzG5/si  
UGPaDvkCffuZJ7mw347Jzf1fXpd0F1qbegk2T4KXiF/8uWJhiuEaP4LuE0JAL6T9  
D8+i4sxklgHk4pRoD39SZNKBTwIDAQABoyIwIDAJBgNVHRMEAjaAMBGA1UdJQM  
MAoGCCsGAQUFBwMBMA0GCSqGSIb3DQEBCwUA4GBAHprCL3Ma5DrT0zPRuxF9Aab  
QF7okWy+6z5UN4ngoy0KAj34QzPEQ3dhbHCbt2OEHOHuRVfsk8Issz4aLIuLkK+s
```

```
e1HuDSNWENTg0mkVfkMnb3LgB+KS+IJBv1mHbJLdyJ97dOF666TeBrU835lHWf7t
V3ZhQmQEEHXDuqcZH0Dh
-----END CERTIFICATE-----"
    set range global
    set source factory
    set last-updated 1770753097
next
edit "Fortinet_SSL_RSA2048"
    set password ENC
iLCJB5yrIQn+KrJY/qgjimXug0ziFvSoH2K8Kwen5UPfygR0zp1fICYecAz4C35C/
5iaIaMVL3kZzsYyWEQLPuEsS2FAeNLnQi76JCbCQI1i2myrJiVozzEsLiWHKTHiCc
gLoZYBNMc6qduCrd/bW9UWX7ZoEcr0GjzXwDoeHdAtBMyj+m7IBHLvJYsM9kesrY
D9llmMjY3dkVA
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQNnxeGw//gMSkWmt3
ssKp0wICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEECDpjmGII6zeyHA7
zLk06h0EggTQwZkD8+3fsBxebA3123i0GBxjDXWIyWVKA3miDzmGuji1wU0n1QD
dcpSk3Dc8oELeBtUufeSNr84e6Aofu8vFdmFMBSpZVgZ200XH2Dx5qHjcgBPBUaY
D3oL14z1X5vafefY0z4BQbDhTCBiesag6J1jUh6DpPIHNZrMAKAQoT/ww1QTufZ
zqLFRSmtDJoy5rMgf1WScAhAr1ppIgUUDq1QfOJ//yM8cEv+guvWUZKltbuIyM7
4LBYiDKAitixrvhTXdpTlMYIifOITOXNkXd5tqnBQ66wWW1hS58Qo1ZY/MLz8HNQ
hPdWU1v44osVwR/fW1VbSJXtP/YN7e0BspqWdtEh+IWA3wzbZgaN/dsqXCT6AQm
Uqr20TmdUKrouFcoq7EjdtToXjrFzToS/NPKCBfot+iOC9h6j1cMfOW1+WEUPEit
DwDvQL36y2mowpFvDQDA4AgQbxnaz77FQU0dGmbTDafa4+C8JCLWhxyF7nKCxUHP
ahznKedBZRf6zsBTn4IogXdvgHC1rDvMIZK0sQ1LYFdpMheDs0gcENjm8ep1sdPx
/nbQmuFEVX1Q1kqqsIaVBvUu/A/aL/9z3ucfNLXC/rpuH8KUOKOYNpX58cC1aI1t
aK0uObWAYdRAjEHL/HzzXZGwkLcvlRDo05fjFLruZhes3rIQCX9SX0QGNnfUX52R
YNtHELIM4ZK3i6faMAEknWjzBdQgrew6y8D3tousTvYfip0bdfCgHxwMdtN6mzvD
fIISr70N7AjYucVDbX2I49y/P90QRo+WjslgqDWzjs0uPP2BeU6/miiq3E5HORkP
jk44qYQBo/T21GZc1oYsTX+U4J26rNkag9l+VzsPQKcyenVNYNgVr7TsREKWMrEH
SoK1bfqNw0eKxoi+beaUwH6KHvuQrBbpz4Ws+FPxN0fam3+FaIDduCa9y+EDAmVI
PIfMuMao5dcxQ1FujANfLHDGELMWlPTBfzr5YpxZ7o2psLM5jXnkW1NUQW1Rvv70
Qyi7m/sr2Lpmei93/A4mYnBe7R0fsgBm0TrdJaPSGsTtgrL7PG+buDtSRoHZxqAI
akrLgyvgJbmeHjwBbtQ9dzf9dkAw8KoNoA2pSbNA9BqK1drSW3h63rr1txD+Dkcb
vyfShJu7mEZmbsIPOBH+3LoLysE9f/o42mN5UgFI1hWT399Lw6RcEqyRP7IRAMD5
LTKawMxSOBsrfh126D1sPt2xXVzfPoklMlRrn8lGSVVgArBQtudL8SUx/gmdtUY5
0UCqIvjoABElkGJlW605fWCFeslI2wTTgCvMc4Re3o17dG6M/scP5l0s5nhbB709
PbmTlU8QtUU7rdPX9ETCM9LrQt6Kl+ZiWz0P2cnutkcYIMbkalGCFUvC9/vB+aV4
/AGCG7ZH1JHXggOqVfjqCKduWswD/LIj0mEsv/440cN3UnHqAv7yLti6H2Jc5Ak9
XUk6ogmyl0PBT8s5mqdPDi+7DV8IY7mqEUGQuu3B5DWjp+MtRmGgP6tImGZeGasr
GXegatRbpcXxGJIN3P/3EvFGUYlslnUfqizOVfriC6odnoaSQzQnXhJRIKQuDbtv
VTmxyK+oIwFey37197FMbvWMMmRVm8QLDliY7WL79yLBndcJFaBM4RM=
-----END ENCRYPTED PRIVATE KEY-----"
    set certificate "-----BEGIN CERTIFICATE-----"
```

MIID4DCCAsigAwIBAgIIeAlwa2EwK/IwDQYJKoZIhvcNAQELBQAwwZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1Gb3J0aUdhZGUxGTAXBgNVBAMM  
EEZHVDQwRlRlMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMB4XDTI2MDIxMDE5NTE5OFOxDTI4MDUxNTE5NTE5OFOwZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1Gb3J0aUdhZGUxGTAXBgNVBAMM  
EEZHVDQwRlRlMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAot1a31vJpsEH  
bp0IHjyGYyzmjrysSasvM4CCnb5+B9RgxvxAtYgqrlcIxVMsY1+cWUnboBsVMbNQ  
t78TTKn7haYmah0cfB5kvmN03ZibEHYQuCiDQilBX24k7ygYTSrjxlcttBUPJ1T  
BDNPCvcFN1Ww/xBUx0zWBF3UrBvCtOsPfpUwD4M0sy03Eie4YlQts9Ftj26nSybe  
otALDA8egyYpey5WzLQ1iVRT1z22mnFb+nFAaxYDwHB7WnwyMsp/hqpyHU/BSCiR  
5VSE6qG1Mr9DP+4IQpvSvQ3hIV/5wXrixMMiZYWIVmvgQIbHSZ/HCY09jJIbCyo2  
hpQKWQ6ogwIDAQABoyIwIDAJBgNVHRMEAjAAMBGA1UdJQQMMAoGCCsGAQUFBwMB  
MA0GCSqGSIb3DQEBChUAA4IBAQCXxzwYGDcQSMqiPyQ9UnZKWPu+6GrWu+R19twP  
GZBMb00pXa5GbgLGfNdcbmrsmePPY+VqHsQhOJijfQHo1/Z8DiDBf/aSBpA407I7  
q6vI5Pra6LPNg8yNg1eIUdbdcjhLFTW+diJaMn/COCDpEw/IJ7APikmAvVeF9w  
HzuzV9vf1Fbq8mQzI/vyRJ+bluCrAlMPPng+Pay0MbsRybc8WxW8Y25kHdL8FGfr  
gToOr3ZWGT2rCB5vDzmlA0AdrmQ10v8JAYiX5BayQQJ0Vx4Ghc09SoyeHCLlkJm6  
uyEMxdvSE2WqgsQyLoyRdN6D9U0a2o405MBfx71K2je0SefI

-----END CERTIFICATE-----"

```
    set range global
    set source factory
    set last-updated 1770753097
next
edit "Fortinet_SSL_RSA4096"
    set password ENC
h5X72PbE4ix0A2RbuGJTmeap6BR0F+QsojRWxM05r0YpLJ0HvER+81YTgwOgsweIw
F4VqHsw2qqlhiwXBi4F2JJUiu3xDf/v42ZUCETnBY700omA1VytQXbaXn1WpKDeH1
BuuBD4kKw02nvNwPjlCQIH2/QlCkbn2FpC64sw2YsC7c9EdHnxEBN/FZX2rSoVks5
rOF1mMjY3dkVA
```

```
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
```

```
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIJtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQMpCHRMNubJF0taKs
P8p0IgICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEJD+RfF5q8B55MK8
819YQBQEgg1Q1vzcNXzEAQedA3M803YY00L+9Q/vZdtms0gtenq9QE10nb0FHHuM
+9MbKR5JzxsxgQT5cm+8zbhuTukmVuv+5285UVD7yPPxuSGLXPkyJMopKcPSGjA6
zCL/C9EcQaX7ATN07dA+BvhImBcss7MoZ3KvWzmkEsZ3055zPmLav0rKzPkjhPPb
Pyk8LA9d/dXWMEpw7/1Wdf3Ya0X5Q57vw+Ob2SHMg3zns9mBc88fQVOFeWFEFGS4h
JEmdAlTbz9mHCv3Q7g3+8ijpBn/Fa7FdoMrrMB3v5CqAVh4vM61hC26hDKxq+V8H
6Sigf6Rl6lbWJXs64kIELU2uIF1mEet+OAX1FOc7o8Czn4cuH/em+SftCrRRE+9o
rGFWCi7Wn+Gk8xBzvz0g5sORPjXjk3bpvyN2IsP06BhQ6WEkUw9RuvAf6nSTD2AJ
ItgvSL/acfwJDizggJc1EYCrifUH7gLzR0We6oycejTGDQagt3RtDMvSs7HdkU2X
dAeD850auc4Z9YGcxPfBtPgdVwUfFX28LeA8uJmQSvVnBFfpAFehxngtIkBOQFPg
```

jCrh9RsztotktvfBvwqSqNBxomoNI+DiJ+WufKW+TTLKcNKulKMC0QFEZ9vCc9x6  
VghRds7VMZbSffsvcgpfWkevdeGh87Jlh5g3EBMokTCzleuOUOE9YgPgpJ3FhXS2  
VmJC5gWyLtMGnu7YYG8NoQHgniqXTUREqWvadw0/WULOmKRppZZQVrkJGPpOgrRe  
s4ik5966qKi0cbmHxgadLW5XVJbrlL3+A32HHRLWbxfv34eQ9KF1+PeSeyNPgDZs  
bxoyKL9NZIpWxh0EegWcbQswR1Nwb0TPjhIqk9QaoSCf1Vywyxdg7gXJnsAtPdnU  
V82cwFMY6rqdwEM0Qe4l1OPivN6Xg/yJ2qKChXIreUVr1De0BE9gZbpTuBV7oCvm  
08UsfctmrgtxfZ1rBPimn8DqrX7DU900uAmTVPwBw2ZpuEB35NPj1G7PHt881WGX  
z/iqNz6L0FL6t4ccXUtyyEdzc19K4obTEBPPteDqpSqtBzkaHhi8/y6W5iD9/W06  
Sq7IYykcwkV7+vwYFlhcXlrWlWVGGLA3WmpzuQmV702ZPsPd31N3spTm8Gx3VqEb  
akoxQYQn0wITZUKL1B8AifPcz0W2CddMsdTWMAD3bo42YFD3PGRC9/jaUHzYn4d6  
9B+0M3pDZ71+wJjrVdK/II0Hq2YhyLZX9s/w0NUW4foKJnrkS/PPE6tK8DqXUwif  
BcSQXQwv6w0Acqa9k/ptazQYqCONjAA0JB02ouSwiq0Bd3SHhvUvjSHW4d5F5YeC  
c/SjuABKON5PXHoSUncEoMJ04nkd1v6QKwQs0yjbBdh57DoCCsE1z24xxEALZAI  
E5+hsbAaXVA0XDhaVG9bVK5kcbkrFd1o06T6HiA7V/SNU/Xb+27IfMS9Ww1KELVy  
PbpPpfyNc5+MfR4/5ueaCEdgTzG2ad1bSLYnYI9VbV1341m4bsUmrutSxsEjbgVF  
nUuEIpyvs3WuMgK+fYGZnLoyDDV4S1GkKv+gJo8ja3vckF1GfFPSS9bTZq5RrZE  
mg4FZP1rJidDpmMam1BW7noCGsSJONjWlGtV5w1USgu8bb7XkpAkK7x2hmHus81Z  
NyyP7sxZ04VP61GCic2tqtEDYTXJc8D6FQkdgLPRWpq5cEWVs0+ueEI5x8tlj35c  
Ccjjqu8tdRGFgvD+zRtYmNvlf10uRPd0DymNTgx7yGyLwUI0KBpsv8Jtc5mvJWrA  
xXuKy6R5uQK5bqUEq1MK7N+4uAj+T4s8gbAtPLY6kqsWU0zaqHMv/WzR92JCF1MM  
p1HB5NUdcbNippaedTiNeXRWo2HwODmUWbyLRQYtIGBYf7xor2v+iynnf6AxbG0  
PPQBxmY6pgw/E2Q/NX7e2JYmai1D/TCudwukHVTEoB+u6xnVTPBDXPnTHDcfx3Ep  
IdanSTmUodEuQ4yDsXTfDCdgSVSeLT6Dsn/KdZQjqRyDHUpwKrxuBLxAhgTYiKuv  
Ed1cJ0qAUN00VAZHSFsQwgHht4mwk+gYJ4udPTDZJkTTjkZpv1vNkyJuB0cEJw2F  
hOMkbVzPx8AAp/PCMPst9lL2qXZt1GbkeYZR7san8/ZYK3hcMWSd348VafSL0x+1  
SpcuSRLQKOAs3iMSm/qdzuxVonNFsDXq7suTNhRr7PrKd4yc+V4MGST5X4u40RbF  
cuBY4grrkjvkmZ2fMQPn4cyzrg53X8j1CULtNZPdHrbSNCgozUicradiOkQGWQcT  
8kmXUbvRqG3gNH+HIqc9bxA3btNKxexBjwSGtVMVL0mVhF0gGw2iZd/8iCiaZxhq  
LQ+NBZbnKczWMBvOmN9BxHBHv2YjAu3sfEFr7me+eq6e1kXo50KZ7fYDr2loG2QJ  
xgz3ip7tszZiMWDvNMLiLBQqhsy/NuFPq+yLwB+Z2CbB4D9so8ryhI7ffh2zaAFi  
RR7IGiSN3ov+gjuofmAdWV8EdAEnrCnSU51smnYDSoa5bMUh0Swu/mTowfzyFp7m  
vegMkgDnYihT80UE2EzPERUpCYHT9LQGtsfxMj10uov3amM00wL00fTLWz6Tdy92  
AqQvQDgpCrcNi5nd6sYkVqmZwmY/PnYqwpJvW50Fvzo+hYCP/9vJaE654/mW7  
/PAzbVqreSLQKj4wWQMuPlfmCdzKmSW/xx3NUi6s09BZxY5ghvNZ7q7WdyD4SYXz  
PRu9pL0b/C2aar/4egd8eUId9332/xZ++eiLfvrSU3ZL8d1LzTpWFyhzeW+9ULa  
RKG515aZtDUjNk04/iHESdSpt6qSpjNiz/nDguQTte1WY2NQkVSPXdCuqYHSxAQH  
rIr3YkQ+E0hM1UUNYcesfH3ylPaVYiDXcTivzWSv1QA/LICihupX+vcryBqFf1NF  
Lt6ZlZ9kpZiNe61LPMh8hJbapXPiE2Mh2fmBgoLKTd2Ir360i6DYv77vz0Ca0LWP  
eZtfuK8Vs8YCnAX1jMydSIWsw2IJKcptS0pk01UFQjMCIZDnV0hs7i/8PZgodCRs  
zoWm+loBE38UTRFh1MX20dddXL+8nn5pL/b35FKrRTI2r1Ax1cMJQ+/htnwIgi0x  
njpi03iXmYv2p5D9tkcBISQg4ZGZxfhXmTnS18GqxTiELt3PtISINDQ=  
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIF4DCCA8igAwIBAgIIDAWaEl43gXowDQYJKoZIhvcNAQELBQAwgZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUXGTAXBgNVBAMM

EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMB4XDTI2MDIxMDE5NTEyOVoxDTI4MDUxNTE5NTEyOVowZ0xCzAJBgNV  
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx  
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUxGTAXBgNVBAMM  
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu  
ZXQuY29tMIICIjANBgkqhkiG9w0BAQEFAAOCAg8AMIICCgKCAgEAtKhazo71A0zw  
Y+fgx1iVIXZYQQVTh0HuUC0ixcOGR2vfrao1uPEIGHATyZ3imgiTye49Z0581JLa  
hQ/TS2JLWCsauBn/T10FuwIJNc+7PhY0mbGsxAC2MGDL2kGrCUmqecDpR7qASMwM  
BvmwxehXAUMGyJWqSx5+4F3KXUC/y7mkfzgZAC7kK9iB9o4WoY3FcEhOnuRpYX0y  
cfK1QeRhPQ5DvhrKAKKOCME2e6tjCB1K7m2BVTMwso6CkBPuV3dGyMgsMiaTKy2z  
pmzepA0ygFw8y2Mos9Ab41HB0v6ep8DU/C0tSJgZOUNqLD+Y/eUyeIkzib/THa7S  
XXIy/yeyC9APX+0+GYau6w3wEgvWxfXvnPDhSSKXD0GzAJ3srcUQkKwxkLkRcY6w  
94P2ES8Dp3Do8qoFuaMzC0QnKXvWd0vLCAhXwLBrpyE2HeVK6hvf6FHMPowV014  
ZUUR508BAI4FCMTRTbIVP4qgpoxce32xA0NplaIUuVkgxTJBJ33gTx6JS2QzdfMD  
MiqkxLaCkcvWkv2qtdM2911YUZrHo7H6y4eCrP47xXAm6NwsTjp5bgt7uEi1Kddd  
zn9zLWTUA6H7ZgzS6TxXYOUAuP7+W3cszJWb5PtBusHBZPMQdECtXzZcPzYhrEq1  
USdpck8RZeDqgBT4V2oXSnJ3ThivEG8CAwEAAaMiMCAwCQYDVR0TBAlwADATBgNV  
HSUEDDAKBggrBgEFBQcDATANBgkqhkiG9w0BAQsFAAOCAgEAq8M1JkDgUVDL3UMi  
NgKZmSSVuD3opRq3IIIdWauS7hy7Ee8TdPSG9w013nyJefuf4sU3Ad5uqvDJ/TX1u  
HCmtJwefp06A7mGn3e1AGh7N68uqKsczkqg8RD98HNEbnpkzrBJy7qceYvvLqD9s  
Z716rWbomfqmEdmyxpzLX1aU6CfrqETT1Q073gJLdnPj/P/Zv4qth0rzXM1buS2H  
5AaFNvMko4Y//Hp1uFrFFxr5q3LGDT7AeMOGL7wWwph9ha7EMyLNdHz/+ID5TfTT  
JTutK1K4U5rG1uHETxMxGSZvv1zKMLxc0rsTyRT8a1o4S62AMg7pwTxSM71USSah  
xy5oT5IaGFsD81DpaX3/ZPwKQ17PocK01pGNweV3UKkFwau11L+83muUuVuFp4BV  
nYODC7MBDCfVN7YSdMwOtXhQqx4DRD+kwsZuuCdeJAaCFLtkijX2Mt+ZjPHSdJEs  
H85//8ARXxH8ewPWskSuC0hVBfIqV0sV5ZzquWaIYEjfg7kPpiduzeiqRtyE3D4N  
qkhPX0mqkUGyZ/5aB+GqLuGEgopfP2TTe7C4QUSFO20XTuAIP5fojWce0Az/m/vN  
WMRRd/7BRviyZ44dR4nhf4rvh1eTrfglCpXFTuI1A7uZ5xC41827FtDxU+mRx12V  
/aK490He+CJCbnQPfB6X1IaBRq0=  
-----END CERTIFICATE-----"

```
set range global
set source factory
set last-updated 1770753097
next
edit "Fortinet_SSL_DSA1024"
set password ENC
sBPbYe+MjCgBsNUorfCoc5aoEd5ZiUFmXXB5pRkcj1YUI9GpqQpUQ8cQhKVknJ5zN
7wsBAMwjxpRKwHdwYnZi2snwAS+3weLS4ypfZj59UwY5/vWvhPTs+Qt1smz/+QXCL
4//J4P66cbphLhRFBY4zWvH58a1AbqQNSnoQH23cfKdIMQwztTIp2cjrFoC6nJvMQ
sbllmMjY3dkVA
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIBtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQqhArRP1kwmhWwXZ5e
IWbL6gICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEKRXnQuu1Gh3Neb8
IxUr7lQEggFQzIk6uT2rwJ5BIMyKpu6fHcZ7QFVCmMPH8jg5U40fPKuy4AA9W+y7
```

8EZHruCqieVy0EUHQdiS08awUkwJ/xBfSFjIKDkuiBexdLX/v5gDLfD5ed23Xw2  
9ednya042uC5/R5nc7gHSn0nnHTKmy9QfJh3ybXYnLxd1AlWHwi0mDPTF8q7u73s  
Pp89AAR3V9kET9GgDUmUzIbY6XnrNnCLFGJF5yhnAxY4lQ8KKt6cJFYqSzoX8fku  
zrx3MaSYi8QBGgCvxHAdmZy1L2by3vErDiQW088mXDFo9hWKZXttVAX+L4t9cS3f  
suFVkiS08QRXYbg8YhOrAcAooC0yQ89puXoqIrXbVdwFhTh1+PstcsyMWSYgsxcj  
tpTtv18H0Lx/VM/1/ApZ1JZ16xD1Sh8vk4Pg+PMMw3dv0QwDrC5TIhfwMz1ksZPN  
rlvXvW1rGTuB

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIDnDCCA1qgAwIBAgIICrBxhQLxBWYwCwYJYIZIAWUDBAMCMIGdMQswCQYDVQQG  
EwJVUzETMBEGA1UECAwKQ2FsaWZvcm5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREw  
DwYDVQQKDAhGbzJ0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBG  
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0  
LmNvbTAeFw0yNjAyMTAxOTUxMzBaFw0yODA1MTUxOTUxMzBaMIGdMQswCQYDVQQG  
EwJVUzETMBEGA1UECAwKQ2FsaWZvcm5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREw  
DwYDVQQKDAhGbzJ0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBG  
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0  
LmNvbTCCABYwggErBgqhkhj00AQBMIIbHKBgQC1HGjBTrOs5SL/uax0TVczL+IQ  
YxmIHqrcz92Vy6F/Lj2yOpVEAaM0T2WrZBF0sMVjy1NH7Y9yuW3ud8bZZMnxSdU/  
sPMf1ZbBZ7k1+4G2uixarRv1WpCalo9oDC34Xr74edCu29fHGwJMw4VXJcL3C+gg  
KzsebHR2hjWwz1yF2wIVAOMGTnMpStjtCJMb4HPo1hfUhmLTAoGAesw9U7/h1ULM  
7x3jcyKj+znQFR+F/IQkni97WKFpjoQMIGC+iZa3yZKJthh6fotfUTIJESwFBGe7  
0H6EEEdWytG20f/daHP2MyzoM7pF4+wKs/hQRxc7xHBAGR1KW7f20m6jVHgrS2E6  
P4AR6whcQDKALgRFJPeZvyN/j8xIZIoDgYQAAoGAQo4SELJsE/ER7AK3Db0hhJWf  
pq0wMHwy/dA+4638mJEWWeQnkV9N7RZecQCddbg9oa4FBz7VKVnsvvgroHHTRB7  
Tv9lSzTIdQLQn6c+mcrCsYmwt1PDIKxSZVgfgcqpUVWPmEMW45zYWUCpbZJRhgsp  
Z4/ayueg7jN+CStAhrujIjAgMAKGA1UdEwQCMAAwEwYDVR0lBAwwCgYIKwYBBQUH  
AwEwCwYJYIZIAWUDBAMCAy8AMCwCFDJI60UX80ks8p/H0bOSUVP6/80xAhQQuZBS  
QmkqJ6zdw1ZAzNsF0tJLVQ==

-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1770753097

next

edit "Fortinet\_SSL\_DSA2048"

set password ENC

gTTL5E69PZYN9lVeSQXYliih5o+3XqupJCfOyqYpedAVz4Av5pH0QLFZyvbjjt6lG  
W2Bqvrvi8jrWu0UhyhK+HccCuG3bLaaDvfH5bdkumz19E0cxwnjMFuQvSt6yMwtq0  
EfspWOPMNIzy+Frs1H93bXDxt2f1j4AicXNpcG1RuNm//tuLiGb7D+HWZdchaKtn  
80VlmMjY3dkVA

set comments "This certificate is embedded in the  
hardware at the factory and is unique to this unit. "

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----"

MIIC1TBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQRvMMG3X6HgtDrRd6  
v1Sc2AICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEPF92ZW38he1zlgK  
PN7iRpcEggJwn0r4H0rhqp9NTp7Vr5JRZvJK6ohhueDDz+F3cXkpldB/EAG7eQAC

FH41v3PR1RIBsdNd2N+e9bzcZ8lKc6I9z938cOhSQRUr1k56Oe2WwvjCDHXf4Wf0  
8Wn6SvUSo8SRvreHB/BIitoPFM35YgGkxk92097ScOgtqLse0wuQ92tCQvZa5no1  
B9RpE34Jy+/JX+mWwiF/VV+Hi1agdwqzAr5fZ32nD1+ZpNupo4sn1or4jRhp0pTL  
zPH1hD1EXl14uZHrOqNrAVc2MUsiJ2tovw4SsOqUKjsABAIiIoRM5jFtnwb9uyIK  
VtRU0LH7Co2Iq577AV2qftygHoK1DtvA0LeP0LibVdm12r/aiuJARqGw+AJ+vjsr  
ioZRlCBYhdU1RAPB7dOd1Zyxv/MF34VsSZQDVCa59yEE1LbGFe8rpLxifLD3oMhV  
II10650NfplQ8xiut8dAcEnt8C25u10dCYefv3omtROT0+Fm3ekfvDsMVpWwWnc  
x5ZzBve0+sUzuRUCB1yTgOZo2Rcw1P/I6G8hL7mTRKdvvbqjSD8qqfnnCWJ+79dU  
xAGMuAl/NM9NwdKPVRilMmiE/bKMr0zDbAODY5Cn2n6GK28WHdYrbDQjno8s+a6a  
5i+f2AC6hF985s0vZYfrX07oMdFyNIhuhSk3xkrtP3Y0tNvQ+C7X0bQ5EPISiHGS  
7KWjK/MCjc1gxH30EypmYhjK+oSpXIM1T7hmlAVFbdjZe7XY6Yflu1rJnFNjV+E  
S0+2g35mcxUo4CVUCq9t7oCc0mcCqGQNY4WVqPe5zM+qURDikbmw77vKu0J3Y91/  
rJ/pUx9UJlJp

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIFRtCCB0ugAwIBAgIIJAQk5502PX0wCwYJYIZIAWUDBAMCMIGdMQswCQYDVQQG  
EwJVUzETMBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubn12YWxlMREw  
DwYDVQQKDAHg3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDBBG  
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0  
LmNvbTAeFw0yNjAyMTAxOTUxMzRaFw0yODA1MTUxOTUxMzRaMIGdMQswCQYDVQQG  
EwJVUzETMBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubn12YWxlMREw  
DwYDVQQKDAHg3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDBBG  
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0  
LmNvbTCCA0cwggIBgcqhkJ00AQBMIIICLAKCAQEAA3ZsY1bzRSGwAp/30/pBboPG3  
dixmuYf+zJw4FXMIIsJFwj0+fkiERYmCankZs7m8lUdl5CT3ISmKBLCAj8FCFT  
8PYNvqr0Eb171U6naoJjgy2vP/tsQgh6LVUBMPRjaugthS+ tq0zE3JVUjo5PCw8V  
EfQxjPC1/RsrG9QEA0y2F+sVY1Ucr6p4hpV5S01Anjzmf05k1jPzKE8ZT4/RQ+dX  
myHAAwkq1wHb9BpTH05uFcBupjnHZFui/rRP3uRjdFzHJKZmPf8W/DzRmCYjHeSH  
UCMRImfj9HV4Ea8fHazEL6iLVR/HEhHaUdEt5jqttQziKRbKXzP5jGwelpowQQIh  
APGIDWXQL0jnZSkXvG0qbY6UQ+6V1v4M3UqqjxStKa/1AoIBAHUyNij+VD48eE8I  
Q8uF8d+XA0cfpJcP5C6vR7Ls5IX3oTjtH1VW5wMigA+obuGoNv3uNmv3+2ja3YJD  
crjdhe7KHbWkAVdYyoc9KPSqtuhnDqvC3b6Waas1FmtS7FNWWOuaKsRv1TqxRhMp  
hZ9U6Mgc8n8qUo1fiyDNjJHuQnpd7RjZB6KZ6fEkD7rVEopSTcgmla9m59Bm0nY5  
1ySc/StOcpmyK6zOEfgQH9K8t0SnyQ9VE4exSqRhjLZSe7xoplfta5t6IiIlpvLC  
on3y+bB+jL7KyStm812h3dfCTKWA1bFmEHb9tOHgUGjaMmcweG+PjHm1g7LNI+/E  
4CF/P28DggEGAAKCAQEAvhqeRnYEtUKPqQaaA51Xf8Xyq3Y1XF8C4H2pX2uCC510  
//KKbRkk4mttfdZj2nE1FqH1b20TkroICPbC/aa7hQpxbfcdE2QFjXw1QwtfUV51  
KVe0Ly3+NfRbxEOy7bYpyFr40VWmolUDCvoWxys5QZ7LNTrLJ9Gm8/G7c1eIpoaD  
26Tt2TtEMCW5xM970bWp559zEq50d9ChPnKKh1N+A3UvTJnVTtdM/DYx15rx+6h  
wQWrQK+J9+79p/Bss2UnjevK7d2ybDUR5fAaboWszuRwdWsxQYD017ELreob8d+H  
JMpTE06x8eN2G13eqCHwxb212IOT/ZE0uoPU81KUFAmIMCAwCQYDVROTBAlwADAT  
BgNVHSUEDDAKBggrBgEFBQcDATA1Bg1ghkgBZQMEAwIDRWAwRAIgW6/SEcxhLSfM  
OGLnNMaYuuQIWceCZltZVcxccCMr60CICrWMzsDjK7jLY30oLBeqKizs6aQ8jGQ  
X/km2hKZut9+

-----END CERTIFICATE-----"

set range global

```

        set source factory
        set last-updated 1770753097
    next
    edit "Fortinet_SSL_ECDSA256"
        set password ENC
4nfkJ6wCwv7uIa0pmMRX2jzsrNwMloXJwvahhAjMLAQJ2KWl0/Xt38qI405nDKmTi
9iW6VhIFp0qdYq2c8vIqC5jI1KQ3QIhHvrvEQt1+d2iTfjPvUfB2T4cpK+VQut0zb
X80EyWFCSMqElf0mjf+QGuMqQAICoKslxTv+yOKoAMkvH5BC69QPp+EQV4rXNYwr9
odllmMjY3dkVA
        set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
        set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIH0MF8GCSqGSIb3DQEFDtBSMDEGCSqGSIb3DQEFDDAKBBDzDYv6VwUPVQjZ1LHK
7YFiAgIIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKqQLp6uZfvHj9/iL5YR
pvnfTgSBkA03091DwIN9NJ6dwGDeFE3N3nVZv92LcNZjm6BCqlvXYjHpahgCcuuJ
+YXJIoppZ4r7/jrgFaXKXF+KrJveVRFBz3lguw6MQHIKxTT60gTEMc5c6LCe1oz3
+rPw2LmTnyB1Z6PuzYUkxvGJwx4kZUWmTQ3G4mBgp7R8gJFTMYKqR4bKULKgc0Nk
EP0rKPiuag==
-----END ENCRYPTED PRIVATE KEY-----"
        set certificate "-----BEGIN CERTIFICATE-----
MIICVDCCAfqqAwIBAgIIRLGpBeR0J1cwCgYIKoZIzj0EAwIwGZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUxGTAXBgNVBAMMEZ
VDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEWfHN1cHBvcnRAZm9ydGluZXQu
Y29tMB4XDTE2MDIxMDE5NTEzNF0xNDUxNTE5NTEzNF0wGZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUxGTAXBgNVBAMMEZ
VDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEWfHN1cHBvcnRAZm9ydGluZXQu
Y29tMFkwEwYHKoZIzj0CAQYIKoZIzj0DAQcDQgAEkLFP28BpPvBzXNz9w71Xd0+F
YSgzHys5oegT3q2ESxyNbe1QuD8ueJn+fawbUD1fE1z0IAdlcGevcAGG/VLzKMi
MCAwCQYDVR0TBAlwADATBgNVHSEDDAKBggrBgEFBQcDATAKBggqhkiG9w0BCQ
ADBFAiEAw4dx1KqMZ16J2Zhx3SrADTZ9w1mgvIHTQbqJ9wETrHkCIEM1E1pWKWSY
h6sYLeZ85kyR9b3MJC2HFsz2CSbLUkc9
-----END CERTIFICATE-----"
        set range global
        set source factory
        set last-updated 1770753097
    next
    edit "Fortinet_SSL_ECDSA384"
        set password ENC
Qv6agFo2nhDvw88XLjgouuQtXl+iwZ/hEAqlRoG29WZfUMczFgS05nk6trgNcKReJ
xyHAMn1KTyWqBTQkkgOzAK0iAVKhDpWgDR417/2KB3xXrm5lu+V7wCVm4o7sSC9dF
J3FLzHTgJw61CItyVMrEjst6MsyLcbZte+r95qpV6yIgJNpqpe0C/p30QjDJqgBf
VEVlmMjY3dkVA
        set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "

```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIBJDBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQB8NMelMHjJZczmbr
KClNtwICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEDHsd17yulhB7qOG
fLvuly0EgcDLkREbSFXLIi4lMr6hxPyK04ju/qyZYb7JEHSslMu3TjJxtWTna/nS
NagmPEX2UPqQu1lVVMHNX7HnLMsKxfMHPgdoby0tKMVTCLIXeuk61a+87JBH6oCI
2Lgr1D26TWA72P01+06mEyv+YSOcWdV4eh+4XfUiP34u4FG77CVaIQjWpmIUsvkL
azaw1G+lnAl6qbgpabHec0COWChQkzsLSwFa/mH75JnJpGjegsHS3837wIcf4FG0
dbXJ6WiYiHA=
```

```
-----END ENCRYPTED PRIVATE KEY-----"
```

```
set certificate "-----BEGIN CERTIFICATE-----
MIICkTCCAhegAwIBAgIIPFNR+dwyg40wCgYIKoZIzj0EAwIwGZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Gb3J0aUdhGUxGTAXBgNVBAMMEZHZH
VDQwRlRLMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMB4XDTI2MDIxMDE5NTEzNFoXDTI4MDUxNTE5NTEzNFowGZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Gb3J0aUdhGUxGTAXBgNVBAMMEZHZH
VDQwRlRLMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMHYwEAYHKoZIzj0CAQYFK4EEACIDYgAEuAIPwRfajY+/ItAsOE4vwdmNQHoR
lddaLu2aCPZzKGpDXIH0C40PowiqPYpC75+69GN341PIH4bnljH84awFGIhjt2K
WiSDcB7Pukf9gr3GMTxC+srZlOR7fWa3dzdFoyIwIDAjBgNVHRMEAjAAMBGA1Ud
JQQMMAoGCCsGAQUFBwMBMAoGCCqGSM49BAMCA2gAMGUCMQDpdwfrgCYJhZ9TB3y0
Je5rXyYiBvyFf71hWowuyo0IV10LaUNl8/bE3cYy5fCqJgwCMA6oiQSJQmv/9gg4
jiAaZw+keTnTPAS2Mwf8e1p2I0OcpMj+ZWV3Nq8bU5w30AThXw==
```

```
-----END CERTIFICATE-----"
```

```
set range global
set source factory
set last-updated 1770753097
next
edit "Fortinet_SSL_ECDSA521"
set password ENC
tpbpbNzinesNqbHkmsZCyeqW+a8xu7Wc+WU33AyN768WZxMqCqLda3PSXCEpOFkJF1
TpgKXspQvXoZuuyi+pUgPrjkWR+DvjQ6l9QiYvt7aUsaruk26ds+gShCu6K16xabc+
50LPY90KWUvcLCXbgeMoBSsGdXYrSZcNUTy1N4kBfbktsMu+G0hWIC6ow59ob0fVs
OeFlmMjY3dkVA
```

```
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIBZTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQjzBHGvrEESrbkm7c
xuZkWGICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEKt9SyCnZbtdfbdA
3bEyGWsEggEAWcvehnNmJSTmsdvZms4Hfu4RKCaeP0A7R8fhm1ioGVy1IJqgEHgv
gvFsnCI9LilhmX0v5NFJKMnqLfrx/Sh9ACVdGhrxiSHi65X0Lebp/SVFuucjtICZ
biufnH2UVWwAAXeVZjqCLXUrXNd2T1nVTzVUTWw+yS6HxZvPgsGYfuXPsdUOMD3L
karavoAiiE6UkiEr1SrR/IbHKq7dP8W28C+FTl3vMEMM9jAMwLTecrHgHsWaAuVR
S7cwBGRWTAMgJYoGIU8HMmualm2WNzJ5yAQj6chdZSm4C1jd0F6MCCMtoPw3YcR8
Ck8/9idkh1fjLlj8Udot00eNeyhlS1M99w==
```

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIC3DCCAj2gAwIBAgIISC8eY7ghKAYwCgYIKoZIzj0EAwIwGZ0xCzAJBgNVBAYT  
ALVTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP  
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhZGUxGTAXBgNVBAMMEZ  
VDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu  
Y29tMB4XDTI2MDIxMDE5NTEzNFoXDTI4MDUxNTE5NTEzNFowGZ0xCzAJBgNVBAYT  
ALVTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP  
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhZGUxGTAXBgNVBAMMEZ  
VDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu  
Y29tMIGbMBAGByqGSM49AgEGBSuBBAAjA4GGAAQAzCeaFDNy9HezoV7sNEh5XPA6  
X2WrAZ4qJ5kiaP1m3PaXRfP0TI9VovZJtcKZUNNLi2ZIRh3a+/Cz1CBHYXxrposA  
hfui4NDfdD0oA1mQunpkQjBBDG3QuLkGonhzS00vovSYJh8moGaVzLRh8q8byHKg  
17yEYC5WMUBjUzk7MzkU7lujiJAgMAkGA1UdEwQCMAAwEwYDVR01BAwwCgYIKwYB  
BQUHAWewCgYIKoZIzj0EAwIDgYwAMIGIAkIB/rn9H0pgVaPBqHh6U2SQHYxpNHTq  
pqm4C/EXXS1+1Mckptr1X9b9VekpzjRuCgwQsFACK14RXequTPQ82y68FWQCQgFG  
xX5TXRFau1xXe17C+Cs3SaxWENRLTVsVzR2nUX477cscVmFeSQLMJH2Ly115j7Zg  
IA29qsk4Ja6K5VTyzkRQdA==

-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1770753097

next

edit "Fortinet\_SSL\_ED25519"

set password ENC

2PRX+f1DAY50j4bKjtCE1yn90lPu04G/L3iNognpX5INwxZ1wbqXDnFLgUEftJTDN  
h3AH+3WcY/TaGwt3DsQaYhWejIKjXsn5MERwXhxItDn/zcEeHgHz3+B+/W96pxBbm  
d9Axm1T8mDbYjwrF1KIK2zdYAnVc2JGpvjaV0sh9psXK5FqzwQE+hmOGx8KNXp7un  
jwV1mMjY3dkVA

set comments "This certificate is embedded in the  
hardware at the factory and is unique to this unit. "

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----"

MIGjMF8GCSqGSIb3DQEFDTBSMDEGCSqGSIb3DQEFDDAKBBBIXUzPqGrth7nJcec6  
i8AhAgIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKqQQN1w5vhVj9QSwaEBH  
j8bMYgRA1JTYad72z9m6LJE534081rXKPAPF5bKW4VafFlCMpiwgtPbnaIrnejNp  
dgeN6qL8TNkiu8fhAlqEyKTfxwcb1Q==

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIICFDCCAacagAwIBAgIIXJacepfdgkkwBQYDK2VwMIGdMQswCQYDVQQGEwJVUzET  
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK  
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydGluYXR1MRkwFwYDVQQDDDBBGR1Q0MEZU  
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAe  
Fw0yNjAyMTAxOTUxMzRaFw0yODA1MTUxOTUxMzRaMIGdMQswCQYDVQQGEwJVUzET  
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK  
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydGluYXR1MRkwFwYDVQQDDDBBGR1Q0MEZU  
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAe

```

MAUGAyt1cAMhAEF39F64CkF1FyvgVUs60s6qvCVVWQGAE0BH3QIiQzTEoyIwIDAj
BgNVHRMEAjAAMBGA1UdJQMMaOGCCsGAQUFBwMBMAUGAyt1cANBAHgeLa4LRH7d
6uWjm94cg9FeTjkZiTMhaqqG7vzGdGNkWbuLP16ODUNJ7tOHVqnrPE/b574d6IN6
00KZbBy6YQs=
-----END CERTIFICATE-----"
        set range global
        set source factory
        set last-updated 1770753097
    next
    edit "Fortinet_SSL_ED448"
        set password ENC
C01dC5E9TMJifyvYf2spUP1CoL34z+ueu2RtsHvhN8lNOFioSErehVraKD77UxEQz
3kpgE3W9Sk1YSVVYfVW2AcUJGAUnetnt5Pi3BA7dKD7Qoedg4Y2C1AFSwXHvR3ZYJ
mjiQa6DYVnRJOL9BJb1agH63jLaAzq9D54NqSTg4swr8PGS7DLMy2fIPaSf1Fx3AR
j/llmMjY3dkVA
        set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
        set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIGzMF8GCSqGSIb3DQEFDTBSMDEGCSqGSIb3DQEFDDAkBBAovFY9/+CYusOFoEnW
uSBxAgIIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKgQQHo6xaPCjlThOoohQ
NlMBFgrQa1KrTIWd0wN8bK07qYGfYcF76ZrBaUZG7M7uOpGI+bzUpH1bJo5W3obc
bx7GZOUgK/Q1cLC2oKWh7yxGQDs0PP2jK0lPtERNbmRGSxa0AH8=
-----END ENCRYPTED PRIVATE KEY-----"
        set certificate "-----BEGIN CERTIFICATE-----
MIICXzCCAd+gAwIBAgIIcwYlclBwTBuWbQYDK2VxMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBGR1Q0MEZU
SzIzMdk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAe
Fw0yNjAyMTAxOTUxMzRaFw0yODA1MTUxOTUxMzRaMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBGR1Q0MEZU
SzIzMdk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTBD
MAUGAyt1cQM6ACLGvXSo74RUQ82Tf/Inj7+KG9biRUTAi6Phzs7VnTUKordov10
RkLf7VjpVGRpGY9xG3qYdxWUAKMiMCAwCQYDVROTBAlwADATBgNVHSEUDDAKBggr
BgEFBQcDATAFBgMrZXEDcwDYGSttWgNzvUtlJoh8PcK44PZajDswyoqrOhbff4qK
wM3tfBau5qEwnKYLwaqYJ1Q7GXQuLiSeHABvmFSvB8yRS+7CmVZMsA2P7+41et1B
BY0wRVuXzZKzuv9ZZjP2a0JXBJBpwyI1SDVCUqthpAiKGgA=
-----END CERTIFICATE-----"
        set range global
        set source factory
        set last-updated 1770753097
    next
end
config webfilter ftgd-local-cat
    edit "custom1"
        set id 140

```

```

        next
        edit "custom2"
            set id 141
        next
    end
    config ips sensor
        edit "default"
            set comment "Prevent critical attacks."
            config entries
                edit 1
                    set severity medium high critical
                next
            end
        next
        edit "sniffer-profile"
            set comment "Monitor IPS attacks."
            config entries
                edit 1
                    set severity medium high critical
                next
            end
        next
        edit "wifi-default"
            set comment "Default configuration for offloading WiFi
traffic."
            config entries
                edit 1
                    set severity medium high critical
                next
            end
        next
        edit "all_default"
            set comment "All predefined signatures with default
setting."
            config entries
                edit 1
                next
            end
        next
        edit "all_default_pass"
            set comment "All predefined signatures with PASS action."
            config entries
                edit 1
                    set action pass
                next
            end
    end

```

```

    next
    edit "protect_http_server"
        set comment "Protect against HTTP server-side
vulnerabilities."
        config entries
            edit 1
                set location server
                set protocol HTTP
            next
        end
    next
    edit "protect_email_server"
        set comment "Protect against email server-side
vulnerabilities."
        config entries
            edit 1
                set location server
                set protocol SMTP POP3 IMAP
            next
        end
    next
    edit "protect_client"
        set comment "Protect against client-side
vulnerabilities."
        config entries
            edit 1
                set location client
            next
        end
    next
    edit "high_security"
        set comment "Blocks all Critical/High/Medium and some Low
severity vulnerabilities"
        set block-malicious-url enable
        config entries
            edit 1
                set severity medium high critical
                set status enable
                set action block
            next
            edit 2
                set severity low
            next
        end
    next
end

```

```

config firewall shaper traffic-shaper
    edit "high-priority"
        set maximum-bandwidth 1048576
        set per-policy enable
    next
    edit "medium-priority"
        set maximum-bandwidth 1048576
        set priority medium
        set per-policy enable
    next
    edit "low-priority"
        set maximum-bandwidth 1048576
        set priority low
        set per-policy enable
    next
    edit "guarantee-100kbps"
        set guaranteed-bandwidth 100
        set maximum-bandwidth 1048576
        set per-policy enable
    next
    edit "shared-1M-pipe"
        set maximum-bandwidth 1024
    next
end
config application list
    edit "default"
        set comment "Monitor all applications."
        config entries
            edit 1
                set action pass
            next
        end
    next
    edit "sniffer-profile"
        set comment "Monitor all applications."
        unset options
        config entries
            edit 1
                set action pass
            next
        end
    next
    edit "wifi-default"
        set comment "Default configuration for offloading WiFi
traffic."
        set deep-app-inspection disable

```

```

        config entries
            edit 1
                set action pass
                set log disable
            next
        end
    next
    edit "block-high-risk"
        config entries
            edit 1
                set category 2 6
            next
            edit 2
                set action pass
            next
        end
    next
end
config dlp data-type
    edit "edm-keyword"
        set pattern ".*"
        set transform "/\\0/i"
    next
    edit "keyword"
        set pattern "built-in"
    next
    edit "regex"
        set pattern "built-in"
    next
    edit "hex"
        set pattern "built-in"
    next
    edit "mip-label"
        set pattern "^[[[:xdigit:]]{8}-[[[:xdigit:]]{4}-[[[:xdigit:]]{4}-[[[:xdigit:]]{4}-[[[:xdigit:]]{12}$"
        set transform "built-in"
    next
    edit "credit-card"
        set pattern "\\b([2-6]{1}\\d{3})[- ]?(\\d{4})[- ]?(\\d{2})[- ]?(\\d{2})[- ]?(\\d{2,4})\\b"
        set verify "builtin)credit-card"
        set look-back 20
        set transform "\\b\\1[- ]?\\2[- ]?\\3[- ]?\\4[- ]?\\5\\b"
    next
    edit "ssn-us"
        set pattern "\\b(\\d{3})-(\\d{2})-(\\d{4})\\b"

```

```

        set verify "(?<!--)\b(?:666|000|9\d{2})\d{3}-
(?!\00)\d{2}-(?!0{4})\d{4}\b(?:!--)"
        set look-back 12
        set transform "\\b\\1-\\2-\\3\\b"
    next
end
config dlp filepattern
    edit 1
        set name "builtin-patterns"
        config entries
            edit "*.bat"
            next
            edit "*.com"
            next
            edit "*.dll"
            next
            edit "*.doc"
            next
            edit "*.exe"
            next
            edit "*.gz"
            next
            edit "*.hta"
            next
            edit "*.ppt"
            next
            edit "*.rar"
            next
            edit "*.scr"
            next
            edit "*.tar"
            next
            edit "*.tgz"
            next
            edit "*.vb?"
            next
            edit "*.wps"
            next
            edit "*.xl?"
            next
            edit "*.zip"
            next
            edit "*.pif"
            next
            edit "*.cpl"
            next

```

```

        end
    next
    edit 2
        set name "all_executables"
        config entries
            edit "bat"
                set filter-type type
                set file-type bat
            next
            edit "exe"
                set filter-type type
                set file-type exe
            next
            edit "elf"
                set filter-type type
                set file-type elf
            next
            edit "hta"
                set filter-type type
                set file-type hta
            next
        end
    next
end
config dlp profile
    edit "default"
        set comment "Default profile."
    next
    edit "sniffer-profile"
        set comment "Log a summary of email and web traffic."
        set summary-proto smtp pop3 imap http-get http-post
    next
    edit "Content_Summary"
        set summary-proto smtp pop3 imap http-get http-post ftp
nntp cifs
    next
    edit "Content_Archive"
        set full-archive-proto smtp pop3 imap http-get http-post
ftp nntp cifs
        set summary-proto smtp pop3 imap http-get http-post ftp
nntp cifs
    next
    edit "Large-File"
        config rule
            edit 1
                set name "Large-File-Filter"

```

```

        set proto smtp pop3 imap http-get http-post
        set file-size 5120
        set action log-only
    next
end
next
end
config webfilter ips-urlfilter-setting
end
config webfilter ips-urlfilter-setting6
end
config log threat-weight
    config web
        edit 1
            set category 26
            set level high
        next
        edit 2
            set category 61
            set level high
        next
        edit 3
            set category 86
            set level high
        next
        edit 4
            set category 1
            set level medium
        next
        edit 5
            set category 3
            set level medium
        next
        edit 6
            set category 4
            set level medium
        next
        edit 7
            set category 5
            set level medium
        next
        edit 8
            set category 6
            set level medium
        next
        edit 9

```

```
        set category 12
        set level medium
    next
    edit 10
        set category 59
        set level medium
    next
    edit 11
        set category 62
        set level medium
    next
    edit 12
        set category 83
        set level medium
    next
    edit 13
        set category 72
    next
    edit 14
        set category 14
    next
    edit 15
        set category 96
        set level medium
    next
end
config application
    edit 1
        set category 2
    next
    edit 2
        set category 6
        set level medium
    next
end
end
config user fortitoken
    edit "FTKMOB42C7AD9F89"
        set license "FTMTRIAL0DE8D397"
    next
    edit "FTKMOB42D8963825"
        set license "FTMTRIAL0DE8D397"
    next
end
config user local
    edit "guest"
```

```

        set type password
        set passwd ENC
r7MG1YbsU0jhGskaiIAyf454i5phyCRuC+J45Wu1Fj0Rbrhl5dCwE5s3PiTJfV1g0
hL4pPKiG1wqHiU30/W38BNZ47dmi2JqbefTqYM1awa+HzRO4IBvosErmZ+hkxJGvh
WKVtNuiqZo1FaGsoUXdgWv5uGPI2U+F301F7NnU3UlnQufoNHfYFOgNfWD6y6R/tls
IxFlmMjY3dkVA
    next
end
config user setting
    set auth-cert "Fortinet_Factory"
end
config user group
    edit "SSO_Guest_Users"
    next
    edit "Guest-group"
        set member "guest"
    next
end
config voip profile
    edit "default"
        set comment "Default VoIP profile."
        config sip
        end
    next
    edit "strict"
        config sip
            set malformed-request-line discard
            set malformed-header-via discard
            set malformed-header-from discard
            set malformed-header-to discard
            set malformed-header-call-id discard
            set malformed-header-cseq discard
            set malformed-header-rack discard
            set malformed-header-rseq discard
            set malformed-header-contact discard
            set malformed-header-record-route discard
            set malformed-header-route discard
            set malformed-header-expires discard
            set malformed-header-content-type discard
            set malformed-header-content-length discard
            set malformed-header-max-forwards discard
            set malformed-header-allow discard
            set malformed-header-p-asserted-identity discard
            set malformed-header-sdp-v discard
            set malformed-header-sdp-o discard
            set malformed-header-sdp-s discard

```

```

        set malformed-header-sdp-i discard
        set malformed-header-sdp-c discard
        set malformed-header-sdp-b discard
        set malformed-header-sdp-z discard
        set malformed-header-sdp-k discard
        set malformed-header-sdp-a discard
        set malformed-header-sdp-t discard
        set malformed-header-sdp-r discard
        set malformed-header-sdp-m discard
    end
next
end
config system sdwan
    config zone
        edit "virtual-wan-link"
        next
    end
    config health-check
        edit "Default_DNS"
            set system-dns enable
            set interval 1000
            set probe-timeout 1000
            set recoverytime 10
            config sla
                edit 1
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 5
                next
            end
        next
    end
    edit "Default_Office_365"
        set server "www.office.com"
        set protocol https
        set interval 120000
        set probe-timeout 1000
        set recoverytime 10
        config sla
            edit 1
                set latency-threshold 250
                set jitter-threshold 50
                set packetloss-threshold 5
            next
        end
    next
    edit "Default_Gmail"

```

```

        set server "gmail.com"
        set interval 1000
        set probe-timeout 1000
        set recoverytime 10
        config sla
            edit 1
                set latency-threshold 250
                set jitter-threshold 50
                set packetloss-threshold 2
            next
        end
    next
    edit "Default_Google Search"
        set server "www.google.com"
        set protocol https
        set interval 120000
        set probe-timeout 1000
        set recoverytime 10
        config sla
            edit 1
                set latency-threshold 250
                set jitter-threshold 50
                set packetloss-threshold 5
            next
        end
    next
    edit "Default_FortiGuard"
        set server "fortiguard.com"
        set protocol https
        set interval 120000
        set probe-timeout 1000
        set recoverytime 10
        config sla
            edit 1
                set latency-threshold 250
                set jitter-threshold 50
                set packetloss-threshold 5
            next
        end
    next
end
end
config dnsfilter profile
    edit "default"
        set comment "Default dns filtering."
        config ftgd-dns

```

```
config filters
  edit 1
    set category 2
  next
  edit 2
    set category 7
  next
  edit 3
    set category 8
  next
  edit 4
    set category 9
  next
  edit 5
    set category 11
  next
  edit 6
    set category 12
  next
  edit 7
    set category 13
  next
  edit 8
    set category 14
  next
  edit 9
    set category 15
  next
  edit 10
    set category 16
  next
  edit 11
  next
  edit 12
    set category 57
  next
  edit 13
    set category 63
  next
  edit 14
    set category 64
  next
  edit 15
    set category 65
  next
  edit 16
```

```
        set category 66
    next
    edit 17
        set category 67
    next
    edit 18
        set category 26
        set action block
    next
    edit 19
        set category 61
        set action block
    next
    edit 20
        set category 86
        set action block
    next
    edit 21
        set category 88
        set action block
    next
    edit 22
        set category 90
        set action block
    next
    edit 23
        set category 91
        set action block
    next
    edit 24
        set category 96
        set action block
    next
    edit 25
        set category 98
        set action block
    next
    edit 26
        set category 99
        set action block
    next
end
end
set block-botnet enable
next
end
```

```
config antivirus settings
    set machine-learning-detection enable
    set grayware enable
end
config antivirus profile
    edit "default"
        set comment "Scan files and block viruses."
        config http
            set av-scan block
        end
        config ftp
            set av-scan block
        end
        config imap
            set av-scan block
            set executables virus
        end
        config pop3
            set av-scan block
            set executables virus
        end
        config smtp
            set av-scan block
            set executables virus
        end
    end
next
    edit "sniffer-profile"
        set comment "Scan files and monitor viruses."
        config http
            set av-scan block
        end
        config ftp
            set av-scan block
        end
        config imap
            set av-scan block
            set executables virus
        end
        config pop3
            set av-scan block
            set executables virus
        end
        config smtp
            set av-scan block
            set executables virus
        end
    end
end
```

```
next
edit "wifi-default"
    set comment "Default configuration for offloading WiFi
traffic."
    config http
        set av-scan block
    end
    config ftp
        set av-scan block
    end
    config imap
        set av-scan block
        set executables virus
    end
    config pop3
        set av-scan block
        set executables virus
    end
    config smtp
        set av-scan block
        set executables virus
    end
next
end
config file-filter profile
    edit "default"
        set comment "File type inspection."
    next
    edit "sniffer-profile"
        set comment "File type inspection."
    next
end
config webfilter ftgd-risk-level
    edit "high"
        set high 100
        set low 91
    next
    edit "suspicious"
        set high 90
        set low 71
    next
    edit "moderate"
        set high 70
        set low 51
    next
    edit "low"
```

```

        set high 50
        set low 21
    next
    edit "trustworthy"
        set high 20
        set low 1
    next
    edit "unrated"
    next
end
config webfilter profile
    edit "default"
        set comment "Default web filtering."
        config ftgd-wf
            unset options
            config filters
                edit 1
                    set action block
                next
                edit 2
                    set category 2
                    set action block
                next
                edit 3
                    set category 7
                    set action block
                next
                edit 4
                    set category 8
                    set action block
                next
                edit 5
                    set category 9
                    set action block
                next
                edit 6
                    set category 11
                    set action block
                next
                edit 7
                    set category 13
                    set action block
                next
                edit 8
                    set category 14
                    set action block
            
```

```
next
edit 9
    set category 15
    set action block
next
edit 10
    set category 16
    set action block
next
edit 11
    set category 26
    set action block
next
edit 12
    set category 57
    set action block
next
edit 13
    set category 61
    set action block
next
edit 14
    set category 63
    set action block
next
edit 15
    set category 64
    set action block
next
edit 16
    set category 65
    set action block
next
edit 17
    set category 66
    set action block
next
edit 18
    set category 67
    set action block
next
edit 19
    set category 83
    set action block
next
edit 20
```

```
        set category 86
        set action block
next
edit 21
        set category 88
        set action block
next
edit 22
        set category 90
        set action block
next
edit 23
        set category 91
        set action block
next
edit 24
        set category 96
        set action block
next
edit 25
        set category 98
        set action block
next
edit 26
        set category 99
        set action block
next
edit 27
        set category 1
next
edit 28
        set category 3
next
edit 29
        set category 4
next
edit 30
        set category 5
next
edit 31
        set category 6
next
edit 32
        set category 12
next
edit 33
```

```
        set category 59
    next
    edit 34
        set category 62
    next
end
end
next
edit "sniffer-profile"
    set comment "Monitor web traffic."
    config ftgd-wf
        config filters
            edit 1
            next
            edit 2
                set category 1
            next
            edit 3
                set category 2
            next
            edit 4
                set category 3
            next
            edit 5
                set category 4
            next
            edit 6
                set category 5
            next
            edit 7
                set category 6
            next
            edit 8
                set category 7
            next
            edit 9
                set category 8
            next
            edit 10
                set category 9
            next
            edit 11
                set category 11
            next
            edit 12
                set category 12
```

```
next
edit 13
    set category 13
next
edit 14
    set category 14
next
edit 15
    set category 15
next
edit 16
    set category 16
next
edit 17
    set category 17
next
edit 18
    set category 18
next
edit 19
    set category 19
next
edit 20
    set category 20
next
edit 21
    set category 23
next
edit 22
    set category 24
next
edit 23
    set category 25
next
edit 24
    set category 26
next
edit 25
    set category 28
next
edit 26
    set category 29
next
edit 27
    set category 30
next
```

```
edit 28
    set category 31
next
edit 29
    set category 33
next
edit 30
    set category 34
next
edit 31
    set category 35
next
edit 32
    set category 36
next
edit 33
    set category 37
next
edit 34
    set category 38
next
edit 35
    set category 39
next
edit 36
    set category 40
next
edit 37
    set category 41
next
edit 38
    set category 42
next
edit 39
    set category 43
next
edit 40
    set category 44
next
edit 41
    set category 46
next
edit 42
    set category 47
next
edit 43
```

```
        set category 48
next
edit 44
        set category 49
next
edit 45
        set category 50
next
edit 46
        set category 51
next
edit 47
        set category 52
next
edit 48
        set category 53
next
edit 49
        set category 54
next
edit 50
        set category 55
next
edit 51
        set category 56
next
edit 52
        set category 57
next
edit 53
        set category 58
next
edit 54
        set category 59
next
edit 55
        set category 61
next
edit 56
        set category 62
next
edit 57
        set category 63
next
edit 58
        set category 64
```

```
next
edit 59
    set category 65
next
edit 60
    set category 66
next
edit 61
    set category 67
next
edit 62
    set category 68
next
edit 63
    set category 69
next
edit 64
    set category 70
next
edit 65
    set category 71
next
edit 66
    set category 72
next
edit 67
    set category 75
next
edit 68
    set category 76
next
edit 69
    set category 77
next
edit 70
    set category 78
next
edit 71
    set category 79
next
edit 72
    set category 80
next
edit 73
    set category 81
next
```

```
edit 74
    set category 82
next
edit 75
    set category 83
next
edit 76
    set category 84
next
edit 77
    set category 85
next
edit 78
    set category 86
next
edit 79
    set category 87
next
edit 80
    set category 88
next
edit 81
    set category 89
next
edit 82
    set category 90
next
edit 83
    set category 91
next
edit 84
    set category 92
next
edit 85
    set category 93
next
edit 86
    set category 94
next
edit 87
    set category 95
next
edit 88
    set category 96
next
edit 89
```

```

        set category 97
    next
    edit 90
        set category 98
    next
    edit 91
        set category 99
    next
    edit 92
        set category 100
    next
    edit 93
        set category 101
    next
end
end
next
edit "wifi-default"
    set comment "Default configuration for offloading WiFi
traffic."
    set options block-invalid-url
    config ftgd-wf
        unset options
        config filters
            edit 1
                set action block
            next
            edit 2
                set category 2
                set action block
            next
            edit 3
                set category 7
                set action block
            next
            edit 4
                set category 8
                set action block
            next
            edit 5
                set category 9
                set action block
            next
            edit 6
                set category 11
                set action block

```

```
next
edit 7
    set category 13
    set action block
next
edit 8
    set category 14
    set action block
next
edit 9
    set category 15
    set action block
next
edit 10
    set category 16
    set action block
next
edit 11
    set category 26
    set action block
next
edit 12
    set category 57
    set action block
next
edit 13
    set category 61
    set action block
next
edit 14
    set category 63
    set action block
next
edit 15
    set category 64
    set action block
next
edit 16
    set category 65
    set action block
next
edit 17
    set category 66
    set action block
next
edit 18
```

```
        set category 67
        set action block
next
edit 19
        set category 83
        set action block
next
edit 20
        set category 86
        set action block
next
edit 21
        set category 88
        set action block
next
edit 22
        set category 90
        set action block
next
edit 23
        set category 91
        set action block
next
edit 24
        set category 96
        set action block
next
edit 25
        set category 98
        set action block
next
edit 26
        set category 99
        set action block
next
edit 27
        set category 1
next
edit 28
        set category 3
next
edit 29
        set category 4
next
edit 30
        set category 5
```

```
        next
        edit 31
            set category 6
        next
        edit 32
            set category 12
        next
        edit 33
            set category 59
        next
        edit 34
            set category 62
        next
    end
end
next
edit "monitor-all"
    set comment "Monitor and log all visited URLs, flow-
based."
    config ftgd-wf
        unset options
        config filters
            edit 1
                set category 1
            next
            edit 2
                set category 3
            next
            edit 3
                set category 4
            next
            edit 4
                set category 5
            next
            edit 5
                set category 6
            next
            edit 6
                set category 12
            next
            edit 7
                set category 59
            next
            edit 8
                set category 62
            next
```

```
edit 9
    set category 83
next
edit 10
    set category 2
next
edit 11
    set category 7
next
edit 12
    set category 8
next
edit 13
    set category 9
next
edit 14
    set category 11
next
edit 15
    set category 13
next
edit 16
    set category 14
next
edit 17
    set category 15
next
edit 18
    set category 16
next
edit 19
    set category 57
next
edit 20
    set category 63
next
edit 21
    set category 64
next
edit 22
    set category 65
next
edit 23
    set category 66
next
edit 24
```

```
        set category 67
next
edit 25
        set category 19
next
edit 26
        set category 24
next
edit 27
        set category 25
next
edit 28
        set category 72
next
edit 29
        set category 75
next
edit 30
        set category 76
next
edit 31
        set category 26
next
edit 32
        set category 61
next
edit 33
        set category 86
next
edit 34
        set category 17
next
edit 35
        set category 18
next
edit 36
        set category 20
next
edit 37
        set category 23
next
edit 38
        set category 28
next
edit 39
        set category 29
```

```
next
edit 40
    set category 30
next
edit 41
    set category 33
next
edit 42
    set category 34
next
edit 43
    set category 35
next
edit 44
    set category 36
next
edit 45
    set category 37
next
edit 46
    set category 38
next
edit 47
    set category 39
next
edit 48
    set category 40
next
edit 49
    set category 42
next
edit 50
    set category 44
next
edit 51
    set category 46
next
edit 52
    set category 47
next
edit 53
    set category 48
next
edit 54
    set category 54
next
```

```
edit 55
    set category 55
next
edit 56
    set category 58
next
edit 57
    set category 68
next
edit 58
    set category 69
next
edit 59
    set category 70
next
edit 60
    set category 71
next
edit 61
    set category 77
next
edit 62
    set category 78
next
edit 63
    set category 79
next
edit 64
    set category 80
next
edit 65
    set category 82
next
edit 66
    set category 85
next
edit 67
    set category 87
next
edit 68
    set category 31
next
edit 69
    set category 41
next
edit 70
```

```
        set category 43
next
edit 71
        set category 49
next
edit 72
        set category 50
next
edit 73
        set category 51
next
edit 74
        set category 52
next
edit 75
        set category 53
next
edit 76
        set category 56
next
edit 77
        set category 81
next
edit 78
        set category 84
next
edit 79
next
edit 80
        set category 88
next
edit 81
        set category 89
next
edit 82
        set category 90
next
edit 83
        set category 91
next
edit 84
        set category 92
next
edit 85
        set category 93
next
```

```

        edit 86
            set category 94
        next
        edit 87
            set category 95
        next
        edit 88
            set category 96
        next
        edit 89
            set category 97
        next
        edit 90
            set category 98
        next
        edit 91
            set category 99
        next
        edit 92
            set category 100
        next
        edit 93
            set category 101
        next
    end
end
set log-all-url enable
set web-content-log disable
set web-filter-command-block-log disable
set web-filter-cookie-log disable
set web-url-log disable
set web-invalid-domain-log disable
set web-ftgd-err-log disable
next
end
config webfilter search-engine
    edit "google"
        set hostname ".*\\.google\\.\\.*"
        set url
        "^\\/(custom|search|images|videosearch|webhp)\\/?)"
        set query "q="
        set safesearch url
        set safesearch-str "&safe=active"
    next
    edit "yahoo"
        set hostname ".*\\.yahoo\\.\\.*"

```

```

        set url "^\\search(\\video|\\images){0,1}(\\?|;)"
        set query "p="
        set safesearch url
        set safesearch-str "&vm=r"
    next
    edit "bing"
        set hostname ".*\\.bing\\..*"
        set url
    "^((\\images|\\videos)?(\\search|\\async|\\asynv2)\\?)?"
        set query "q="
        set safesearch header
    next
    edit "yandex"
        set hostname "yandex\\..*"
        set url
    "^\\(((yand|images|\\video|\\)(search)|search|\\))\\?)?"
        set query "text="
        set safesearch url
        set safesearch-str "&family=yes"
    next
    edit "youtube"
        set hostname ".*youtube.*"
        set safesearch header
    next
    edit "baidu"
        set hostname ".*\\.baidu\\.com"
        set url "^\\s?\\?"
        set query "wd="
    next
    edit "baidu2"
        set hostname ".*\\.baidu\\.com"
        set url "^\\(ns|m|i|v)\\?"
        set query "word="
    next
    edit "baidu3"
        set hostname "tieba\\.baidu\\.com"
        set url "^\\f?\\?"
        set query "kw="
    next
    edit "vimeo"
        set hostname ".*vimeo.*"
        set url "^\\search\\?"
        set query "q="
        set safesearch header
    next
    edit "yt-scan-1"

```

```

        set url "www.youtube.com/user/"
        set safesearch yt-scan
    next
    edit "yt-scan-2"
        set url "www.youtube.com/youtubei/v1/browse"
        set safesearch yt-scan
    next
    edit "yt-scan-3"
        set url "www.youtube.com/youtubei/v1/player"
        set safesearch yt-scan
    next
    edit "yt-scan-4"
        set url "www.youtube.com/youtubei/v1/navigator"
        set safesearch yt-scan
    next
    edit "yt-channel"
        set url "www.youtube.com/channel/"
        set safesearch yt-channel
    next
    edit "yt-pattern"
        set url "youtube.com/channel/"
        set safesearch yt-pattern
    next
    edit "twitter"
        set hostname "twitter\\.com"
        set url "^\\i\\/api\\/graphql\\/.*\\/UserByScreenName"
        set query "variables="
        set safesearch translate
        set safesearch-str "regex::%22screen_name%22:%22([A-Za-
z0-9_]{4,15})%22::twitter.com/\\1"
    next
    edit "google-translate-1"
        set hostname "translate\\.google\\.\\.*"
        set url "^\\/translate"
        set query "u="
        set safesearch translate
        set safesearch-str "regex::(?:\\?|&)u=([^&]+)::\\1"
    next
    edit "google-translate-2"
        set hostname ".*\\.translate\\.\\.goog"
        set url "^\\/\"
        set safesearch translate
        set safesearch-str "case::google-translate"
    next
end
config emailfilter profile

```

```

edit "sniffer-profile"
    set comment "Malware and phishing URL monitoring."
    config imap
    end
    config pop3
    end
    config smtp
    end
next
edit "default"
    set comment "Malware and phishing URL filtering."
    config imap
    end
    config pop3
    end
    config smtp
    end
next
end
config virtual-patch profile
    edit "default"
    next
end
config log memory setting
    set status enable
end
config log null-device setting
    set status disable
end
config firewall schedule recurring
    edit "always"
        set uuid 3ccbd61e-11bd-51f1-a9ba-aeec02013351
        set day sunday monday tuesday wednesday thursday friday
saturday
    next
    edit "none"
        set uuid 3e72d756-11bd-51f1-a411-b27278df8eb7
    next
    edit "default-darrp-optimize"
        set uuid 3e72e200-11bd-51f1-774b-3d0c77d76dbc
        set start 01:00
        set end 01:30
        set day sunday monday tuesday wednesday thursday friday
saturday
    next
end

```

```
config firewall ssh local-key
  edit "Fortinet_SSH_RSA2048"
    set password ENC
AAAASJs0sV502E0hPVazw3I0kdDCIMJdU3KKBGuTPm/2jMIxBq7FqtaHQFUcyC3qv
Yr8/k4+XHTFQMC6mjlAc6y/ugLSGRjTsniaPQ/pKwnG0uPuwL+bH+p6/TCoCvC9IM
SGUtKS8pAC8UXP9PLcVJKNaysJTMX1mMje4tKphRaKrql8w01rvGyTyTmfFLaK8+e
Wc1lmMjY3dkVA
    set private-key "-----BEGIN OPENSsh PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACmFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABBEu
N/ZYG
+WHfXPm950jjvAAAAEAAAAEAAAEXAAAAB3NzaC1yc2EAAAADAQABAAQDebXE
rv71l
olQQ0JhWZg+8ajef+wrGbuRt6hM8C6tQA4YfgWwpRw+a+tgGBNR/gx6PtemJI+TJe
ZlKgi
vAP2Qp/2gMgxwPx/Qfn+prTa91JceKXm8hprhY/dF1zUaSiCmQri4S1FnEsZATbKi
OPosZ
I8R3WngFYeP8V6+RMqm83+Z+uCiW+Prjlc7Fc+Da+HNkFrDY875/gIzs1Fh8jm5NV
CbAc1
xHndGZ5mGz2GwrZMM18zUY1KMKAZyuK4m7Zfm3KZge+w0+ya682qP0vMWHKgc6eB0
90FmD
XxSfY3T60fbDL5uD8bBm6UmFA0YsrM0GFL0SBINKFis2g10c624vAAADwFEVHpFK5
lG20+
cOyMwAcKpJPJ8a2dF3Z5P4WbiLpHe5DQkwXHyFMsavSpIjL486Pk07/j2XL188CPi
SpyxC
XxXlS55nemQ9PMQOE/T9ER7fsq+eGjaG0C5vS53c50cwzPsiD3iQVP2UL142HyvvN
IjArZ
X64YW5wDVFXoWkjuMUJlAwcK78fY+fvm31TwnffHQsGLIBrhDhZvT7MyKZ4kR2g6q
04xMF
HtqWwVLI4ivIBIYv36fLXmFbYAGbroZ0FXMQLQojbDVRL9ztLL1sw18RSew7nIBvV
HvbVi
DwoIkdqMU6zP7yBJxb5+VbFRxqTpki4Bu7ufA2HvED53+NCElW2XbDexpX70g1nZD
Y64w7
VfHVBBr5q6mzG0Mn6K2+OzAt1GaBs4KsXLwn8/LCKFKUgcjVt4QGvu4XMEeMH85QUH
m0N34
3r5cRir5MSM0EhkUbmOysDkuq/tgtH1ACKtX0wKX5cj3/aPOfGcz83S/cL+G4ciPJ
2e7D/
tgfz3JkKjqzLant6IA5KbAdCV4EMEAumLmFyMyQy/Fk/13FA2rkI4mUTGRhH3ZUoJ
aI8gU
s8h3SWhgDd2DAWdyfGWbh8R30ye1BcmPo52K+7vDoIJ2ZvPJHdub4PbmNELmTmEgw
Pp32P
NCZEU23uLj2Lot1iW5qSEba3g6nrTyd0eIMf+p6FjY9T/y81VJIME4JMnTN0lk06k
61tk2
9q36R1cq/ZzFqoKr7LfoB4Pv4r5D8jPl28gsra+7iJjI64jmf6iV70KHblX2Njmmj
EcrEH
zRctGZ613H7Lmmn3GioVhPRD5et5PXWfDSQ6fKbYRF69nIV3Bv//hgQ/nH+1eyMSA
BcC/R
```

```
65zyY0Xf1IpJ6k5zB6eIxvvhcwwQMXjgZJY1Ixq05TKiIxHc4QEjaaRkx5AS8wnD
E8Rqh
Yh0AFkgOGgdb8KzJIZWcKexuNwKZ74qAPYXdmwAb5SizNPSjoTRVCmjG3aahAatxP
NMD0G
D0sLre3VQECJHvjC1nCqnEVgF+HHxADehPVo9Rlom/++k1KXPuW7S01m1mVRCgp64
ZYyUC
8ytyPcaNcXHXK0FysVx0TdEgo0A2ipJkXkuzqMhS09Y02gU+gxQ8nAGYaIkB37Uni
UfgNk
GjjdmOx3+FNwNKGnAzfAB0Hk1me72T107u6EfLaw+vqk434DJhLgjjMThd0U6yB80
1mSoy
NOpFc/kmv7N4d9yDv2LR6nXrvZfZcjZChKib8Droy5g68Uifia6Z44sEfYsQb02Up
fvYbV
HXMHV1NQ==
-----END OPENSSH PRIVATE KEY-----
"
```

```
    set public-key "ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQDebXErV71l0lQQ0JhWZg+8ajef+wrGbUrT6
hM8C6tQA4YfgWwpRw+a+tggBNR/gx6PtemJI+TJeZlKgivAP2Qp/2gMgxwPx/Qfn+
prTa91JceKXm8hprhY/dF1zUaSiCmQri4S1FnEsZATbKi0PosZI8R3WngFYeP8V6+
RMqm83+Z+uCiW+Prjlc7Fc+Da+HNkFrdy875/gIzs1Fh8jm5NVCbAc1xHndGZ5mGz
2GwrZMM18zUY1KMKAZyuK4m7Zfm3KZge+w0+ya682qP0vMWHKgc6eB090FmDXsFY
3T60fbDL5uD8bBm6UmFA0Ysrm0GFL0SBINKFis2g10c624v"
    set source built-in
next
edit "Fortinet_SSH_DSA1024"
    set password ENC
AAAAS01JjLxNC9K+RoakCKrHX1f9BR46xKVSGi8ImuBadoeaauy6i6T9it4zoivnG
LZv9DIEJNJjtGWVpf7ZkmSsv3juaamDm3fLzavAQzMBv2zonWz/pghHQIcv3ejA4y
nY6Vy30dFF83HZOUcZlFZMjvBBY5iXGtILXJARzSWy3BZ/eSwmMWE/ThwWx0/CMhp
QoVlmMjY3dkVA
    set private-key "-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACMFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAAGAAAABC4e
XwiOp
It+TCAL2+cN9VDAAAAEAAAAEAAAGxAAAAB3NzaC1kc3MAAACBAI6jnpDiwlHtKVw
0Qcru
dKCXWmHUzPuj3TFMqPVZyaKddwF66SNCyjlX3RPBNYjz6R2XJcjQ55rQaiC6L0A6e
zPa0a
j26xUUJtd0GnH2gcGUhFbfXCa+GTWY5HLdXrdYvELy1MD7sVcdbN1DPq6YM1e3e6r
0eSoP
CKRq9w8NmQVrAAAAFQCMr+OnbyWqst5AktQ6fbryhwVq/wAAAIbBqpyaZxTQSDwEK
oHmhE
RjPzc+VwhMGoctdEiPtRGaAocjDwA4sSBynGqmpjdsyiXwkdqTtGhC6hUuc58qUQS
w+gRj
p2jA5/k+Kgn0n1p9Q2nE5CqXE0nX+Jo1XFkjmqypHNaSujucB/AdUKUSW7QfCkV7K
vUPXV
```

```
x/gttDMbTE+gAAAIaKw6pTHfR9AUJBot++Z70URXKFzxZa2GxQIFZinHyVBI10MT
Yt+/Z
C+S6ppjxvSb0FkXsQY6Kr05h7nt5XDZJVXCpsfDnYx1V0Rtw9yw+OSad7Gd8sEz64
nC60M
zdxC6q7zJpCSmN2TUcEoKPAqf/Hkh+BfqSUKUuIPM3rbyuMAAAeCTngcJTxBTTT0
zyY/5
Jx09ZS3MejLgQRNBiWnjZ7gjs+qngH07F0N7omLeX9zH6VOWMIp0jjZTa00ZpDta9
UZXjG
3vv855mLXcJQzCsDNeS68R2AKmNqOSii3SkiyEeM5AK2JUxbqQef9qFHdA9nrV14J
MOFc2
5mmWbCB/dzHp1j0xeH500WuazSyBafGlFjm1oMtsZ5mSiSec89CZuNgtQLNaXp4MF
VT2q/
3QMprof/YDe7tSCrKKve1ii9vo5xEwD2gH1YwzEEyZZuRBS3vsXUZGIL+7+fLys12
+9M08
hIaTardD5rXxnFwUeXM2k8GyiDeOVyd5nk1iG3xhCBz8Qkucu/5UvK00o8K9CjEL
Od7om
f72DqChBmILF9UgK4tQYtpNeCPuo+I2nQteMGsiB1dS6tQhYUCyy9Jz84gMnHUb1j
QFhGS
EUnpR561F8yC6uDp3e8zssuLXTEC3ZVU2UTRr79d8pmeQ6Icvax/2R45iXyKQxh47
DQ1/3
1GWRKrAQUPhnwzqKmvvDi3U8hdAZvWkiIUfZMmrZHU8vJ8gRz4gXv/hD1LjAEoqIE
My0um
E3V71E4AJ4hXklJ2Xg4dGemGS/YkNabXbuEKV80t868hSTu1/KSRTT422IZQPrM=
-----END OPENSSH PRIVATE KEY-----
"
```

```
set public-key "ssh-dss
AAAAB3NzaC1kc3MAAACBAI6jnpDiwlHtKVw0QcrudKCXWmHUzPuj3TFMqPVZyaKdd
wF66SNCyjlX3RPBNYjz6R2XJcjQ55rQaiC6L0A6ezPa0aj26xUUJtd0GnH2gcGUhF
bfXCa+GTWY5HLdXrdYvELy1MD7sVcdbN1DPq6YM1e3e6r0eSoPCKRq9w8NmQVrAAA
AFQCmr+OnbyWqst5AktQ6fbryhwVq/wAAAIbBqpyaZxTQSDwEKoHmhERjPzc+VwhM
GoctdEiPtRGaAocjDWA4sSBynGmpjdsyiXwkDqTtGhC6hUuc58qUQSw+gRjp2jA5
/k+Kgn0n1p9Q2nE5CqXE0nX+Jo1XFkjQmYPHNaSujucB/AdUKUSW7QfCkV7KvUPXV
x/gttDMbTE+gAAAIaKw6pTHfR9AUJBot++Z70URXKFzxZa2GxQIFZinHyVBI10MT
Yt+/ZC+S6ppjxvSb0FkXsQY6Kr05h7nt5XDZJVXCpsfDnYx1V0Rtw9yw+OSad7Gd8
sEz64nC60MzdxC6q7zJpCSmN2TUcEoKPAqf/Hkh+BfqSUKUuIPM3rbyuMA=="
set source built-in
next
edit "Fortinet_SSH_ECDSA256"
set password ENC
AAAASDmlS0XVPalZ0uxImNhOrffBd9HiBvdqHN6iCb5bnPYxNBwz0Txynphe/9c7d
YjT7oQ/60tOGh2JbjQcARFbQrOWmL6Vc139Y+TFyPlF7mmMs/n4oFTkIKVwLRQ9tc
zh0NEL0SrMp7+EeWq6q8ybwSb+oVMrmBbADR0QZgs+fjnhZcklqFag149tgMivLEm
pJF1mMjY3dkVA
set private-key "-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACMFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABA11
BkpA1
```

```
TkSUtqZ3q8gn09AAAAEAAAAAEAAABoAAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAA
Ibmlz
dHAyNTYAAABBBBCId4B5AB9nt6D0xI8bR7B7sEFwJ61y27tYST6oGnf8uTyH0c05r/
ywhbx
1o5RCcyi8NWzYahD6TXS01XCMxFZcAAACg LH8jBIBhjEwLQyETfNbD0g/m6HA21AO
IcFuh
MpMaJ8rUf5moBw6h5s9ky+BVTB6vYAcJXi4sPEpGnckw6R3i4zyWyhLQ3c/g4xNUe
LHk9R
IrBu/+e+vTIYJP5Cqa+4F4fGOWgVqZKnRqQpkd/vUMRRIp75+7S1b58CL1gn3pUEQ
mC5Vy
ZmhaB2kVsusp8tXYyWnm0zWqUOrcDH8+Oz6F1w==
-----END OPENSSH PRIVATE KEY-----
"
```

```
    set public-key "ecdsa-sha2-nistp256
AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBBCId4B5AB9nt6
D0xI8bR7B7sEFwJ61y27tYST6oGnf8uTyH0c05r/ywhbx1o5RCcyi8NWzYahD6TXS
01XCMxFZc="
    set source built-in
next
edit "Fortinet_SSH_ECDSA384"
    set password ENC
AAAASmqsq2Tz4W2727Zi5D2A3VTF0efv9IeWzsswetilk70paetm7B0mIV0CGF2k0
qCkNGQgLGvQjzE2QRA3uc1BG1HmIepBfa/x8UAz1DNUvAEb715yWfu56zYTkDaEkg
zEN1TWZzkUUTN8G5bkH+qADdGewbt5R2tKZDU7lX9u6HW3d116kV7qUv1dx4NYppj
TqllmMjY3dkVA
    set private-key "-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACmFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABBSy
eX/xw
/d10gBqN4SpXb4AAAAEAAAAEAAACIAAAAE2VjZHNhLXNoYTItbmlzdHAzODQAAAA
Ibmlz
dHAzODQAAABhBBy1hvDVImX10fuA/1JWSAdGfAxif0uy1JtR5eD9oLGLkPWrINvAN
4Q5R3
kGUto48/mmNx+L9gOk/baqaGhE+a+uATrBTlq3mtvwuLgLG/N3UQwkS1yuWq41Lmi
HIZZm
oAAAANDWRuzyX7LMIHo0m4s5LgTGn1L1EKZZ3xaB4/QWECXmbUk84yhCysFVfoTlG
6XbWM
F8cT6Czfs7I+dLRa4Bys05nJQFrCSC2lchbxT0fKg/esZ7JkpA1Sfpykcfp5tR0Pc
JbTSa
QmBVmpl4MklyneZyvyPVk8Z/2fgriQG70hIOPvIDPmoV2QlGXxAwNIaJSr4ca9kHd
DzeMd
peXh0UROSQnbLt3ns6qaTjFLqFVf5G0cDI3x/S1dQahjiKw5blaT0c1qlsE0r0tYU
o9p5r
f0hB
-----END OPENSSH PRIVATE KEY-----
"
```

```

        set public-key "ecdsa-sha2-nistp384
AAAAE2VjZHNhLXNoYTItbmlzdHAzODQAAAIbmlzdHAzODQAAABhBBy1hvDVImX10
fuA/1JWSAdGfAxifOuy1JtR5eD9oLGLkPWrINvAN4Q5R3kGUto48/mmNx+L9gOk/b
aqaGhE+a+uATrBTlq3mtvwuLgLG/N3UQwkS1yuWq4lLmiHIZZmoA=="
        set source built-in
    next
    edit "Fortinet_SSH_ECDSA521"
        set password ENC
AAAAASI3sm/YQXZTfrG0QRN88rpSivPmvPDSFJs0JU7PXXclXxHxZBAC6mKSrwB9V
lRy5DkLCZvpT9Bruny10cA1b6F/e7sP0Wgjbgr6azqab9hibeFj3nVcuvTkq06SUE
43/BCTg91jrcDQVeIxEECxuMu+B9EeDWClWfftXGbsmKPrGi6lyJ5Ea41/XYG/83P
CXFlmMjY3dkVA
        set private-key "-----BEGIN OPENSsh PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAACmFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAAGAAAABD4+
+iXxW
chB0xVoYErX9tWAAAAEAAAAEAAACsAAAAE2VjZHNhLXNoYTItbmlzdHA1MjEAAAA
Ibmlz
dHA1MjEAAACFBAF86UGgn/A1UbDHPcAPnJFd4B59vNzvEDZjP48KF07l5BR0Zotg7
wlyrE
K1Isrtz2e+XnI3064qZlG9rEkp3nc0HAB2o60JVrMh9TkQ/+ /nb6k4seTecnRqv+B
8X9ep
YDrvAAiIsEtu7qyf0hhy/roVocsFyrgCxBrRdjnbIOKQDto0kgAAAQD7SZ0anwfmh
L8Gn6
VH/ZZSe7LcaK3E33Pnk0V3bCJ0mxf7CKNtNYh4C5yfXG0sEBQ13J+Rcfyu8p06d+Y
zk70p
1JIZBNoBHyUBAh+PvI/bSZACSUYqzk09Xrngmnt/WTOL/PTgy03LkSX707cFFJMLV
03Xkg
evqt+di2sj/hN8YNWqSLUj26XzosLHopEK+17RH7yecm62Y9XK4RB/2a1lGHZ36RF
0XUK7
JDM66XsVSVKDU/8F6M+DEzr+5ao3V47y/q/DGvu88GqPT5t63lmNx03DQoLET7xZm
frU00
KqEp5J+1LVf9QgHQbWMGWgiuAtDbTWji3rbrVgtmOBfFgL
-----END OPENSsh PRIVATE KEY-----
"
```

```

        set public-key "ecdsa-sha2-nistp521
AAAAE2VjZHNhLXNoYTItbmlzdHA1MjEAAAAIbmlzdHA1MjEAAACFBAF86UGgn/A1U
bDHPcAPnJFd4B59vNzvEDZjP48KF07l5BR0Zotg7wlyrEK1Isrtz2e+XnI3064qZl
G9rEkp3nc0HAB2o60JVrMh9TkQ/+ /nb6k4seTecnRqv+B8X9epYDrvAAiIsEtu7qy
f0hhy/roVocsFyrgCxBrRdjnbIOKQDto0kg=="
        set source built-in
    next
    edit "Fortinet_SSH_ED25519"
        set password ENC
AB53Q0xG5X2q60hD7Pnd+en7/xYPkpJweOjja7xH2W0QWNJkRBjAnPZMzStmS7Dhw
1pRqFpqSVFehnQPKgSR2L/JJeJbwe1RtULvRfYwUU9wmDTQH+gDR+OPXBjkb833ZW

```

```
701DvWDCZBidGPIasGOu3BtTvGh5rYwvTUAbjQdUJwzeWD6tE2uRFaOnf9Tf1wXc0
no1lmMjY3dkVA
    set private-key "-----BEGIN OPENSsh PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACMFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABAsy
7nLVu
nnoTrFVUMQW1m0AAAAEAAAAEAAAAzAAAAC3NzaC1lZDI1NTE5AAAAIFSc2yXyha1
5fJm5
25lIgTvTgzaZE/UDUsb970bnGyj8AAAAkIqALtz7mvHiQvVZGjTHhnXm9MCi1JTlZ
gquWw
Si1odFXwHU8kbbu//NeXCg9k5Bc9RM03gYYhe1utZPhy34IQmK2CZcnA+UFKv621/
b6kxM
jLBp4ebmtzbIHLYBA5zZLCGNGcQ9UGc3fvzrz6kcAJ0Yrgv6SdaWHlvJ6D9fYRrKT
HQqQI
WxEotAECefSD3jAA==
-----END OPENSsh PRIVATE KEY-----
"

    set public-key "ssh-ed25519
AAAAC3NzaC1lZDI1NTE5AAAAIFSc2yXyha15fJm525lIgTvTgzaZE/UDUsb970bnG
yj8"

    set source built-in
next
end
config firewall ssh local-ca
    edit "Fortinet_SSH_CA"
        set password ENC
AAAASH7iKJ8tJ/Giyl87IM5hpehDDWDEGXmCADpaMcsiVnuxaTEc9xIKpSPxzwVUL
IDhVKkoSrgiSYfT9zFLAAz8QpZA0x6Wea84IQsKlZ8Jb0jWa4CEBjsluem/Xfq8oR
pCvm1eZEPFyWnc5WAHiZ/aPib+sJti1b7m8MEizdVEmjozle5IYFzidpXoe5teeC
aTllmMjY3dkVA
        set private-key "-----BEGIN OPENSsh PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAACMFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABANj
odq1s
vbKcJaFPcCdy1dAAAAEAAAAEAAAEXAAAAB3NzaC1yc2EAAAADAQABAAQCoAKd
b1p5l
UCBmN+PH1Dy9oJLDtjDGQ9ZcyfGD0bjJtxcvou2LBKiscfvgYiApC2sUlu5YvnB1w
Lws0G
QY4n0L7JQDtIqf5dQ4i8oOHMsG+4oMagXC/nFS4QR0aKxubxD9xdukojpXfD8Rwm6
EJ4hy
emT03XzvdPhG3ZIfeFoSCJ0X9tptRKoZ7KkU9r4NDqxtobM9FLAx/v7qyn1T+ZIf9
Zlcf+
uMdb/EAnRIrCSeAVg611lpJPWCmTlu8UuLFtjOJtogiAHGkQyL2Nqvirk7of4TbdW
hk3sf
xkqSrRt9xB07xzuEZWk8kFVEcI+87QCV/L7Ei1ppmU4bYtQOCPDxAAADwOWBrXVcz
YXXAk
+pCh8NQZHOR8xt9em8/Z88LuWZx6wHYNEj2Rq0y3sU2o31P0jwhr3vmGvyfpsGyPm
11FrT
```

```
CpVdozIyMEkAb8f4SocxY0FPGsleeeQkXg5aQf91caK/b2bPbRXxKcKgNw6lG3rZi
IT8Y2
T8bqIMj9rYaNkU7B4VP06Snphk1kTdams2D6M3w9h2jI75bRJzQ3gdwvaZAPCF4/Z
jEdpL
IzuE7hRd4xtRkE0Gta102XiVL14seFzAAGqSfyzjFpKUfArHyeHF7ILjNJbCdEWLA
51PLL
gfAcbrxQE3XkBagWvzjfqVKvk1KbZa0bqLehxxLfNxJ0jSAjatDatEgFOY8DnduKf
k02jk
3AlK46HT6Ju3qqbUQCDeCJi1rKDdn1fIBFKWQ88WFvSbTNPZV2a5Av54RyrP2Qoh8
HuBsT
gXhd/+apSQUoXYI4ZJoodPnlivIjaPCreJwJgi9r1X+MqpIOa1QZdCSt0+8R/SqA5
v1Psm
wszNdiRivx+MCq+Fepupho0K3XtsJgwo534YufuR0MeBDBmdSP1IGjYPbjYVReILH
8L1Gp
QuRs4mrsEaR/EM9gDdFrgoaLHKipY+UIbdP2d3K5XDmNUjp9BppawleCyUgkG3hNv
/adXs
51LBHeP7yZ5Fb4nVQP2SWTDXcoHA9WvL6C7BDd0zx+LDXV1zu4ec/8qHgYTJeNN0a
6aL0j
Wsp4q8TqH16g0Brtd45tmTLi4lJ1V2+LCv6RepmpR4sc5tCYwht/40ZXS9lmlAjK5
TjN6v
6dLR1Rz9Z0p8QHW0012C80rAZ+fQr65zQaVh52WcNVbrxWIzGb0gx1MqqqmMyW2pN
YexKy
a8J3z8RSZ5L0kWufnz/7yJ4b4lHzK9rio0lo0ZfMYhdpTaD3foGsnBysXMBfBi/Nl
mDVJV
57qaMF8xKai1Ux1eazmytrKYTmyGPHh3y0C6SX4wlyhR1p5U9Dx3XK/5ZTUhdXLwx
Y8He7
/Qusu7CzisR07flpMAlcLX1cCW+kSMiegNuF5SuWuTfG168HPNDySIN2OYXt0z8rH
qK0W0
YXGsA0YjC0newdgIVOC+nXyIlw9Q0EVKT7ofvJqg05QGUZzBujBP3bgYmR/134AUt
gywvC
y8mw10uMBOUPtPpA+zu05D44wgujUXf4wUXk4Q1Fb8nP8TnONaknt5f1VRluZqPLz
/eoUd
6/sloukjpLPhsrQHxsptF8VyxasLywCccT0S2xRwYo4DxytWpFdWAmPtaB83v4q9c
QgF8c
GohMLJ2A==
-----END OPENSSH PRIVATE KEY-----
"
```

```
    set public-key "ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQCoAKdb1p5lUCBmN+PH1Dy9oJLDtjDGQ9Zcy
fGD0bjJtxcvou2LBKiscfvGyiApC2sUlu5YvnB1wLws0GQY4n0L7JQDtiqf5dQ4i8
o0HMsG+4oMagXC/nFS4QR0aKxubxD9xdukojpXfD8Rwm6EJ4hyemT03XzvdPhG3ZI
feFoSCJ0X9tptRKoZ7KkU9r4NDqxtobM9FLAx/v7qyn1T+ZIf9Zlcf+uMdb/EAnRI
rCSeAVg611lpJPWCmTlu8UuLFtj0JtogiAHGkQyL2Nqvirk7of4TbdWhk3sfxkqSr
Rt9xB07xzuEZwk8kFVEcI+87QCV/L7Ei1ppmU4bYtQ0CPDx"
    set source built-in
next
```

```
edit "Fortinet_SSH_CA_Untrusted"
set password ENC
AAAASNho4slyUuzzS0qup/M2pvLo5hYxhW6rsneCGnk+gG89hms/xH3PuqVJ9fLLW
G6hAYGdY1E09JqH1QVUmIXATm5Y2/OHSDWbuKsGxwiySQn9zc0VnKxjzcjtKomJHS
ltCuuiFYTmW12Ggf2IhkchAgfGYECr1haPNRVVfZYafH+E07hEtzTiByRZgriYjzr
jZ1lmMjY3dkVA
set private-key "-----BEGIN OPENSsh PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAACMFlczI1Ni1jdHIAAAAGYmNyeXB0AAAAGAAAABBmE
5Sel/
Eh561G0ypXujIrAAAAEAAAAEAAAEXAAAAB3NzaC1yc2EAAAADAQABAAQCu9en
ZF/wx
jaLvJXB1vvG3I1QjNGNxtNbWFeQjFDABm8FRoYegBI3KPgrQMFnf0mExTSUYoVJ6M
CQ94J
rVRgzAhLV4DuhajqUB17ASwvnoqOE8IuUWynDY+yntZKZfz0YmSLSBbLS+zM+Mh+O
BzGuE
Vn19PbDpMEhpCBWpqs+s32pvUB8DSBLHiQzdsd0FdI30EgEIEY/x2Qmio6lUXxdiv
VUe0c
YFebgcFFWz8w+ghv0tLCaQ1eoSeS0yzchcc13Wq5lCFGVyxRmNN4PQPweRsxPbNDV
tklqK
ud862QlvPCPS1IeBTX4SJAaHo3mp2yzdEvBx+qxJxhokv1DB5R17AAADwLakomov7
ek1yL
HJJhG/ZwsyWHiWEnaljgki1u9LzR/gICy+e5VJc1jKGeWuSsUQwy9hWKmY98YrCJT
JazpF
TmRCSLpBxH0DdQzKpaDMKGtIb6y+NALonXBrvdnIRz8MUa3ZgyIJrcfudrTaIi0n3
V8k4P
NA0EeERWcjZSDAvi+4N3C6+QvAxrFM2kDMvs1kS7NwTTR2TSCqIwb+5FomVnLzwTC
1JdX5
3V0cN29Jn2qngikuCn1YEN1TIHf13S9i+GkLJbavW0s+K38Lzd4UGSZRD+ddUGPob
ziCzh
6EHAWrAMvd8BX3W+v9zHK4rgWlFekDfHxW2co2B47q/2316grkxxPgvIhV/B7ARuD
XUrz6
PcgoUOFF+D/+hv0BBVWJx17m8cAh07LR5+fkQa1J8V/lpj/jfKA8wG6odXjs08T3s
aHRGk
W8U7+Vhub879xty/+TzHyYBwFIL19DKjd6AfLLhGhK5rTb1D3B/wN4QzLnkJNXt0/
ztHMi
h1ny4iXqZdH03Yl+njcUwktv0BZq9rBV4zuUTXYiyqH1nRnhp/sbD5J7ijTAeg1Ry
h0BrD
aRD173mT6JVsZqqoXOKRY5HzwhMXUhNema44FgvGwfUIumaxfMMTzM8nZIVNW+LyC
rfVLV
S8obWXGgMZ+URbtsud0BQk0hk3/KYI/tkVKY1GBF45NYq8hvPwj09MsBVHjU1PTXo
w+M9X
AVzEPdc/95R62M5G9M98KYKhnlpatQ4mPYGfzvXan2xswaypng8qiem9Ia9Afeb0D
9GYyE
xLB1NFns/YCb6d8b8nwJpzL8gj4d3uuXBRXttdd9IiWEDQDctay9vZr1sQL+nrrh82
0Jaif
```

```
Equ8iZCmXfOrG7B3lVFHEpg41XtDPaInjQD2Kez8seZz85lCGVNVKnI4yUuo4QBto
gK42P
aKQj0BPjH076ma0aNZfhvbMPS93cdAeOHTEnirrHuicTSwUf4Nv7KXDr5XkhN/iEk
7vH8w
OAPflihsISH8hmYfSWXXIL1r4Jt00TNGlqoCdwKgnpJatGrfJ0pfAtD7YLSDRqBgD
00rM+
eA/JiZh9pnOGqIsUQct/172xj70aQ9QuA47FdCYV+chD1o50oAW0Qs+keTWHrICSK
dr/Uf
DLJ6eZj0fJZ0/IZ1eS07HBwa96G86DLwuovz8KRPIByIs49lJooeo3F1lu+RoGzm+
7uQr0
JkPkppUM1EGbdWuYLebNZlPX0odmhd0v2H24iaANcW04tLDJra7WdKiCe49PQOAPY
Mh8Ys
NDx0NZkQ==
-----END OPENSSH PRIVATE KEY-----
"
```

```
    set public-key "ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQCu9enZF/wxjaLvJXB1vvG3IJQjNGNxtNbWf
eQjFDABm8FRoYegBI3KPgrQMFnf0mExTSUYoVJ6MCQ94JrVRgzAhLV4DuhajqUB17
ASwvnoqOE8IuUWynDY+yntZKZfz0YmSLSBbLS+zM+Mh+OBzGuEVn19PbDpMEhpCBW
pqs+s32pvUB8DSBLHiQzdsd0FdI30EgEIEY/x2Qmio6lUXxdivVUe0cYFebgcffWz
8w+ghv0tLCaQ1eoSeS0yzchcc13Wq5lCFGVyxRmNN4PQPweRsxPbNDVtklqKud862
QlvPCPS1IeBTX4SJAaHo3mp2yzdEvBx+qxJxhokv1DB5R17"
    set source built-in
next
end
config firewall ssh setting
    set caname "Fortinet_SSH_CA"
    set untrusted-caname "Fortinet_SSH_CA_Untrusted"
    set hostkey-rsa2048 "Fortinet_SSH_RSA2048"
    set hostkey-dsa1024 "Fortinet_SSH_DSA1024"
    set hostkey-ecdsa256 "Fortinet_SSH_ECDSA256"
    set hostkey-ecdsa384 "Fortinet_SSH_ECDSA384"
    set hostkey-ecdsa521 "Fortinet_SSH_ECDSA521"
    set hostkey-ed25519 "Fortinet_SSH_ED25519"
end
config firewall profile-protocol-options
    edit "default"
        set comment "All default services."
        config http
            set ports 80
            unset options
            unset post-lang
        end
        config ftp
            set ports 21
            set options splice
```

```

end
config imap
    set ports 143
    set options fragmail
end
config pop3
    set ports 110
    set options fragmail
end
config smtp
    set ports 25
    set options fragmail splice
end
config nntp
    set ports 119
    set options splice
end
config dns
    set ports 53
end
config cifs
    set ports 445
    unset options
end
next
end
config firewall ssl-ssh-profile
    edit "deep-inspection"
        set comment "Read-only deep inspection profile."
        config https
            set ports 443
            set status deep-inspection
        end
        config ftps
            set ports 990
            set status deep-inspection
        end
        config imaps
            set ports 993
            set status deep-inspection
        end
        config pop3s
            set ports 995
            set status deep-inspection
        end
        config smtps

```

```
        set ports 465
        set status deep-inspection
    end
    config dot
        set status disable
    end
    config ssl-exempt
        edit 1
            set fortiguard-category 31
        next
        edit 2
            set fortiguard-category 33
        next
        edit 3
            set type wildcard-fqdn
            set wildcard-fqdn "adobe"
        next
        edit 4
            set type wildcard-fqdn
            set wildcard-fqdn "Adobe Login"
        next
        edit 5
            set type wildcard-fqdn
            set wildcard-fqdn "android"
        next
        edit 6
            set type wildcard-fqdn
            set wildcard-fqdn "apple"
        next
        edit 7
            set type wildcard-fqdn
            set wildcard-fqdn "appstore"
        next
        edit 8
            set type wildcard-fqdn
            set wildcard-fqdn "auth.gfx.ms"
        next
        edit 9
            set type wildcard-fqdn
            set wildcard-fqdn "citrix"
        next
        edit 10
            set type wildcard-fqdn
            set wildcard-fqdn "dropbox.com"
        next
        edit 11
```

```
        set type wildcard-fqdn
        set wildcard-fqdn "ease"
next
edit 12
        set type wildcard-fqdn
        set wildcard-fqdn "firefox update server"
next
edit 13
        set type wildcard-fqdn
        set wildcard-fqdn "fortinet"
next
edit 14
        set type wildcard-fqdn
        set wildcard-fqdn "googleapis.com"
next
edit 15
        set type wildcard-fqdn
        set wildcard-fqdn "google-drive"
next
edit 16
        set type wildcard-fqdn
        set wildcard-fqdn "google-play2"
next
edit 17
        set type wildcard-fqdn
        set wildcard-fqdn "google-play3"
next
edit 18
        set type wildcard-fqdn
        set wildcard-fqdn "Gotomeeting"
next
edit 19
        set type wildcard-fqdn
        set wildcard-fqdn "icloud"
next
edit 20
        set type wildcard-fqdn
        set wildcard-fqdn "itunes"
next
edit 21
        set type wildcard-fqdn
        set wildcard-fqdn "microsoft"
next
edit 22
        set type wildcard-fqdn
        set wildcard-fqdn "skype"
```

```
next
edit 23
    set type wildcard-fqdn
    set wildcard-fqdn "softwareupdate.vmware.com"
next
edit 24
    set type wildcard-fqdn
    set wildcard-fqdn "verisign"
next
edit 25
    set type wildcard-fqdn
    set wildcard-fqdn "Windows update 2"
next
edit 26
    set type wildcard-fqdn
    set wildcard-fqdn "live.com"
next
edit 27
    set type wildcard-fqdn
    set wildcard-fqdn "google-play"
next
edit 28
    set type wildcard-fqdn
    set wildcard-fqdn "update.microsoft.com"
next
edit 29
    set type wildcard-fqdn
    set wildcard-fqdn "swscan.apple.com"
next
edit 30
    set type wildcard-fqdn
    set wildcard-fqdn "autoupdate.opera.com"
next
edit 31
    set type wildcard-fqdn
    set wildcard-fqdn "cdn-apple"
next
edit 32
    set type wildcard-fqdn
    set wildcard-fqdn "mzstatic-apple"
next
end
next
edit "custom-deep-inspection"
    set comment "Customizable deep inspection profile."
    config https
```

```
        set ports 443
        set status deep-inspection
    end
    config ftps
        set ports 990
        set status deep-inspection
    end
    config imaps
        set ports 993
        set status deep-inspection
    end
    config pop3s
        set ports 995
        set status deep-inspection
    end
    config smtps
        set ports 465
        set status deep-inspection
    end
    config dot
        set status disable
    end
    config ssl-exempt
        edit 1
            set fortiguard-category 31
        next
        edit 2
            set fortiguard-category 33
        next
        edit 3
            set type wildcard-fqdn
            set wildcard-fqdn "adobe"
        next
        edit 4
            set type wildcard-fqdn
            set wildcard-fqdn "Adobe Login"
        next
        edit 5
            set type wildcard-fqdn
            set wildcard-fqdn "android"
        next
        edit 6
            set type wildcard-fqdn
            set wildcard-fqdn "apple"
        next
        edit 7
```

```
        set type wildcard-fqdn
        set wildcard-fqdn "appstore"
next
edit 8
        set type wildcard-fqdn
        set wildcard-fqdn "auth.gfx.ms"
next
edit 9
        set type wildcard-fqdn
        set wildcard-fqdn "citrix"
next
edit 10
        set type wildcard-fqdn
        set wildcard-fqdn "dropbox.com"
next
edit 11
        set type wildcard-fqdn
        set wildcard-fqdn "ease"
next
edit 12
        set type wildcard-fqdn
        set wildcard-fqdn "firefox update server"
next
edit 13
        set type wildcard-fqdn
        set wildcard-fqdn "fortinet"
next
edit 14
        set type wildcard-fqdn
        set wildcard-fqdn "googleapis.com"
next
edit 15
        set type wildcard-fqdn
        set wildcard-fqdn "google-drive"
next
edit 16
        set type wildcard-fqdn
        set wildcard-fqdn "google-play2"
next
edit 17
        set type wildcard-fqdn
        set wildcard-fqdn "google-play3"
next
edit 18
        set type wildcard-fqdn
        set wildcard-fqdn "Gotomeeting"
```

```
next
edit 19
    set type wildcard-fqdn
    set wildcard-fqdn "icloud"
next
edit 20
    set type wildcard-fqdn
    set wildcard-fqdn "itunes"
next
edit 21
    set type wildcard-fqdn
    set wildcard-fqdn "microsoft"
next
edit 22
    set type wildcard-fqdn
    set wildcard-fqdn "skype"
next
edit 23
    set type wildcard-fqdn
    set wildcard-fqdn "softwareupdate.vmware.com"
next
edit 24
    set type wildcard-fqdn
    set wildcard-fqdn "verisign"
next
edit 25
    set type wildcard-fqdn
    set wildcard-fqdn "Windows update 2"
next
edit 26
    set type wildcard-fqdn
    set wildcard-fqdn "live.com"
next
edit 27
    set type wildcard-fqdn
    set wildcard-fqdn "google-play"
next
edit 28
    set type wildcard-fqdn
    set wildcard-fqdn "update.microsoft.com"
next
edit 29
    set type wildcard-fqdn
    set wildcard-fqdn "swscan.apple.com"
next
edit 30
```

```

        set type wildcard-fqdn
        set wildcard-fqdn "autoupdate.opera.com"
    next
    edit 31
        set type wildcard-fqdn
        set wildcard-fqdn "cdn-apple"
    next
    edit 32
        set type wildcard-fqdn
        set wildcard-fqdn "mzstatic-apple"
    next
end
next
edit "no-inspection"
    set comment "Read-only profile that does no inspection."
    config https
        set status disable
    end
    config ftps
        set status disable
    end
    config imaps
        set status disable
    end
    config pop3s
        set status disable
    end
    config smtps
        set status disable
    end
    config dot
        set status disable
    end
next
edit "certificate-inspection"
    set comment "Read-only SSL handshake inspection profile."
    config https
        set ports 443
        set status certificate-inspection
    end
    config ftps
        set status disable
    end
    config imaps
        set status disable
    end
end

```

```

        config pop3s
            set status disable
        end
        config smtps
            set status disable
        end
        config dot
            set status disable
        end
    next
end
config firewall policy
    edit 1
        set uuid ee6d998e-06b9-51f1-96b5-b36ff7ab8616
        set srcintf "lan"
        set dstintf "wan"
        set action accept
        set srcaddr "all"
        set dstaddr "all"
        set schedule "always"
        set service "ALL"
        set nat enable
    next
    edit 2
        set name "Internet Outgoing"
        set uuid 1a5d6faa-0850-51f1-e02f-ed8ba186e67f
        set srcintf "lan2"
        set dstintf "wan"
        set action accept
        set srcaddr "lan2 address"
        set dstaddr "all"
        set schedule "always"
        set service "ALL"
        set nat enable
    next
    edit 3
        set name "Interlan Traffic"
        set uuid 60e7f9ce-1672-51f1-2ed5-997859da2571
        set srcintf "lan2"
        set dstintf "lan"
        set action accept
        set srcaddr "lan2 address"
        set dstaddr "lan"
        set schedule "always"
        set service "ALL"
    next

```

```

edit 4
    set name "interlan traffic 2"
    set uuid bad10462-1672-51f1-b6ad-b9f0212423b4
    set srcintf "lan"
    set dstintf "lan2"
    set action accept
    set srcaddr "lan"
    set dstaddr "lan2 address"
    set schedule "always"
    set service "ALL"
next
end
config switch-controller security-policy 802-1X
    edit "802-1X-policy-default"
        set user-group "SSO_Guest_Users"
    next
end
config switch-controller security-policy local-access
    edit "default"
        set mgmt-allowaccess https ping ssh
        set internal-allowaccess https ping ssh
    next
end
config switch-controller lldp-profile
    edit "default"
        set med-tlvs inventory-management network-policy
location-identification
        set auto-isl disable
    config med-network-policy
        edit "voice"
        next
        edit "voice-signaling"
        next
        edit "guest-voice"
        next
        edit "guest-voice-signaling"
        next
        edit "softphone-voice"
        next
        edit "video-conferencing"
        next
        edit "streaming-video"
        next
        edit "video-signaling"
        next
    end
end

```

```

        config med-location-service
            edit "coordinates"
            next
            edit "address-civic"
            next
            edit "elin-number"
            next
        end
    next
    edit "default-auto-isl"
    next
    edit "default-auto-mclag-icl"
        set auto-mclag-icl enable
    next
end
config switch-controller qos dot1p-map
    edit "voice-dot1p"
        set priority-0 queue-4
        set priority-1 queue-4
        set priority-2 queue-3
        set priority-3 queue-2
        set priority-4 queue-3
        set priority-5 queue-1
        set priority-6 queue-2
        set priority-7 queue-2
    next
end
config switch-controller qos ip-dscp-map
    edit "voice-dscp"
        config map
            edit "1"
                set cos-queue 1
                set value 46
            next
            edit "2"
                set cos-queue 2
                set value 24,26,48,56
            next
            edit "5"
                set cos-queue 3
                set value 34
            next
        end
    next
end
config switch-controller qos queue-policy

```

```
edit "default"
  set schedule round-robin
  set rate-by kbps
  config cos-queue
    edit "queue-0"
    next
    edit "queue-1"
    next
    edit "queue-2"
    next
    edit "queue-3"
    next
    edit "queue-4"
    next
    edit "queue-5"
    next
    edit "queue-6"
    next
    edit "queue-7"
    next
  end
next
edit "voice-egress"
  set schedule weighted
  set rate-by kbps
  config cos-queue
    edit "queue-0"
    next
    edit "queue-1"
      set weight 0
    next
    edit "queue-2"
      set weight 6
    next
    edit "queue-3"
      set weight 37
    next
    edit "queue-4"
      set weight 12
    next
    edit "queue-5"
    next
    edit "queue-6"
    next
    edit "queue-7"
    next
```

```

        end
    next
end
config switch-controller qos qos-policy
    edit "default"
    next
    edit "voice-qos"
        set trust-dot1p-map "voice-dot1p"
        set trust-ip-dscp-map "voice-dscp"
        set queue-policy "voice-egress"
    next
end
config switch-controller storm-control-policy
    edit "default"
        set description "default storm control on all port"
    next
    edit "auto-config"
        set description "storm control policy for fortalink-is1-
ic1 port"
        set storm-control-mode disabled
    next
end
config switch-controller auto-config policy
    edit "pse"
    next
    edit "default"
    next
    edit "default-ic1"
        set poe-status disable
        set igmp-flood-report enable
        set igmp-flood-traffic enable
    next
end
config switch-controller initial-config template
    edit "_default"
        set vlanid 1
    next
    edit "quarantine"
        set vlanid 4093
        set dhcp-server enable
    next
    edit "rspan"
        set vlanid 4092
        set dhcp-server enable
    next
    edit "voice"

```

```
        set vlanid 4091
    next
    edit "video"
        set vlanid 4090
    next
    edit "onboarding"
        set vlanid 4089
    next
    edit "nac_segment"
        set vlanid 4088
        set dhcp-server enable
    next
end
config switch-controller switch-profile
    edit "default"
    next
end
config switch-controller ptp profile
    edit "default"
    next
end
config switch-controller ptp interface-policy
    edit "default"
    next
end
config switch-controller remote-log
    edit "syslogd"
    next
    edit "syslogd2"
    next
end
config wireless-controller setting
    set darrp-optimize-schedules "default-darrp-optimize"
end
config wireless-controller arrp-profile
    edit "arrp-default"
    next
end
config wireless-controller wids-profile
    edit "default"
        set comment "Default WIDS profile."
        set ap-scan enable
        set wireless-bridge enable
        set deauth-broadcast enable
        set null-ssid-probe-resp enable
        set long-duration-attack enable
```

```
        set invalid-mac-oui enable
        set weak-wep-iv enable
        set auth-frame-flood enable
        set assoc-frame-flood enable
        set spoofed-deauth enable
        set asleap-attack enable
        set eapol-start-flood enable
        set eapol-logoff-flood enable
        set eapol-succ-flood enable
        set eapol-fail-flood enable
        set eapol-pre-succ-flood enable
        set eapol-pre-fail-flood enable
    next
    edit "default-wids-apscan-enabled"
        set ap-scan enable
    next
end
config wireless-controller ble-profile
    edit "fortiap-discovery"
        set advertising ibeacon eddystone-uid eddystone-url
        set ibeacon-uuid "wtp-uuid"
    next
end
config ips settings
end
config router rip
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "ospf"
    end
    config redistribute "bgp"
    end
    config redistribute "isis"
    end
end
config router ripng
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "ospf"
    end
    config redistribute "bgp"
    end
end
```

```
        config redistribute "isis"
    end
end
config router static
    edit 1
        set device "wan"
        set dynamic-gateway enable
    next
end
config router ospf
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "rip"
    end
    config redistribute "bgp"
    end
    config redistribute "isis"
    end
end
config router ospf6
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "rip"
    end
    config redistribute "bgp"
    end
    config redistribute "isis"
    end
end
config router bgp
    config redistribute "connected"
    end
    config redistribute "rip"
    end
    config redistribute "ospf"
    end
    config redistribute "static"
    end
    config redistribute "isis"
    end
    config redistribute6 "connected"
    end
```

```
    config redistribute6 "rip"
  end
  config redistribute6 "ospf"
  end
  config redistribute6 "static"
  end
  config redistribute6 "isis"
  end
end
config router isis
  config redistribute "connected"
  end
  config redistribute "rip"
  end
  config redistribute "ospf"
  end
  config redistribute "bgp"
  end
  config redistribute "static"
  end
  config redistribute6 "connected"
  end
  config redistribute6 "rip"
  end
  config redistribute6 "ospf"
  end
  config redistribute6 "bgp"
  end
  config redistribute6 "static"
  end
end
config router multicast
end
```