



Cybersecurity Academy: Configuring Small Office Wireless Networks with a FortiGate 40F WLAN Controller

Hunter Zhuang

Contents

Purpose.....	3
Background Information.....	3
Lab Summary.....	4
Network Diagram with IPs	4
Problems	4
Conclusion	4
Lab Configuration.....	5
FortiGate 40F Configuration File	27

Purpose

The purpose of this lab is to configure a FortiGate 40F firewall with a secure IPsec remote access VPN, so that a remote client can initiate a tunnel connection to the firewall. Additionally, remote desktop protocol was configured on one of the lan PCs to simulate a practical use of a VPN in an office workplace.

Background Information

A virtual private network (VPN) allows for a private network to be extended across the internet. This is done through tunneling protocols by encapsulating and then encrypting the packet. Usually, a high level of encryption is desired for VPNs because they go over public networks. Additionally, hashing algorithms are used to verify the integrity of packets, making sure that they haven't been altered while in transit.

This means that one practical use case of a VPN is to connect office LANs together securely. For example, a branch office may want to have a VPN to the headquarters office because branch office employees need to access the same file servers that are located at headquarters. Such a configuration is known as a site-to-site VPN; this kind of VPN connects two local networks together, in this case the branch office network and headquarters' network. Another use case for VPNs is a remote access VPN. Remote access VPNs allow individual devices to connect to a corporate private network. In the case that employees work remotely from the office, this allows employees to securely access resources on the private corporate network, like restricted databases or local file servers.

One feature that some businesses may be interested in is split tunneling. Split-tunneling can allow a remote client to send some traffic over the VPN and some traffic over the internet. Without split-tunneling, all internet traffic would be sent over the VPN, which can cause greater latency for employees when working. If latency is a great concern, the client can send most internet traffic directly through the internet and have local IP addresses routed through the VPN. This can minimize the number of packets going through the firewall, which can reduce latency when working.


Some employees may need to take control of user devices on the local office network from home. Remote desktop protocol allows for just this. Employees can connect to a local PC, once their VPN is connected, and login using their credentials to access local files on the PC. This can improve productivity of the employees outside of the workplace.

The FortiGate 40F, made by Fortinet, Inc., is a small next-generation firewall (NGFW) made for small businesses and organizations with VPN capabilities. Regarding its physical specifications, it has a console port, a USB port, and five RJ45 ports. One of the RJ45 ports is designated for WAN and the other is designed to be a FortiLink interface. The FortiGate 40F comes with a secure SD-WAN and wireless controller, making it a great device for a small office. Additionally, the FortiGate 40F is integrated with FortiGuard security services, so it ensures that malware and attacks won't penetrate one's networks.

Lab Summary

In this lab, a FortiGate 40F firewall was configured as a dial-up VPN server for remote FortiClient users. This allows the users to initiate a tunnel connection with the FortiGate, so that LAN resources can be accessed. In this case, the remote client will use remote desktop protocol to take control of PC 1, demonstrating a practical use of a VPN.

Network Diagram with IPs



Problems

One problem I ran into when configuring the VPN was downloading the incorrect client. At the time I completed the configuration, it seemed that there was a bug with the Fortinet VPN client. I then installed the ZTNA version of the VPN client, which seemed to work when I configured the connection. The FortiClient VPN-only client may now be functional, but at the time it wasn't.

Conclusion

The configuration of a VPN is important for many companies, especially for companies where employees work remotely. VPNs allow employees to securely access local office resources, which are needed for secure operations. By following the guide below, anyone can configure the FortiGate 40F as a dialup IPsec VPN server.

Lab Configuration

System > Remote Desktop

 **Remote Desktop**
Connect to and use this PC from another device using the Remote Desktop app

On



▼

 **PC name**
Use this name to connect to this PC from another device

 **Remote Desktop users**
Select who can remotely access this PC



Related support

 **Help with Remote Desktop**

Connecting to your PC remotely

Setting up remote desktop

 [Get help](#)

 [Give feedback](#)

Accounts < Other Users

Other users

add a user or use an existing user to remote connect

Add other user

Add account

 **Test**
Administrator - Local account

Account options

Change account type

Account and data

Remove

Set up a kiosk

 **Kiosk**
Turn this device into a kiosk to use as a digital sign, interactive display, or other things

Get started

 [Get help](#)

 [Give feedback](#)

Change account type



Test
Local Account

Account type

Administrator

Standard User

OK

Cancel

FortiGate-40F

Dashboard > Network > Policy & Objects > Security Profiles > VPN > **User & Authentication**

User Definition

User Groups
Guest Management
LDAP Servers
RADIUS Servers
SCIM Clients
Single Sign-On
Authentication Settings
FortiTokens
WiFi & Switch Controller >
System >
Security Fabric >
Log & Report >

Create new

Search

Name Type

guest Local

Users/Groups Creation Wizard

1 User Type 2 Login Credentials 3 Contact Info 4 Extra Info

Local User
Remote RADIUS User
Remote TACACS+ User
Remote LDAP User
FSSO
FortiNAC User
SAML User

< Back Next Cancel

✓ User Type

2 Login Credentials

3 Contact Info

4 Extra Info

Username

vpnuser

Password

••••••••

👁

Set a secure username and password

< Back

Next

Cancel

?

☰

🔍

↶

✓ User Type > ✓ Login Credentials > **3 Contact Info** > 4 Extra Info

☐ Two-factor Authentication

Set up 2FA if needed

< Back

Next

Cancel

✓ User Type > ✓ Login Credentials > ✓ Contact Info > 4 Extra Info


User Account Status ☒ Enabled ☐ Disabled

User Group ☐

< Back

Submit

Cancel



FortiGate-40F

Dashboard

Network

Policy & Objects

Security Profiles

VPN

VPN Tunnels

VPN Wizard

VPN Location Map

User & Authentication

WiFi & Switch Controller

System

Security Fabric

Log & Report

VPN Wizard

The IPsec VPN tunnel wizard gets you started with templates for common use cases. If the templates fulfill your needs, fully custom tunnels can be set up. For convenience, it is also possible to start with a convert it to a fully custom tunnel after.

Tunnel name

RemoteAccessVPN

Select a template

Remote Site

VPN Tunnel

Local FortiGate

Site to Site

Offices in multiple, fixed locations can establish secure connections with each other. Branch offices can also access the main office's intranet.

Supported remote peers:

Spokes

VPN Tunnels

Hub

Hub and Spoke with ADVPN

VPN connections radiate from a central FortiGate unit (the hub) to multiple remote peers (the spokes). Traffic can pass between private networks that are each behind a hub or remote peer (spoke). Additionally, spoke to spoke traffic is possible via ADVPN tunnels.

Supported remote peers:

Remote Endpoints

VPN Tunnels

Local FortiGate

Remote Access

Employees who need to access their company's network from off-site locations or users who want to securely connect to a private network from a public area frequently use this type of VPN.

Begin

FORTINET

v7.6.6


Remote Endpoint


VPN Tunnel


Local FortiGate

VPN tunnel

VPN client type     

Authentication method **Pre-shared key**

Pre-shared key  **Set a secure password**

IKE **Version 2**

Transport **Auto**

Use Fortinet encapsulation  ☐

NAT traversal **Enable**

Keepalive frequency

EAP peer identification **EAP identity request**

User authentication method **Phase 1 interface**

User authentication method  **vpngroup**

DNS Server **Use System DNS**

Next

Cancel

VPN Wizard - RemoteAccessVPN

Remote Endpoint

VPN Tunnel

Incoming

Local FortiGate

Internal

VPN tunnel

Remote endpoint

Addresses to assign to connected endpoints172.16.0.2-172.16.0.254

Subnet for connected endpoints255.255.255.255

FortiClient settings

Security posture gateway matching

EMS SN verification

Save password

Auto Connect

Always up (keep alive)

Next

Cancel

VPN Wizard - RemoteAccessVPN

Remote Endpoint

VPN Tunnel

Incoming

Local FortiGate

Internal

VPN tunnel

Remote endpoint

Local FortiGate

Incoming interface that binds to tunnelwan

Create and add interface to zone

Local Interfacelan

Local Addresslan

Next

Cancel

VPN tunnel

Remote endpoint

Local FortiGate

Review

The following entries will be created as part of the VPN tunnel. **Review and submit**

Addresses

Split address group RemoteAccessVPN_split

Address RemoteAccessVPN_range

Interfaces

VPN IPsec phase1 interface RemoteAccessVPN

VPN IPsec Phase2 Interface RemoteAccessVPN

Policies

Remote to local policy vpn_RemoteAccessVPN_local_allow

Back **Submit** Cancel

FortiGate-40F

Dashboard

Network

Policy & Objects

Security Profiles

VPN

VPN Tunnels

VPN Wizard

VPN Location Map

User & Authentication

WiFi & Switch Controller

System

Security Fabric

Log & Report

Create new Search

Tunnel

Dialup - FortiClient (Windows, Mac OS, Android)

RemoteAccessVPN

Edit Delete Download tunnel XML Show matching logs More

Edit VPN Tunnel

Tunnel Settings Tunnel Objects

Network

Advanced network settings

Authentication

Method Pre-shared Key Signature

Pre-shared key ***** Change

IKE Version 1 Version 2

Accepted peer ID Specific peer ID

Peer ID dialup1

Remote gateway matching Any

EAP IKEv2 ID payload EAP identity request

Network overlay

User group Inherit from policy Specify

vpngroup

Phase 1 proposal

Encryption - authentication

AES256 - SHA256

AES256 - SHA384

AES128GCM - PRFSHA256

AES256GCM - PRFSHA384

CHACHA20POL - PRFSHA256

AES256 - SHA512

Diffie-Hellman groups

1 2

5 14

15 16

17 18

19 20

21 27

28 29

30 31

32

Post Quantum Cryptography Additional Key Exchanges

Create new Edit Delete

Transform type KE groups

OK Cancel

Adjust security protocols, adding in organization preferences and making sure to remove any entries that are not up to organization security standards.

Transform type

KE groups

No results

Key lifetime

86400

second(s)

Local ID

Phase 2 selectors

+ Create new

Edit

Delete

+ Search

☒	Name	Local Address	Remote Address	Comments
☒	RemoteAccessVPN	0.0.0.0/0.0.0.0	0.0.0.0/0.0.0.0	VPN: RemoteAccessVPN -- Created by VPN

1

OK

Cancel

Edit Phase 2 Selector

Name

Comments 45/255

Encapsulation Tunnel Mode Transport Mode

IP version IPv4 IPv6

Named address ☐

Local address IP Address Subnet Address IP Range

Remote address IP Address Subnet Address IP Range

Advanced

Encryption-authentication pair(s) used by the phase 1 proposal.

- AES256-SHA256
- AES256-SHA384
- AES128GCM-PRFSHA256
- AES256GCM-PRFSHA384
- CHACHA20POLY1305-PRFSHA256
- AES256-SHA512

Encryption - authentication

AES256	-	SHA512	×
AES256	-	SHA384	×
AES256	-	SHA256	×
⋮		AES128GCM	×
		AES256GCM	×
		CHACHA20POLY1305	×
		+	

Edit security protocols, making sure to add organization preferred methods and delete insecure methods. (Especially removing anything utilizing SHA1, which was the default top priority).

Replay detection ✓ Enable ✗ Disable

Perfect forward secrecy (PFS) ✓ Enable ✗ Disable

Diffie-Hellman groups

☐ 1	☐ 2
☐ 5	☐ 14
☐ 15	☐ 16
☐ 17	☐ 18
☐ 19	☒ 20
☒ 21	☐ 27
☐ 28	☐ 29
☐ 30	☐ 31




OK



Cancel



ZTNA Edition **Download Correct Version of FortiClient**


Technical Specification | How to Buy


- ✓ Zero Trust Application Access
- ✓ Real-time Endpoint Posture Checks
- ✓ Enhanced VPN with Continuous Assessment
- ✓ Vulnerability Agent & Remediation
- ✓ FortiGuard Web & Video Filtering
- ✓ Inline & API-based CASB
- ✓ Central Management via EMS
- ✓ Central Logging & Reporting Available































FortiGate 40F Configuration File

```
#config-version=FGT40F-7.6.6-FW-build3652-  
260127:opmode=0:vdom=0:user=admin  
#conf_file_ver=244344984492973  
#buildno=3652  
#global_vdom=1  
config system global  
    set alias "FortiGate-40F"  
    set gui-auto-upgrade-setup-warning disable  
    set hostname "FortiGate-40F"  
    set switch-controller enable  
    set timezone "US/Pacific"  
end  
config system accprofile  
    edit "prof_admin"  
        set secfabgrp read-write  
        set ftviewgrp read-write  
        set authgrp read-write  
        set sysgrp read-write  
        set netgrp read-write  
        set loggrp read-write  
        set fwgrp read-write  
        set vpngrp read-write  
        set utmgrp read-write
```

```
        set wifi read-write
        set cli-get enable
        set cli-show enable
        set cli-exec enable
        set cli-config enable
    next
end
config system np6xlite
    edit "np6xlite_0"
    next
end
config system interface
    edit "wan"
        set vdom "root"
        set mode dhcp
        set allowaccess ping
        set type physical
        set role wan
        set snmp-index 1
    next
    edit "lan1"
        set vdom "root"
        set ip 192.168.1.254 255.255.255.0
        set allowaccess ping https ssh http
        set type physical
        set alias "Management"
        set snmp-index 2
    next
    edit "lan2"
        set vdom "root"
        set type physical
        set snmp-index 3
    next
    edit "lan3"
        set vdom "root"
        set type physical
        set snmp-index 4
    next
    edit "a"
        set vdom "root"
        set type physical
        set snmp-index 5
    next
    edit "modem"
        set vdom "root"
        set mode pppoe
```

```
        set status down
        set type physical
        set snmp-index 6
next
edit "naf.root"
    set vdom "root"
    set type tunnel
    set src-check disable
    set snmp-index 7
next
edit "l2t.root"
    set vdom "root"
    set type tunnel
    set snmp-index 8
next
edit "ssl.root"
    set vdom "root"
    set type tunnel
    set alias "Agentless VPN interface"
    set snmp-index 9
next
edit "lan"
    set vdom "root"
    set ip 10.0.0.1 255.255.255.0
    set allowaccess ping
    set type hard-switch
    set stp enable
    set role lan
    set snmp-index 10
next
edit "default-mesh"
    set vdom "root"
    set type vap-switch
    set role lan
    set snmp-index 11
next
edit "fortilink"
    set vdom "root"
    set fortilink enable
    set ip 10.255.1.1 255.255.255.0
    set allowaccess ping fabric
    set type aggregate
    set member "a"
    set lldp-reception enable
    set lldp-transmission enable
    set snmp-index 12
```

```
    next
    edit "RemoteAccessVPN"
        set vdom "root"
        set type tunnel
        set snmp-index 13
        set interface "wan"
    next
end
config system physical-switch
    edit "sw0"
        set age-val 0
    next
end
config system virtual-switch
    edit "lan"
        set physical-switch "sw0"
        config port
            edit "lan2"
                next
            edit "lan3"
                next
        end
    next
end
config system password-policy
    set status enable
end
config system custom-language
    edit "en"
        set filename "en"
    next
    edit "fr"
        set filename "fr"
    next
    edit "sp"
        set filename "sp"
    next
    edit "pg"
        set filename "pg"
    next
    edit "x-sjis"
        set filename "x-sjis"
    next
    edit "big5"
        set filename "big5"
    next
```

```

    edit "GB2312"
        set filename "GB2312"
    next
    edit "euc-kr"
        set filename "euc-kr"
    next
end
config system admin
    edit "admin"
        set vdom "root"
        set old-password ENC
SH2y91IER2EN4zFYn7Dzzaz0Vtgs9dgb0uAPdpMQVQc/tvj2xJbZfg09Zb69NM=
        set accprofile "super_admin"
        config gui-dashboard
            edit 1
                set name "Status"
                set vdom "root"
                set permanent enable
                config widget
                    edit 1
                        set width 1
                        set height 1
                    next
                edit 2
                    set type licinfo
                    set x-pos 1
                    set width 1
                    set height 1
                next
                edit 3
                    set type forticloud
                    set x-pos 2
                    set width 1
                    set height 1
                next
                edit 4
                    set type security-fabric
                    set x-pos 3
                    set width 1
                    set height 1
                next
                edit 5
                    set type admins
                    set x-pos 4
                    set width 1
                    set height 1
            
```

```

        next
        edit 6
            set type cpu-usage
            set x-pos 5
            set width 2
            set height 1
        next
        edit 7
            set type memory-usage
            set x-pos 6
            set width 2
            set height 1
        next
        edit 8
            set type sessions
            set x-pos 7
            set width 2
            set height 1
        next
    end
next
edit 2
    set name "Security"
    set vdom "root"
    config widget
        edit 1
            set type fortiview
            set width 2
            set height 1
            set fortiview-type "compromisedHosts"
            set fortiview-sort-by "verdict"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
        edit 2
            set type fortiview
            set x-pos 1
            set width 2
            set height 1
            set fortiview-type "threats"
            set fortiview-sort-by "threatLevel"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    edit 3
        set type device-vulnerability

```

```

        set x-pos 2
        set width 2
        set height 1
        set timeframe latest
    next
end
next
edit 3
    set name "Network"
    set vdom "root"
    config widget
        edit 1
            set type routing
            set width 2
            set height 1
            set router-view-type "staticdynamic"
        next
        edit 2
            set type dhcp
            set x-pos 1
            set width 2
            set height 1
        next
        edit 3
            set type virtual-wan
            set x-pos 2
            set width 2
            set height 1
        next
        edit 4
            set type ipsec-vpn
            set x-pos 3
            set width 2
            set height 1
        next
    end
next
edit 4
    set name "WiFi"
    set vdom "root"
    config widget
        edit 1
            set type ap-status
            set width 2
            set height 1
        next

```

```
edit 2
    set type channel-utilization
    set x-pos 1
    set width 2
    set height 1
    set wifi-band "both"
next
edit 3
    set type clients-by-ap
    set x-pos 2
    set width 2
    set height 1
    set wifi-band "both"
next
edit 4
    set type client-signal-strength
    set x-pos 3
    set width 2
    set height 1
    set wifi-band "both"
next
edit 5
    set type rogue-ap
    set x-pos 4
    set width 2
    set height 1
next
edit 6
    set type historical-clients
    set x-pos 5
    set width 2
    set height 1
    set wifi-band "both"
next
edit 7
    set type interfering-ssids
    set x-pos 6
    set width 2
    set height 1
    set wifi-band "both"
next
edit 8
    set type wifi-login-failures
    set x-pos 7
    set width 2
    set height 1
```

```

        next
    end
next
edit 5
    set name "FortiView Sources"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "source"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 6
    set name "FortiView Destinations"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "destination"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 7
    set name "FortiView Applications"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6

```

```

        set height 3
        set fortiview-type "application"
        set fortiview-sort-by "bytes"
        set fortiview-timeframe "hour"
        set fortiview-visualization "table"
    next
end
next
edit 8
    set name "FortiView Web Sites"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "website"
            set fortiview-sort-by "sessions"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 9
    set name "FortiView Policies"
    set vdom "root"
    set layout-type standalone
    set csf disable
    config widget
        edit 1
            set type fortiview
            set width 6
            set height 3
            set fortiview-type "policy"
            set fortiview-sort-by "bytes"
            set fortiview-timeframe "hour"
            set fortiview-visualization "table"
        next
    end
next
edit 10
    set name "FortiView Sessions"
    set vdom "root"
    set layout-type standalone

```

```

        set csf disable
        config widget
            edit 1
                set type fortiview
                set width 6
                set height 3
                set fortiview-type "realtimeSessions"
                set fortiview-timeframe "realtime"
                set fortiview-visualization "table"
            next
        end
    next
end
    set gui-default-dashboard-template "minimal"
    set password ENC
PB2G5/n0syjCc5QpCuD30KdZWRUdk+cPAvY7cisgJtJHDwcJsWLN6sng1LbARBPYW
9uG1VGaE3RlZLCS3ENanFr1qG6Sc0xk1wicDjVUek3CkI=
    next
end
config system sso-admin
end
config system ha
    set override disable
end
config system dns
    set primary 96.45.45.45
    set secondary 96.45.46.46
    set protocol dot
    set server-hostname "globalsdns.fortinet.net"
end
config system replacemsg-image
    edit "logo_fnet"
    next
    edit "logo_fguard_wf"
    next
    edit "logo_v3_fguard_app"
    next
end
config system replacemsg mail "partial"
end
config system replacemsg http "url-block"
end
config system replacemsg http "urlfilter-err"
end
config system replacemsg http "infcache-block"
end

```

```
config system replacemsg http "http-contenttypeblock"
end
config system replacemsg http "https-invalid-cert-block"
end
config system replacemsg http "https-untrusted-cert-block"
end
config system replacemsg http "https-blocklisted-cert-block"
end
config system replacemsg http "https-ech-block"
end
config system replacemsg http "switching-protocols-block"
end
config system replacemsg http "http-antiphish-block"
end
config system replacemsg http "videofilter-block"
end
config system replacemsg http "videofilter-block-text"
end
config system replacemsg fortiguard-wf "ftgd-block"
end
config system replacemsg fortiguard-wf "ftgd-ovrd"
end
config system replacemsg fortiguard-wf "ftgd-quota"
end
config system replacemsg fortiguard-wf "ftgd-warning"
end
config system replacemsg spam "ipblocklist"
end
config system replacemsg spam "smtp-spam-dnsbl"
end
config system replacemsg spam "smtp-spam-feip"
end
config system replacemsg spam "smtp-spam-helo"
end
config system replacemsg spam "smtp-spam-emailblock-to"
end
config system replacemsg spam "smtp-spam-emailblock-from"
end
config system replacemsg spam "smtp-spam-emailblock-subject"
end
config system replacemsg spam "smtp-spam-mimeheader"
end
config system replacemsg spam "reversedns"
end
config system replacemsg spam "smtp-spam-ase"
end
```

```
config system replacemsg spam "submit"
end
config system replacemsg alertmail "alertmail-virus"
end
config system replacemsg alertmail "alertmail-block"
end
config system replacemsg alertmail "alertmail-nids-event"
end
config system replacemsg alertmail "alertmail-crit-event"
end
config system replacemsg alertmail "alertmail-disk-full"
end
config system replacemsg admin "pre_admin-disclaimer-text"
end
config system replacemsg admin "post_admin-disclaimer-text"
end
config system replacemsg auth "auth-disclaimer-page-1"
end
config system replacemsg auth "auth-disclaimer-page-2"
end
config system replacemsg auth "auth-disclaimer-page-3"
end
config system replacemsg auth "auth-reject-page"
end
config system replacemsg auth "auth-login-page"
end
config system replacemsg auth "auth-login-failed-page"
end
config system replacemsg auth "auth-token-login-page"
end
config system replacemsg auth "auth-token-login-failed-page"
end
config system replacemsg auth "auth-success-msg"
end
config system replacemsg auth "auth-challenge-page"
end
config system replacemsg auth "auth-keepalive-page"
end
config system replacemsg auth "auth-portal-page"
end
config system replacemsg auth "auth-password-page"
end
config system replacemsg auth "auth-fortitoken-page"
end
config system replacemsg auth "auth-next-fortitoken-page"
end
```

```
config system replacemsg auth "auth-email-token-page"
end
config system replacemsg auth "auth-sms-token-page"
end
config system replacemsg auth "auth-email-harvesting-page"
end
config system replacemsg auth "auth-email-failed-page"
end
config system replacemsg auth "auth-cert-passwd-page"
end
config system replacemsg auth "auth-guest-print-page"
end
config system replacemsg auth "auth-guest-email-page"
end
config system replacemsg auth "auth-success-page"
end
config system replacemsg auth "auth-block-notification-page"
end
config system replacemsg auth "auth-quarantine-page"
end
config system replacemsg auth "auth-qtn-reject-page"
end
config system replacemsg auth "auth-saml-page"
end
config system replacemsg nac-quar "nac-quar-virus"
end
config system replacemsg nac-quar "nac-quar-dos"
end
config system replacemsg nac-quar "nac-quar-ips"
end
config system replacemsg nac-quar "nac-quar-dlp"
end
config system replacemsg nac-quar "nac-quar-admin"
end
config system replacemsg nac-quar "nac-quar-app"
end
config system replacemsg traffic-quota "per-ip-shaper-block"
end
config system replacemsg utm "virus-html"
end
config system replacemsg utm "client-virus-html"
end
config system replacemsg utm "virus-text"
end
config system replacemsg utm "dlp-html"
end
```

```
config system replacemsg utm "dlp-text"
end
config system replacemsg utm "appblk-html"
end
config system replacemsg utm "ipsblk-html"
end
config system replacemsg utm "virpatchblk-html"
end
config system replacemsg utm "ipsfail-html"
end
config system replacemsg utm "exe-text"
end
config system replacemsg utm "outbreak-prevention-html"
end
config system replacemsg utm "outbreak-prevention-text"
end
config system replacemsg utm "external-blocklist-html"
end
config system replacemsg utm "external-blocklist-text"
end
config system replacemsg utm "malware-stream-html"
end
config system replacemsg utm "malware-stream-text"
end
config system replacemsg utm "ems-threat-feed-html"
end
config system replacemsg utm "ems-threat-feed-text"
end
config system replacemsg utm "file-filter-html"
end
config system replacemsg utm "file-filter-text"
end
config system replacemsg utm "file-size-text"
end
config system replacemsg utm "transfer-size-text"
end
config system replacemsg utm "internal-error-text"
end
config system replacemsg utm "archive-block-html"
end
config system replacemsg utm "archive-block-text"
end
config system replacemsg utm "file-av-fail-text"
end
config system replacemsg utm "transfer-av-fail-text"
end
```

```
config system replacemsg utm "banned-word-html"
end
config system replacemsg utm "banned-word-text"
end
config system replacemsg utm "block-html"
end
config system replacemsg utm "block-text"
end
config system replacemsg utm "decompress-limit-text"
end
config system replacemsg utm "dlp-subject-text"
end
config system replacemsg utm "file-size-html"
end
config system replacemsg utm "client-file-size-html"
end
config system replacemsg utm "inline-scan-timeout-html"
end
config system replacemsg utm "inline-scan-timeout-text"
end
config system replacemsg utm "inline-scan-error-html"
end
config system replacemsg utm "fortidata-query-error-html"
end
config system replacemsg utm "fortidata-query-error-text"
end
config system replacemsg utm "inline-scan-error-text"
end
config system replacemsg automation "automation-email"
end
config system snmp sysinfo
end
config system autoupdate schedule
    set time 01:240
end
config system central-management
    set type fortiguard
end
config firewall internet-service-name
    edit "Google-Other"
        set internet-service-id 65536
    next
    edit "Google-Web"
        set internet-service-id 65537
    next
    edit "Google-ICMP"
```

```
        set internet-service-id 65538
next
edit "Google-DNS"
        set internet-service-id 65539
next
edit "Google-Outbound_Email"
        set internet-service-id 65540
next
edit "Google-SSH"
        set internet-service-id 65542
next
edit "Google-FTP"
        set internet-service-id 65543
next
edit "Google-NTP"
        set internet-service-id 65544
next
edit "Google-Inbound_Email"
        set internet-service-id 65545
next
edit "Google-LDAP"
        set internet-service-id 65550
next
edit "Google-NetBIOS.Session.Service"
        set internet-service-id 65551
next
edit "Google-RTMP"
        set internet-service-id 65552
next
edit "Google-NetBIOS.Name.Service"
        set internet-service-id 65560
next
edit "Google-Google.Cloud"
        set internet-service-id 65641
next
edit "Google-Google.Bot"
        set internet-service-id 65643
next
edit "Google-Gmail"
        set internet-service-id 65646
next
edit "Meta-Other"
        set internet-service-id 131072
next
edit "Meta-Web"
        set internet-service-id 131073
```

```
next
edit "Meta-ICMP"
    set internet-service-id 131074
next
edit "Meta-DNS"
    set internet-service-id 131075
next
edit "Meta-Outbound_Email"
    set internet-service-id 131076
next
edit "Meta-SSH"
    set internet-service-id 131078
next
edit "Meta-FTP"
    set internet-service-id 131079
next
edit "Meta-NTP"
    set internet-service-id 131080
next
edit "Meta-Inbound_Email"
    set internet-service-id 131081
next
edit "Meta-LDAP"
    set internet-service-id 131086
next
edit "Meta-NetBIOS.Session.Service"
    set internet-service-id 131087
next
edit "Meta-RTMP"
    set internet-service-id 131088
next
edit "Meta-NetBIOS.Name.Service"
    set internet-service-id 131096
next
edit "Meta-Whatsapp"
    set internet-service-id 131184
next
edit "Meta-Instagram"
    set internet-service-id 131189
next
edit "Apple-Other"
    set internet-service-id 196608
next
edit "Apple-Web"
    set internet-service-id 196609
next
```

```
edit "Apple-ICMP"
    set internet-service-id 196610
next
edit "Apple-DNS"
    set internet-service-id 196611
next
edit "Apple-Outbound_Email"
    set internet-service-id 196612
next
edit "Apple-SSH"
    set internet-service-id 196614
next
edit "Apple-FTP"
    set internet-service-id 196615
next
edit "Apple-NTP"
    set internet-service-id 196616
next
edit "Apple-Inbound_Email"
    set internet-service-id 196617
next
edit "Apple-LDAP"
    set internet-service-id 196622
next
edit "Apple-NetBIOS.Session.Service"
    set internet-service-id 196623
next
edit "Apple-RTMP"
    set internet-service-id 196624
next
edit "Apple-NetBIOS.Name.Service"
    set internet-service-id 196632
next
edit "Apple-App.Store"
    set internet-service-id 196723
next
edit "Apple-APNs"
    set internet-service-id 196747
next
edit "Yahoo-Other"
    set internet-service-id 262144
next
edit "Yahoo-Web"
    set internet-service-id 262145
next
edit "Yahoo-ICMP"
```

```
        set internet-service-id 262146
next
edit "Yahoo-DNS"
        set internet-service-id 262147
next
edit "Yahoo-Outbound_Email"
        set internet-service-id 262148
next
edit "Yahoo-SSH"
        set internet-service-id 262150
next
edit "Yahoo-FTP"
        set internet-service-id 262151
next
edit "Yahoo-NTP"
        set internet-service-id 262152
next
edit "Yahoo-Inbound_Email"
        set internet-service-id 262153
next
edit "Yahoo-LDAP"
        set internet-service-id 262158
next
edit "Yahoo-NetBIOS.Session.Service"
        set internet-service-id 262159
next
edit "Yahoo-RTMP"
        set internet-service-id 262160
next
edit "Yahoo-NetBIOS.Name.Service"
        set internet-service-id 262168
next
edit "Microsoft-Other"
        set internet-service-id 327680
next
edit "Microsoft-Web"
        set internet-service-id 327681
next
edit "Microsoft-ICMP"
        set internet-service-id 327682
next
edit "Microsoft-DNS"
        set internet-service-id 327683
next
edit "Microsoft-Outbound_Email"
        set internet-service-id 327684
```

```
next
edit "Microsoft-SSH"
    set internet-service-id 327686
next
edit "Microsoft-FTP"
    set internet-service-id 327687
next
edit "Microsoft-NTP"
    set internet-service-id 327688
next
edit "Microsoft-Inbound_Email"
    set internet-service-id 327689
next
edit "Microsoft-LDAP"
    set internet-service-id 327694
next
edit "Microsoft-NetBIOS.Session.Service"
    set internet-service-id 327695
next
edit "Microsoft-RTMP"
    set internet-service-id 327696
next
edit "Microsoft-NetBIOS.Name.Service"
    set internet-service-id 327704
next
edit "Microsoft-Skype_Teams"
    set internet-service-id 327781
next
edit "Microsoft-Office365"
    set internet-service-id 327782
next
edit "Microsoft-Azure"
    set internet-service-id 327786
next
edit "Microsoft-Bing.Bot"
    set internet-service-id 327788
next
edit "Microsoft-Outlook"
    set internet-service-id 327791
next
edit "Microsoft-Microsoft.Update"
    set internet-service-id 327793
next
edit "Microsoft-Dynamics"
    set internet-service-id 327837
next
```

```
edit "Microsoft-WNS"
    set internet-service-id 327839
next
edit "Microsoft-Office365.Published"
    set internet-service-id 327880
next
edit "Microsoft-Intune"
    set internet-service-id 327886
next
edit "Microsoft-Office365.Published.Optimize"
    set internet-service-id 327902
next
edit "Microsoft-Office365.Published.Allow"
    set internet-service-id 327903
next
edit "Microsoft-Office365.Published.USGOV"
    set internet-service-id 327917
next
edit "Microsoft-Azure.Monitor"
    set internet-service-id 327958
next
edit "Microsoft-Azure.SQL"
    set internet-service-id 327959
next
edit "Microsoft-Azure.AD"
    set internet-service-id 327960
next
edit "Microsoft-Azure.Data.Factory"
    set internet-service-id 327961
next
edit "Microsoft-Azure.Virtual.Desktop"
    set internet-service-id 327962
next
edit "Microsoft-Azure.Power.BI"
    set internet-service-id 327963
next
edit "Amazon-Other"
    set internet-service-id 393216
next
edit "Amazon-Web"
    set internet-service-id 393217
next
edit "Amazon-ICMP"
    set internet-service-id 393218
next
edit "Amazon-DNS"
```

```
        set internet-service-id 393219
next
edit "Amazon-Outbound_Email"
        set internet-service-id 393220
next
edit "Amazon-SSH"
        set internet-service-id 393222
next
edit "Amazon-FTP"
        set internet-service-id 393223
next
edit "Amazon-NTP"
        set internet-service-id 393224
next
edit "Amazon-Inbound_Email"
        set internet-service-id 393225
next
edit "Amazon-LDAP"
        set internet-service-id 393230
next
edit "Amazon-NetBIOS.Session.Service"
        set internet-service-id 393231
next
edit "Amazon-RTMP"
        set internet-service-id 393232
next
edit "Amazon-NetBIOS.Name.Service"
        set internet-service-id 393240
next
edit "Amazon-AWS"
        set internet-service-id 393320
next
edit "Amazon-AWS.WorkSpaces.Gateway"
        set internet-service-id 393403
next
edit "Amazon-Twitch"
        set internet-service-id 393446
next
edit "Amazon-AWS.GovCloud.US"
        set internet-service-id 393452
next
edit "Amazon-AWS.EBS"
        set internet-service-id 393470
next
edit "Amazon-AWS.Cloud9"
        set internet-service-id 393471
```

```
next
edit "Amazon-AWS.DynamoDB"
    set internet-service-id 393472
next
edit "Amazon-AWS.Route53"
    set internet-service-id 393473
next
edit "Amazon-AWS.S3"
    set internet-service-id 393474
next
edit "Amazon-AWS.Kinesis.Video.Streams"
    set internet-service-id 393475
next
edit "Amazon-AWS.Global.Accelerator"
    set internet-service-id 393476
next
edit "Amazon-AWS.EC2"
    set internet-service-id 393477
next
edit "Amazon-AWS.API.Gateway"
    set internet-service-id 393478
next
edit "Amazon-AWS.Chime.Voice.Connector"
    set internet-service-id 393479
next
edit "Amazon-AWS.Connect"
    set internet-service-id 393480
next
edit "Amazon-AWS.CloudFront"
    set internet-service-id 393481
next
edit "Amazon-AWS.CodeBuild"
    set internet-service-id 393482
next
edit "Amazon-AWS.Chime.Meetings"
    set internet-service-id 393483
next
edit "Amazon-AWS.AppFlow"
    set internet-service-id 393484
next
edit "Amazon-AWS.SES"
    set internet-service-id 393493
next
edit "eBay-Other"
    set internet-service-id 458752
next
```

```
edit "eBay-Web"
    set internet-service-id 458753
next
edit "eBay-ICMP"
    set internet-service-id 458754
next
edit "eBay-DNS"
    set internet-service-id 458755
next
edit "eBay-Outbound_Email"
    set internet-service-id 458756
next
edit "eBay-SSH"
    set internet-service-id 458758
next
edit "eBay-FTP"
    set internet-service-id 458759
next
edit "eBay-NTP"
    set internet-service-id 458760
next
edit "eBay-Inbound_Email"
    set internet-service-id 458761
next
edit "eBay-LDAP"
    set internet-service-id 458766
next
edit "eBay-NetBIOS.Session.Service"
    set internet-service-id 458767
next
edit "eBay-RTMP"
    set internet-service-id 458768
next
edit "eBay-NetBIOS.Name.Service"
    set internet-service-id 458776
next
edit "PayPal-Other"
    set internet-service-id 524288
next
edit "PayPal-Web"
    set internet-service-id 524289
next
edit "PayPal-ICMP"
    set internet-service-id 524290
next
edit "PayPal-DNS"
```

```
        set internet-service-id 524291
next
edit "PayPal-Outbound_Email"
    set internet-service-id 524292
next
edit "PayPal-SSH"
    set internet-service-id 524294
next
edit "PayPal-FTP"
    set internet-service-id 524295
next
edit "PayPal-NTP"
    set internet-service-id 524296
next
edit "PayPal-Inbound_Email"
    set internet-service-id 524297
next
edit "PayPal-LDAP"
    set internet-service-id 524302
next
edit "PayPal-NetBIOS.Session.Service"
    set internet-service-id 524303
next
edit "PayPal-RTMP"
    set internet-service-id 524304
next
edit "PayPal-NetBIOS.Name.Service"
    set internet-service-id 524312
next
edit "Box-Other"
    set internet-service-id 589824
next
edit "Box-Web"
    set internet-service-id 589825
next
edit "Box-ICMP"
    set internet-service-id 589826
next
edit "Box-DNS"
    set internet-service-id 589827
next
edit "Box-Outbound_Email"
    set internet-service-id 589828
next
edit "Box-SSH"
    set internet-service-id 589830
```

```
next
edit "Box-FTP"
    set internet-service-id 589831
next
edit "Box-NTP"
    set internet-service-id 589832
next
edit "Box-Inbound_Email"
    set internet-service-id 589833
next
edit "Box-LDAP"
    set internet-service-id 589838
next
edit "Box-NetBIOS.Session.Service"
    set internet-service-id 589839
next
edit "Box-RTMP"
    set internet-service-id 589840
next
edit "Box-NetBIOS.Name.Service"
    set internet-service-id 589848
next
edit "Salesforce-Other"
    set internet-service-id 655360
next
edit "Salesforce-Web"
    set internet-service-id 655361
next
edit "Salesforce-ICMP"
    set internet-service-id 655362
next
edit "Salesforce-DNS"
    set internet-service-id 655363
next
edit "Salesforce-Outbound_Email"
    set internet-service-id 655364
next
edit "Salesforce-SSH"
    set internet-service-id 655366
next
edit "Salesforce-FTP"
    set internet-service-id 655367
next
edit "Salesforce-NTP"
    set internet-service-id 655368
next
```

```
edit "Salesforce-Inbound_Email"
    set internet-service-id 655369
next
edit "Salesforce-LDAP"
    set internet-service-id 655374
next
edit "Salesforce-NetBIOS.Session.Service"
    set internet-service-id 655375
next
edit "Salesforce-RTMP"
    set internet-service-id 655376
next
edit "Salesforce-NetBIOS.Name.Service"
    set internet-service-id 655384
next
edit "Salesforce-Email.Relay"
    set internet-service-id 655530
next
edit "Dropbox-Other"
    set internet-service-id 720896
next
edit "Dropbox-Web"
    set internet-service-id 720897
next
edit "Dropbox-ICMP"
    set internet-service-id 720898
next
edit "Dropbox-DNS"
    set internet-service-id 720899
next
edit "Dropbox-Outbound_Email"
    set internet-service-id 720900
next
edit "Dropbox-SSH"
    set internet-service-id 720902
next
edit "Dropbox-FTP"
    set internet-service-id 720903
next
edit "Dropbox-NTP"
    set internet-service-id 720904
next
edit "Dropbox-Inbound_Email"
    set internet-service-id 720905
next
edit "Dropbox-LDAP"
```

```
        set internet-service-id 720910
next
edit "Dropbox-NetBIOS.Session.Service"
    set internet-service-id 720911
next
edit "Dropbox-RTMP"
    set internet-service-id 720912
next
edit "Dropbox-NetBIOS.Name.Service"
    set internet-service-id 720920
next
edit "Netflix-Other"
    set internet-service-id 786432
next
edit "Netflix-Web"
    set internet-service-id 786433
next
edit "Netflix-ICMP"
    set internet-service-id 786434
next
edit "Netflix-DNS"
    set internet-service-id 786435
next
edit "Netflix-Outbound_Email"
    set internet-service-id 786436
next
edit "Netflix-SSH"
    set internet-service-id 786438
next
edit "Netflix-FTP"
    set internet-service-id 786439
next
edit "Netflix-NTP"
    set internet-service-id 786440
next
edit "Netflix-Inbound_Email"
    set internet-service-id 786441
next
edit "Netflix-LDAP"
    set internet-service-id 786446
next
edit "Netflix-NetBIOS.Session.Service"
    set internet-service-id 786447
next
edit "Netflix-RTMP"
    set internet-service-id 786448
```

```
next
edit "Netflix-NetBIOS.Name.Service"
    set internet-service-id 786456
next
edit "LinkedIn-Other"
    set internet-service-id 851968
next
edit "LinkedIn-Web"
    set internet-service-id 851969
next
edit "LinkedIn-ICMP"
    set internet-service-id 851970
next
edit "LinkedIn-DNS"
    set internet-service-id 851971
next
edit "LinkedIn-Outbound_Email"
    set internet-service-id 851972
next
edit "LinkedIn-SSH"
    set internet-service-id 851974
next
edit "LinkedIn-FTP"
    set internet-service-id 851975
next
edit "LinkedIn-NTP"
    set internet-service-id 851976
next
edit "LinkedIn-Inbound_Email"
    set internet-service-id 851977
next
edit "LinkedIn-LDAP"
    set internet-service-id 851982
next
edit "LinkedIn-NetBIOS.Session.Service"
    set internet-service-id 851983
next
edit "LinkedIn-RTMP"
    set internet-service-id 851984
next
edit "LinkedIn-NetBIOS.Name.Service"
    set internet-service-id 851992
next
edit "Adobe-Other"
    set internet-service-id 917504
next
```

```
edit "Adobe-Web"
    set internet-service-id 917505
next
edit "Adobe-ICMP"
    set internet-service-id 917506
next
edit "Adobe-DNS"
    set internet-service-id 917507
next
edit "Adobe-Outbound_Email"
    set internet-service-id 917508
next
edit "Adobe-SSH"
    set internet-service-id 917510
next
edit "Adobe-FTP"
    set internet-service-id 917511
next
edit "Adobe-NTP"
    set internet-service-id 917512
next
edit "Adobe-Inbound_Email"
    set internet-service-id 917513
next
edit "Adobe-LDAP"
    set internet-service-id 917518
next
edit "Adobe-NetBIOS.Session.Service"
    set internet-service-id 917519
next
edit "Adobe-RTMP"
    set internet-service-id 917520
next
edit "Adobe-NetBIOS.Name.Service"
    set internet-service-id 917528
next
edit "Adobe-Adobe.Experience.Cloud"
    set internet-service-id 917640
next
edit "Adobe-Adobe.Sign"
    set internet-service-id 917776
next
edit "Oracle-Other"
    set internet-service-id 983040
next
edit "Oracle-Web"
```

```
        set internet-service-id 983041
next
edit "Oracle-ICMP"
        set internet-service-id 983042
next
edit "Oracle-DNS"
        set internet-service-id 983043
next
edit "Oracle-Outbound_Email"
        set internet-service-id 983044
next
edit "Oracle-SSH"
        set internet-service-id 983046
next
edit "Oracle-FTP"
        set internet-service-id 983047
next
edit "Oracle-NTP"
        set internet-service-id 983048
next
edit "Oracle-Inbound_Email"
        set internet-service-id 983049
next
edit "Oracle-LDAP"
        set internet-service-id 983054
next
edit "Oracle-NetBIOS.Session.Service"
        set internet-service-id 983055
next
edit "Oracle-RTMP"
        set internet-service-id 983056
next
edit "Oracle-NetBIOS.Name.Service"
        set internet-service-id 983064
next
edit "Oracle-Oracle.Cloud"
        set internet-service-id 983171
next
edit "Hulu-Other"
        set internet-service-id 1048576
next
edit "Hulu-Web"
        set internet-service-id 1048577
next
edit "Hulu-ICMP"
        set internet-service-id 1048578
```

```
next
edit "Hulu-DNS"
    set internet-service-id 1048579
next
edit "Hulu-Outbound_Email"
    set internet-service-id 1048580
next
edit "Hulu-SSH"
    set internet-service-id 1048582
next
edit "Hulu-FTP"
    set internet-service-id 1048583
next
edit "Hulu-NTP"
    set internet-service-id 1048584
next
edit "Hulu-Inbound_Email"
    set internet-service-id 1048585
next
edit "Hulu-LDAP"
    set internet-service-id 1048590
next
edit "Hulu-NetBIOS.Session.Service"
    set internet-service-id 1048591
next
edit "Hulu-RTMP"
    set internet-service-id 1048592
next
edit "Hulu-NetBIOS.Name.Service"
    set internet-service-id 1048600
next
edit "Pinterest-Other"
    set internet-service-id 1114112
next
edit "Pinterest-Web"
    set internet-service-id 1114113
next
edit "Pinterest-ICMP"
    set internet-service-id 1114114
next
edit "Pinterest-DNS"
    set internet-service-id 1114115
next
edit "Pinterest-Outbound_Email"
    set internet-service-id 1114116
next
```

```
edit "Pinterest-SSH"
    set internet-service-id 1114118
next
edit "Pinterest-FTP"
    set internet-service-id 1114119
next
edit "Pinterest-NTP"
    set internet-service-id 1114120
next
edit "Pinterest-Inbound_Email"
    set internet-service-id 1114121
next
edit "Pinterest-LDAP"
    set internet-service-id 1114126
next
edit "Pinterest-NetBIOS.Session.Service"
    set internet-service-id 1114127
next
edit "Pinterest-RTMP"
    set internet-service-id 1114128
next
edit "Pinterest-NetBIOS.Name.Service"
    set internet-service-id 1114136
next
edit "LogMeIn-Other"
    set internet-service-id 1179648
next
edit "LogMeIn-Web"
    set internet-service-id 1179649
next
edit "LogMeIn-ICMP"
    set internet-service-id 1179650
next
edit "LogMeIn-DNS"
    set internet-service-id 1179651
next
edit "LogMeIn-Outbound_Email"
    set internet-service-id 1179652
next
edit "LogMeIn-SSH"
    set internet-service-id 1179654
next
edit "LogMeIn-FTP"
    set internet-service-id 1179655
next
edit "LogMeIn-NTP"
```

```
        set internet-service-id 1179656
next
edit "LogMeIn-Inbound_Email"
    set internet-service-id 1179657
next
edit "LogMeIn-LDAP"
    set internet-service-id 1179662
next
edit "LogMeIn-NetBIOS.Session.Service"
    set internet-service-id 1179663
next
edit "LogMeIn-RTMP"
    set internet-service-id 1179664
next
edit "LogMeIn-NetBIOS.Name.Service"
    set internet-service-id 1179672
next
edit "LogMeIn-GoTo.Suite"
    set internet-service-id 1179767
next
edit "Fortinet-Other"
    set internet-service-id 1245184
next
edit "Fortinet-Web"
    set internet-service-id 1245185
next
edit "Fortinet-ICMP"
    set internet-service-id 1245186
next
edit "Fortinet-DNS"
    set internet-service-id 1245187
next
edit "Fortinet-Outbound_Email"
    set internet-service-id 1245188
next
edit "Fortinet-SSH"
    set internet-service-id 1245190
next
edit "Fortinet-FTP"
    set internet-service-id 1245191
next
edit "Fortinet-NTP"
    set internet-service-id 1245192
next
edit "Fortinet-Inbound_Email"
    set internet-service-id 1245193
```

```
next
edit "Fortinet-LDAP"
    set internet-service-id 1245198
next
edit "Fortinet-NetBIOS.Session.Service"
    set internet-service-id 1245199
next
edit "Fortinet-RTMP"
    set internet-service-id 1245200
next
edit "Fortinet-NetBIOS.Name.Service"
    set internet-service-id 1245208
next
edit "Fortinet-FortiGuard"
    set internet-service-id 1245324
next
edit "Fortinet-FortiMail.Cloud"
    set internet-service-id 1245325
next
edit "Fortinet-FortiCloud"
    set internet-service-id 1245326
next
edit "Fortinet-FortiVoice.Cloud"
    set internet-service-id 1245432
next
edit "Fortinet-FortiGuard.Secure.DNS"
    set internet-service-id 1245454
next
edit "Fortinet-FortiEDR"
    set internet-service-id 1245475
next
edit "Kaspersky-Other"
    set internet-service-id 1310720
next
edit "Kaspersky-Web"
    set internet-service-id 1310721
next
edit "Kaspersky-ICMP"
    set internet-service-id 1310722
next
edit "Kaspersky-DNS"
    set internet-service-id 1310723
next
edit "Kaspersky-Outbound_Email"
    set internet-service-id 1310724
next
```

```
edit "Kaspersky-SSH"
    set internet-service-id 1310726
next
edit "Kaspersky-FTP"
    set internet-service-id 1310727
next
edit "Kaspersky-NTP"
    set internet-service-id 1310728
next
edit "Kaspersky-Inbound_Email"
    set internet-service-id 1310729
next
edit "Kaspersky-LDAP"
    set internet-service-id 1310734
next
edit "Kaspersky-NetBIOS.Session.Service"
    set internet-service-id 1310735
next
edit "Kaspersky-RTMP"
    set internet-service-id 1310736
next
edit "Kaspersky-NetBIOS.Name.Service"
    set internet-service-id 1310744
next
edit "McAfee-Other"
    set internet-service-id 1376256
next
edit "McAfee-Web"
    set internet-service-id 1376257
next
edit "McAfee-ICMP"
    set internet-service-id 1376258
next
edit "McAfee-DNS"
    set internet-service-id 1376259
next
edit "McAfee-Outbound_Email"
    set internet-service-id 1376260
next
edit "McAfee-SSH"
    set internet-service-id 1376262
next
edit "McAfee-FTP"
    set internet-service-id 1376263
next
edit "McAfee-NTP"
```

```
        set internet-service-id 1376264
next
edit "McAfee-Inbound_Email"
        set internet-service-id 1376265
next
edit "McAfee-LDAP"
        set internet-service-id 1376270
next
edit "McAfee-NetBIOS.Session.Service"
        set internet-service-id 1376271
next
edit "McAfee-RTMP"
        set internet-service-id 1376272
next
edit "McAfee-NetBIOS.Name.Service"
        set internet-service-id 1376280
next
edit "Symantec-Other"
        set internet-service-id 1441792
next
edit "Symantec-Web"
        set internet-service-id 1441793
next
edit "Symantec-ICMP"
        set internet-service-id 1441794
next
edit "Symantec-DNS"
        set internet-service-id 1441795
next
edit "Symantec-Outbound_Email"
        set internet-service-id 1441796
next
edit "Symantec-SSH"
        set internet-service-id 1441798
next
edit "Symantec-FTP"
        set internet-service-id 1441799
next
edit "Symantec-NTP"
        set internet-service-id 1441800
next
edit "Symantec-Inbound_Email"
        set internet-service-id 1441801
next
edit "Symantec-LDAP"
        set internet-service-id 1441806
```

```
next
edit "Symantec-NetBIOS.Session.Service"
    set internet-service-id 1441807
next
edit "Symantec-RTMP"
    set internet-service-id 1441808
next
edit "Symantec-NetBIOS.Name.Service"
    set internet-service-id 1441816
next
edit "Symantec-Symantec.Cloud"
    set internet-service-id 1441922
next
edit "VMware-Other"
    set internet-service-id 1507328
next
edit "VMware-Web"
    set internet-service-id 1507329
next
edit "VMware-ICMP"
    set internet-service-id 1507330
next
edit "VMware-DNS"
    set internet-service-id 1507331
next
edit "VMware-Outbound_Email"
    set internet-service-id 1507332
next
edit "VMware-SSH"
    set internet-service-id 1507334
next
edit "VMware-FTP"
    set internet-service-id 1507335
next
edit "VMware-NTP"
    set internet-service-id 1507336
next
edit "VMware-Inbound_Email"
    set internet-service-id 1507337
next
edit "VMware-LDAP"
    set internet-service-id 1507342
next
edit "VMware-NetBIOS.Session.Service"
    set internet-service-id 1507343
next
```

```
edit "VMware-RTMP"
    set internet-service-id 1507344
next
edit "VMware-NetBIOS.Name.Service"
    set internet-service-id 1507352
next
edit "VMware-Workspace.ONE"
    set internet-service-id 1507461
next
edit "AOL-Other"
    set internet-service-id 1572864
next
edit "AOL-Web"
    set internet-service-id 1572865
next
edit "AOL-ICMP"
    set internet-service-id 1572866
next
edit "AOL-DNS"
    set internet-service-id 1572867
next
edit "AOL-Outbound_Email"
    set internet-service-id 1572868
next
edit "AOL-SSH"
    set internet-service-id 1572870
next
edit "AOL-FTP"
    set internet-service-id 1572871
next
edit "AOL-NTP"
    set internet-service-id 1572872
next
edit "AOL-Inbound_Email"
    set internet-service-id 1572873
next
edit "AOL-LDAP"
    set internet-service-id 1572878
next
edit "AOL-NetBIOS.Session.Service"
    set internet-service-id 1572879
next
edit "AOL-RTMP"
    set internet-service-id 1572880
next
edit "AOL-NetBIOS.Name.Service"
```

```
        set internet-service-id 1572888
next
edit "RealNetworks-Other"
    set internet-service-id 1638400
next
edit "RealNetworks-Web"
    set internet-service-id 1638401
next
edit "RealNetworks-ICMP"
    set internet-service-id 1638402
next
edit "RealNetworks-DNS"
    set internet-service-id 1638403
next
edit "RealNetworks-Outbound_Email"
    set internet-service-id 1638404
next
edit "RealNetworks-SSH"
    set internet-service-id 1638406
next
edit "RealNetworks-FTP"
    set internet-service-id 1638407
next
edit "RealNetworks-NTP"
    set internet-service-id 1638408
next
edit "RealNetworks-Inbound_Email"
    set internet-service-id 1638409
next
edit "RealNetworks-LDAP"
    set internet-service-id 1638414
next
edit "RealNetworks-NetBIOS.Session.Service"
    set internet-service-id 1638415
next
edit "RealNetworks-RTMP"
    set internet-service-id 1638416
next
edit "RealNetworks-NetBIOS.Name.Service"
    set internet-service-id 1638424
next
edit "Zoho-Other"
    set internet-service-id 1703936
next
edit "Zoho-Web"
    set internet-service-id 1703937
```

```
next
edit "Zoho-ICMP"
    set internet-service-id 1703938
next
edit "Zoho-DNS"
    set internet-service-id 1703939
next
edit "Zoho-Outbound_Email"
    set internet-service-id 1703940
next
edit "Zoho-SSH"
    set internet-service-id 1703942
next
edit "Zoho-FTP"
    set internet-service-id 1703943
next
edit "Zoho-NTP"
    set internet-service-id 1703944
next
edit "Zoho-Inbound_Email"
    set internet-service-id 1703945
next
edit "Zoho-LDAP"
    set internet-service-id 1703950
next
edit "Zoho-NetBIOS.Session.Service"
    set internet-service-id 1703951
next
edit "Zoho-RTMP"
    set internet-service-id 1703952
next
edit "Zoho-NetBIOS.Name.Service"
    set internet-service-id 1703960
next
edit "Zoho-Site24x7.Monitor"
    set internet-service-id 1704153
next
edit "Mozilla-Other"
    set internet-service-id 1769472
next
edit "Mozilla-Web"
    set internet-service-id 1769473
next
edit "Mozilla-ICMP"
    set internet-service-id 1769474
next
```

```
edit "Mozilla-DNS"
    set internet-service-id 1769475
next
edit "Mozilla-Outbound_Email"
    set internet-service-id 1769476
next
edit "Mozilla-SSH"
    set internet-service-id 1769478
next
edit "Mozilla-FTP"
    set internet-service-id 1769479
next
edit "Mozilla-NTP"
    set internet-service-id 1769480
next
edit "Mozilla-Inbound_Email"
    set internet-service-id 1769481
next
edit "Mozilla-LDAP"
    set internet-service-id 1769486
next
edit "Mozilla-NetBIOS.Session.Service"
    set internet-service-id 1769487
next
edit "Mozilla-RTMP"
    set internet-service-id 1769488
next
edit "Mozilla-NetBIOS.Name.Service"
    set internet-service-id 1769496
next
edit "TeamViewer-Other"
    set internet-service-id 1835008
next
edit "TeamViewer-Web"
    set internet-service-id 1835009
next
edit "TeamViewer-ICMP"
    set internet-service-id 1835010
next
edit "TeamViewer-DNS"
    set internet-service-id 1835011
next
edit "TeamViewer-Outbound_Email"
    set internet-service-id 1835012
next
edit "TeamViewer-SSH"
```

```
        set internet-service-id 1835014
next
edit "TeamViewer-FTP"
        set internet-service-id 1835015
next
edit "TeamViewer-NTP"
        set internet-service-id 1835016
next
edit "TeamViewer-Inbound_Email"
        set internet-service-id 1835017
next
edit "TeamViewer-LDAP"
        set internet-service-id 1835022
next
edit "TeamViewer-NetBIOS.Session.Service"
        set internet-service-id 1835023
next
edit "TeamViewer-RTMP"
        set internet-service-id 1835024
next
edit "TeamViewer-NetBIOS.Name.Service"
        set internet-service-id 1835032
next
edit "TeamViewer-TeamViewer"
        set internet-service-id 1835117
next
edit "HP-Other"
        set internet-service-id 1900544
next
edit "HP-Web"
        set internet-service-id 1900545
next
edit "HP-ICMP"
        set internet-service-id 1900546
next
edit "HP-DNS"
        set internet-service-id 1900547
next
edit "HP-Outbound_Email"
        set internet-service-id 1900548
next
edit "HP-SSH"
        set internet-service-id 1900550
next
edit "HP-FTP"
        set internet-service-id 1900551
```

```
next
edit "HP-NTP"
    set internet-service-id 1900552
next
edit "HP-Inbound_Email"
    set internet-service-id 1900553
next
edit "HP-LDAP"
    set internet-service-id 1900558
next
edit "HP-NetBIOS.Session.Service"
    set internet-service-id 1900559
next
edit "HP-RTMP"
    set internet-service-id 1900560
next
edit "HP-NetBIOS.Name.Service"
    set internet-service-id 1900568
next
edit "HP-Aruba"
    set internet-service-id 1900726
next
edit "Cisco-Other"
    set internet-service-id 1966080
next
edit "Cisco-Web"
    set internet-service-id 1966081
next
edit "Cisco-ICMP"
    set internet-service-id 1966082
next
edit "Cisco-DNS"
    set internet-service-id 1966083
next
edit "Cisco-Outbound_Email"
    set internet-service-id 1966084
next
edit "Cisco-SSH"
    set internet-service-id 1966086
next
edit "Cisco-FTP"
    set internet-service-id 1966087
next
edit "Cisco-NTP"
    set internet-service-id 1966088
next
```

```
edit "Cisco-Inbound_Email"
    set internet-service-id 1966089
next
edit "Cisco-LDAP"
    set internet-service-id 1966094
next
edit "Cisco-NetBIOS.Session.Service"
    set internet-service-id 1966095
next
edit "Cisco-RTMP"
    set internet-service-id 1966096
next
edit "Cisco-NetBIOS.Name.Service"
    set internet-service-id 1966104
next
edit "Cisco-Webex"
    set internet-service-id 1966183
next
edit "Cisco-Meraki.Cloud"
    set internet-service-id 1966218
next
edit "Cisco-Duo.Security"
    set internet-service-id 1966225
next
edit "Cisco-AppDynamic"
    set internet-service-id 1966260
next
edit "Cisco-Webex.FedRAMP"
    set internet-service-id 1966315
next
edit "Cisco-Secure.Endpoint"
    set internet-service-id 1966324
next
edit "IBM-Other"
    set internet-service-id 2031616
next
edit "IBM-Web"
    set internet-service-id 2031617
next
edit "IBM-ICMP"
    set internet-service-id 2031618
next
edit "IBM-DNS"
    set internet-service-id 2031619
next
edit "IBM-Outbound_Email"
```

```
        set internet-service-id 2031620
next
edit "IBM-SSH"
        set internet-service-id 2031622
next
edit "IBM-FTP"
        set internet-service-id 2031623
next
edit "IBM-NTP"
        set internet-service-id 2031624
next
edit "IBM-Inbound_Email"
        set internet-service-id 2031625
next
edit "IBM-LDAP"
        set internet-service-id 2031630
next
edit "IBM-NetBIOS.Session.Service"
        set internet-service-id 2031631
next
edit "IBM-RTMP"
        set internet-service-id 2031632
next
edit "IBM-NetBIOS.Name.Service"
        set internet-service-id 2031640
next
edit "IBM-IBM.Cloud"
        set internet-service-id 2031748
next
edit "Citrix-Other"
        set internet-service-id 2097152
next
edit "Citrix-Web"
        set internet-service-id 2097153
next
edit "Citrix-ICMP"
        set internet-service-id 2097154
next
edit "Citrix-DNS"
        set internet-service-id 2097155
next
edit "Citrix-Outbound_Email"
        set internet-service-id 2097156
next
edit "Citrix-SSH"
        set internet-service-id 2097158
```

```
next
edit "Citrix-FTP"
    set internet-service-id 2097159
next
edit "Citrix-NTP"
    set internet-service-id 2097160
next
edit "Citrix-Inbound_Email"
    set internet-service-id 2097161
next
edit "Citrix-LDAP"
    set internet-service-id 2097166
next
edit "Citrix-NetBIOS.Session.Service"
    set internet-service-id 2097167
next
edit "Citrix-RTMP"
    set internet-service-id 2097168
next
edit "Citrix-NetBIOS.Name.Service"
    set internet-service-id 2097176
next
edit "Twitter-Other"
    set internet-service-id 2162688
next
edit "Twitter-Web"
    set internet-service-id 2162689
next
edit "Twitter-ICMP"
    set internet-service-id 2162690
next
edit "Twitter-DNS"
    set internet-service-id 2162691
next
edit "Twitter-Outbound_Email"
    set internet-service-id 2162692
next
edit "Twitter-SSH"
    set internet-service-id 2162694
next
edit "Twitter-FTP"
    set internet-service-id 2162695
next
edit "Twitter-NTP"
    set internet-service-id 2162696
next
```

```
edit "Twitter-Inbound_Email"
    set internet-service-id 2162697
next
edit "Twitter-LDAP"
    set internet-service-id 2162702
next
edit "Twitter-NetBIOS.Session.Service"
    set internet-service-id 2162703
next
edit "Twitter-RTMP"
    set internet-service-id 2162704
next
edit "Twitter-NetBIOS.Name.Service"
    set internet-service-id 2162712
next
edit "Dell-Other"
    set internet-service-id 2228224
next
edit "Dell-Web"
    set internet-service-id 2228225
next
edit "Dell-ICMP"
    set internet-service-id 2228226
next
edit "Dell-DNS"
    set internet-service-id 2228227
next
edit "Dell-Outbound_Email"
    set internet-service-id 2228228
next
edit "Dell-SSH"
    set internet-service-id 2228230
next
edit "Dell-FTP"
    set internet-service-id 2228231
next
edit "Dell-NTP"
    set internet-service-id 2228232
next
edit "Dell-Inbound_Email"
    set internet-service-id 2228233
next
edit "Dell-LDAP"
    set internet-service-id 2228238
next
edit "Dell-NetBIOS.Session.Service"
```

```
        set internet-service-id 2228239
next
edit "Dell-RTMP"
        set internet-service-id 2228240
next
edit "Dell-NetBIOS.Name.Service"
        set internet-service-id 2228248
next
edit "Vimeo-Other"
        set internet-service-id 2293760
next
edit "Vimeo-Web"
        set internet-service-id 2293761
next
edit "Vimeo-ICMP"
        set internet-service-id 2293762
next
edit "Vimeo-DNS"
        set internet-service-id 2293763
next
edit "Vimeo-Outbound_Email"
        set internet-service-id 2293764
next
edit "Vimeo-SSH"
        set internet-service-id 2293766
next
edit "Vimeo-FTP"
        set internet-service-id 2293767
next
edit "Vimeo-NTP"
        set internet-service-id 2293768
next
edit "Vimeo-Inbound_Email"
        set internet-service-id 2293769
next
edit "Vimeo-LDAP"
        set internet-service-id 2293774
next
edit "Vimeo-NetBIOS.Session.Service"
        set internet-service-id 2293775
next
edit "Vimeo-RTMP"
        set internet-service-id 2293776
next
edit "Vimeo-NetBIOS.Name.Service"
        set internet-service-id 2293784
```

```
next
edit "Redhat-Other"
    set internet-service-id 2359296
next
edit "Redhat-Web"
    set internet-service-id 2359297
next
edit "Redhat-ICMP"
    set internet-service-id 2359298
next
edit "Redhat-DNS"
    set internet-service-id 2359299
next
edit "Redhat-Outbound_Email"
    set internet-service-id 2359300
next
edit "Redhat-SSH"
    set internet-service-id 2359302
next
edit "Redhat-FTP"
    set internet-service-id 2359303
next
edit "Redhat-NTP"
    set internet-service-id 2359304
next
edit "Redhat-Inbound_Email"
    set internet-service-id 2359305
next
edit "Redhat-LDAP"
    set internet-service-id 2359310
next
edit "Redhat-NetBIOS.Session.Service"
    set internet-service-id 2359311
next
edit "Redhat-RTMP"
    set internet-service-id 2359312
next
edit "Redhat-NetBIOS.Name.Service"
    set internet-service-id 2359320
next
edit "VK-Other"
    set internet-service-id 2424832
next
edit "VK-Web"
    set internet-service-id 2424833
next
```

```
edit "VK-ICMP"
    set internet-service-id 2424834
next
edit "VK-DNS"
    set internet-service-id 2424835
next
edit "VK-Outbound_Email"
    set internet-service-id 2424836
next
edit "VK-SSH"
    set internet-service-id 2424838
next
edit "VK-FTP"
    set internet-service-id 2424839
next
edit "VK-NTP"
    set internet-service-id 2424840
next
edit "VK-Inbound_Email"
    set internet-service-id 2424841
next
edit "VK-LDAP"
    set internet-service-id 2424846
next
edit "VK-NetBIOS.Session.Service"
    set internet-service-id 2424847
next
edit "VK-RTMP"
    set internet-service-id 2424848
next
edit "VK-NetBIOS.Name.Service"
    set internet-service-id 2424856
next
edit "TrendMicro-Other"
    set internet-service-id 2490368
next
edit "TrendMicro-Web"
    set internet-service-id 2490369
next
edit "TrendMicro-ICMP"
    set internet-service-id 2490370
next
edit "TrendMicro-DNS"
    set internet-service-id 2490371
next
edit "TrendMicro-Outbound_Email"
```

```
        set internet-service-id 2490372
next
edit "TrendMicro-SSH"
        set internet-service-id 2490374
next
edit "TrendMicro-FTP"
        set internet-service-id 2490375
next
edit "TrendMicro-NTP"
        set internet-service-id 2490376
next
edit "TrendMicro-Inbound_Email"
        set internet-service-id 2490377
next
edit "TrendMicro-LDAP"
        set internet-service-id 2490382
next
edit "TrendMicro-NetBIOS.Session.Service"
        set internet-service-id 2490383
next
edit "TrendMicro-RTMP"
        set internet-service-id 2490384
next
edit "TrendMicro-NetBIOS.Name.Service"
        set internet-service-id 2490392
next
edit "Tencent-Other"
        set internet-service-id 2555904
next
edit "Tencent-Web"
        set internet-service-id 2555905
next
edit "Tencent-ICMP"
        set internet-service-id 2555906
next
edit "Tencent-DNS"
        set internet-service-id 2555907
next
edit "Tencent-Outbound_Email"
        set internet-service-id 2555908
next
edit "Tencent-SSH"
        set internet-service-id 2555910
next
edit "Tencent-FTP"
        set internet-service-id 2555911
```

```
next
edit "Tencent-NTP"
    set internet-service-id 2555912
next
edit "Tencent-Inbound_Email"
    set internet-service-id 2555913
next
edit "Tencent-LDAP"
    set internet-service-id 2555918
next
edit "Tencent-NetBIOS.Session.Service"
    set internet-service-id 2555919
next
edit "Tencent-RTMP"
    set internet-service-id 2555920
next
edit "Tencent-NetBIOS.Name.Service"
    set internet-service-id 2555928
next
edit "Ask-Other"
    set internet-service-id 2621440
next
edit "Ask-Web"
    set internet-service-id 2621441
next
edit "Ask-ICMP"
    set internet-service-id 2621442
next
edit "Ask-DNS"
    set internet-service-id 2621443
next
edit "Ask-Outbound_Email"
    set internet-service-id 2621444
next
edit "Ask-SSH"
    set internet-service-id 2621446
next
edit "Ask-FTP"
    set internet-service-id 2621447
next
edit "Ask-NTP"
    set internet-service-id 2621448
next
edit "Ask-Inbound_Email"
    set internet-service-id 2621449
next
```

```
edit "Ask-LDAP"
    set internet-service-id 2621454
next
edit "Ask-NetBIOS.Session.Service"
    set internet-service-id 2621455
next
edit "Ask-RTMP"
    set internet-service-id 2621456
next
edit "Ask-NetBIOS.Name.Service"
    set internet-service-id 2621464
next
edit "CNN-Other"
    set internet-service-id 2686976
next
edit "CNN-Web"
    set internet-service-id 2686977
next
edit "CNN-ICMP"
    set internet-service-id 2686978
next
edit "CNN-DNS"
    set internet-service-id 2686979
next
edit "CNN-Outbound_Email"
    set internet-service-id 2686980
next
edit "CNN-SSH"
    set internet-service-id 2686982
next
edit "CNN-FTP"
    set internet-service-id 2686983
next
edit "CNN-NTP"
    set internet-service-id 2686984
next
edit "CNN-Inbound_Email"
    set internet-service-id 2686985
next
edit "CNN-LDAP"
    set internet-service-id 2686990
next
edit "CNN-NetBIOS.Session.Service"
    set internet-service-id 2686991
next
edit "CNN-RTMP"
```

```
        set internet-service-id 2686992
next
edit "CNN-NetBIOS.Name.Service"
        set internet-service-id 2687000
next
edit "Myspace-Other"
        set internet-service-id 2752512
next
edit "Myspace-Web"
        set internet-service-id 2752513
next
edit "Myspace-ICMP"
        set internet-service-id 2752514
next
edit "Myspace-DNS"
        set internet-service-id 2752515
next
edit "Myspace-Outbound_Email"
        set internet-service-id 2752516
next
edit "Myspace-SSH"
        set internet-service-id 2752518
next
edit "Myspace-FTP"
        set internet-service-id 2752519
next
edit "Myspace-NTP"
        set internet-service-id 2752520
next
edit "Myspace-Inbound_Email"
        set internet-service-id 2752521
next
edit "Myspace-LDAP"
        set internet-service-id 2752526
next
edit "Myspace-NetBIOS.Session.Service"
        set internet-service-id 2752527
next
edit "Myspace-RTMP"
        set internet-service-id 2752528
next
edit "Myspace-NetBIOS.Name.Service"
        set internet-service-id 2752536
next
edit "Tor-Relay.Node"
        set internet-service-id 2818238
```

```
next
edit "Tor-Exit.Node"
    set internet-service-id 2818243
next
edit "Baidu-Other"
    set internet-service-id 2883584
next
edit "Baidu-Web"
    set internet-service-id 2883585
next
edit "Baidu-ICMP"
    set internet-service-id 2883586
next
edit "Baidu-DNS"
    set internet-service-id 2883587
next
edit "Baidu-Outbound_Email"
    set internet-service-id 2883588
next
edit "Baidu-SSH"
    set internet-service-id 2883590
next
edit "Baidu-FTP"
    set internet-service-id 2883591
next
edit "Baidu-NTP"
    set internet-service-id 2883592
next
edit "Baidu-Inbound_Email"
    set internet-service-id 2883593
next
edit "Baidu-LDAP"
    set internet-service-id 2883598
next
edit "Baidu-NetBIOS.Session.Service"
    set internet-service-id 2883599
next
edit "Baidu-RTMP"
    set internet-service-id 2883600
next
edit "Baidu-NetBIOS.Name.Service"
    set internet-service-id 2883608
next
edit "ntp.org-Other"
    set internet-service-id 2949120
next
```

```
edit "ntp.org-Web"
    set internet-service-id 2949121
next
edit "ntp.org-ICMP"
    set internet-service-id 2949122
next
edit "ntp.org-DNS"
    set internet-service-id 2949123
next
edit "ntp.org-Outbound_Email"
    set internet-service-id 2949124
next
edit "ntp.org-SSH"
    set internet-service-id 2949126
next
edit "ntp.org-FTP"
    set internet-service-id 2949127
next
edit "ntp.org-NTP"
    set internet-service-id 2949128
next
edit "ntp.org-Inbound_Email"
    set internet-service-id 2949129
next
edit "ntp.org-LDAP"
    set internet-service-id 2949134
next
edit "ntp.org-NetBIOS.Session.Service"
    set internet-service-id 2949135
next
edit "ntp.org-RTMP"
    set internet-service-id 2949136
next
edit "ntp.org-NetBIOS.Name.Service"
    set internet-service-id 2949144
next
edit "Proxy-Proxy.Server"
    set internet-service-id 3014850
next
edit "Botnet-C&C.Server"
    set internet-service-id 3080383
next
edit "Spam-Spamming.Server"
    set internet-service-id 3145920
next
edit "Phishing-Phishing.Server"
```

```
        set internet-service-id 3211457
next
edit "Zendesk-Zendesk.Suite"
    set internet-service-id 3408047
next
edit "DocuSign-Other"
    set internet-service-id 3473408
next
edit "DocuSign-Web"
    set internet-service-id 3473409
next
edit "DocuSign-ICMP"
    set internet-service-id 3473410
next
edit "DocuSign-DNS"
    set internet-service-id 3473411
next
edit "DocuSign-Outbound_Email"
    set internet-service-id 3473412
next
edit "DocuSign-SSH"
    set internet-service-id 3473414
next
edit "DocuSign-FTP"
    set internet-service-id 3473415
next
edit "DocuSign-NTP"
    set internet-service-id 3473416
next
edit "DocuSign-Inbound_Email"
    set internet-service-id 3473417
next
edit "DocuSign-LDAP"
    set internet-service-id 3473422
next
edit "DocuSign-NetBIOS.Session.Service"
    set internet-service-id 3473423
next
edit "DocuSign-RTMP"
    set internet-service-id 3473424
next
edit "DocuSign-NetBIOS.Name.Service"
    set internet-service-id 3473432
next
edit "ServiceNow-Other"
    set internet-service-id 3538944
```

```
next
edit "ServiceNow-Web"
    set internet-service-id 3538945
next
edit "ServiceNow-ICMP"
    set internet-service-id 3538946
next
edit "ServiceNow-DNS"
    set internet-service-id 3538947
next
edit "ServiceNow-Outbound_Email"
    set internet-service-id 3538948
next
edit "ServiceNow-SSH"
    set internet-service-id 3538950
next
edit "ServiceNow-FTP"
    set internet-service-id 3538951
next
edit "ServiceNow-NTP"
    set internet-service-id 3538952
next
edit "ServiceNow-Inbound_Email"
    set internet-service-id 3538953
next
edit "ServiceNow-LDAP"
    set internet-service-id 3538958
next
edit "ServiceNow-NetBIOS.Session.Service"
    set internet-service-id 3538959
next
edit "ServiceNow-RTMP"
    set internet-service-id 3538960
next
edit "ServiceNow-NetBIOS.Name.Service"
    set internet-service-id 3538968
next
edit "GitHub-GitHub"
    set internet-service-id 3604638
next
edit "Workday-Other"
    set internet-service-id 3670016
next
edit "Workday-Web"
    set internet-service-id 3670017
next
```

```
edit "Workday-ICMP"
    set internet-service-id 3670018
next
edit "Workday-DNS"
    set internet-service-id 3670019
next
edit "Workday-Outbound_Email"
    set internet-service-id 3670020
next
edit "Workday-SSH"
    set internet-service-id 3670022
next
edit "Workday-FTP"
    set internet-service-id 3670023
next
edit "Workday-NTP"
    set internet-service-id 3670024
next
edit "Workday-Inbound_Email"
    set internet-service-id 3670025
next
edit "Workday-LDAP"
    set internet-service-id 3670030
next
edit "Workday-NetBIOS.Session.Service"
    set internet-service-id 3670031
next
edit "Workday-RTMP"
    set internet-service-id 3670032
next
edit "Workday-NetBIOS.Name.Service"
    set internet-service-id 3670040
next
edit "HubSpot-Other"
    set internet-service-id 3735552
next
edit "HubSpot-Web"
    set internet-service-id 3735553
next
edit "HubSpot-ICMP"
    set internet-service-id 3735554
next
edit "HubSpot-DNS"
    set internet-service-id 3735555
next
edit "HubSpot-Outbound_Email"
```

```
        set internet-service-id 3735556
next
edit "HubSpot-SSH"
        set internet-service-id 3735558
next
edit "HubSpot-FTP"
        set internet-service-id 3735559
next
edit "HubSpot-NTP"
        set internet-service-id 3735560
next
edit "HubSpot-Inbound_Email"
        set internet-service-id 3735561
next
edit "HubSpot-LDAP"
        set internet-service-id 3735566
next
edit "HubSpot-NetBIOS.Session.Service"
        set internet-service-id 3735567
next
edit "HubSpot-RTMP"
        set internet-service-id 3735568
next
edit "HubSpot-NetBIOS.Name.Service"
        set internet-service-id 3735576
next
edit "Twilio-Other"
        set internet-service-id 3801088
next
edit "Twilio-Web"
        set internet-service-id 3801089
next
edit "Twilio-ICMP"
        set internet-service-id 3801090
next
edit "Twilio-DNS"
        set internet-service-id 3801091
next
edit "Twilio-Outbound_Email"
        set internet-service-id 3801092
next
edit "Twilio-SSH"
        set internet-service-id 3801094
next
edit "Twilio-FTP"
        set internet-service-id 3801095
```

```
next
edit "Twilio-NTP"
    set internet-service-id 3801096
next
edit "Twilio-Inbound_Email"
    set internet-service-id 3801097
next
edit "Twilio-LDAP"
    set internet-service-id 3801102
next
edit "Twilio-NetBIOS.Session.Service"
    set internet-service-id 3801103
next
edit "Twilio-RTMP"
    set internet-service-id 3801104
next
edit "Twilio-NetBIOS.Name.Service"
    set internet-service-id 3801112
next
edit "Twilio-Elastic.SIP.Trunking"
    set internet-service-id 3801277
next
edit "Coupa-Other"
    set internet-service-id 3866624
next
edit "Coupa-Web"
    set internet-service-id 3866625
next
edit "Coupa-ICMP"
    set internet-service-id 3866626
next
edit "Coupa-DNS"
    set internet-service-id 3866627
next
edit "Coupa-Outbound_Email"
    set internet-service-id 3866628
next
edit "Coupa-SSH"
    set internet-service-id 3866630
next
edit "Coupa-FTP"
    set internet-service-id 3866631
next
edit "Coupa-NTP"
    set internet-service-id 3866632
next
```

```
edit "Coupa-Inbound_Email"
    set internet-service-id 3866633
next
edit "Coupa-LDAP"
    set internet-service-id 3866638
next
edit "Coupa-NetBIOS.Session.Service"
    set internet-service-id 3866639
next
edit "Coupa-RTMP"
    set internet-service-id 3866640
next
edit "Coupa-NetBIOS.Name.Service"
    set internet-service-id 3866648
next
edit "Atlassian-Other"
    set internet-service-id 3932160
next
edit "Atlassian-Web"
    set internet-service-id 3932161
next
edit "Atlassian-ICMP"
    set internet-service-id 3932162
next
edit "Atlassian-DNS"
    set internet-service-id 3932163
next
edit "Atlassian-Outbound_Email"
    set internet-service-id 3932164
next
edit "Atlassian-SSH"
    set internet-service-id 3932166
next
edit "Atlassian-FTP"
    set internet-service-id 3932167
next
edit "Atlassian-NTP"
    set internet-service-id 3932168
next
edit "Atlassian-Inbound_Email"
    set internet-service-id 3932169
next
edit "Atlassian-LDAP"
    set internet-service-id 3932174
next
edit "Atlassian-NetBIOS.Session.Service"
```

```
        set internet-service-id 3932175
next
edit "Atlassian-RTMP"
        set internet-service-id 3932176
next
edit "Atlassian-NetBIOS.Name.Service"
        set internet-service-id 3932184
next
edit "Atlassian-Atlassian.Cloud"
        set internet-service-id 3932388
next
edit "Atlassian-Atlassian.Notification"
        set internet-service-id 3932436
next
edit "Xero-Other"
        set internet-service-id 3997696
next
edit "Xero-Web"
        set internet-service-id 3997697
next
edit "Xero-ICMP"
        set internet-service-id 3997698
next
edit "Xero-DNS"
        set internet-service-id 3997699
next
edit "Xero-Outbound_Email"
        set internet-service-id 3997700
next
edit "Xero-SSH"
        set internet-service-id 3997702
next
edit "Xero-FTP"
        set internet-service-id 3997703
next
edit "Xero-NTP"
        set internet-service-id 3997704
next
edit "Xero-Inbound_Email"
        set internet-service-id 3997705
next
edit "Xero-LDAP"
        set internet-service-id 3997710
next
edit "Xero-NetBIOS.Session.Service"
        set internet-service-id 3997711
```

```
next
edit "Xero-RTMP"
    set internet-service-id 3997712
next
edit "Xero-NetBIOS.Name.Service"
    set internet-service-id 3997720
next
edit "Zuora-Other"
    set internet-service-id 4063232
next
edit "Zuora-Web"
    set internet-service-id 4063233
next
edit "Zuora-ICMP"
    set internet-service-id 4063234
next
edit "Zuora-DNS"
    set internet-service-id 4063235
next
edit "Zuora-Outbound_Email"
    set internet-service-id 4063236
next
edit "Zuora-SSH"
    set internet-service-id 4063238
next
edit "Zuora-FTP"
    set internet-service-id 4063239
next
edit "Zuora-NTP"
    set internet-service-id 4063240
next
edit "Zuora-Inbound_Email"
    set internet-service-id 4063241
next
edit "Zuora-LDAP"
    set internet-service-id 4063246
next
edit "Zuora-NetBIOS.Session.Service"
    set internet-service-id 4063247
next
edit "Zuora-RTMP"
    set internet-service-id 4063248
next
edit "Zuora-NetBIOS.Name.Service"
    set internet-service-id 4063256
next
```

```
edit "AdRoll-Other"
    set internet-service-id 4128768
next
edit "AdRoll-Web"
    set internet-service-id 4128769
next
edit "AdRoll-ICMP"
    set internet-service-id 4128770
next
edit "AdRoll-DNS"
    set internet-service-id 4128771
next
edit "AdRoll-Outbound_Email"
    set internet-service-id 4128772
next
edit "AdRoll-SSH"
    set internet-service-id 4128774
next
edit "AdRoll-FTP"
    set internet-service-id 4128775
next
edit "AdRoll-NTP"
    set internet-service-id 4128776
next
edit "AdRoll-Inbound_Email"
    set internet-service-id 4128777
next
edit "AdRoll-LDAP"
    set internet-service-id 4128782
next
edit "AdRoll-NetBIOS.Session.Service"
    set internet-service-id 4128783
next
edit "AdRoll-RTMP"
    set internet-service-id 4128784
next
edit "AdRoll-NetBIOS.Name.Service"
    set internet-service-id 4128792
next
edit "Xactly-Other"
    set internet-service-id 4194304
next
edit "Xactly-Web"
    set internet-service-id 4194305
next
edit "Xactly-ICMP"
```

```
        set internet-service-id 4194306
next
edit "Xactly-DNS"
        set internet-service-id 4194307
next
edit "Xactly-Outbound_Email"
        set internet-service-id 4194308
next
edit "Xactly-SSH"
        set internet-service-id 4194310
next
edit "Xactly-FTP"
        set internet-service-id 4194311
next
edit "Xactly-NTP"
        set internet-service-id 4194312
next
edit "Xactly-Inbound_Email"
        set internet-service-id 4194313
next
edit "Xactly-LDAP"
        set internet-service-id 4194318
next
edit "Xactly-NetBIOS.Session.Service"
        set internet-service-id 4194319
next
edit "Xactly-RTMP"
        set internet-service-id 4194320
next
edit "Xactly-NetBIOS.Name.Service"
        set internet-service-id 4194328
next
edit "Intuit-Other"
        set internet-service-id 4259840
next
edit "Intuit-Web"
        set internet-service-id 4259841
next
edit "Intuit-ICMP"
        set internet-service-id 4259842
next
edit "Intuit-DNS"
        set internet-service-id 4259843
next
edit "Intuit-Outbound_Email"
        set internet-service-id 4259844
```

```
next
edit "Intuit-SSH"
    set internet-service-id 4259846
next
edit "Intuit-FTP"
    set internet-service-id 4259847
next
edit "Intuit-NTP"
    set internet-service-id 4259848
next
edit "Intuit-Inbound_Email"
    set internet-service-id 4259849
next
edit "Intuit-LDAP"
    set internet-service-id 4259854
next
edit "Intuit-NetBIOS.Session.Service"
    set internet-service-id 4259855
next
edit "Intuit-RTMP"
    set internet-service-id 4259856
next
edit "Intuit-NetBIOS.Name.Service"
    set internet-service-id 4259864
next
edit "Marketo-Other"
    set internet-service-id 4325376
next
edit "Marketo-Web"
    set internet-service-id 4325377
next
edit "Marketo-ICMP"
    set internet-service-id 4325378
next
edit "Marketo-DNS"
    set internet-service-id 4325379
next
edit "Marketo-Outbound_Email"
    set internet-service-id 4325380
next
edit "Marketo-SSH"
    set internet-service-id 4325382
next
edit "Marketo-FTP"
    set internet-service-id 4325383
next
```

```
edit "Marketo-NTP"
    set internet-service-id 4325384
next
edit "Marketo-Inbound_Email"
    set internet-service-id 4325385
next
edit "Marketo-LDAP"
    set internet-service-id 4325390
next
edit "Marketo-NetBIOS.Session.Service"
    set internet-service-id 4325391
next
edit "Marketo-RTMP"
    set internet-service-id 4325392
next
edit "Marketo-NetBIOS.Name.Service"
    set internet-service-id 4325400
next
edit "Bill-Other"
    set internet-service-id 4456448
next
edit "Bill-Web"
    set internet-service-id 4456449
next
edit "Bill-ICMP"
    set internet-service-id 4456450
next
edit "Bill-DNS"
    set internet-service-id 4456451
next
edit "Bill-Outbound_Email"
    set internet-service-id 4456452
next
edit "Bill-SSH"
    set internet-service-id 4456454
next
edit "Bill-FTP"
    set internet-service-id 4456455
next
edit "Bill-NTP"
    set internet-service-id 4456456
next
edit "Bill-Inbound_Email"
    set internet-service-id 4456457
next
edit "Bill-LDAP"
```

```
        set internet-service-id 4456462
next
edit "Bill-NetBIOS.Session.Service"
    set internet-service-id 4456463
next
edit "Bill-RTMP"
    set internet-service-id 4456464
next
edit "Bill-NetBIOS.Name.Service"
    set internet-service-id 4456472
next
edit "Shopify-Other"
    set internet-service-id 4521984
next
edit "Shopify-Web"
    set internet-service-id 4521985
next
edit "Shopify-ICMP"
    set internet-service-id 4521986
next
edit "Shopify-DNS"
    set internet-service-id 4521987
next
edit "Shopify-Outbound_Email"
    set internet-service-id 4521988
next
edit "Shopify-SSH"
    set internet-service-id 4521990
next
edit "Shopify-FTP"
    set internet-service-id 4521991
next
edit "Shopify-NTP"
    set internet-service-id 4521992
next
edit "Shopify-Inbound_Email"
    set internet-service-id 4521993
next
edit "Shopify-LDAP"
    set internet-service-id 4521998
next
edit "Shopify-NetBIOS.Session.Service"
    set internet-service-id 4521999
next
edit "Shopify-RTMP"
    set internet-service-id 4522000
```

```
next
edit "Shopify-NetBIOS.Name.Service"
    set internet-service-id 4522008
next
edit "Shopify-Shopify"
    set internet-service-id 4522162
next
edit "MuleSoft-Other"
    set internet-service-id 4587520
next
edit "MuleSoft-Web"
    set internet-service-id 4587521
next
edit "MuleSoft-ICMP"
    set internet-service-id 4587522
next
edit "MuleSoft-DNS"
    set internet-service-id 4587523
next
edit "MuleSoft-Outbound_Email"
    set internet-service-id 4587524
next
edit "MuleSoft-SSH"
    set internet-service-id 4587526
next
edit "MuleSoft-FTP"
    set internet-service-id 4587527
next
edit "MuleSoft-NTP"
    set internet-service-id 4587528
next
edit "MuleSoft-Inbound_Email"
    set internet-service-id 4587529
next
edit "MuleSoft-LDAP"
    set internet-service-id 4587534
next
edit "MuleSoft-NetBIOS.Session.Service"
    set internet-service-id 4587535
next
edit "MuleSoft-RTMP"
    set internet-service-id 4587536
next
edit "MuleSoft-NetBIOS.Name.Service"
    set internet-service-id 4587544
next
```

```
edit "Cornerstone-Other"
    set internet-service-id 4653056
next
edit "Cornerstone-Web"
    set internet-service-id 4653057
next
edit "Cornerstone-ICMP"
    set internet-service-id 4653058
next
edit "Cornerstone-DNS"
    set internet-service-id 4653059
next
edit "Cornerstone-Outbound_Email"
    set internet-service-id 4653060
next
edit "Cornerstone-SSH"
    set internet-service-id 4653062
next
edit "Cornerstone-FTP"
    set internet-service-id 4653063
next
edit "Cornerstone-NTP"
    set internet-service-id 4653064
next
edit "Cornerstone-Inbound_Email"
    set internet-service-id 4653065
next
edit "Cornerstone-LDAP"
    set internet-service-id 4653070
next
edit "Cornerstone-NetBIOS.Session.Service"
    set internet-service-id 4653071
next
edit "Cornerstone-RTMP"
    set internet-service-id 4653072
next
edit "Cornerstone-NetBIOS.Name.Service"
    set internet-service-id 4653080
next
edit "Eventbrite-Other"
    set internet-service-id 4718592
next
edit "Eventbrite-Web"
    set internet-service-id 4718593
next
edit "Eventbrite-ICMP"
```

```
        set internet-service-id 4718594
next
edit "Eventbrite-DNS"
        set internet-service-id 4718595
next
edit "Eventbrite-Outbound_Email"
        set internet-service-id 4718596
next
edit "Eventbrite-SSH"
        set internet-service-id 4718598
next
edit "Eventbrite-FTP"
        set internet-service-id 4718599
next
edit "Eventbrite-NTP"
        set internet-service-id 4718600
next
edit "Eventbrite-Inbound_Email"
        set internet-service-id 4718601
next
edit "Eventbrite-LDAP"
        set internet-service-id 4718606
next
edit "Eventbrite-NetBIOS.Session.Service"
        set internet-service-id 4718607
next
edit "Eventbrite-RTMP"
        set internet-service-id 4718608
next
edit "Eventbrite-NetBIOS.Name.Service"
        set internet-service-id 4718616
next
edit "Paychex-Other"
        set internet-service-id 4784128
next
edit "Paychex-Web"
        set internet-service-id 4784129
next
edit "Paychex-ICMP"
        set internet-service-id 4784130
next
edit "Paychex-DNS"
        set internet-service-id 4784131
next
edit "Paychex-Outbound_Email"
        set internet-service-id 4784132
```

```
next
edit "Paychex-SSH"
    set internet-service-id 4784134
next
edit "Paychex-FTP"
    set internet-service-id 4784135
next
edit "Paychex-NTP"
    set internet-service-id 4784136
next
edit "Paychex-Inbound_Email"
    set internet-service-id 4784137
next
edit "Paychex-LDAP"
    set internet-service-id 4784142
next
edit "Paychex-NetBIOS.Session.Service"
    set internet-service-id 4784143
next
edit "Paychex-RTMP"
    set internet-service-id 4784144
next
edit "Paychex-NetBIOS.Name.Service"
    set internet-service-id 4784152
next
edit "NewRelic-Other"
    set internet-service-id 4849664
next
edit "NewRelic-Web"
    set internet-service-id 4849665
next
edit "NewRelic-ICMP"
    set internet-service-id 4849666
next
edit "NewRelic-DNS"
    set internet-service-id 4849667
next
edit "NewRelic-Outbound_Email"
    set internet-service-id 4849668
next
edit "NewRelic-SSH"
    set internet-service-id 4849670
next
edit "NewRelic-FTP"
    set internet-service-id 4849671
next
```

```
edit "NewRelic-NTP"
    set internet-service-id 4849672
next
edit "NewRelic-Inbound_Email"
    set internet-service-id 4849673
next
edit "NewRelic-LDAP"
    set internet-service-id 4849678
next
edit "NewRelic-NetBIOS.Session.Service"
    set internet-service-id 4849679
next
edit "NewRelic-RTMP"
    set internet-service-id 4849680
next
edit "NewRelic-NetBIOS.Name.Service"
    set internet-service-id 4849688
next
edit "Splunk-Other"
    set internet-service-id 4915200
next
edit "Splunk-Web"
    set internet-service-id 4915201
next
edit "Splunk-ICMP"
    set internet-service-id 4915202
next
edit "Splunk-DNS"
    set internet-service-id 4915203
next
edit "Splunk-Outbound_Email"
    set internet-service-id 4915204
next
edit "Splunk-SSH"
    set internet-service-id 4915206
next
edit "Splunk-FTP"
    set internet-service-id 4915207
next
edit "Splunk-NTP"
    set internet-service-id 4915208
next
edit "Splunk-Inbound_Email"
    set internet-service-id 4915209
next
edit "Splunk-LDAP"
```

```
        set internet-service-id 4915214
next
edit "Splunk-NetBIOS.Session.Service"
    set internet-service-id 4915215
next
edit "Splunk-RTMP"
    set internet-service-id 4915216
next
edit "Splunk-NetBIOS.Name.Service"
    set internet-service-id 4915224
next
edit "Domo-Other"
    set internet-service-id 4980736
next
edit "Domo-Web"
    set internet-service-id 4980737
next
edit "Domo-ICMP"
    set internet-service-id 4980738
next
edit "Domo-DNS"
    set internet-service-id 4980739
next
edit "Domo-Outbound_Email"
    set internet-service-id 4980740
next
edit "Domo-SSH"
    set internet-service-id 4980742
next
edit "Domo-FTP"
    set internet-service-id 4980743
next
edit "Domo-NTP"
    set internet-service-id 4980744
next
edit "Domo-Inbound_Email"
    set internet-service-id 4980745
next
edit "Domo-LDAP"
    set internet-service-id 4980750
next
edit "Domo-NetBIOS.Session.Service"
    set internet-service-id 4980751
next
edit "Domo-RTMP"
    set internet-service-id 4980752
```

```
next
edit "Domo-NetBIOS.Name.Service"
    set internet-service-id 4980760
next
edit "FreshBooks-Other"
    set internet-service-id 5046272
next
edit "FreshBooks-Web"
    set internet-service-id 5046273
next
edit "FreshBooks-ICMP"
    set internet-service-id 5046274
next
edit "FreshBooks-DNS"
    set internet-service-id 5046275
next
edit "FreshBooks-Outbound_Email"
    set internet-service-id 5046276
next
edit "FreshBooks-SSH"
    set internet-service-id 5046278
next
edit "FreshBooks-FTP"
    set internet-service-id 5046279
next
edit "FreshBooks-NTP"
    set internet-service-id 5046280
next
edit "FreshBooks-Inbound_Email"
    set internet-service-id 5046281
next
edit "FreshBooks-LDAP"
    set internet-service-id 5046286
next
edit "FreshBooks-NetBIOS.Session.Service"
    set internet-service-id 5046287
next
edit "FreshBooks-RTMP"
    set internet-service-id 5046288
next
edit "FreshBooks-NetBIOS.Name.Service"
    set internet-service-id 5046296
next
edit "Tableau-Other"
    set internet-service-id 5111808
next
```

```
edit "Tableau-Web"
    set internet-service-id 5111809
next
edit "Tableau-ICMP"
    set internet-service-id 5111810
next
edit "Tableau-DNS"
    set internet-service-id 5111811
next
edit "Tableau-Outbound_Email"
    set internet-service-id 5111812
next
edit "Tableau-SSH"
    set internet-service-id 5111814
next
edit "Tableau-FTP"
    set internet-service-id 5111815
next
edit "Tableau-NTP"
    set internet-service-id 5111816
next
edit "Tableau-Inbound_Email"
    set internet-service-id 5111817
next
edit "Tableau-LDAP"
    set internet-service-id 5111822
next
edit "Tableau-NetBIOS.Session.Service"
    set internet-service-id 5111823
next
edit "Tableau-RTMP"
    set internet-service-id 5111824
next
edit "Tableau-NetBIOS.Name.Service"
    set internet-service-id 5111832
next
edit "Druva-Other"
    set internet-service-id 5177344
next
edit "Druva-Web"
    set internet-service-id 5177345
next
edit "Druva-ICMP"
    set internet-service-id 5177346
next
edit "Druva-DNS"
```

```
        set internet-service-id 5177347
next
edit "Druva-Outbound_Email"
        set internet-service-id 5177348
next
edit "Druva-SSH"
        set internet-service-id 5177350
next
edit "Druva-FTP"
        set internet-service-id 5177351
next
edit "Druva-NTP"
        set internet-service-id 5177352
next
edit "Druva-Inbound_Email"
        set internet-service-id 5177353
next
edit "Druva-LDAP"
        set internet-service-id 5177358
next
edit "Druva-NetBIOS.Session.Service"
        set internet-service-id 5177359
next
edit "Druva-RTMP"
        set internet-service-id 5177360
next
edit "Druva-NetBIOS.Name.Service"
        set internet-service-id 5177368
next
edit "Act-on-Other"
        set internet-service-id 5242880
next
edit "Act-on-Web"
        set internet-service-id 5242881
next
edit "Act-on-ICMP"
        set internet-service-id 5242882
next
edit "Act-on-DNS"
        set internet-service-id 5242883
next
edit "Act-on-Outbound_Email"
        set internet-service-id 5242884
next
edit "Act-on-SSH"
        set internet-service-id 5242886
```

```
next
edit "Act-on-FTP"
    set internet-service-id 5242887
next
edit "Act-on-NTP"
    set internet-service-id 5242888
next
edit "Act-on-Inbound_Email"
    set internet-service-id 5242889
next
edit "Act-on-LDAP"
    set internet-service-id 5242894
next
edit "Act-on-NetBIOS.Session.Service"
    set internet-service-id 5242895
next
edit "Act-on-RTMP"
    set internet-service-id 5242896
next
edit "Act-on-NetBIOS.Name.Service"
    set internet-service-id 5242904
next
edit "GoodData-Other"
    set internet-service-id 5308416
next
edit "GoodData-Web"
    set internet-service-id 5308417
next
edit "GoodData-ICMP"
    set internet-service-id 5308418
next
edit "GoodData-DNS"
    set internet-service-id 5308419
next
edit "GoodData-Outbound_Email"
    set internet-service-id 5308420
next
edit "GoodData-SSH"
    set internet-service-id 5308422
next
edit "GoodData-FTP"
    set internet-service-id 5308423
next
edit "GoodData-NTP"
    set internet-service-id 5308424
next
```

```
edit "GoodData-Inbound_Email"
    set internet-service-id 5308425
next
edit "GoodData-LDAP"
    set internet-service-id 5308430
next
edit "GoodData-NetBIOS.Session.Service"
    set internet-service-id 5308431
next
edit "GoodData-RTMP"
    set internet-service-id 5308432
next
edit "GoodData-NetBIOS.Name.Service"
    set internet-service-id 5308440
next
edit "SurveyMonkey-Other"
    set internet-service-id 5373952
next
edit "SurveyMonkey-Web"
    set internet-service-id 5373953
next
edit "SurveyMonkey-ICMP"
    set internet-service-id 5373954
next
edit "SurveyMonkey-DNS"
    set internet-service-id 5373955
next
edit "SurveyMonkey-Outbound_Email"
    set internet-service-id 5373956
next
edit "SurveyMonkey-SSH"
    set internet-service-id 5373958
next
edit "SurveyMonkey-FTP"
    set internet-service-id 5373959
next
edit "SurveyMonkey-NTP"
    set internet-service-id 5373960
next
edit "SurveyMonkey-Inbound_Email"
    set internet-service-id 5373961
next
edit "SurveyMonkey-LDAP"
    set internet-service-id 5373966
next
edit "SurveyMonkey-NetBIOS.Session.Service"
```

```
        set internet-service-id 5373967
next
edit "SurveyMonkey-RTMP"
    set internet-service-id 5373968
next
edit "SurveyMonkey-NetBIOS.Name.Service"
    set internet-service-id 5373976
next
edit "Cvent-Other"
    set internet-service-id 5439488
next
edit "Cvent-Web"
    set internet-service-id 5439489
next
edit "Cvent-ICMP"
    set internet-service-id 5439490
next
edit "Cvent-DNS"
    set internet-service-id 5439491
next
edit "Cvent-Outbound_Email"
    set internet-service-id 5439492
next
edit "Cvent-SSH"
    set internet-service-id 5439494
next
edit "Cvent-FTP"
    set internet-service-id 5439495
next
edit "Cvent-NTP"
    set internet-service-id 5439496
next
edit "Cvent-Inbound_Email"
    set internet-service-id 5439497
next
edit "Cvent-LDAP"
    set internet-service-id 5439502
next
edit "Cvent-NetBIOS.Session.Service"
    set internet-service-id 5439503
next
edit "Cvent-RTMP"
    set internet-service-id 5439504
next
edit "Cvent-NetBIOS.Name.Service"
    set internet-service-id 5439512
```

```
next
edit "Blackbaud-Other"
    set internet-service-id 5505024
next
edit "Blackbaud-Web"
    set internet-service-id 5505025
next
edit "Blackbaud-ICMP"
    set internet-service-id 5505026
next
edit "Blackbaud-DNS"
    set internet-service-id 5505027
next
edit "Blackbaud-Outbound_Email"
    set internet-service-id 5505028
next
edit "Blackbaud-SSH"
    set internet-service-id 5505030
next
edit "Blackbaud-FTP"
    set internet-service-id 5505031
next
edit "Blackbaud-NTP"
    set internet-service-id 5505032
next
edit "Blackbaud-Inbound_Email"
    set internet-service-id 5505033
next
edit "Blackbaud-LDAP"
    set internet-service-id 5505038
next
edit "Blackbaud-NetBIOS.Session.Service"
    set internet-service-id 5505039
next
edit "Blackbaud-RTMP"
    set internet-service-id 5505040
next
edit "Blackbaud-NetBIOS.Name.Service"
    set internet-service-id 5505048
next
edit "InsideSales-Other"
    set internet-service-id 5570560
next
edit "InsideSales-Web"
    set internet-service-id 5570561
next
```

```
edit "InsideSales-ICMP"
    set internet-service-id 5570562
next
edit "InsideSales-DNS"
    set internet-service-id 5570563
next
edit "InsideSales-Outbound_Email"
    set internet-service-id 5570564
next
edit "InsideSales-SSH"
    set internet-service-id 5570566
next
edit "InsideSales-FTP"
    set internet-service-id 5570567
next
edit "InsideSales-NTP"
    set internet-service-id 5570568
next
edit "InsideSales-Inbound_Email"
    set internet-service-id 5570569
next
edit "InsideSales-LDAP"
    set internet-service-id 5570574
next
edit "InsideSales-NetBIOS.Session.Service"
    set internet-service-id 5570575
next
edit "InsideSales-RTMP"
    set internet-service-id 5570576
next
edit "InsideSales-NetBIOS.Name.Service"
    set internet-service-id 5570584
next
edit "ServiceMax-Other"
    set internet-service-id 5636096
next
edit "ServiceMax-Web"
    set internet-service-id 5636097
next
edit "ServiceMax-ICMP"
    set internet-service-id 5636098
next
edit "ServiceMax-DNS"
    set internet-service-id 5636099
next
edit "ServiceMax-Outbound_Email"
```

```
        set internet-service-id 5636100
next
edit "ServiceMax-SSH"
        set internet-service-id 5636102
next
edit "ServiceMax-FTP"
        set internet-service-id 5636103
next
edit "ServiceMax-NTP"
        set internet-service-id 5636104
next
edit "ServiceMax-Inbound_Email"
        set internet-service-id 5636105
next
edit "ServiceMax-LDAP"
        set internet-service-id 5636110
next
edit "ServiceMax-NetBIOS.Session.Service"
        set internet-service-id 5636111
next
edit "ServiceMax-RTMP"
        set internet-service-id 5636112
next
edit "ServiceMax-NetBIOS.Name.Service"
        set internet-service-id 5636120
next
edit "Apptio-Other"
        set internet-service-id 5701632
next
edit "Apptio-Web"
        set internet-service-id 5701633
next
edit "Apptio-ICMP"
        set internet-service-id 5701634
next
edit "Apptio-DNS"
        set internet-service-id 5701635
next
edit "Apptio-Outbound_Email"
        set internet-service-id 5701636
next
edit "Apptio-SSH"
        set internet-service-id 5701638
next
edit "Apptio-FTP"
        set internet-service-id 5701639
```

```
next
edit "Apptio-NTP"
    set internet-service-id 5701640
next
edit "Apptio-Inbound_Email"
    set internet-service-id 5701641
next
edit "Apptio-LDAP"
    set internet-service-id 5701646
next
edit "Apptio-NetBIOS.Session.Service"
    set internet-service-id 5701647
next
edit "Apptio-RTMP"
    set internet-service-id 5701648
next
edit "Apptio-NetBIOS.Name.Service"
    set internet-service-id 5701656
next
edit "Veracode-Other"
    set internet-service-id 5767168
next
edit "Veracode-Web"
    set internet-service-id 5767169
next
edit "Veracode-ICMP"
    set internet-service-id 5767170
next
edit "Veracode-DNS"
    set internet-service-id 5767171
next
edit "Veracode-Outbound_Email"
    set internet-service-id 5767172
next
edit "Veracode-SSH"
    set internet-service-id 5767174
next
edit "Veracode-FTP"
    set internet-service-id 5767175
next
edit "Veracode-NTP"
    set internet-service-id 5767176
next
edit "Veracode-Inbound_Email"
    set internet-service-id 5767177
next
```

```
edit "Veracode-LDAP"
    set internet-service-id 5767182
next
edit "Veracode-NetBIOS.Session.Service"
    set internet-service-id 5767183
next
edit "Veracode-RTMP"
    set internet-service-id 5767184
next
edit "Veracode-NetBIOS.Name.Service"
    set internet-service-id 5767192
next
edit "Anaplan-Other"
    set internet-service-id 5832704
next
edit "Anaplan-Web"
    set internet-service-id 5832705
next
edit "Anaplan-ICMP"
    set internet-service-id 5832706
next
edit "Anaplan-DNS"
    set internet-service-id 5832707
next
edit "Anaplan-Outbound_Email"
    set internet-service-id 5832708
next
edit "Anaplan-SSH"
    set internet-service-id 5832710
next
edit "Anaplan-FTP"
    set internet-service-id 5832711
next
edit "Anaplan-NTP"
    set internet-service-id 5832712
next
edit "Anaplan-Inbound_Email"
    set internet-service-id 5832713
next
edit "Anaplan-LDAP"
    set internet-service-id 5832718
next
edit "Anaplan-NetBIOS.Session.Service"
    set internet-service-id 5832719
next
edit "Anaplan-RTMP"
```

```
        set internet-service-id 5832720
next
edit "Anaplan-NetBIOS.Name.Service"
    set internet-service-id 5832728
next
edit "Rapid7-Other"
    set internet-service-id 5898240
next
edit "Rapid7-Web"
    set internet-service-id 5898241
next
edit "Rapid7-ICMP"
    set internet-service-id 5898242
next
edit "Rapid7-DNS"
    set internet-service-id 5898243
next
edit "Rapid7-Outbound_Email"
    set internet-service-id 5898244
next
edit "Rapid7-SSH"
    set internet-service-id 5898246
next
edit "Rapid7-FTP"
    set internet-service-id 5898247
next
edit "Rapid7-NTP"
    set internet-service-id 5898248
next
edit "Rapid7-Inbound_Email"
    set internet-service-id 5898249
next
edit "Rapid7-LDAP"
    set internet-service-id 5898254
next
edit "Rapid7-NetBIOS.Session.Service"
    set internet-service-id 5898255
next
edit "Rapid7-RTMP"
    set internet-service-id 5898256
next
edit "Rapid7-NetBIOS.Name.Service"
    set internet-service-id 5898264
next
edit "AnyDesk-AnyDesk"
    set internet-service-id 5963927
```

```
next
edit "ESET-Eset.Service"
    set internet-service-id 6029426
next
edit "Slack-Other"
    set internet-service-id 6094848
next
edit "Slack-Web"
    set internet-service-id 6094849
next
edit "Slack-ICMP"
    set internet-service-id 6094850
next
edit "Slack-DNS"
    set internet-service-id 6094851
next
edit "Slack-Outbound_Email"
    set internet-service-id 6094852
next
edit "Slack-SSH"
    set internet-service-id 6094854
next
edit "Slack-FTP"
    set internet-service-id 6094855
next
edit "Slack-NTP"
    set internet-service-id 6094856
next
edit "Slack-Inbound_Email"
    set internet-service-id 6094857
next
edit "Slack-LDAP"
    set internet-service-id 6094862
next
edit "Slack-NetBIOS.Session.Service"
    set internet-service-id 6094863
next
edit "Slack-RTMP"
    set internet-service-id 6094864
next
edit "Slack-NetBIOS.Name.Service"
    set internet-service-id 6094872
next
edit "Slack-Slack"
    set internet-service-id 6095024
next
```

```
edit "ADP-Other"
    set internet-service-id 6160384
next
edit "ADP-Web"
    set internet-service-id 6160385
next
edit "ADP-ICMP"
    set internet-service-id 6160386
next
edit "ADP-DNS"
    set internet-service-id 6160387
next
edit "ADP-Outbound_Email"
    set internet-service-id 6160388
next
edit "ADP-SSH"
    set internet-service-id 6160390
next
edit "ADP-FTP"
    set internet-service-id 6160391
next
edit "ADP-NTP"
    set internet-service-id 6160392
next
edit "ADP-Inbound_Email"
    set internet-service-id 6160393
next
edit "ADP-LDAP"
    set internet-service-id 6160398
next
edit "ADP-NetBIOS.Session.Service"
    set internet-service-id 6160399
next
edit "ADP-RTMP"
    set internet-service-id 6160400
next
edit "ADP-NetBIOS.Name.Service"
    set internet-service-id 6160408
next
edit "Blackboard-Other"
    set internet-service-id 6225920
next
edit "Blackboard-Web"
    set internet-service-id 6225921
next
edit "Blackboard-ICMP"
```

```
        set internet-service-id 6225922
next
edit "Blackboard-DNS"
    set internet-service-id 6225923
next
edit "Blackboard-Outbound_Email"
    set internet-service-id 6225924
next
edit "Blackboard-SSH"
    set internet-service-id 6225926
next
edit "Blackboard-FTP"
    set internet-service-id 6225927
next
edit "Blackboard-NTP"
    set internet-service-id 6225928
next
edit "Blackboard-Inbound_Email"
    set internet-service-id 6225929
next
edit "Blackboard-LDAP"
    set internet-service-id 6225934
next
edit "Blackboard-NetBIOS.Session.Service"
    set internet-service-id 6225935
next
edit "Blackboard-RTMP"
    set internet-service-id 6225936
next
edit "Blackboard-NetBIOS.Name.Service"
    set internet-service-id 6225944
next
edit "SAP-Other"
    set internet-service-id 6291456
next
edit "SAP-Web"
    set internet-service-id 6291457
next
edit "SAP-ICMP"
    set internet-service-id 6291458
next
edit "SAP-DNS"
    set internet-service-id 6291459
next
edit "SAP-Outbound_Email"
    set internet-service-id 6291460
```

```
next
edit "SAP-SSH"
    set internet-service-id 6291462
next
edit "SAP-FTP"
    set internet-service-id 6291463
next
edit "SAP-NTP"
    set internet-service-id 6291464
next
edit "SAP-Inbound_Email"
    set internet-service-id 6291465
next
edit "SAP-LDAP"
    set internet-service-id 6291470
next
edit "SAP-NetBIOS.Session.Service"
    set internet-service-id 6291471
next
edit "SAP-RTMP"
    set internet-service-id 6291472
next
edit "SAP-NetBIOS.Name.Service"
    set internet-service-id 6291480
next
edit "SAP-HANA"
    set internet-service-id 6291612
next
edit "SAP-SuccessFactors"
    set internet-service-id 6291618
next
edit "Snap-Snapchat"
    set internet-service-id 6357108
next
edit "Zoom.us-Zoom.Meeting"
    set internet-service-id 6422646
next
edit "Sophos-Other"
    set internet-service-id 6488064
next
edit "Sophos-Web"
    set internet-service-id 6488065
next
edit "Sophos-ICMP"
    set internet-service-id 6488066
next
```

```
edit "Sophos-DNS"
    set internet-service-id 6488067
next
edit "Sophos-Outbound_Email"
    set internet-service-id 6488068
next
edit "Sophos-SSH"
    set internet-service-id 6488070
next
edit "Sophos-FTP"
    set internet-service-id 6488071
next
edit "Sophos-NTP"
    set internet-service-id 6488072
next
edit "Sophos-Inbound_Email"
    set internet-service-id 6488073
next
edit "Sophos-LDAP"
    set internet-service-id 6488078
next
edit "Sophos-NetBIOS.Session.Service"
    set internet-service-id 6488079
next
edit "Sophos-RTMP"
    set internet-service-id 6488080
next
edit "Sophos-NetBIOS.Name.Service"
    set internet-service-id 6488088
next
edit "Cloudflare-Other"
    set internet-service-id 6553600
next
edit "Cloudflare-Web"
    set internet-service-id 6553601
next
edit "Cloudflare-ICMP"
    set internet-service-id 6553602
next
edit "Cloudflare-DNS"
    set internet-service-id 6553603
next
edit "Cloudflare-Outbound_Email"
    set internet-service-id 6553604
next
edit "Cloudflare-SSH"
```

```
        set internet-service-id 6553606
next
edit "Cloudflare-FTP"
        set internet-service-id 6553607
next
edit "Cloudflare-NTP"
        set internet-service-id 6553608
next
edit "Cloudflare-Inbound_Email"
        set internet-service-id 6553609
next
edit "Cloudflare-LDAP"
        set internet-service-id 6553614
next
edit "Cloudflare-NetBIOS.Session.Service"
        set internet-service-id 6553615
next
edit "Cloudflare-RTMP"
        set internet-service-id 6553616
next
edit "Cloudflare-NetBIOS.Name.Service"
        set internet-service-id 6553624
next
edit "Cloudflare-CDN"
        set internet-service-id 6553737
next
edit "Pexip-Pexip.Meeting"
        set internet-service-id 6619256
next
edit "Zscaler-Other"
        set internet-service-id 6684672
next
edit "Zscaler-Web"
        set internet-service-id 6684673
next
edit "Zscaler-ICMP"
        set internet-service-id 6684674
next
edit "Zscaler-DNS"
        set internet-service-id 6684675
next
edit "Zscaler-Outbound_Email"
        set internet-service-id 6684676
next
edit "Zscaler-SSH"
        set internet-service-id 6684678
```

```
next
edit "Zscaler-FTP"
    set internet-service-id 6684679
next
edit "Zscaler-NTP"
    set internet-service-id 6684680
next
edit "Zscaler-Inbound_Email"
    set internet-service-id 6684681
next
edit "Zscaler-LDAP"
    set internet-service-id 6684686
next
edit "Zscaler-NetBIOS.Session.Service"
    set internet-service-id 6684687
next
edit "Zscaler-RTMP"
    set internet-service-id 6684688
next
edit "Zscaler-NetBIOS.Name.Service"
    set internet-service-id 6684696
next
edit "Zscaler-Zscaler.Cloud"
    set internet-service-id 6684793
next
edit "Yandex-Other"
    set internet-service-id 6750208
next
edit "Yandex-Web"
    set internet-service-id 6750209
next
edit "Yandex-ICMP"
    set internet-service-id 6750210
next
edit "Yandex-DNS"
    set internet-service-id 6750211
next
edit "Yandex-Outbound_Email"
    set internet-service-id 6750212
next
edit "Yandex-SSH"
    set internet-service-id 6750214
next
edit "Yandex-FTP"
    set internet-service-id 6750215
next
```

```
edit "Yandex-NTP"
    set internet-service-id 6750216
next
edit "Yandex-Inbound_Email"
    set internet-service-id 6750217
next
edit "Yandex-LDAP"
    set internet-service-id 6750222
next
edit "Yandex-NetBIOS.Session.Service"
    set internet-service-id 6750223
next
edit "Yandex-RTMP"
    set internet-service-id 6750224
next
edit "Yandex-NetBIOS.Name.Service"
    set internet-service-id 6750232
next
edit "mail.ru-Other"
    set internet-service-id 6815744
next
edit "mail.ru-Web"
    set internet-service-id 6815745
next
edit "mail.ru-ICMP"
    set internet-service-id 6815746
next
edit "mail.ru-DNS"
    set internet-service-id 6815747
next
edit "mail.ru-Outbound_Email"
    set internet-service-id 6815748
next
edit "mail.ru-SSH"
    set internet-service-id 6815750
next
edit "mail.ru-FTP"
    set internet-service-id 6815751
next
edit "mail.ru-NTP"
    set internet-service-id 6815752
next
edit "mail.ru-Inbound_Email"
    set internet-service-id 6815753
next
edit "mail.ru-LDAP"
```

```
        set internet-service-id 6815758
next
edit "mail.ru-NetBIOS.Session.Service"
    set internet-service-id 6815759
next
edit "mail.ru-RTMP"
    set internet-service-id 6815760
next
edit "mail.ru-NetBIOS.Name.Service"
    set internet-service-id 6815768
next
edit "Alibaba-Other"
    set internet-service-id 6881280
next
edit "Alibaba-Web"
    set internet-service-id 6881281
next
edit "Alibaba-ICMP"
    set internet-service-id 6881282
next
edit "Alibaba-DNS"
    set internet-service-id 6881283
next
edit "Alibaba-Outbound_Email"
    set internet-service-id 6881284
next
edit "Alibaba-SSH"
    set internet-service-id 6881286
next
edit "Alibaba-FTP"
    set internet-service-id 6881287
next
edit "Alibaba-NTP"
    set internet-service-id 6881288
next
edit "Alibaba-Inbound_Email"
    set internet-service-id 6881289
next
edit "Alibaba-LDAP"
    set internet-service-id 6881294
next
edit "Alibaba-NetBIOS.Session.Service"
    set internet-service-id 6881295
next
edit "Alibaba-RTMP"
    set internet-service-id 6881296
```

```
next
edit "Alibaba-NetBIOS.Name.Service"
    set internet-service-id 6881304
next
edit "Alibaba-Alibaba.Cloud"
    set internet-service-id 6881402
next
edit "GoDaddy-Other"
    set internet-service-id 6946816
next
edit "GoDaddy-Web"
    set internet-service-id 6946817
next
edit "GoDaddy-ICMP"
    set internet-service-id 6946818
next
edit "GoDaddy-DNS"
    set internet-service-id 6946819
next
edit "GoDaddy-Outbound_Email"
    set internet-service-id 6946820
next
edit "GoDaddy-SSH"
    set internet-service-id 6946822
next
edit "GoDaddy-FTP"
    set internet-service-id 6946823
next
edit "GoDaddy-NTP"
    set internet-service-id 6946824
next
edit "GoDaddy-Inbound_Email"
    set internet-service-id 6946825
next
edit "GoDaddy-LDAP"
    set internet-service-id 6946830
next
edit "GoDaddy-NetBIOS.Session.Service"
    set internet-service-id 6946831
next
edit "GoDaddy-RTMP"
    set internet-service-id 6946832
next
edit "GoDaddy-NetBIOS.Name.Service"
    set internet-service-id 6946840
next
```

```
edit "GoDaddy-GoDaddy.Email"
    set internet-service-id 6946939
next
edit "Bluejeans-Bluejeans.Meeting"
    set internet-service-id 7012476
next
edit "Webroot-Webroot.SecureAnywhere"
    set internet-service-id 7078013
next
edit "Avast-Other"
    set internet-service-id 7143424
next
edit "Avast-Web"
    set internet-service-id 7143425
next
edit "Avast-ICMP"
    set internet-service-id 7143426
next
edit "Avast-DNS"
    set internet-service-id 7143427
next
edit "Avast-Outbound_Email"
    set internet-service-id 7143428
next
edit "Avast-SSH"
    set internet-service-id 7143430
next
edit "Avast-FTP"
    set internet-service-id 7143431
next
edit "Avast-NTP"
    set internet-service-id 7143432
next
edit "Avast-Inbound_Email"
    set internet-service-id 7143433
next
edit "Avast-LDAP"
    set internet-service-id 7143438
next
edit "Avast-NetBIOS.Session.Service"
    set internet-service-id 7143439
next
edit "Avast-RTMP"
    set internet-service-id 7143440
next
edit "Avast-NetBIOS.Name.Service"
```

```
        set internet-service-id 7143448
next
edit "Avast-Avast.Security"
    set internet-service-id 7143550
next
edit "Wetransfer-Other"
    set internet-service-id 7208960
next
edit "Wetransfer-Web"
    set internet-service-id 7208961
next
edit "Wetransfer-ICMP"
    set internet-service-id 7208962
next
edit "Wetransfer-DNS"
    set internet-service-id 7208963
next
edit "Wetransfer-Outbound_Email"
    set internet-service-id 7208964
next
edit "Wetransfer-SSH"
    set internet-service-id 7208966
next
edit "Wetransfer-FTP"
    set internet-service-id 7208967
next
edit "Wetransfer-NTP"
    set internet-service-id 7208968
next
edit "Wetransfer-Inbound_Email"
    set internet-service-id 7208969
next
edit "Wetransfer-LDAP"
    set internet-service-id 7208974
next
edit "Wetransfer-NetBIOS.Session.Service"
    set internet-service-id 7208975
next
edit "Wetransfer-RTMP"
    set internet-service-id 7208976
next
edit "Wetransfer-NetBIOS.Name.Service"
    set internet-service-id 7208984
next
edit "Sendgrid-Sendgrid.Email"
    set internet-service-id 7274623
```

```
next
edit "Ubiquiti-UniFi"
    set internet-service-id 7340160
next
edit "Lifesize-Lifesize.Cloud"
    set internet-service-id 7405697
next
edit "Okta-Other"
    set internet-service-id 7471104
next
edit "Okta-Web"
    set internet-service-id 7471105
next
edit "Okta-ICMP"
    set internet-service-id 7471106
next
edit "Okta-DNS"
    set internet-service-id 7471107
next
edit "Okta-Outbound_Email"
    set internet-service-id 7471108
next
edit "Okta-SSH"
    set internet-service-id 7471110
next
edit "Okta-FTP"
    set internet-service-id 7471111
next
edit "Okta-NTP"
    set internet-service-id 7471112
next
edit "Okta-Inbound_Email"
    set internet-service-id 7471113
next
edit "Okta-LDAP"
    set internet-service-id 7471118
next
edit "Okta-NetBIOS.Session.Service"
    set internet-service-id 7471119
next
edit "Okta-RTMP"
    set internet-service-id 7471120
next
edit "Okta-NetBIOS.Name.Service"
    set internet-service-id 7471128
next
```

```
edit "Okta-Okta"
    set internet-service-id 7471307
next
edit "Cybozu-Other"
    set internet-service-id 7536640
next
edit "Cybozu-Web"
    set internet-service-id 7536641
next
edit "Cybozu-ICMP"
    set internet-service-id 7536642
next
edit "Cybozu-DNS"
    set internet-service-id 7536643
next
edit "Cybozu-Outbound_Email"
    set internet-service-id 7536644
next
edit "Cybozu-SSH"
    set internet-service-id 7536646
next
edit "Cybozu-FTP"
    set internet-service-id 7536647
next
edit "Cybozu-NTP"
    set internet-service-id 7536648
next
edit "Cybozu-Inbound_Email"
    set internet-service-id 7536649
next
edit "Cybozu-LDAP"
    set internet-service-id 7536654
next
edit "Cybozu-NetBIOS.Session.Service"
    set internet-service-id 7536655
next
edit "Cybozu-RTMP"
    set internet-service-id 7536656
next
edit "Cybozu-NetBIOS.Name.Service"
    set internet-service-id 7536664
next
edit "VNC-Other"
    set internet-service-id 7602176
next
edit "VNC-Web"
```

```
        set internet-service-id 7602177
next
edit "VNC-ICMP"
        set internet-service-id 7602178
next
edit "VNC-DNS"
        set internet-service-id 7602179
next
edit "VNC-Outbound_Email"
        set internet-service-id 7602180
next
edit "VNC-SSH"
        set internet-service-id 7602182
next
edit "VNC-FTP"
        set internet-service-id 7602183
next
edit "VNC-NTP"
        set internet-service-id 7602184
next
edit "VNC-Inbound_Email"
        set internet-service-id 7602185
next
edit "VNC-LDAP"
        set internet-service-id 7602190
next
edit "VNC-NetBIOS.Session.Service"
        set internet-service-id 7602191
next
edit "VNC-RTMP"
        set internet-service-id 7602192
next
edit "VNC-NetBIOS.Name.Service"
        set internet-service-id 7602200
next
edit "Egnyte-Egnyte"
        set internet-service-id 7667846
next
edit "CrowdStrike-CrowdStrike.Falcon.Cloud"
        set internet-service-id 7733383
next
edit "Aruba.it-Other"
        set internet-service-id 7798784
next
edit "Aruba.it-Web"
        set internet-service-id 7798785
```

```
next
edit "Aruba.it-ICMP"
    set internet-service-id 7798786
next
edit "Aruba.it-DNS"
    set internet-service-id 7798787
next
edit "Aruba.it-Outbound_Email"
    set internet-service-id 7798788
next
edit "Aruba.it-SSH"
    set internet-service-id 7798790
next
edit "Aruba.it-FTP"
    set internet-service-id 7798791
next
edit "Aruba.it-NTP"
    set internet-service-id 7798792
next
edit "Aruba.it-Inbound_Email"
    set internet-service-id 7798793
next
edit "Aruba.it-LDAP"
    set internet-service-id 7798798
next
edit "Aruba.it-NetBIOS.Session.Service"
    set internet-service-id 7798799
next
edit "Aruba.it-RTMP"
    set internet-service-id 7798800
next
edit "Aruba.it-NetBIOS.Name.Service"
    set internet-service-id 7798808
next
edit "ISLOnline-Other"
    set internet-service-id 7864320
next
edit "ISLOnline-Web"
    set internet-service-id 7864321
next
edit "ISLOnline-ICMP"
    set internet-service-id 7864322
next
edit "ISLOnline-DNS"
    set internet-service-id 7864323
next
```

```
edit "ISLOnline-Outbound_Email"
    set internet-service-id 7864324
next
edit "ISLOnline-SSH"
    set internet-service-id 7864326
next
edit "ISLOnline-FTP"
    set internet-service-id 7864327
next
edit "ISLOnline-NTP"
    set internet-service-id 7864328
next
edit "ISLOnline-Inbound_Email"
    set internet-service-id 7864329
next
edit "ISLOnline-LDAP"
    set internet-service-id 7864334
next
edit "ISLOnline-NetBIOS.Session.Service"
    set internet-service-id 7864335
next
edit "ISLOnline-RTMP"
    set internet-service-id 7864336
next
edit "ISLOnline-NetBIOS.Name.Service"
    set internet-service-id 7864344
next
edit "Akamai-CDN"
    set internet-service-id 7929993
next
edit "Akamai-Linode.Cloud"
    set internet-service-id 7930148
next
edit "Rackspace-CDN"
    set internet-service-id 7995529
next
edit "Instart-CDN"
    set internet-service-id 8061065
next
edit "Bitdefender-Other"
    set internet-service-id 8126464
next
edit "Bitdefender-Web"
    set internet-service-id 8126465
next
edit "Bitdefender-ICMP"
```

```
        set internet-service-id 8126466
next
edit "Bitdefender-DNS"
    set internet-service-id 8126467
next
edit "Bitdefender-Outbound_Email"
    set internet-service-id 8126468
next
edit "Bitdefender-SSH"
    set internet-service-id 8126470
next
edit "Bitdefender-FTP"
    set internet-service-id 8126471
next
edit "Bitdefender-NTP"
    set internet-service-id 8126472
next
edit "Bitdefender-Inbound_Email"
    set internet-service-id 8126473
next
edit "Bitdefender-LDAP"
    set internet-service-id 8126478
next
edit "Bitdefender-NetBIOS.Session.Service"
    set internet-service-id 8126479
next
edit "Bitdefender-RTMP"
    set internet-service-id 8126480
next
edit "Bitdefender-NetBIOS.Name.Service"
    set internet-service-id 8126488
next
edit "UptimeRobot-UptimeRobot.Monitor"
    set internet-service-id 8257709
next
edit "Quovadisglobal-Other"
    set internet-service-id 8323072
next
edit "Quovadisglobal-Web"
    set internet-service-id 8323073
next
edit "Quovadisglobal-ICMP"
    set internet-service-id 8323074
next
edit "Quovadisglobal-DNS"
    set internet-service-id 8323075
```

```
next
edit "Quovadisglobal-Outbound_Email"
    set internet-service-id 8323076
next
edit "Quovadisglobal-SSH"
    set internet-service-id 8323078
next
edit "Quovadisglobal-FTP"
    set internet-service-id 8323079
next
edit "Quovadisglobal-NTP"
    set internet-service-id 8323080
next
edit "Quovadisglobal-Inbound_Email"
    set internet-service-id 8323081
next
edit "Quovadisglobal-LDAP"
    set internet-service-id 8323086
next
edit "Quovadisglobal-NetBIOS.Session.Service"
    set internet-service-id 8323087
next
edit "Quovadisglobal-RTMP"
    set internet-service-id 8323088
next
edit "Quovadisglobal-NetBIOS.Name.Service"
    set internet-service-id 8323096
next
edit "Splashtop-Splashtop"
    set internet-service-id 8388751
next
edit "Zoox-Other"
    set internet-service-id 8454144
next
edit "Zoox-Web"
    set internet-service-id 8454145
next
edit "Zoox-ICMP"
    set internet-service-id 8454146
next
edit "Zoox-DNS"
    set internet-service-id 8454147
next
edit "Zoox-Outbound_Email"
    set internet-service-id 8454148
next
```

```
edit "Zoox-SSH"
    set internet-service-id 8454150
next
edit "Zoox-FTP"
    set internet-service-id 8454151
next
edit "Zoox-NTP"
    set internet-service-id 8454152
next
edit "Zoox-Inbound_Email"
    set internet-service-id 8454153
next
edit "Zoox-LDAP"
    set internet-service-id 8454158
next
edit "Zoox-NetBIOS.Session.Service"
    set internet-service-id 8454159
next
edit "Zoox-RTMP"
    set internet-service-id 8454160
next
edit "Zoox-NetBIOS.Name.Service"
    set internet-service-id 8454168
next
edit "Skyfii-Other"
    set internet-service-id 8519680
next
edit "Skyfii-Web"
    set internet-service-id 8519681
next
edit "Skyfii-ICMP"
    set internet-service-id 8519682
next
edit "Skyfii-DNS"
    set internet-service-id 8519683
next
edit "Skyfii-Outbound_Email"
    set internet-service-id 8519684
next
edit "Skyfii-SSH"
    set internet-service-id 8519686
next
edit "Skyfii-FTP"
    set internet-service-id 8519687
next
edit "Skyfii-NTP"
```

```
        set internet-service-id 8519688
next
edit "Skyfii-Inbound_Email"
        set internet-service-id 8519689
next
edit "Skyfii-LDAP"
        set internet-service-id 8519694
next
edit "Skyfii-NetBIOS.Session.Service"
        set internet-service-id 8519695
next
edit "Skyfii-RTMP"
        set internet-service-id 8519696
next
edit "Skyfii-NetBIOS.Name.Service"
        set internet-service-id 8519704
next
edit "CoffeeBean-Other"
        set internet-service-id 8585216
next
edit "CoffeeBean-Web"
        set internet-service-id 8585217
next
edit "CoffeeBean-ICMP"
        set internet-service-id 8585218
next
edit "CoffeeBean-DNS"
        set internet-service-id 8585219
next
edit "CoffeeBean-Outbound_Email"
        set internet-service-id 8585220
next
edit "CoffeeBean-SSH"
        set internet-service-id 8585222
next
edit "CoffeeBean-FTP"
        set internet-service-id 8585223
next
edit "CoffeeBean-NTP"
        set internet-service-id 8585224
next
edit "CoffeeBean-Inbound_Email"
        set internet-service-id 8585225
next
edit "CoffeeBean-LDAP"
        set internet-service-id 8585230
```

```
next
edit "CoffeeBean-NetBIOS.Session.Service"
    set internet-service-id 8585231
next
edit "CoffeeBean-RTMP"
    set internet-service-id 8585232
next
edit "CoffeeBean-NetBIOS.Name.Service"
    set internet-service-id 8585240
next
edit "Cloud4Wi-Other"
    set internet-service-id 8650752
next
edit "Cloud4Wi-Web"
    set internet-service-id 8650753
next
edit "Cloud4Wi-ICMP"
    set internet-service-id 8650754
next
edit "Cloud4Wi-DNS"
    set internet-service-id 8650755
next
edit "Cloud4Wi-Outbound_Email"
    set internet-service-id 8650756
next
edit "Cloud4Wi-SSH"
    set internet-service-id 8650758
next
edit "Cloud4Wi-FTP"
    set internet-service-id 8650759
next
edit "Cloud4Wi-NTP"
    set internet-service-id 8650760
next
edit "Cloud4Wi-Inbound_Email"
    set internet-service-id 8650761
next
edit "Cloud4Wi-LDAP"
    set internet-service-id 8650766
next
edit "Cloud4Wi-NetBIOS.Session.Service"
    set internet-service-id 8650767
next
edit "Cloud4Wi-RTMP"
    set internet-service-id 8650768
next
```

```
edit "Cloud4Wi-NetBIOS.Name.Service"
    set internet-service-id 8650776
next
edit "Panda-Panda.Security"
    set internet-service-id 8716432
next
edit "Ewon-Talk2M"
    set internet-service-id 8781970
next
edit "Nutanix-Nutanix.Cloud"
    set internet-service-id 8847507
next
edit "Backblaze-Other"
    set internet-service-id 8912896
next
edit "Backblaze-Web"
    set internet-service-id 8912897
next
edit "Backblaze-ICMP"
    set internet-service-id 8912898
next
edit "Backblaze-DNS"
    set internet-service-id 8912899
next
edit "Backblaze-Outbound_Email"
    set internet-service-id 8912900
next
edit "Backblaze-SSH"
    set internet-service-id 8912902
next
edit "Backblaze-FTP"
    set internet-service-id 8912903
next
edit "Backblaze-NTP"
    set internet-service-id 8912904
next
edit "Backblaze-Inbound_Email"
    set internet-service-id 8912905
next
edit "Backblaze-LDAP"
    set internet-service-id 8912910
next
edit "Backblaze-NetBIOS.Session.Service"
    set internet-service-id 8912911
next
edit "Backblaze-RTMP"
```

```
        set internet-service-id 8912912
next
edit "Backblaze-NetBIOS.Name.Service"
    set internet-service-id 8912920
next
edit "Extreme-Extreme.Cloud"
    set internet-service-id 8978580
next
edit "XING-Other"
    set internet-service-id 9043968
next
edit "XING-Web"
    set internet-service-id 9043969
next
edit "XING-ICMP"
    set internet-service-id 9043970
next
edit "XING-DNS"
    set internet-service-id 9043971
next
edit "XING-Outbound_Email"
    set internet-service-id 9043972
next
edit "XING-SSH"
    set internet-service-id 9043974
next
edit "XING-FTP"
    set internet-service-id 9043975
next
edit "XING-NTP"
    set internet-service-id 9043976
next
edit "XING-Inbound_Email"
    set internet-service-id 9043977
next
edit "XING-LDAP"
    set internet-service-id 9043982
next
edit "XING-NetBIOS.Session.Service"
    set internet-service-id 9043983
next
edit "XING-RTMP"
    set internet-service-id 9043984
next
edit "XING-NetBIOS.Name.Service"
    set internet-service-id 9043992
```

```
next
edit "Genesys-PureCloud"
    set internet-service-id 9109653
next
edit "BlackBerry-Cylance"
    set internet-service-id 9175190
next
edit "DigiCert-OCSP"
    set internet-service-id 9240728
next
edit "Infomaniak-SwissTransfer"
    set internet-service-id 9306265
next
edit "Fuze-Fuze"
    set internet-service-id 9371802
next
edit "Truecaller-Truecaller"
    set internet-service-id 9437339
next
edit "GlobalSign-OCSP"
    set internet-service-id 9502872
next
edit "VeriSign-OCSP"
    set internet-service-id 9568408
next
edit "Sony-PlayStation.Network"
    set internet-service-id 9633952
next
edit "Acronis-Cyber.Cloud"
    set internet-service-id 9699489
next
edit "RingCentral-RingCentral"
    set internet-service-id 9765027
next
edit "FSecure-FSecure"
    set internet-service-id 9830564
next
edit "Kaseya-Kaseya.Cloud"
    set internet-service-id 9896101
next
edit "Shodan-Scanner"
    set internet-service-id 9961638
next
edit "Censys-Scanner"
    set internet-service-id 10027174
next
```

```
edit "Valve-Steam"
    set internet-service-id 10092711
next
edit "YouSeeU-Bongo"
    set internet-service-id 10158248
next
edit "Cato-Cato.Cloud"
    set internet-service-id 10223785
next
edit "SolarWinds-SpamExperts"
    set internet-service-id 10289323
next
edit "SolarWinds-Pingdom.Probe"
    set internet-service-id 10289326
next
edit "SolarWinds-SolarWinds.RMM"
    set internet-service-id 10289379
next
edit "8X8-8X8.Cloud"
    set internet-service-id 10354860
next
edit "Zattoo-Zattoo.TV"
    set internet-service-id 10420401
next
edit "Datto-Datto.RMM"
    set internet-service-id 10485939
next
edit "Barracuda-Barracuda.Cloud"
    set internet-service-id 10551477
next
edit "Naver-Line"
    set internet-service-id 10617015
next
edit "Disney-Disney+"
    set internet-service-id 10682552
next
edit "DNS-DoH_DoT"
    set internet-service-id 10748089
next
edit "DNS-Root.Name.Servers"
    set internet-service-id 10748156
next
edit "Quad9-Quad9.Standard.DNS"
    set internet-service-id 10813626
next
edit "Stretchoid-Scanner"
```

```
        set internet-service-id 10879142
next
edit "Poly-RealConnect.Service"
        set internet-service-id 10944700
next
edit "Telegram-Telegram"
        set internet-service-id 11010249
next
edit "Spotify-Spotify"
        set internet-service-id 11075786
next
edit "NextDNS-NextDNS"
        set internet-service-id 11141324
next
edit "Fastly-CDN"
        set internet-service-id 11206793
next
edit "Neustar-UltraDNS.Probes"
        set internet-service-id 11272397
next
edit "Malicious-Malicious.Server"
        set internet-service-id 11337935
next
edit "NIST-ITS"
        set internet-service-id 11403472
next
edit "Jamf-Jamf.Cloud"
        set internet-service-id 11469009
next
edit "Alcatel.Lucent-Rainbow"
        set internet-service-id 11534546
next
edit "Forcepoint-Forcepoint.Cloud"
        set internet-service-id 11600083
next
edit "Datadog-Datadog"
        set internet-service-id 11665620
next
edit "Mimecast-Mimecast"
        set internet-service-id 11731157
next
edit "MediaFire-Other"
        set internet-service-id 11796480
next
edit "MediaFire-Web"
        set internet-service-id 11796481
```

```
next
edit "MediaFire-ICMP"
    set internet-service-id 11796482
next
edit "MediaFire-DNS"
    set internet-service-id 11796483
next
edit "MediaFire-Outbound_Email"
    set internet-service-id 11796484
next
edit "MediaFire-SSH"
    set internet-service-id 11796486
next
edit "MediaFire-FTP"
    set internet-service-id 11796487
next
edit "MediaFire-NTP"
    set internet-service-id 11796488
next
edit "MediaFire-Inbound_Email"
    set internet-service-id 11796489
next
edit "MediaFire-LDAP"
    set internet-service-id 11796494
next
edit "MediaFire-NetBIOS.Session.Service"
    set internet-service-id 11796495
next
edit "MediaFire-RTMP"
    set internet-service-id 11796496
next
edit "MediaFire-NetBIOS.Name.Service"
    set internet-service-id 11796504
next
edit "Pandora-Pandora"
    set internet-service-id 11862230
next
edit "SiriusXM-SiriusXM"
    set internet-service-id 11927767
next
edit "Hopin-Hopin"
    set internet-service-id 11993304
next
edit "RedShield-RedShield.Cloud"
    set internet-service-id 12058842
next
```

```
edit "InterneTTL-Scanner"
    set internet-service-id 12124326
next
edit "VadeSecure-VadeSecure.Cloud"
    set internet-service-id 12189915
next
edit "Netskope-Netskope.Cloud"
    set internet-service-id 12255452
next
edit "ClickMeeting-ClickMeeting"
    set internet-service-id 12320989
next
edit "Tenable-Tenable.io.Cloud.Scanner"
    set internet-service-id 12386528
next
edit "Vidyo-VidyoCloud"
    set internet-service-id 12452065
next
edit "OpenNIC-OpenNIC.DNS"
    set internet-service-id 12517602
next
edit "Sectigo-Sectigo"
    set internet-service-id 12583141
next
edit "DigitalOcean-DigitalOcean.Platform"
    set internet-service-id 12648679
next
edit "Pitney.Bowes-Pitney.Bowes.Data.Center"
    set internet-service-id 12714216
next
edit "VPN-Anonymous.VPN"
    set internet-service-id 12779753
next
edit "Blockchain-Crypto.Mining.Pool"
    set internet-service-id 12845290
next
edit "FactSet-FactSet"
    set internet-service-id 12910830
next
edit "Bloomberg-Bloomberg"
    set internet-service-id 12976367
next
edit "Five9-Five9"
    set internet-service-id 13041904
next
edit "Gigas-Gigas.Cloud"
```

```
        set internet-service-id 13107441
next
edit "Imperva-Imperva.Cloud.WAF"
    set internet-service-id 13172978
next
edit "HorizonIQ-HorizonIQ"
    set internet-service-id 13238515
next
edit "Azion-Azion.Platform"
    set internet-service-id 13304053
next
edit "Hurricane.Electric-
Hurricane.Electric.Internet.Services"
    set internet-service-id 13369590
next
edit "NodePing-NodePing.Probe"
    set internet-service-id 13435127
next
edit "Frontline-Frontline"
    set internet-service-id 13500665
next
edit "Tally-Tally.ERP"
    set internet-service-id 13566202
next
edit "Hosting-Bulletproof.Hosting"
    set internet-service-id 13631739
next
edit "Okko-Okko.TV"
    set internet-service-id 13697277
next
edit "Voximplant-Voximplant.Platform"
    set internet-service-id 13762829
next
edit "OVHcloud-OVHcloud"
    set internet-service-id 13828367
next
edit "SentinelOne-SentinelOne.Cloud"
    set internet-service-id 13893905
next
edit "Kakao-Kakao.Services"
    set internet-service-id 13959442
next
edit "Stripe-Stripe"
    set internet-service-id 14024979
next
edit "NetScout-Scanner"
```

```
        set internet-service-id 14090406
next
edit "Recyber-Scanner"
        set internet-service-id 14155942
next
edit "Cyber.Casa-Scanner"
        set internet-service-id 14221478
next
edit "GTHost-Dedicated.Instant.Servers"
        set internet-service-id 14287132
next
edit "ivi-ivi.Streaming"
        set internet-service-id 14352669
next
edit "BinaryEdge-Scanner"
        set internet-service-id 14418086
next
edit "Fintech-MarketMap.Terminal"
        set internet-service-id 14483742
next
edit "xMatters-xMatters.Platform"
        set internet-service-id 14549279
next
edit "Blizzard-Battle.Net"
        set internet-service-id 14614816
next
edit "Axon-Evidence"
        set internet-service-id 14680353
next
edit "CDN77-CDN"
        set internet-service-id 14745737
next
edit "GCore.Labs-CDN"
        set internet-service-id 14811273
next
edit "Matrix42-FastViewer"
        set internet-service-id 14876962
next
edit "Bunny.net-CDN"
        set internet-service-id 14942345
next
edit "StackPath-CDN"
        set internet-service-id 15007881
next
edit "Edgio-CDN"
        set internet-service-id 15073417
```

```
next
edit "CacheFly-CDN"
    set internet-service-id 15138953
next
edit "Microsoft-Azure.Connectors"
    set internet-service-id 327980
next
edit "Microsoft-Teams.Published.Worldwide.Optimize"
    set internet-service-id 327991
next
edit "Microsoft-Teams.Published.Worldwide.Allow"
    set internet-service-id 327992
next
edit "Microsoft-Azure.Front.Door"
    set internet-service-id 327993
next
edit "Microsoft-Azure.Service.Bus"
    set internet-service-id 328007
next
edit "Microsoft-Azure.Microsoft.Defender"
    set internet-service-id 328009
next
edit "Microsoft-Azure.Resource.Manager"
    set internet-service-id 328013
next
edit "Microsoft-Azure.Arc.Infrastructure"
    set internet-service-id 328014
next
edit "Microsoft-Azure.Storage"
    set internet-service-id 328015
next
edit "Microsoft-Azure.ATP"
    set internet-service-id 328016
next
edit "Microsoft-Azure.Traffic.Manager"
    set internet-service-id 328017
next
edit "Microsoft-Azure.Windows.Admin.Center"
    set internet-service-id 328018
next
edit "Microsoft-Azure.KeyVault"
    set internet-service-id 328021
next
edit "Microsoft-Azure.Databricks"
    set internet-service-id 328034
next
```

```
edit "Microsoft-Azure.Event.Hub"  
    set internet-service-id 328035  
next  
edit "Microsoft-Azure.Power.Platform"  
    set internet-service-id 328043  
next  
edit "Microsoft-Azure.Front.Door.MicrosoftSecurity"  
    set internet-service-id 328080  
next  
edit "Microsoft-Azure.OneDsCollector"  
    set internet-service-id 328104  
next  
edit "Microsoft-Azure.Sentinel"  
    set internet-service-id 328105  
next  
edit "Salesforce-Hyperforce"  
    set internet-service-id 655738  
next  
edit "Fortinet-FortiClient.EMS"  
    set internet-service-id 1245477  
next  
edit "Fortinet-FortiWeb.Cloud"  
    set internet-service-id 1245480  
next  
edit "Fortinet-FortiSASE"  
    set internet-service-id 1245481  
next  
edit "Fortinet-FortiGuard.SOCaaS"  
    set internet-service-id 1245514  
next  
edit "Fortinet-FortiDLP.Cloud"  
    set internet-service-id 1245546  
next  
edit "Fortinet-FortiMonitor"  
    set internet-service-id 1245558  
next  
edit "Fortinet-FortiSandbox"  
    set internet-service-id 1245560  
next  
edit "Fortinet-FortiSandbox.Cloud"  
    set internet-service-id 1245561  
next  
edit "Tencent-VooV.Meeting"  
    set internet-service-id 2556219  
next  
edit "NewRelic-Synthetic.Monitor"
```

```
        set internet-service-id 4849970
next
edit "Rapid7-Scanner"
        set internet-service-id 5898406
next
edit "SAP-SAP.Ariba"
        set internet-service-id 6291766
next
edit "Alibaba-DingTalk"
        set internet-service-id 6881623
next
edit "ISLOnline-ISLOnline"
        set internet-service-id 7864667
next
edit "Datto-Datto.BCDR"
        set internet-service-id 10486083
next
edit "DNS-ARPA.Name.Servers"
        set internet-service-id 10748206
next
edit "DNS-Generic.TLD.Name.Servers"
        set internet-service-id 10748284
next
edit "OVHcloud-OVH.Telecom"
        set internet-service-id 13828461
next
edit "Paylocity-Paylocity"
        set internet-service-id 15204646
next
edit "Qualys-Qualys.Cloud.Platform"
        set internet-service-id 15270183
next
edit "Dailymotion-Other"
        set internet-service-id 15335424
next
edit "Dailymotion-Web"
        set internet-service-id 15335425
next
edit "Dailymotion-ICMP"
        set internet-service-id 15335426
next
edit "Dailymotion-DNS"
        set internet-service-id 15335427
next
edit "Dailymotion-Outbound_Email"
        set internet-service-id 15335428
```

```
next
edit "Dailymotion-SSH"
    set internet-service-id 15335430
next
edit "Dailymotion-FTP"
    set internet-service-id 15335431
next
edit "Dailymotion-NTP"
    set internet-service-id 15335432
next
edit "Dailymotion-Inbound_Email"
    set internet-service-id 15335433
next
edit "Dailymotion-LDAP"
    set internet-service-id 15335438
next
edit "Dailymotion-NetBIOS.Session.Service"
    set internet-service-id 15335439
next
edit "Dailymotion-RTMP"
    set internet-service-id 15335440
next
edit "Dailymotion-NetBIOS.Name.Service"
    set internet-service-id 15335448
next
edit "LaunchDarkly-LaunchDarkly.Platform"
    set internet-service-id 15401258
next
edit "Medianova-CDN"
    set internet-service-id 15466633
next
edit "NetDocuments-NetDocuments.Platform"
    set internet-service-id 15532331
next
edit "Vonage-Vonage.Contact.Center"
    set internet-service-id 15597869
next
edit "Vonage-Vonage.Video.API"
    set internet-service-id 15597872
next
edit "Veritas-Enterprise.Vault.Cloud"
    set internet-service-id 15663407
next
edit "UK.NCSC-Scanner"
    set internet-service-id 15728806
next
```

```
edit "Restream-Restream.Platform"
    set internet-service-id 15794481
next
edit "ArcticWolf-ArcticWolf.Cloud"
    set internet-service-id 15860019
next
edit "CounterPath-Bria"
    set internet-service-id 15925556
next
edit "CriminalIP-Scanner"
    set internet-service-id 15990950
next
edit "IPFS-IPFS.Gateway"
    set internet-service-id 16056629
next
edit "Internet.Census.Group-Scanner"
    set internet-service-id 16122022
next
edit "Performive-Performive.Cloud"
    set internet-service-id 16187706
next
edit "OneLogin-OneLogin"
    set internet-service-id 16253244
next
edit "Shadowserver-Scanner"
    set internet-service-id 16318630
next
edit "Turkcell-Suit.Conference"
    set internet-service-id 16384317
next
edit "LeakIX-Scanner"
    set internet-service-id 16449702
next
edit "Infoblox-BloxOne"
    set internet-service-id 16515390
next
edit "Nice-CXone"
    set internet-service-id 16580927
next
edit "Hetzner-Hetzner.Hosting.Service"
    set internet-service-id 16646464
next
edit "ThreatLocker-ThreatLocker"
    set internet-service-id 16712001
next
edit "ZPE-ZPE.Cloud"
```

```
        set internet-service-id 16777538
next
edit "ColoCrossing-ColoCrossing.Hosting.Service"
    set internet-service-id 16843076
next
edit "Sinch-Mailgun"
    set internet-service-id 16908613
next
edit "SpaceX-Starlink"
    set internet-service-id 16974150
next
edit "Ingenuity-Ingenuity.Cloud.Service"
    set internet-service-id 17039688
next
edit "Skyhigh-Security-Secure.Web.Gateway"
    set internet-service-id 17105227
next
edit "THE.Hosting-THE.Hosting.Hosting.Service"
    set internet-service-id 17170764
next
edit "StatusCake-StatusCake.Monitor"
    set internet-service-id 17236307
next
edit "NAP-NAPLAN"
    set internet-service-id 17301844
next
edit "Elastic-Elastic.Cloud"
    set internet-service-id 17367382
next
edit "NFON-NFON"
    set internet-service-id 17432920
next
edit "SERVERD-SERVERD.Hosting.Service"
    set internet-service-id 17498457
next
edit "MEGA-MEGA.Cloud"
    set internet-service-id 17563994
next
edit "Hadrian-Scanner"
    set internet-service-id 17629350
next
edit "Dotcom.Monitor-Dotcom.Monitor"
    set internet-service-id 17695068
next
edit "Ahrefs-AhrefsBot"
    set internet-service-id 17760605
```

```
next
edit "Semrush-SemrushBot"
    set internet-service-id 17826142
next
edit "Zero.Networks-Zero.Networks"
    set internet-service-id 17891679
next
edit "Vultr-Vultr.Cloud"
    set internet-service-id 17957216
next
edit "EGI-EGI.Hosting.Service"
    set internet-service-id 18022753
next
edit "ONYPHE-Scanner"
    set internet-service-id 18088102
next
edit "Proofpoint-Proofpoint"
    set internet-service-id 18153828
next
edit "Lookout-Lookout.Cloud"
    set internet-service-id 18219365
next
edit "Heimdal-Heimdal.Security"
    set internet-service-id 18284902
next
edit "Yealink-Yealink.Meeting"
    set internet-service-id 18350439
next
edit "Secomea-Secomea"
    set internet-service-id 18415976
next
edit "CallTower-CT.Cloud"
    set internet-service-id 18481513
next
edit "OpenAI-OpenAI.Bot"
    set internet-service-id 18547052
next
edit "OpenAI-GPT.Actions"
    set internet-service-id 18547073
next
edit "Alpemix-Alpemix"
    set internet-service-id 18612590
next
edit "M247-M247.Hosting.Service"
    set internet-service-id 18678127
next
```

```
edit "Quintex-Quintex.Hosting.Service"
    set internet-service-id 18743664
next
edit "Aeza-Aeza.Hosting.Service"
    set internet-service-id 18809201
next
edit "Amanah-Amanah.Hosting.Service"
    set internet-service-id 18874738
next
edit "ByteDance-Lark"
    set internet-service-id 18940275
next
edit "KnowBe4-KnowBe4"
    set internet-service-id 19005812
next
edit "Keeper-Keeper.Security"
    set internet-service-id 19071349
next
edit "NinjaOne-NinjaOne"
    set internet-service-id 19136887
next
edit "Modat-Scanner"
    set internet-service-id 19202214
next
edit "Make-Make.Platform"
    set internet-service-id 19267963
next
edit "Cloudzy-Cloudzy.Hosting.Service"
    set internet-service-id 19333501
next
edit "Nokia-Deepfield.Genome.Crawler"
    set internet-service-id 19399038
next
edit "Neat-Neat.Cloud"
    set internet-service-id 19464575
next
edit "Brightree-Brightree"
    set internet-service-id 19530114
next
edit "PagerDuty-PagerDuty"
    set internet-service-id 19595651
next
edit "JFrog-JFrog"
    set internet-service-id 19661188
next
edit "Tailscale-Tailscale"
```

```
        set internet-service-id 19726725
    next
    edit "Gamma-Horizon"
        set internet-service-id 19792265
    next
    edit "Automox-Automox"
        set internet-service-id 19857802
    next
    edit "Pulseway-Pulseway.RMM"
        set internet-service-id 19923339
    next
    edit "3xK-3xK.Hosting.Service"
        set internet-service-id 19988876
    next
    edit "ASEM-UBIQUITY"
        set internet-service-id 20054413
    next
    edit "Dialpad-Dialpad"
        set internet-service-id 20119950
    next
    edit "iboss-iboss.Cloud"
        set internet-service-id 20185487
    next
    edit "Redstor-Redstor"
        set internet-service-id 20251025
    next
    edit "Anthropic-Claude"
        set internet-service-id 20382099
    next
    edit "NETLOCK-NETLOCK"
        set internet-service-id 20578711
    next
    edit "Aircall-Aircall"
        set internet-service-id 20906400
    next
    edit "Mendix-Mendix.Cloud"
        set internet-service-id 20971937
    next
    edit "Palo.Alto.Networks-Cortex.Xpanse.Scanner"
        set internet-service-id 21365159
    next
end
config firewall internet-service-definition
end
config firewall internet-service-fortiguard
    edit "FQDN-Google-Gmail"
```

```
    set id 4278190080
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Meta-Whatsapp"
    set id 4278190081
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Apple-App.Store"
    set id 4278190082
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Skype_Teams"
    set id 4278190083
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Office365"
    set id 4278190084
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Microsoft-Azure"
        set id 4278190085
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Microsoft-Outlook"
        set id 4278190086
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Microsoft-Microsoft.Update"
        set id 4278190087
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Microsoft-WNS"
        set id 4278190088
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
```

```
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Microsoft-Intune"
    set id 4278190089
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS"
    set id 4278190090
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-Amazon.SES"
    set id 4278190091
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Adobe-Adobe.Sign"
    set id 4278190092
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
```

```

        set addr-mode ipv6
    next
end
next
edit "FQDN-Oracle-Oracle.Cloud"
    set id 4278190093
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-LogMeIn-GoTo.Suite"
    set id 4278190094
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-Symantec-Symantec.Cloud"
    set id 4278190095
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next
end
next
edit "FQDN-VMware-Workspace.ONE"
    set id 4278190096
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
        set addr-mode ipv6
    next

```

```
        end
    next
    edit "FQDN-TeamViewer-TeamViewer"
        set id 4278190097
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-HP-Aruba"
        set id 4278190098
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Cisco-Webex"
        set id 4278190099
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Cisco-Meraki.Cloud"
        set id 4278190100
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
```

```
edit "FQDN-Cisco-Duo.Security"
    set id 4278190101
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-AppDynamic"
    set id 4278190102
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cisco-Secure.Endpoint"
    set id 4278190103
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-IBM-IBM.Cloud"
    set id 4278190104
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Tencent-VooV.Meeting"
    set id 4278190105
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zendesk-Zendesk.Suite"
    set id 4278190106
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-GitHub-GitHub"
    set id 4278190107
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-AnyDesk-AnyDesk"
    set id 4278190108
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ESET-Eset.Service"
    set id 4278190109
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Slack-Slack"
    set id 4278190110
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SAP-HANA"
    set id 4278190111
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SAP-SuccessFactors"
    set id 4278190112
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SAP-SAP.Ariba"
    set id 4278190113
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
```

```
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zoom.us-Zoom.Meeting"
    set id 4278190114
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Pexip-Pexip.Meeting"
    set id 4278190115
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Zscaler-Zscaler.Cloud"
    set id 4278190116
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Alibaba-DingTalk"
    set id 4278190117
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
```

```

        next
    end
next
edit "FQDN-GoDaddy-GoDaddy.Email"
    set id 4278190118
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Webroot-Webroot.SecureAnywhere"
    set id 4278190119
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Avast-Avast.Security"
    set id 4278190120
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Lifesize-Lifesize.Cloud"
    set id 4278190121
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
end

```

```
next
edit "FQDN-Okta-Okta"
    set id 4278190122
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Egnyte-Egnyte"
    set id 4278190123
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-CrowdStrike-CrowdStrike.Falcon.Cloud"
    set id 4278190124
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Splashtop-Splashtop"
    set id 4278190125
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Panda-Panda.Security"
```

```
    set id 4278190126
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Ewon-Talk2M"
    set id 4278190127
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Nutanix-Nutanix.Cloud"
    set id 4278190128
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Extreme-Extreme.Cloud"
    set id 4278190129
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Genesys-PureCloud"
    set id 4278190130
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-BlackBerry-Cylance"
        set id 4278190131
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-DigiCert-OCSP"
        set id 4278190132
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Acronis-Cyber.Cloud"
        set id 4278190133
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-RingCentral-RingCentral"
        set id 4278190134
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
```

```
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Valve-Steam"
    set id 4278190135
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Cato-Cato.Cloud"
    set id 4278190136
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SolarWinds-SpamExperts"
    set id 4278190137
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-8X8-8X8.Cloud"
    set id 4278190138
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
```

```

        set addr-mode ipv6
    next
end
next
edit "FQDN-Datto-Datto.RMM"
    set id 4278190139
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Datto-Datto.BCDR"
    set id 4278190140
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Barracuda-Barracuda.Cloud"
    set id 4278190141
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Poly-RealConnect.Service"
    set id 4278190142
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end

```

```
        end
    next
    edit "FQDN-Jamf-Jamf.Cloud"
        set id 4278190143
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Alcatel.Lucent-Rainbow"
        set id 4278190144
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Datadog-Datadog"
        set id 4278190145
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Mimecast-Mimecast"
        set id 4278190146
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
```

```
edit "FQDN-Pandora-Pandora"
    set id 4278190147
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-SiriusXM-SiriusXM"
    set id 4278190148
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-VadeSecure-VadeSecure.Cloud"
    set id 4278190149
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Netskope-Netskope.Cloud"
    set id 4278190150
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Sectigo-Sectigo"
    set id 4278190151
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Pitney.Bowes-Pitney.Bowes.Data.Center"
    set id 4278190152
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-FactSet-FactSet"
    set id 4278190153
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Bloomberg-Bloomberg"
    set id 4278190154
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Five9-Five9"
    set id 4278190155
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Frontline-Frontline"
    set id 4278190156
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Tally-Tally.ERP"
    set id 4278190157
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Voximplant-Voximplant.Platform"
    set id 4278190158
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Kakao-Kakao.Services"
    set id 4278190159
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
```

```
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Stripe-Stripe"
    set id 4278190160
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-xMatters-xMatters.Platform"
    set id 4278190161
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Axon-Evidence"
    set id 4278190162
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Matrix42-FastViewer"
    set id 4278190163
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
```

```
        next
    end
next
edit "FQDN-LaunchDarkly-LaunchDarkly.Platform"
    set id 4278190164
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-NetDocuments-NetDocuments.Platform"
    set id 4278190165
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Vonage-Vonage.Contact.Center"
    set id 4278190166
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Veritas-Enterprise.Vault.Cloud"
    set id 4278190167
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
end
```

```
next
edit "FQDN-Restream-Restream.Platform"
    set id 4278190168
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-CounterPath-Bria"
    set id 4278190169
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-OneLogin-OneLogin"
    set id 4278190170
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Turkcell-Suit.Conference"
    set id 4278190171
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Infoblox-BloxOne"
```

```
    set id 4278190172
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Nice-CXone"
    set id 4278190173
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ThreatLocker-ThreatLocker"
    set id 4278190174
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ZPE-ZPE.Cloud"
    set id 4278190175
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Skyhigh.Security-Secure.Web.Gateway"
    set id 4278190176
    set comment "Built-in fqdn entry from Fortiguard"
```

```
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-MEGA-MEGA.Cloud"
        set id 4278190177
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Proofpoint-Proofpoint"
        set id 4278190178
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Brighttree-Brighttree"
        set id 4278190179
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-PagerDuty-PagerDuty"
        set id 4278190180
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
```

```
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-JFrog-JFrog"
    set id 4278190181
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.Bedrock"
    set id 4278190182
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.SageMaker"
    set id 4278190183
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Amazon-AWS.Transcribe"
    set id 4278190184
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
```

```
        set addr-mode ipv6
    next
end
next
edit "FQDN-HPE-Juniper.Mist.AI"
    set id 4278190185
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-DeepL-DeepL"
    set id 4278190186
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-DeepSeek-DeepSeek"
    set id 4278190187
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ByteDance-Doubao"
    set id 4278190188
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
```

```
        end
    next
    edit "FQDN-GitHub-GitHub.Copilot"
        set id 4278190189
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Google-Google.Gemini"
        set id 4278190190
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Lightning.AI-Lightning.AI"
        set id 4278190191
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
    edit "FQDN-Meta-Meta.AI"
        set id 4278190192
        set comment "Built-in fqdn entry from Fortiguard"
        config entry
            edit 4
            next
            edit 6
                set addr-mode ipv6
            next
        end
    next
end
```

```
edit "FQDN-NLP.Cloud-NLP.Cloud"
    set id 4278190193
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Pixlr-Pixlr"
    set id 4278190194
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Alibaba-Qwen.Chat"
    set id 4278190195
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Replicate-Replicate"
    set id 4278190196
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-Alibaba-Alibaba.Cloud"
    set id 4278190197
```

```
        set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-iZotope-iZotope"
    set id 4278190198
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-ipDTL-ipDTL"
    set id 4278190199
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-iLok-iLok"
    set id 4278190200
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
        edit 4
        next
        edit 6
            set addr-mode ipv6
        next
    end
next
edit "FQDN-YoYotta-YoYotta"
    set id 4278190201
    set comment "Built-in fqdn entry from Fortiguard"
    config entry
```

```
        edit 4
        next
        edit 6
        set addr-mode ipv6
        next
    end
next
end
config system health-check-fortiguard
    edit "Fortinet"
        set server "www.fortinet.com"
        set protocol http
    next
end
config system resource-limits
end
config system standalone-cluster
    config cluster-peer
    end
end
config system fortiguard
    set auto-firmware-upgrade disable
end
config endpoint-control fctems
    edit 1
    next
    edit 2
    next
    edit 3
    next
    edit 4
    next
    edit 5
    next
    edit 6
    next
    edit 7
    next
end
config system email-server
    set server "fortinet-notifications.com"
    set port 465
    set security smtps
end
config system session-helper
    edit 1
```

```
        set name pptp
        set protocol 6
        set port 1723
next
edit 2
    set name h323
    set protocol 6
    set port 1720
next
edit 3
    set name ras
    set protocol 17
    set port 1719
next
edit 4
    set name tns
    set protocol 6
    set port 1521
next
edit 5
    set name tftp
    set protocol 17
    set port 69
next
edit 6
    set name rtsp
    set protocol 6
    set port 554
next
edit 7
    set name rtsp
    set protocol 6
    set port 7070
next
edit 8
    set name rtsp
    set protocol 6
    set port 8554
next
edit 9
    set name ftp
    set protocol 6
    set port 21
next
edit 10
    set name mms
```

```
        set protocol 6
        set port 1863
next
edit 11
    set name pmap
    set protocol 6
    set port 111
next
edit 12
    set name pmap
    set protocol 17
    set port 111
next
edit 13
    set name sip
    set protocol 17
    set port 5060
next
edit 14
    set name dns-udp
    set protocol 17
    set port 53
next
edit 15
    set name rsh
    set protocol 6
    set port 514
next
edit 16
    set name rsh
    set protocol 6
    set port 512
next
edit 17
    set name dcerpc
    set protocol 6
    set port 135
next
edit 18
    set name dcerpc
    set protocol 17
    set port 135
next
edit 19
    set name mgcp
    set protocol 17
```

```
        set port 2427
    next
    edit 20
        set name mgcp
        set protocol 17
        set port 2727
    next
end
config system auto-install
    set auto-install-config enable
    set auto-install-image enable
end
config system console
end
config system ntp
    set ntpsync enable
    set server-mode enable
    set interface "fortilink"
end
config system ftm-push
    set server-cert "Fortinet_GUI_Server"
end
config system automation-trigger
    edit "Compromised Host"
        set description "An incident of compromise has been
detected on a host endpoint."
    next
    edit "Any Security Rating Notification"
        set description "A security rating summary report has
been generated."
        set event-type security-rating-summary
        set report-type any
    next
    edit "AV & IPS DB update"
        set description "The antivirus and IPS database has been
updated."
        set event-type virus-ips-db-updated
    next
    edit "Configuration Change"
        set description "An administrator\'s session that changed
a FortiGate\'s configuration has ended."
        set event-type config-change
    next
    edit "Conserve Mode"
        set description "A FortiGate has entered conserve mode
due to low memory."
```

```
        set event-type low-memory
next
edit "HA Failover"
    set description "A HA failover has occurred."
    set event-type ha-failover
next
edit "High CPU"
    set description "A FortiGate has high CPU usage."
    set event-type high-cpu
next
edit "License Expiry"
    set description "A FortiGate license is near expiration."
    set event-type license-near-expiry
    set license-type any
next
edit "Reboot"
    set description "A FortiGate is rebooted."
    set event-type reboot
next
edit "Anomaly Logs"
    set description "An anomalous event has occurred."
    set event-type anomaly-logs
next
edit "IPS Logs"
    set description "An IPS event has occurred."
    set event-type ips-logs
next
edit "SSH Logs"
    set description "An SSH event has occurred."
    set event-type ssh-logs
next
edit "Traffic Violation"
    set description "A traffic policy has been violated."
    set event-type traffic-violation
next
edit "Virus Logs"
    set description "A virus event has occurred."
    set event-type virus-logs
next
edit "Webfilter Violation"
    set description "A webfilter policy has been violated."
    set event-type webfilter-violation
next
edit "Admin Login"
    set description "A FortiOS event with specified log ID
has occurred."
```

```
        set event-type event-log
        set logid 32001
    next
    edit "Incoming Webhook Call"
        set description "An incoming webhook call is received"
        set event-type incoming-webhook
    next
    edit "Weekly Trigger"
        set trigger-type scheduled
        set trigger-frequency weekly
        set trigger-weekday tuesday
        set trigger-hour 10
    next
    edit "FortiAnalyzer Connection Down"
        set description "A FortiAnalyzer connection is down."
        set event-type event-log
        set logid 22902
    next
    edit "Network Down"
        set description "A network connection is down."
        set event-type event-log
        set logid 20099
        config fields
            edit 1
                set name "status"
                set value "DOWN"
            next
        end
    next
    edit "Local Certificate Expiry"
        set description "A local certificate is near expiration."
        set event-type local-cert-near-expiry
    next
    edit "Auto Firmware upgrade"
        set description "Automatic firmware upgrade."
        set event-type event-log
        set logid 22094 22095 32263 22096 22097
    next
    edit "Super Admin Creation"
        set description "A super admin is created."
        set event-type event-log
        set logid 44560
    next
end
config system automation-action
    edit "Access Layer Quarantine"
```

```
        set description "Quarantine the MAC address on access
layer devices (FortiSwitch and FortiAP)."
```

set action-type quarantine

next

edit "FortiClient Quarantine"

set description "Use FortiClient EMS to quarantine the
endpoint device."

set action-type quarantine-forticlient

next

edit "FortiNAC Quarantine"

set description "Use FortiNAC to quarantine the endpoint
device."

set action-type quarantine-fortinac

next

edit "IP Ban"

set description "Ban the IP address specified in the
automation trigger event."

set action-type ban-ip

next

edit "FortiExplorer Notification"

set description "Automation action configuration for
sending a notification to any FortiExplorer mobile application."

set action-type fortiexplorer-notification

next

edit "Email Notification"

set description "Send a custom email to the specified
recipient(s)."

set action-type email

set forticare-email enable

set email-subject "%log.logdesc%"

next

edit "CLI Script - System Status"

set description "Execute a CLI script to return the
system status."

set action-type cli-script

set script "get system status"

set accprofile "super_admin_readonly"

next

edit "Reboot FortiGate"

set description "Reboot this FortiGate unit."

set action-type system-actions

set system-action reboot

set minimum-interval 300

next

edit "Shutdown FortiGate"

set description "Shut down this FortiGate unit."

```

        set action-type system-actions
        set system-action shutdown
    next
    edit "Backup Config Disk"
        set description "Backup the configuration on disk."
        set action-type system-actions
        set system-action backup-config
    next
end
config system automation-stitch
    edit "Network Down"
        set description "Send an email when a network goes down."
        set status disable
        set trigger "Network Down"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "HA Failover"
        set description "Send an email when a HA failover is
detected."
        set status disable
        set trigger "HA Failover"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "Reboot"
        set description "Send an email when a FortiGate is
rebooted."
        set status disable
        set trigger "Reboot"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "FortiAnalyzer Connection Down"
        set description "Send a email notification when the
connection to FortiAnalyzer is lost."
        set status disable

```

```
        set trigger "FortiAnalyzer Connection Down"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "License Expired Notification"
        set description "Send a email notification when a license
is near expiration."
        set status disable
        set trigger "License Expiry"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "Compromised Host Quarantine"
        set description "Quarantine a compromised host on
FortiAPs, FortiSwitches, and FortiClient EMS."
        set status disable
        set trigger "Compromised Host"
        config actions
            edit 1
                set action "Access Layer Quarantine"
            next
            edit 2
                set action "FortiClient Quarantine"
            next
        end
    next
    edit "Incoming Webhook Quarantine"
        set description "Quarantine a provided MAC address on
FortiAPs, FortiSwitches, and FortiClient EMS using an Incoming
Webhook."
        set status disable
        set trigger "Incoming Webhook Call"
        config actions
            edit 1
                set action "Access Layer Quarantine"
            next
            edit 2
                set action "FortiClient Quarantine"
            next
        end
    end
```

```

    next
    edit "Security Rating Notification"
        set description "Send a email notification when a new
Security Rating report is available."
        set status disable
        set trigger "Any Security Rating Notification"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "Firmware upgrade notification"
        set description "Automatic firmware upgrade
notification."
        set trigger "Auto Firmware upgrade"
        config actions
            edit 1
                set action "Email Notification"
            next
        end
    next
    edit "Super Admin Creation Notification"
        set description "Send a email notification when a super
admin is created."
        set trigger "Super Admin Creation"
        config actions
            edit 1
                set action "Email Notification"
                set required enable
            next
        end
    next
end
config system federated-upgrade
    set status disabled
end
config system ike
end
config system ipam
    set status disable
    config pools
        edit "default-pool"
            set subnet 172.31.0.0 255.255.0.0
        next
        edit "lan-pool"

```

```

        set subnet 192.168.0.0 255.255.0.0
    next
end
config rules
    edit "role-lan"
        set device "*"
        set interface "*"
        set role lan
        set pool "lan-pool"
        set dhcp enable
    next
end
end
config wireless-controller vap
    edit "default-mesh"
        set mesh-backhaul enable
        set ssid "fortinet.mesh.root"
        set security wpa3-sae
        set pmf enable
        set sae-h2e-only enable
        set schedule "always"
        set alias "m"
        set sae-password ENC
HmKM6gVKLISyhAQnMxq/CcNENo8t17rvviL++1Xs2SGh9Wpcr6tMjTpiowEw+mLOZ
sUYGh5F9apD6QGKh0GT3Iv5IafFZk4/r0NDxeZz9+W/I50LjWzr0PT7B8pd6ZvwCq
rpTCMBhbTKLxPUZwuPK2KEUhqPFtT1E4nLJ47EXmuJ5iTkTpTkhdq4k/a4YrqJtj
YrllmMjY3dkVA
    next
end
config system object-tagging
    edit "default"
    next
end
config switch-controller traffic-policy
    edit "quarantine"
        set description "Rate control for quarantined traffic"
        set guaranteed-bandwidth 163840
        set guaranteed-burst 8192
        set maximum-burst 163840
        set cos-queue 0
        set id 1
    next
    edit "sniffer"
        set description "Rate control for sniffer mirrored
traffic"
        set guaranteed-bandwidth 50000

```

```
        set guaranteed-burst 8192
        set maximum-burst 163840
        set cos-queue 0
        set id 2
    next
end
config system settings
end
config system dhcp server
    edit 1
        set forticlient-on-net-status disable
        set dns-service default
        set default-gateway 10.0.0.1
        set netmask 255.255.255.0
        set interface "lan"
        config ip-range
            edit 1
                set start-ip 10.0.0.5
                set end-ip 10.0.0.254
            next
        end
    next
    edit 2
        set dns-service default
        set ntp-service local
        set default-gateway 10.255.1.1
        set netmask 255.255.255.0
        set interface "fortilink"
        config ip-range
            edit 1
                set start-ip 10.255.1.2
                set end-ip 10.255.1.254
            next
        end
        set vci-match enable
        set vci-string "FortiSwitch" "FortiExtender"
    next
    edit 3
        set forticlient-on-net-status disable
        set dns-service default
        set default-gateway 192.168.1.254
        set netmask 255.255.255.0
        set interface "lan1"
        config ip-range
            edit 1
                set start-ip 192.168.1.1
```

```

        set end-ip 192.168.1.253
    next
end
next
end
config firewall address
    edit "none"
        set uuid 7f4a9e24-5094-51f1-f3f2-a51f18360c09
        set subnet 0.0.0.0 255.255.255.255
    next
    edit "login.microsoftonline.com"
        set uuid 7f4acce6-5094-51f1-b340-3e2c9eb0284f
        set type fqdn
        set fqdn "login.microsoftonline.com"
    next
    edit "login.microsoft.com"
        set uuid 7f4ae442-5094-51f1-80d0-5db368856a90
        set type fqdn
        set fqdn "login.microsoft.com"
    next
    edit "login.windows.net"
        set uuid 7f4af90a-5094-51f1-c1f0-5419d4fb254b
        set type fqdn
        set fqdn "login.windows.net"
    next
    edit "gmail.com"
        set uuid 7f4b0dfa-5094-51f1-400a-40e184d30f3d
        set type fqdn
        set fqdn "gmail.com"
    next
    edit "wildcard.google.com"
        set uuid 7f4b229a-5094-51f1-1788-34a37c5af059
        set type fqdn
        set fqdn "*.google.com"
    next
    edit "wildcard.dropbox.com"
        set uuid 7f4b3758-5094-51f1-05af-39f05e4efcef
        set type fqdn
        set fqdn "*.dropbox.com"
    next
    edit "all"
        set uuid 7f6ac99c-5094-51f1-eb5c-3b7573ec91df
    next
    edit "FIREWALL_AUTH_PORTAL_ADDRESS"
        set uuid 7f6acee2-5094-51f1-d9ba-33fca189adc1
    next

```

```

edit "FABRIC_DEVICE"
    set uuid 7f6adc34-5094-51f1-a658-22418945fc21
    set comment "IPv4 addresses of Fabric Devices."
next
edit "EMS_ALL_UNKNOWN_CLIENTS"
    set uuid 7f959f6e-5094-51f1-ddcd-31b0f8f82e76
    set type dynamic
    set sub-type ems-tag
    set dirty clean
next
edit "EMS_ALL_UNMANAGEABLE_CLIENTS"
    set uuid 7f95c43a-5094-51f1-e3f7-eb00a2d1e07d
    set type dynamic
    set sub-type ems-tag
    set dirty clean
next
edit "lan"
    set uuid 7fe969fa-5094-51f1-5bcb-be0f582945d7
    set type interface-subnet
    set subnet 10.0.0.0 255.255.255.0
    set interface "lan"
next
edit "FCTEMS_ALL_FORTICLOUD_SERVERS"
    set uuid 9262dbd4-5094-51f1-1db5-e69047bd6455
    set type dynamic
    set sub-type ems-tag
    set dirty clean
next
edit "RemoteAccessVPN_range"
    set uuid 1d0df7f2-52eb-51f1-4a56-bdc7403bee26
    set type iprange
    set comment "VPN: RemoteAccessVPN -- Created by VPN
wizard"
        set start-ip 172.16.0.2
        set end-ip 172.16.0.254
    next
end
config firewall multicast-address
    edit "all"
        set start-ip 224.0.0.0
        set end-ip 239.255.255.255
    next
    edit "all_hosts"
        set start-ip 224.0.0.1
        set end-ip 224.0.0.1
    next

```

```

edit "all_routers"
    set start-ip 224.0.0.2
    set end-ip 224.0.0.2
next
edit "Bonjour"
    set start-ip 224.0.0.251
    set end-ip 224.0.0.251
next
edit "EIGRP"
    set start-ip 224.0.0.10
    set end-ip 224.0.0.10
next
edit "OSPF"
    set start-ip 224.0.0.5
    set end-ip 224.0.0.6
next
end
config firewall address6
    edit "all"
        set uuid 7f4bed56-5094-51f1-b516-8a53c7ba4e95
    next
    edit "none"
        set uuid 7f4c1600-5094-51f1-4ed8-91131a98ff2f
        set ip6 ::/128
    next
end
config firewall multicast-address6
    edit "all"
        set ip6 ff00::/8
    next
end
config firewall addrgrp
    edit "G Suite"
        set member "gmail.com" "wildcard.google.com"
        set uuid 7f4b5274-5094-51f1-4703-34b9200e4c9a
    next
    edit "Microsoft Office 365"
        set member "login.microsoftonline.com"
"login.microsoft.com" "login.windows.net"
        set uuid 7f4ba8f0-5094-51f1-1bc5-7f26ffd461de
    next
    edit "RemoteAccessVPN_split"
        set member "lan"
        set comment "VPN: RemoteAccessVPN -- Created by VPN
wizard"
        set uuid 1cfc99f8-52eb-51f1-eeec-638925c38fad

```

```
    next
end
config firewall wildcard-fqdn custom
    edit "adobe"
        set uuid 7f6536bc-5094-51f1-d7ca-7e4826362c80
        set wildcard-fqdn "*.adobe.com"
    next
    edit "Adobe Login"
        set uuid 7f654e54-5094-51f1-8ea7-2da26293ba7a
        set wildcard-fqdn "*.adobelogin.com"
    next
    edit "android"
        set uuid 7f655110-5094-51f1-0add-217d2a80f4d8
        set wildcard-fqdn "*.android.com"
    next
    edit "apple"
        set uuid 7f6553e0-5094-51f1-8d10-007484859b25
        set wildcard-fqdn "*.apple.com"
    next
    edit "appstore"
        set uuid 7f6556b0-5094-51f1-4624-500418eb6897
        set wildcard-fqdn "*.appstore.com"
    next
    edit "auth.gfx.ms"
        set uuid 7f655962-5094-51f1-c049-fe081d230adf
        set wildcard-fqdn "*.auth.gfx.ms"
    next
    edit "citrix"
        set uuid 7f655c14-5094-51f1-aff7-5069d8223199
        set wildcard-fqdn "*.citrixonline.com"
    next
    edit "dropbox.com"
        set uuid 7f655ee4-5094-51f1-0d95-65f3ad61cfa5
        set wildcard-fqdn "*.dropbox.com"
    next
    edit "ease"
        set uuid 7f65618c-5094-51f1-63ea-83631772dddd
        set wildcard-fqdn "*.ease.com"
    next
    edit "firefox update server"
        set uuid 7f65643e-5094-51f1-b4f9-d67e1a6331bf
        set wildcard-fqdn "aus*.mozilla.org"
    next
    edit "fortinet"
        set uuid 7f656718-5094-51f1-12ca-df453b8203c8
        set wildcard-fqdn "*.fortinet.com"
```

```
next
edit "googleapis.com"
    set uuid 7f6569ca-5094-51f1-bd47-042b37c22679
    set wildcard-fqdn "*.googleapis.com"
next
edit "google-drive"
    set uuid 7f656c7c-5094-51f1-2124-5283d01fcf5e
    set wildcard-fqdn "*drive.google.com"
next
edit "google-play2"
    set uuid 7f656f2e-5094-51f1-6cc9-8fabf06f6051
    set wildcard-fqdn "*.ggpht.com"
next
edit "google-play3"
    set uuid 7f65771c-5094-51f1-9498-0b19cd02e553
    set wildcard-fqdn "*.books.google.com"
next
edit "Gotomeeting"
    set uuid 7f6579e2-5094-51f1-59f9-93f4f78af7f4
    set wildcard-fqdn "*.gotomeeting.com"
next
edit "icloud"
    set uuid 7f6582c0-5094-51f1-43ee-b93fa542bbcb
    set wildcard-fqdn "*.icloud.com"
next
edit "itunes"
    set uuid 7f6599ae-5094-51f1-d8a3-c2401c18c39e
    set wildcard-fqdn "*.itunes.apple.com"
next
edit "microsoft"
    set uuid 7f659c7e-5094-51f1-25c0-9d53b2ca6ba1
    set wildcard-fqdn "*.microsoft.com"
next
edit "skype"
    set uuid 7f659f3a-5094-51f1-ae36-c129271de4d5
    set wildcard-fqdn "*.messenger.live.com"
next
edit "softwareupdate.vmware.com"
    set uuid 7f65a21e-5094-51f1-8fc2-df4d42c1acfd
    set wildcard-fqdn "*.softwareupdate.vmware.com"
next
edit "verisign"
    set uuid 7f65a4d0-5094-51f1-4903-e4815d7217d0
    set wildcard-fqdn "*.verisign.com"
next
edit "Windows update 2"
```

```

        set uuid 7f65a782-5094-51f1-9e42-d3a780864435
        set wildcard-fqdn "*.windowsupdate.com"
    next
    edit "live.com"
        set uuid 7f65aa98-5094-51f1-7f41-cfd8bf32b881
        set wildcard-fqdn "*.live.com"
    next
    edit "google-play"
        set uuid 7f65ad54-5094-51f1-177c-0eadac49a965
        set wildcard-fqdn "*play.google.com"
    next
    edit "update.microsoft.com"
        set uuid 7f65b01a-5094-51f1-c44e-9f6de5e2364d
        set wildcard-fqdn "*update.microsoft.com"
    next
    edit "swscan.apple.com"
        set uuid 7f65b2cc-5094-51f1-c3b6-17813f94cbdb
        set wildcard-fqdn "*swscan.apple.com"
    next
    edit "autoupdate.opera.com"
        set uuid 7f65b5b0-5094-51f1-0b2d-fc5023f5f017
        set wildcard-fqdn "*autoupdate.opera.com"
    next
    edit "cdn-apple"
        set uuid 7f65b86c-5094-51f1-6c86-31247c70f530
        set wildcard-fqdn "*.cdn-apple.com"
    next
    edit "mzstatic-apple"
        set uuid 7f65bb28-5094-51f1-abd8-de5c796e6641
        set wildcard-fqdn "*.mzstatic.com"
    next
end
config firewall service category
    edit "General"
        set uuid 7f5b580e-5094-51f1-0188-7fe989dc3477
        set comment "General services."
    next
    edit "Web Access"
        set uuid 7f5b8428-5094-51f1-25c1-118e0f366742
        set comment "Web access."
    next
    edit "File Access"
        set uuid 7f5b893c-5094-51f1-3468-d7b4b3f37cef
        set comment "File access."
    next
    edit "Email"

```

```

        set uuid 7f5b8e5a-5094-51f1-3d9a-608a3d3018ef
        set comment "Email services."
    next
    edit "Network Services"
        set uuid 7f5b94ae-5094-51f1-ba48-49712c0de97e
        set comment "Network services."
    next
    edit "Authentication"
        set uuid 7f5b99cc-5094-51f1-0f09-eb28e4828bac
        set comment "Authentication service."
    next
    edit "Remote Access"
        set uuid 7f5b9eea-5094-51f1-4f24-4d104e0208eb
        set comment "Remote access."
    next
    edit "Tunneling"
        set uuid 7f5ba3fe-5094-51f1-3193-e4b11c2840cb
        set comment "Tunneling service."
    next
    edit "VoIP, Messaging & Other Applications"
        set uuid 7f5ba91c-5094-51f1-6027-5c046fe0b171
        set comment "VoIP, messaging, and other applications."
    next
end
config firewall service custom
    edit "ALL"
        set uuid 7f5bb6aa-5094-51f1-4d18-a8d9263f828c
        set category "General"
        set protocol IP
    next
    edit "ALL_TCP"
        set uuid 7f5bd0b8-5094-51f1-0af0-725147726dd8
        set category "General"
        set tcp-portrange 1-65535
    next
    edit "ALL_UDP"
        set uuid 7f5bd676-5094-51f1-af3b-5f626489527d
        set category "General"
        set udp-portrange 1-65535
    next
    edit "ALL_ICMP"
        set uuid 7f5bdc20-5094-51f1-75c4-0e0771305c35
        set category "General"
        set protocol ICMP
        unset icmptype
    next

```

```
edit "ALL_ICMP6"
    set uuid 7f5be242-5094-51f1-08ca-0185064e0cb3
    set category "General"
    set protocol ICMP6
    unset icmptype
next
edit "GRE"
    set uuid 7f5be81e-5094-51f1-b1a4-546ab9ea8c53
    set category "Tunneling"
    set protocol IP
    set protocol-number 47
next
edit "AH"
    set uuid 7f5bede6-5094-51f1-7f3a-bff6d3061514
    set category "Tunneling"
    set protocol IP
    set protocol-number 51
next
edit "ESP"
    set uuid 7f5bf3a4-5094-51f1-cc78-5c7d64490ed4
    set category "Tunneling"
    set protocol IP
    set protocol-number 50
next
edit "AOL"
    set uuid 7f5bf976-5094-51f1-6cca-c63dd0203575
    set tcp-portrange 5190-5194
next
edit "BGP"
    set uuid 7f5bfe9e-5094-51f1-4f15-0b49f4555e50
    set category "Network Services"
    set tcp-portrange 179
next
edit "DHCP"
    set uuid 7f5c045c-5094-51f1-914b-e2d9221717ef
    set category "Network Services"
    set udp-portrange 67-68
next
edit "DNS"
    set uuid 7f5c0a38-5094-51f1-a22a-5b882bb30cd9
    set category "Network Services"
    set tcp-portrange 53
    set udp-portrange 53
next
edit "FINGER"
    set uuid 7f5c0ff6-5094-51f1-af92-b97d9c505dce
```

```
        set tcp-portrange 79
next
edit "FTP"
    set uuid 7f5c150a-5094-51f1-63bd-61434a9ad41c
    set category "File Access"
    set tcp-portrange 21
next
edit "FTP_GET"
    set uuid 7f5c1abe-5094-51f1-2513-f7b3509fdcd8
    set category "File Access"
    set tcp-portrange 21
next
edit "FTP_PUT"
    set uuid 7f5c207c-5094-51f1-d773-b0deba0092dc
    set category "File Access"
    set tcp-portrange 21
next
edit "GOPHER"
    set uuid 7f5c2c5c-5094-51f1-8b88-661b8198fb7a
    set tcp-portrange 70
next
edit "H323"
    set uuid 7f5c455c-5094-51f1-7176-4c14d1c68ada
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 1720 1503
    set udp-portrange 1719
next
edit "HTTP"
    set uuid 7f5c4b24-5094-51f1-3963-47e3b9186b53
    set category "Web Access"
    set tcp-portrange 80
next
edit "HTTPS"
    set uuid 7f5c5100-5094-51f1-2db6-8547a577b492
    set category "Web Access"
    set tcp-portrange 443
next
edit "IKE"
    set uuid 7f5c5704-5094-51f1-eb18-bc3278a8c4cb
    set category "Tunneling"
    set udp-portrange 500 4500
next
edit "IMAP"
    set uuid 7f5c5ce0-5094-51f1-a07d-fa8876310cba
    set category "Email"
    set tcp-portrange 143
```

```
next
edit "IMAPS"
    set uuid 7f5c62a8-5094-51f1-59d3-d24a3a07618a
    set category "Email"
    set tcp-portrange 993
next
edit "Internet-Locator-Service"
    set uuid 7f5c685c-5094-51f1-a816-f5ebcd972457
    set tcp-portrange 389
next
edit "IRC"
    set uuid 7f5c6d84-5094-51f1-4c66-a3de27da36bd
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 6660-6669
next
edit "L2TP"
    set uuid 7f5c7360-5094-51f1-bd5f-ca55b33260e1
    set category "Tunneling"
    set tcp-portrange 1701
    set udp-portrange 1701
next
edit "LDAP"
    set uuid 7f5c793c-5094-51f1-ed4f-a5a5b4c89a59
    set category "Authentication"
    set tcp-portrange 389
next
edit "NetMeeting"
    set uuid 7f5c7f04-5094-51f1-278d-456b0db623a2
    set tcp-portrange 1720
next
edit "NFS"
    set uuid 7f5c844a-5094-51f1-e603-8f269e71e2ef
    set category "File Access"
    set tcp-portrange 111 2049
    set udp-portrange 111 2049
next
edit "NNTP"
    set uuid 7f5c8a08-5094-51f1-719d-456f2b40356f
    set tcp-portrange 119
next
edit "NTP"
    set uuid 7f5c8f1c-5094-51f1-4503-5a97bdeb23d2
    set category "Network Services"
    set tcp-portrange 123
    set udp-portrange 123
next
```

```
edit "OSPF"
    set uuid 7f5c9502-5094-51f1-7ffe-0c1372200ad4
    set category "Network Services"
    set protocol IP
    set protocol-number 89
next
edit "PC-Anywhere"
    set uuid 7f5ca0b0-5094-51f1-60f3-0e74c1cdbec6
    set category "Remote Access"
    set tcp-portrange 5631
    set udp-portrange 5632
next
edit "PING"
    set uuid 7f5caac4-5094-51f1-b226-76e304077bd9
    set category "Network Services"
    set protocol ICMP
    set icmptype 8
    unset icmpcode
next
edit "TIMESTAMP"
    set uuid 7f5cb096-5094-51f1-d1bf-9f25566f4cee
    set protocol ICMP
    set icmptype 13
    unset icmpcode
next
edit "INFO_REQUEST"
    set uuid 7f5cb5c8-5094-51f1-d2ec-5837a503cb7b
    set protocol ICMP
    set icmptype 15
    unset icmpcode
next
edit "INFO_ADDRESS"
    set uuid 7f5cbafa-5094-51f1-0009-bb6606d075e7
    set protocol ICMP
    set icmptype 17
    unset icmpcode
next
edit "ONC-RPC"
    set uuid 7f5cc018-5094-51f1-1e64-374a63ec150f
    set category "Remote Access"
    set tcp-portrange 111
    set udp-portrange 111
next
edit "DCE-RPC"
    set uuid 7f5cc5fe-5094-51f1-cb91-e5cb3a8b297a
    set category "Remote Access"
```

```
        set tcp-portrange 135
        set udp-portrange 135
next
edit "POP3"
    set uuid 7f5ccbda-5094-51f1-7c01-4be080c876c0
    set category "Email"
    set tcp-portrange 110
next
edit "POP3S"
    set uuid 7f5cd198-5094-51f1-f9a9-0fea3ef2d4fe
    set category "Email"
    set tcp-portrange 995
next
edit "PPTP"
    set uuid 7f5cd76a-5094-51f1-a84e-7af563d36ceb
    set category "Tunneling"
    set tcp-portrange 1723
next
edit "QUAKE"
    set uuid 7f5cdd46-5094-51f1-5652-fa79d6f6019d
    set udp-portrange 26000 27000 27910 27960
next
edit "RAUDIO"
    set uuid 7f5ce278-5094-51f1-7540-382f073b29bd
    set udp-portrange 7070
next
edit "REXEC"
    set uuid 7f5ce782-5094-51f1-c24c-205de6ea305b
    set tcp-portrange 512
next
edit "RIP"
    set uuid 7f5cec8c-5094-51f1-3e7b-cc8a60342607
    set category "Network Services"
    set udp-portrange 520
next
edit "RLOGIN"
    set uuid 7f5cf24a-5094-51f1-5e7d-1ae4ef899e05
    set tcp-portrange 513:512-1023
next
edit "RSH"
    set uuid 7f5cf790-5094-51f1-263e-0521cc262cf6
    set tcp-portrange 514:512-1023
next
edit "SCCP"
    set uuid 7f5d01ea-5094-51f1-97cb-3cede1044302
    set category "VoIP, Messaging & Other Applications"
```

```
        set tcp-portrange 2000
next
edit "SIP"
    set uuid 7f5d1c70-5094-51f1-5dc7-2a5d60411b22
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 5060
    set udp-portrange 5060
next
edit "SIP-MSNmessenger"
    set uuid 7f5d224c-5094-51f1-13f9-9c75b978ef76
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 1863
next
edit "SAMBA"
    set uuid 7f5d2846-5094-51f1-9704-dab28b5bb402
    set category "File Access"
    set tcp-portrange 139
next
edit "SMTP"
    set uuid 7f5d2e0e-5094-51f1-b0c9-5ec2f513e62a
    set category "Email"
    set tcp-portrange 25
next
edit "SMTPS"
    set uuid 7f5d33ea-5094-51f1-f357-0e0849f70b43
    set category "Email"
    set tcp-portrange 465
next
edit "SNMP"
    set uuid 7f5d39e4-5094-51f1-58dd-4fe3e206a29a
    set category "Network Services"
    set tcp-portrange 161-162
    set udp-portrange 161-162
next
edit "SSH"
    set uuid 7f5d3fd4-5094-51f1-e2cf-c261aa88a1e4
    set category "Remote Access"
    set tcp-portrange 22
next
edit "SYSLOG"
    set uuid 7f5d459c-5094-51f1-3d1d-9bb79c62768b
    set category "Network Services"
    set udp-portrange 514
next
edit "TALK"
    set uuid 7f5d4b50-5094-51f1-d9a2-014b3cf71caa
```

```
        set udp-portrange 517-518
next
edit "TELNET"
    set uuid 7f5d505a-5094-51f1-c63a-ae8f2684719e
    set category "Remote Access"
    set tcp-portrange 23
next
edit "TFTP"
    set uuid 7f5d565e-5094-51f1-2e74-11945cf8e111
    set category "File Access"
    set udp-portrange 69
next
edit "MGCP"
    set uuid 7f5d5c58-5094-51f1-f5cb-5ed5423f43ef
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 2428
    set udp-portrange 2427 2727
next
edit "UUCP"
    set uuid 7f5d6220-5094-51f1-7ed7-6fe0e9e2df8e
    set tcp-portrange 540
next
edit "VDOLIVE"
    set uuid 7f5d6720-5094-51f1-1b2a-4e45296b8aa3
    set tcp-portrange 7000-7010
next
edit "WAIS"
    set uuid 7f5d6c52-5094-51f1-e776-d7029e558f54
    set tcp-portrange 210
next
edit "WINFRAME"
    set uuid 7f5d7684-5094-51f1-2a70-f4ba683fa9ce
    set tcp-portrange 1494 2598
next
edit "X-WINDOWS"
    set uuid 7f5d7c88-5094-51f1-08a0-6df32860e736
    set category "Remote Access"
    set tcp-portrange 6000-6063
next
edit "PING6"
    set uuid 7f5d8296-5094-51f1-3c18-d4b2c0406187
    set protocol ICMP6
    set icmptype 128
    unset icmpcode
next
edit "MS-SQL"
```

```
        set uuid 7f5d8804-5094-51f1-e223-384ccab3f906
        set category "VoIP, Messaging & Other Applications"
        set tcp-portrange 1433 1434
next
edit "MYSQL"
    set uuid 7f5d8de0-5094-51f1-980e-e8cd9d3819c1
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 3306
next
edit "RDP"
    set uuid 7f5d93c6-5094-51f1-4534-b10796505532
    set category "Remote Access"
    set tcp-portrange 3389
next
edit "VNC"
    set uuid 7f5d99a2-5094-51f1-8270-9990418b665b
    set category "Remote Access"
    set tcp-portrange 5900
next
edit "DHCP6"
    set uuid 7f5d9f9c-5094-51f1-5686-6453cea2ef42
    set category "Network Services"
    set udp-portrange 546 547
next
edit "SQUID"
    set uuid 7f5da564-5094-51f1-3545-0730f16e970e
    set category "Tunneling"
    set tcp-portrange 3128
next
edit "SOCKS"
    set uuid 7f5dab54-5094-51f1-5a3c-c80095285b33
    set category "Tunneling"
    set tcp-portrange 1080
    set udp-portrange 1080
next
edit "WINS"
    set uuid 7f5db158-5094-51f1-6bcd-4e723ca3f05f
    set category "Remote Access"
    set tcp-portrange 1512
    set udp-portrange 1512
next
edit "RADIUS"
    set uuid 7f5db72a-5094-51f1-e601-aeee2f4c7bd2
    set category "Authentication"
    set udp-portrange 1812 1813
next
```

```
edit "RADIUS-OLD"
    set uuid 7f5dbcfc-5094-51f1-a665-12006c7a47cc
    set udp-portrange 1645 1646
next
edit "CVSPSERVER"
    set uuid 7f5dc21a-5094-51f1-2aa1-58cc6b208280
    set tcp-portrange 2401
    set udp-portrange 2401
next
edit "AFS3"
    set uuid 7f5dc774-5094-51f1-64cd-7afe1acbfff70
    set category "File Access"
    set tcp-portrange 7000-7009
    set udp-portrange 7000-7009
next
edit "TRACEROUTE"
    set uuid 7f5dcd32-5094-51f1-3a20-f9970af8ecf1
    set category "Network Services"
    set udp-portrange 33434-33535
next
edit "RTSP"
    set uuid 7f5dd8fe-5094-51f1-bc63-4384a00a3710
    set category "VoIP, Messaging & Other Applications"
    set tcp-portrange 554 7070 8554
    set udp-portrange 554
next
edit "MMS"
    set uuid 7f5ddfde-5094-51f1-1196-fe64d149b8cb
    set tcp-portrange 1755
    set udp-portrange 1024-5000
next
edit "KERBEROS"
    set uuid 7f5de57e-5094-51f1-ecb3-fc88e908f1f4
    set category "Authentication"
    set tcp-portrange 88 464
    set udp-portrange 88 464
next
edit "LDAP_UDP"
    set uuid 7f5deb6e-5094-51f1-67e4-fa4d13aa2287
    set category "Authentication"
    set udp-portrange 389
next
edit "SMB"
    set uuid 7f5df172-5094-51f1-da70-fa8c850fdb8a
    set category "File Access"
    set tcp-portrange 445
```

```

    next
    edit "NONE"
        set uuid 7f5df758-5094-51f1-c024-9b4912bc8440
        set tcp-portrange 0
    next
end
config firewall service group
    edit "Email Access"
        set uuid 7f6a120e-5094-51f1-814a-fdf1d59dd0fe
        set member "DNS" "IMAP" "IMAPS" "POP3" "POP3S" "SMTP"
"SMTPS"
    next
    edit "Web Access"
        set uuid 7f6a5d72-5094-51f1-ba82-0ee2968a7ca3
        set member "DNS" "HTTP" "HTTPS"
    next
    edit "Windows AD"
        set uuid 7f6a7c9e-5094-51f1-a7c5-53f7284dd23d
        set member "DCE-RPC" "DNS" "KERBEROS" "LDAP" "LDAP_UDP"
"SAMBA" "SMB"
    next
    edit "Exchange Server"
        set uuid 7f6aa9e4-5094-51f1-92b8-f8908df8e2f2
        set member "DCE-RPC" "DNS" "HTTPS"
    next
end
config vpn certificate ca
end
config vpn certificate local
    edit "Fortinet_CA_SSL"
        set password ENC
sFsdh2DAqz5AS464/en7hSv5Vy42Ey4A+k0B51haz/Vs2bh0U0EcIGQyUuYGcR5z1
qUgTL6W2AC71Tdsy7AfChzR90r+itTsTCXPicZ0ovu8r7MXJiYlYoHgVebEKaAkVl
ETi2fxIcUCsqARmlcx/kuxVL7zVpS+0VKls5H0eaEHJSFmKLDCMZpqI5enwcjgavn
QcFlmMjY3dkVA
        set comments "This is the default CA certificate the SSL
Inspection will use when generating new server certificates."
        set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQqcuhYBuulxn139sX
0fVaQgICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEHVy6mVNaqaw84BU
Y0q8yYsEggTQCGGPH02s/Es/j1zvh/h1xJPaXLkn6gAW9WnFyX/8hgS3RhQiGZHF
Oh8jwC+BbPexZIKdJf+en7xv7qxsGgixfY7L8S/zJ9fnm7dw0E03z0/NWTwLGN++
QJ/1usMS7cE7viUweQ15XdJeGbLftOGj14JW2qM6sdtLLD8ofTVCleiH8S0nlQVq
psXao1nyIHZ0NsF6QL3tn2TQ7ApDIIs+RrGmjgRE7hAeZbaXZa58wXdmssPc1GCYg
Ie1LF9vEZaZV3I7pH5sbjEKFEUz6jMBN7uMapW00MZP587SynfOnMMqcy1kUXPak
mk175x/KhUBKMqt+LwcR8xTX/OwrCgCDg3HhOe2nueZMkweISA7Se61T0G7HDAcW

```

xDGjsYtcKJaivePr57K0bi695a6j07XclIb85IEXcPE6QK3JjuzxdkkFyaU0sB9c
d90In41rXcwHr5ystZQ6ieotso07y+dKhk4sy23mVi0n5X+NRmdnC3/X8e970EX
bN+Sii+4zdCAJFWM4w7fndWvnopjsdvogibaVfD0420er7h/X0kQXHBQOZCCAxJ3
qdbtiJlRxPCP1jix0BNrbHTj1MrUxbj8YMGKFQt9AZvS3+ovGpJmKnCb9+w7hwco
vDZS30cAmqrmsn+MbeFifP3vj0kppkFuiW/QmY/kUV1CML8/f303j7BsGLhkr+yb
SY31jiTHC1Ldo0v1MP/RfWphSxCEMokrrQBep0chaLYIzPsTbjCrrmoULLM1C3ka
P5paf6bWiRsQhNINySS9waIhPIy+w3txLeq7Ue/oZDqunQ1G/uKslI/siW0RlvZg
Bz5q6Q+19MutJWAtV5125GJig4GNrX8LE9diR63186IzDgDhEWPY4/dKaT7T40dw
WCJYjfkRtM6H7vX1WIaWgGdUGkNmL0pnLFXPbfuyFY/wpTrz7WnL8r1nnZiqg6li
VmB/9RDkaPJDSK32Wq0IXhQ+D+v0e0A2vzp7fUSCjBw0faVmi8ZSJzTZQkMUr9RW
HxBRZcV0Xsmiin5h79fTbPlzstRU+1jbeZrrg0NHYeLfi6w14Ir5gbtJ0oP/M5MI
Yk0GMGd4pUD0UZg/TmgA44RZFUo4UScd4utwThVMX0dG9rXOf5TJPDZiB/lbPEkv
z73H2njThYczppleiKnY6k/cw9zSwwKJ/o7j0oZmOuqULu2CxHrPhdstFj0VB1tR
YloE5wjI8Zb/bnrAe+07xImeHrOdAhdyCrTeHPnmrz/ScjA1j67RQHwYgcuAVoTl
RYbpGX4152/Lwbx8u3uX+qtY+pOkcRuz4vMhejTZc90fHCccybX27xW87GSI0M9r
h2MBAKKzLJAt8Xf0hI82M+c/D8dSryva8eqoimFYTMdVkZn4lfZ5156GjKz0quDa
rs9WLP0ZHbv7EeZyvySFA1hc9xqEYSA7yVTmec/voJzdzqMk0qGrumEmS7Quxazcx
uuu3j7IpQVBQobj4koU2YogV6dJ+lao7RvdHagIAYXVYn4G+PGxzCQPw4fc4Ac+J
FWKzAgbSgT3Z2pjCOUA4sZUuWLXZbtoaM99mR6GbECKC3+AKGuDTXpoD1rVWJ5f0
noPbsSkWGGXvBiBWXYYs9Ia6F8bzguurOUfgyBgYUSfbHL/F8xLKDaE=
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIEEjCCAvqgAwIBAgIIDDAAE0p4temIwDQYJKoZIhvcNAQELBQAwgaxCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVdXJ0aWZpY2F0ZSBDbXR0b3Jp
dHkxGTAXBgNVBAMMEZHVdQWR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1
cHBvcnRAZm9ydGluZXQuY29tMB4XDTI2MDUxNTE5Mjk0NVVoXDTM2MDUxNTE5Mjk0
NVowgaxCzAJBgNVBAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQH
DA1TdW5ueXZhbGUxETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVdXJ0aWZp
Y2F0ZSBDbXR0b3JpdHkxGTAXBgNVBAMMEZHVdQWR1RLMjMwOT1DR0YxIzAhBgkq
hkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQuY29tMIIBIjANBgkqhkiG9w0BAQEF
AAOCAQ8AMIIBCgKCAQEAtsMf9ImiIrmmmwCnypMEtPe0rarAlVMD5X/T6f/teXj7
Tgl0P0bq2x+g3SphfKusXC0J18f1QoGwKRu3yEIkn7Fb1VuDrf6Q0YepLNJmI0gr
dVeStpZPRzY6cBqHVpHPJICiQyPQyZeBvCbFwUrH+5ez/2IL1w1Dun5IxPbXby4y
35dFi6ZrS1J/zVR1GcBvJR6qhu1+cE1PZ0mI5exS1FkTmAnKomxoI2+bEI1zb6n1
8DTbcmUThBcRtocQa/w6P3tezetyCW4jj8NLn106VnFwchTnmX+H3KFvwe00LgGT
/45nBe2VmzL73To08QNApVmux7VGdoX2h0j/UthSTQIDAQABozwwOjAMBGNVHRME
BTADAQH/MASGA1UdDwQEAwICBDAdbGNVHQ4EFgQUk/R+kw33qQNd4kBNsg3LfuAK
rKowDQYJKoZIhvcNAQELBQADggEBAIbAvuUuZKN030Vr6lTT/VYZgXbrq1MZdt6D
SDmrSnzbUDNGW746YHuiBu/hfpQaH/Uow4StM0naR6cMhdBzGjG2syQzKb+nVA7c
vYgyprXbWL4DxdEMt+eZQhxIVpBMww2bVHXic4+HT3eZGBNyTnAdkg+ukvfufz5n
7SqTg06+KS03LMD1GTtxbNu0wjoQ/SrRVrIDF/AuU4IUvjKaH9Y9iruvqSN6zGGw
0atrZR1dGVxxMMhgh7J1fhiaU67DuUxyF6IpY08jTbIDzfzMTgLc3P2mD3RhVsiN
bl7yI8eW0UxxwLMZuG0wCaQaTLVsEhZBK65v7y/HiEs2lG14DyQ=
-----END CERTIFICATE-----"

set range global

```
set source factory
set last-updated 1778873414
next
edit "Fortinet_CA_Untrusted"
set password ENC
RV1JlpaycN1lFWq6VcqEsvYiTMzfaQBT7yweLdeN2deV3onIU6jLZqDXqfi0n7cge
Y4JKgWNnjVSJxRMzwXZkjX2XgEJpCZnecYAE/gYN9RKHXU9IB5qCIxe6f7Zd+wudr
h85/gXAXVqPaAvQ0plUWyBSkigtySzCOFPnQVzCPVsYvJvCBcInQmalVwVKjBsoth
kGllmMjY3dkVA
set comments "This is the default CA certificate the SSL
Inspection will use when generating new server certificates."
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQJnsxIajtSTmU+QbP
tnEn0AICCAAwDAYIKoZIhvcNAgkFADAdBgIghkgBZQMEASoEEMZp2uClqnU82ccg
YBi8H6YEggTQncN++tnPkb9+f/D1t9WiDYs7d/306vkvj0Too/Njo8g4p3LB4dSi
x7JYTeTDPaw6P4/jf8DPFhy/HXp17p3sWn5iM0dxoglnFwMhFUxFp48rVk+K5axCr
CnZvuSjwQN00IdzFKU1qK21xy04JnbCKQl1Rv1DMLvyUrIqbvHE2vegR2PgIpQhb
ocP8pS4crAQZw+2GVE4gkVmPx3nkSCTcNQJsYZ3LwGuzM25N7+8U/6ueVVzfC+MX
vTVaPMfZz4fSsrKVreS/Hov6BWBsZE0Fa57ZWwC/Ij5rTy3sBF1g79sTWlT7Yljh
ut4GxfVmY8bqvc8rzGtvrcNKI9Pp+xDDelSVszwJ7UL7ao4iwBSSmv5ZCPgeHuFa
7aV/pxZ5p6dT5Sq8sp99nw5nXtWi5jmCOPPctOnq8DAeopb0s9KQA9rXGGjCwzns
KTM+lk59I5jBr815QkH0gEfor4AQbhFLtSDvp0JFe8Q7WC6f08PqJwV2xnAza0tE
3h8AG1wLxGjSN563ZmpcCQpf96LoILqIocYF75KHGEW2DnBwoiZdSCg/ET0AeYAW
ODZUe0VYdGBWSVl1i+vYpuFVuqLqFeK7ntYf1NGv8iZ+aq6l8c1w6V/+0Jm3lKKm
S65oUorUX88ELovG9n3bEzXb9nIgr9xXeYtCq+MZpzB33SFDG08sXvICQ6Yoxc4t
js37t1UXDxb0Prz8+LqDi7Yt2t+DQgSGCYtYMck0oJ0ei+wVoW7z0fFhtCj+CnDa
UK04rSPH07/vz/7yw/17LQ0aZDQCDUwpHpeMnQBpxp2dZto09q5BHKuTQ7DrS7io
JQ4/c75KQD5h0vhJvDyNzR12J9SQrnTJ1FFbf89rKy50AStpqmVw8Bq+qwBaV1cp
QkJuA5nIBsMS/0mQymfX5/deo9AaQvIRxZr7YuqdeQ0krXVTwn2MXmT3xkY66jki
I+Q4U6afzsDLhLjWxnMD/kPec2mT8BYt851/Gr5JQ0U4UT3+Lp1MywfhQg0Rxwty
VcXB8keKtzY4NsIpAvx1cMuEqusb0ucGAUkaL9dQFcv9cGrgPDevdZ8vwCkz8FN0
Ka8YtLSibYQWJlhvj+Agd+f8+/9Cwdwgc5Vi/Z0qoZ5fdi1fLzbFp58URmSQ/0nN
YYKIq7aqQ19c5N+FJwFpN+F/Na9at9uBpnhMdaHHkhTwQcLJZN1p0dMmP/HxMGDF
2yQlcm1N0R8AaVr/pNqr6dkFzupZS9Agpdkg1YDeX1gVRPEMMUnk7bipNDnGIwe7
ta0rfa/1BIuPgPnYau1EBOH3E2LOSMk6CaBga2jCsoB3C9iE2GyamApK0oig09Vo
FhdU29VXsVimwkWE8xkTAG0qCXyS/VZetgVMj+IkyU09nfnmcQi6mb0Hhhc2xQb/
M0yjoaisT0rv5KBYyUMr8mtlik4cKcJrLaF3ymsuoDErg5siyvW4y/CarbQe4jC2
PgR1pPAGQN+FU2qqXdALqdOPujGVFMpnxpTDDfUwZM+LGmsG/DjrBVQU1tAp37l
5Fp+g9EGPP6F6l1n0izo+JkIEmiB+4Ql4lq9X1jG8fk4002YefU89FAzAn/BSq3y
37WsSFxoHtMC9gEii6g0t6qLz4B1gl5ggnRskddI51JVwOdXq+fBPtg=
-----END ENCRYPTED PRIVATE KEY-----"
set certificate "-----BEGIN CERTIFICATE-----
MIIEHDCCAwwSgAwIBAgIIYcwtaZDLWwwwDQYJKoZIhvcNAQELBQAwwa4xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVZDZXJ0aWZpY2F0ZSBDbXR0b3Jp
dHkxHjAcBgNVBAMMFUZvcnRpbmV0IFVudHJ1c3RlZCBDbQTEjMCEGCSqGSIB3DQEJ
```

ARYUc3VwcG9ydEBmb3J0aw5ldC5jb20wHhcNMjYwNTE1MTkyOTQ1WhcNMzYwNTE1
MTkyOTQ1WjCBBrjELMAkGA1UEBhMCVVMxEzARBgNVBAGMCkNhbGlm3JuaWEXEjAQ
BgNVBACMCVN1bm55dmFsZTERMA8GA1UECgwIRm9ydGluZXQxHjAcBgNVBAsMFUN1
cnRpZm1jYXRlIEF1dGhvcml0eTEeMBwGA1UEAwwVRm9ydGluZXQgVW50cnVzdGVk
IENBMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTCCASIwDQYJ
KoZIhvcNAQEBBQADggEPADCCAQoCggEBALTc3o+GxMc99owMrue0zoyuTY40++hf
q2yLuZqUuSPIyCHvg0LbvqU4qJmMFnw0im5BPTe2jExDzu3W8BHG8b4IeY1tVd8R
ny7jo1bLUJUoLdRpONyx2F3Jc54j28cGxNbIft3Jn0YtdXe9MuBAZ9vMIpL2WAEA
DzMSimyrZW13y0ZzJ5kFeogZD8NCQAUPlDX42hf3Laf7io/6EggqkBgIrNag2Yj
3gHFHDjbbQJlx+bGQQJf/dLevcT5uTwLH1unKq3f7mAtthX31p5vppUSGxx0+LiH
8x0Gq8BfSWUyCrnpqtnfOYP/sfuDwtFxpZ7JmrEef4a7rKMDqg1by0CAwEAAm8
MDowDAYDVR0TBAAUwAwEB/zALBgNVHQ8EBAMCAgQwHQYDVR0OBBYEFJxQ7OT9R6f8
UI/Yo+JwyQSONAoFMA0GCSqGSIb3DQEBCwUAA4IBAQCpAEMlBDV3YuUaa78NOAqY
joH0DEdfVywlwT/iCETuLi0ZG+KrTEWRsrb2JpFiCORQxDKnr7t09Ld1UkhR65/V
pIC9Iewhavx5u4cYmMjvJF6g4edI+GD1xBTZXNw0vOHVPEdPR0V4fimMAZdGML6u
rxuICpo7OrPD0vcS/Xgcdi5IKOudNgwa9GYhfW144AD987ZEek3EPGOHhGUY0gcq
yGB2J3OyN5wuhJigRSF2P7m28m29NZxosDFGHALazg098j59R00ahZV8GAhrST66
vLWF1J3w54DH9xYIeKLulY2OR2uyXUsSn/lr6JwMCrelgeYHkMbp5ypOD7uniTeR
-----END CERTIFICATE-----"

```
    set range global
    set source factory
    set last-updated 1778873414
next
edit "Fortinet_SSL"
    set password ENC
VU8kZRbMIMD3QHd91bfgILtNmU5w7N+Zb4g2YRv58LzylcBlcqZ69TqBJK4rg5Sfi
BtyVvDqlFTqBGWRVgUsVD07JYUUDmwwKL2Guc9zm6medQ6JJJoCBeYow/C82UjcfSF
kqQXwtadjxIHGkjQhJc1bEET0UFIIEI6n7cGP+EEB/ExG/1mdUqTJST27hxHHI3Wn
CXVlmMjY3dkVA
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQUaD5BnKVn/3DY7oR
Aa7TbAICCAAwDAYIKoZIhvcNAQkFADAdBgIghkgBZQMEASoEEKid530807uF0Xu1
EaErWpIEggTQ503o8xfVdmS30Tk1MEuJ98FFwYOs8Ndipy4Y1XVDdT6hfas+uqFC
GcAbtyz6dawr/M+co9iJY9kfQsYWw8q/p67TgcDivnnx43y+k6rAF/5m5QYby6mZ
rYIP5UxY7e3bqYbdIXjUxYo45fg+jZQbw9GwvMYLgExp7CU1ifTr2sunYDfVoZSB
r6mrqm1shbYWTxctrEPBIhuOzyjmXtU6Ikmg42oCTIakPhegJ1nKYRmantnxBa71
L5f0snsD7WtYKCTu0RufRe/mRSrcwG9T+9VbLK4jI7j4ojcWDntpPsDGpHt4UAjc
z9gt1FGSRJvRHwwSrAypNI/MQqZNBsUNlx9vqPxANS87bvW5A0Pi8kQq8xNa2UcR
rmYtIOZW9EsdHmup8GLPd04e3g1T2BX4qQvkuuNagj4hB01jerMU78nM5wB/wvm
LpaveqHCKbnLugKHdt921TUtjcys8V72qpSXd4dAF7KCU1FbFmnaCLwusmMbGBLd
nkx4GIucqj1/0YGaE8cxF5FqoKsJMxtjw6wnW3XmIb5WaiObldQnvFOFtwZ1C7uc
J6MqOVQEAVtQy1TwgPjD0rXvgz9WDQyIGtvoHZRoFMuKMjFCX/rJYxOVftmbxA4R
ZVvwABzuh+5aVS8U9B3+Tks6msDzwGjCN9V2Yay0JYPWThLfjOUXtPHZxJRYvH7E
KmGtUAawZ+9GcoKhgSz7rwmWkELsME8jI7bcHgrU7TFHXRxh938+uUiNeP0x+sk
```

F0QM1cjocZb/IsIwam/mhCLtqzsICZpJiBINu/MwXCIAgP8d3xkshA5yxort3I8F
AGeUI8Mg/CCZMUz7t6AuvzretbTq0uQGEHdxlhWt6PSbwRmxSPwWrmAf2Fa5trPu
L1mXX4BFBPjN99kvuf1e+/ZPMUE+syCIlwsE47YEZEsyT/p6jz1biWs5nZ77RRn
n7N1ISX20c1fDMeiE/m0VBn/6vlqQbt3iUka9hCNocFjlLvZTp/A9J0a4jXcn+Vq
mkan8n6Yrgmd0hMSKB4iIUfGKoUwPQ5YwLcm27nr+KTETs04+636a/AZE6Datymq
CzP+exfh0oxZ/JFIkKh8sq33i+Fcl14Wr/crVvh0jxxZtGvUfXDFc0yOX5cjYh8Y
IEs5rBE3XKrPCns9DVKeWr2l7y+uBlV08GA/kGcqsxzGIthcgH41dyw349donnbm
ge1hu3s0sVbN+kGKAmpEmhFMarmc4g7eoWndQrrDU3nrkJKt3pTw0UC0oWSijbt2
r12FEjP0+JNBtKA5LEp6C6hR3Koow4Yv7ZpsuF0k4IcyQDsSUNKJYR4P1CLhmFYR
sHET8kbmPSjBZrduI2cu21YmE0f1uz5NLK5ZCnH2w6B+4FvUHXBPi8uI6BUKeYbH
/WDTj28RCr+IX4CCs94KYhMbGyWI7HhmbRScXQnSAnBk5mLgRK+eE8K5EtHR3hev
7hdifTT6kLuK4YVf3f5Sv2+JuqAmgwyC9Zhw6Mq8BIeyWQPf0uJEdP9eiw0jN7w
7AJPrviGn3gI/B5PsTzWFXRWUv8kwr5/5nFRM13GZhIpbQRfMDUR8Us4FQN6ueV
mjSCJKowFWNgLXaKnQKLLS57FQxnOYIG5MywtJr1DdSzxXuCUN2suoQ=
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----
MIID4DCCAsigAwIBAgIIId+lD0ZJxKKcwDQYJKoZIhvcNAQELBQAwgZ0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDAlTdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1G3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHFN1cHBvcnRAZm9ydGlu
ZXQuY29tMB4XDTE2MDUxNTE5Mjk0Nl0XDTI4MDgxNzE5Mjk0Nl0wZ0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDAlTdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQDLDA1G3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHFN1cHBvcnRAZm9ydGlu
ZXQuY29tMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA13MK1V3Ey/Jk
q7nVgaDIh7LxbfSWxIsGds8hmD+A5+nX5NciDeQZSxH1FiYkX+HG2sAuvenQsfkG
FT07L/4IP4MIsZFxnTHaMjIaD0aZRPLLIrCq9jUYIZD5CFk0050FZet2+N51zgcX
2zxbGA/1yEf7PW/rF+eJFQkZL8w1raqs9drwxqbXDDQPSryAQkHeuEPywY63ErtH
ptDwmd8Kqf+gvnwgkpxlVb85smaf1vGIb0LAKzmsR1JFg0GhkZ/Dkvpo+HBjkPo1
sUeWNRLb4FqBQqiPBaZ4RUMQddgsqcZK6j09HE1cdEjDklrdIeil8JCld9rMQyF
py5Mw91mAQIDAQABoyIwIDAJBgNVHRMEAjaAMBGA1UdJQQMMAoGCCsGAQUFBwMB
MA0GCSqGSIb3DQEBCwUAA4IBAQA1ZSA0E7/5Bhz+k1Ldl8zCyoCuGrtdH9WxKpD
GLYUQ6Pa8xcT3h/mpLstV06byaG40Tgm2SotoCSyPmEhYC/C3KeSHgY2Ehvf0gFz
L7r8Xpc4I5AGtPcavzG1buJ203HZWMI4v3vfZ5ZQOVnm2XTcveh7ynDDKbQ2NHWQ
G8zZ8zvuFkUDD1B0/Nij/EhsnEJobB4TqLWTvsjRhobuqP9Yj1JUw10oXGcpigr/
LKe+vQoYqArM6MgqLYlDs02Pfr0k4A8zo50eHp9iQRXULcWYB0oBUEkXOrcTZB+
mV+mJ/KqRtKsCu0V3rX7XHW1yXHWlGIktTXP99q9gxWwmnlo
-----END CERTIFICATE-----"

set range global
set source factory
set last-updated 1778873414
next
edit "Fortinet_GUI_Server"
set password ENC
C0hBCX8MD8jsAo73XEqS2PLiquQRsgDmw0HnzLJcu7oPrAXnkXPcS5aoh8e9xBIAi
9tmpXrt3314seLqKtiNTGuu+2R23WvpcYk1bNHXR0d2wd9LQn35UXqRiZ+Bz805wA

ha4fssK5yWgy7jQQVmKy3RcJuxYZZMcTIgfEhMeUXvoLwAhhQCL0pGDPLXVqLVF9Q
MPF1mMjY3dkVA

set comments "This is the default CA certificate the SSL
Inspection will use when generating new server certificates."

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIJtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQdg9er9kv401L0cqP
ytXK6QICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEAknqS52nTCPWXQs
Q8eXkVKEgg1Q19EfiJIYwWM7REm5YdeJvdV9dEhs2qKqpUvGRazToueaKQWzaQhF
NjkJp/IzWUcWcawm+P2XbaiFonEP9S45QAf0R7SP+waDIDKyWTVnWUufi0pzu2Ah
OyWTDKI/wT0YJlgRAVxn3h3BgytiMalJUn1zeO+AnpA6s5LnWa2ajh0axEGCL6+u
vz2IZ9F1dcmJTRb9wl/psPYrKjA7fvfh5njj2l/63ViYY2HFRegfLU3F0TOVdTE3
Nz nefKd+tHIJPqOzRiMxdRcv4Yf1Mg55gaSiXsYDg8rXFu2AfpurjXrGEeKlgs+Y
h3L/+CCp1e8SgyefqQ1vLvs5YoVYz/sR56ppM9MuOKyxRIRsS5ocxCabH8T0QNfZ
MCv+9xut+dXBa4rh+L6umJnmGKh550+4Bph6Lffc10Rwc67S2Wa14+SLt4KoEpOD
IrzLVGNALLnZQ8/3tzroCQWAdTNOHvDZT4lojerw0f4DBI2V/VxUP57mh6CBQSZV
5UT1VwAC3YcmGxHfymtrnEQPUeAuvxqum22hulF+E9AdumFVmFZ510V23lhnz7Pg
ArrfNjTeQ0n15EdZoJDUSHwBb+TFc6TfycQlyNTjhifw3VBhf2SXb88ft/usLrmf
mEUUHmjYkn1sGtZLn+aI3qCPrCzdsIGZpy9NaRmBLSqvC2IsebgewRQXBqWf9bRF
pfmJul1PSc6CjKI6YWFxB2IY6YdMGB91B3yH0oP/aQD2UwlhLUeNE0VRPIwRKENY
A1vCE4/iImVO+MLclPUObZD9WzOmhiCEx4lusn6jIjCe1TfiFZhnQk528R+3G5n4
N6CUhao/ymNg7Vn0iKItnvXMuy5ow/Vwrkg7IrGwmUPiS7Z201Yf+YPVVSQanUrn7
5FEiM18MSfdJz1XPD5/u351I3bRcltZ8rgljRdraPQFVTWPBW0e71Evmfl+mkUCK
PMMlwQAIqpk2KsOprl+tFA8+ij78360ZWw8AWdiUKAe2n4W2d/sTAHHKvcTNTG6Z
2Z941MgbUM0zMMUJLdTANiIBBjsJ76m6uw5rzH4hqzm/aC71VViC/rh9qSCJFwIy
A4j4V0tqDpDiACmQW8L/uAxMbZDEGLwsnCI0cs4SI+ao6KX0P1h28FS+BF0yuJYj
1755AlZOCsGSrz9d3qgVcwK3BowoDIQf6/EDiyMuJmCuwrwALcB2iTgkwmTpD3lN
Qei5wqOnT84zQQ7Jjca5GWYYz7Z01V7WxSZLbZnXRbyXxikLKL9H3Eow9vVFBcZ
sIvep51qz/uy0IyJDumEUWPYPfyjYeBlPi/1D/ktxuvSit3gxEEBvWBQpUi60B40w
iFPAkhFOTMwQpfCqDF7jD3i532tP1TvkiIzLqG0AMSv20TqcaxBtgwpcTRNabNvj
cQv5Mq3aLgBCiT/whjhyDJ0eOH/oma+gmZcq6VV36ut0U2N1UKI5pZDZFYvnPuoR
qg1BY9Axv/aqHNjHfh5H65o/bhW6UAaqC2KM+Oc97/35WLYJGSEi74b0p17QRPEC
S1zcEuyZ8mvPu1THnAt1s8UmmeQMR3/Fuyow0nM0mNxPGe/IKYY+CR29BNEH8lnm
eiskikwDs1JP0P5o6SV0WLQdKOML7QNiIhhLS39nYED8XdejFCHERNWrzR0dnRYd
9EM957WTA vz42388KE82s1YNmhr1jEZwCvWOKJuFTQ5Sdzo0rH888pjD4DjY1MR5
bwnWvYp2ZV6cHAhFE0CYZYPay1PoJheDnVZ2Qn2isH0nC+OWkKr2rliz14Csasy
ISzpwOSQHT4cVzwQ7HdBnLXchqcFCQQbEh0CTii6uIbYyMLZ2kk8nw+v9CrvsQg/
voon6TE1lavvo11VI+lMGqgho71EjUCxfVB9k8FY9J5RXUolhZHHw5slq+o4Tg0i
q9C19G38ui0UwJ36vLtErPh0Z4j0sa5ZSoxVC6SrF7p/A+R6JXyZ/4aM/cJ6f53c
Qi55/i172sEYYHr57bXTjvMTUcbiRv3sKKi101YLBm090YDww4aVqFbXHXt+VscN
aXFi/HQ7p4uR7IfYKaXBBZHMzz8xSGXoKk24mzTqY7IMWz91EWRYNTGAcdd1HPiS
ZxzsGeqb6VJHvmSQa17TyQ26p1nvB4Kyptm+Sc0CScgGyYUCNbxD2y6MQRTS5grX
4lF7+NBLRhgt2R/EHmMhx4kFfA5fQDCMJWNGnNmN/rYuDMinRiOtYi4WeaKp2prw
wgubzz+UCC3U7KwByc7nc0zNdiFgyT/DhhB29nx8KhUHsy4LzIi064B2Vou8HXT2
hlzTXRk1hnARX9Y6A5J40C7hr4UbxHtaxKAiuFYag/2Xf+vu4y6U19ywh3SQNGyy
ty91DyuraidEr9cJOVhRs1t5PU/sI1Ldiqr98m/c2EtaDEnZIOUPtgf8TtumE60
rptuthI6+6yDbbligJgeoJduGnvm4wGwCUDoSBC0vDA8a0BgkUrduyUikdXU2ws7d

d/cx6XP1xSF3obR/+Brb0jft3hChTkqKyx12CP0LdA4eSMM9TEqCgQp5TXyl8Z1+
gs1ZNQ1v/gjBkPkH5tEpu/gxaDFgvTUDyJzJul1TSWIPBvBu6vNK6YTqVd6mHUJ+
MR1Jsdw9dJ0XVwgI1M25ReBgnw3/QejHmSat6dHwAmfXvy3SjXuHxtxUnrrm/RLG
NYERNRtFudlAIiAVdmwqXLZdez6Wg5E3aygL9W0e2WzBc+JXM0E+vp0st1U0Emw+
MoB1KyGRAwJUaeziihRUFmftYJBZVG79Hn+RN2cR1MhfCj1MlUJkKTJvuhndNga
Rpla067w50mM0k94AJOk5wLY0FqSp02hHmpV5TWwH8C//8T1Mic/6Ib75neIzNOM
QwrWcDxVEOo+fnUs4+zhdVstIPjwW0hBTgBdCMrJUUGRduy5as5Ws917WdJ9JiG
qj7iM/PpzDi7eUWjZZH7BbimjH+wrtblm72Dx6KdIgdEcUeQQtIs2ig0z2FBWwXn
k9RUFuV8mN8Uki91o4gmBXQfkwd2j4E409etrqCwqfvf1qSFheYTFvGGF+oFrhae
tkrYZFet8TgucN80MVyjRAJWXLs87MMggWVctPEBJmnvytofy1SIRc1l2QFP0W+
o21rhaHroFwFxfjXWTmU0lrJJl4zC5Kd/HTcziUenzwz06zrB1QapB1k=
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIFIZCCBAugAwIBAgIISMhWP5TF5i4wDQYJKoZIhvcNAQELBQAwgaxCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MR4wHAYDVQQQLDBVDZXJ0aWZpY2F0ZSBDbXR0b3Jp
dHkxGTAXBgNVBAMMEEZHVdQWR1RLMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHFN1
cHBvcnRAZm9ydGluZXQuY29tMB4XDTI2MDUxNTIyNDQ0NV0XDTI4MDgxNzIyNDQ0
NVowdjELMAKGA1UEBhMCVVMxEzARBgNVBAgMCKNhbG1mb3JuaWExEjAQBgNVBAcM
CVN1bm55dmFsZTEWMBQGA1UECgwNRm9ydGluZXQgTHRkLjESMBAGA1UECwwJRm9y
dG1HYXRlMRIwEAYDVQQDDA1Gb3J0aUdhdGUwggIiMA0GCSqGSIb3DQEBAQUAA4IC
DwAwggIKAoICAQDhXrGRHCRlqNFvMYvqwr/5NiUiSBKD+Iph0Xbr8v/mdsjWY40S
4TMhipqmBp45w7CE0SIwKT4FBn/rbiykUcSFu/vuLJ2V3Zb6mSu3PY1FtAikpTPX
ONx0ArQjumevmhX0ReF82Y2oeCjrVCUwCpJf65S81a8kBiI650Z0hJPfLVR5Li66
as90lNgNDNnfl3JnLyU04CFlnvq/iPM9Rj/AxDv2ztzes4Y21pGb1Vww/dQ9/yN
QXt4WKPIE3zI4dBKvS87MSGQOBTdwlr0zzLdSEd+8DfRfqo+0FKcl4HMiWAHRu1F
JULEuJM56H384RaKsYwQBADPGQLGp8ShKfCaBwvvn+8X5kzEDLSy/iYjB1SegZzx
8K02NEntSZuN0mJbaes24sM0LMOJZUwJ/mvgkWySbX+Tkygw7xyujJ2+utNppShP
/12mtBXpvQjxay90FDpXx8PNyHyIzrDkDVbxy+jKVeoZUciehS3axCNlCZmAzmP
pbaaGc8hSpPDxIwztgQiEXvCFoFteh+dmnyf+Nws9dGrSZFFmx98Ax1ZvZake3s3
xcSlQkq8E+mvirMQ+d7EcLvBFird+K9dznTEmmnawqBPtHN57aMC07DyiGxBVfAD
KhxUU7QnyLyLiL8N7vaeJkXxXLY6do8HsTAjLdnilm27mEtGhqFWB1MtxQIDAQAB
o4GAMH4wCQYDVR0TBAlwADATBgNVHUEDDAKBggrBgEFBQcDATA1BgNVHQ8EBAMC
B4AwHQYDVR00BBYEFN9CcN94Hs/Favt+hrCNGLXTb1GXMB8GA1UdIwQYMBaAFJP0
fpMN96kDXeJATUoNy37gCqyqMA8GA1UdEQQIMAaHBMCoAf4wDQYJKoZIhvcNAQEL
BQADggEBAK3DVul+6m0jhu/VAW5gdQqqPW8VbDxOzatENoggViNYKneAgBKkzvM
qKciuIEhk1ilJAUMDbXgCHA2mQTmSwdJdgC29TA8+G8PeOHYTMLa7qQTjLdwAZP9
8qqY9vxLpg8Dck+4vRXSvE2GjzYVY+FALWk5hnDuX5uNP2pQDqUWxtDU/WWL+MRq
MKi8314sB9gzzcRy+rzskKzvJUz59Yw2fX4R6IYmdujQdYkyor2gqvTOMKCYHgXs
cSzK6Nh26EcHqyxJUzPhmrTLg5fZpVhjKrYaeFhjrGI6tuE70fJKbu4qUQL6X2Ph
tRksuWEZSPg3a4PivPrHssQopUbQ8To=
-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1778873414

next

```
edit "Fortinet_SSL_RSA1024"
    set password ENC
A/+rm/vEnk9EVlPyNq84x7bIuZ0hWmHS9m03HltbXA6tfI3sqmV4HQ2fnEUmKAhkt
Dnz81A47BYqH5trViKHcjPBhLiAntZtQMoEFS5h/zVB+EJwtaJzQwYStGnsWUDe0k
ygPSIw2GZ2ta23z0k4jmPU000abEB8j4FZ+5Lw1rX9wAbh/JVRa5wAQAw6UQz9aLo
881lmMjY3dkVA
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIC5TBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQRBm58m35b+XMIdbJ
sUopaQICCAAwDAYIKoZIhvcNAQgFADAdBgIghkgBZQMEASoEEJUcnKJLWYWS04wA
nBHS1BQEggKAzKG2qih0icjH8RI+VPfwQDJ+pp6pgN9VOYclcpjrq/7z1zSFWGb9
Soc/mRADu1BrbQQ5ZmYm1X212ekkENLHyEKSe3zYItFQ2eSwF2aLXaGIGEc7jCup
rqdL1BLP6dvquhPKvZxQMdOghz4+2ucVYVdDJgzGmwVUmzeYsym94PzrXXpUr8KJ
YvcpzI6RjDUzoI8th1ItI2NU9NrZTeAG4eo1QKa+akmhGkMHpq9eNkZH7s+0vy/D
WVKotq/GSd1xD3AWrRLtsHssZhGHZU3ko8Nvw7OILDz10JQtX7J0wY++zfwgwt1S
Yeo7fphNH+eLD2mweZ7k6mnYyBnx1HD0ZRs+fmUpkuU1d7EGdjuucwAd/DJF8AA5
ebra7EDueemhCfpNgTiEaMZSa2xuBntvwqysNqfYdsnfj7TJpRZmpF2MMGrJXZFi
oppXn2hiax1hbX/dRzWkXct2bMmumqGCvIKZ9xpxNbpqWJMp+XoAekWljyzaCRA4
br1azWilJA83whjC1JeYmJyd6qKu/zcnVzODV/Fwf2JmcqPfaeuGVGKvZh1NA5kV
1Z6W5Unu8XOpd+HW+90ujke0JxhP8N0tSpGs08kVf3To8MvXMIIS7p+RKzHHLXTL
R859jUnCWFcSdEq0CntQqV4Csego1YwXADiA4clHIX8a7m+5R4N9EFaLXNC1ClG3
YJpEg4a5/zqHCm88HsnT6yGiWkdVwjA4EZw1zIIItQD0jbWUbj7/qc4bNUryGTpmS
Vv+HuERiPxxuywkjdYC0RrtmX3+5xqlVV+m1+bBrIRbmtkG5CHTVDAWDDj5sqGwX
7Dx174tS/azpCgg1hK5velgHtxAQblWjLQ==
-----END ENCRYPTED PRIVATE KEY-----"
    set certificate "-----BEGIN CERTIFICATE-----
MIIC2zCCAkSgAwIBAgIIdeTQbwQPww4wDQYJKoZIhvcNAQELBQAwZ0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDAlGb3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu
ZXQuY29tMB4XDTI2MDUxNTE5Mjk0N1oXDTI4MDgxNzE5Mjk0N1owZ0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDAlGb3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu
ZXQuY29tMIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQC99wcdUsXMYA9r05+1
SmDF0fBS9vMTpESOMEbBbzu/+mRi5Dk2a5g5o2Kk4o96IqBR10A9k0AAh8k0ryRq
2Wvm0pBPYuxygn9YIQWeVJJ0/j+WEu7jof7v/h9pBLLMzZV1yQX2jSEr6uvQF/WL
uj9C0nIZfXFAF2XBAPRiXnY9rQIDAQABoyIwIDAjBgNVHRMEAjaAMBGA1UdJQQM
MAoGCCSGAQUFBwMBMA0GCSqGSIb3DQEBCwUAA4GBAD1IIS998LEc5oyjr6bqND0/
6Ct0tKJAThsgfBqyXyJZEg7wcwMHs0R2mACbF9gUvaq0+6sqMLkNiob3qFU5F/aT
ZShYBjV2L+pUaes2F3AqHqGVM9foOk83XnSHmpgF0duwwA0v0UvVJyD/lQb+K3/e
X65AZLmc9y6q1EjNnAwR
-----END CERTIFICATE-----"
    set range global
    set source factory
```

```
set last-updated 1778873414
next
edit "Fortinet_SSL_RSA2048"
set password ENC
X3LsEr43Ju90c/I6eX9X0DahjVScKeW91GRbdbysN+KB407hTaXIsSX6JnDcoWLVR
lffEyat/So3FR7AiYotJVIwRlMxnTP5ZBNTbpi80I/J/o8oWs27Qj3dKKo2s95iJK
Y4gJbkyazZeu6LStZUGNW8r5n8y6ocT9mLZSAIkFM09eIOcd3EWf6waAm9Imc7rc9
QBVlmMjY3dkVA
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIFNTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQcxU+HyKloQlMVkjV
5890ZgICCAAwDAYIKoZIhvcNAgkFADAdBglgkgBZQMEASoEEE+nfelEqBCPXkyE
TPQMGNUeEggTQKsnu7HltI9SjVbIyOC/Rfa9ipsyc1jniHYA0S0jWYcJzMMd4mDXQ
sEOMfz7VHbbCv2cr8vN7Kothj9GuG4vffzfTwymFS11I9PfiAM22AB3gweb4cYL
alE5RWDGRxT4ZnvayETPa8oGP+biLafuMrsF6x1t6eseziV+PxxgDb/Ugv2Ziqxt
oazETjBa9CME4A89mK3mJdLG5r5mGYSyAkUgio8ULB5oW9eKer1jmu2ZpFsJvJZm
EIDIWf2d+3xITTCDYzLDVW4WNYydrADqSa/hlGMwxllcLVPAi8epORLjgL8fNB5v
JrwsxxNUQcG1AV9mhEFHcpV/nb7gpiZezXfmQBrGRWN43d1XKvpi2CeIHnEqPJG0
aQPgv4dCcSHaLSkH/n2ZIABA1KeQ6V0v0x/EdXwzM/FrnLMalsR4vHPINon/A25J
OukGhBpjF1LJk2E6EeG9XLdWI88ATThpt9YwPpouY6+oBaKPXqiZW7mFzMKxcva
wi+aGk1CjoG3XGC3c1lAN11JDx10jBnEHxhfDmf3u0zpZjXnkd6hH4SEs5HrNNsE
SGx7ahdyAIVS91lxKyy9+7MNS2Wei590PlhagTsZuzqi0bqfI8ixHfYbhU2H1Zwu
QS2Wf1M3qR4JFZbE+xsjHE6ADCFnVgCgZ9ch/YX1iG9AT8k+Lq0pnLFRTqxISVG6
cEKDp4JDUFJ85m6qu2FE3fjq3pxs4QvhWus7ba+o8DzNmXPWAai23Mp7cuhfvDim
uWRrQrzKmpUxk8XcxxzTDWxmX5lu0yz2ggNIwhyZ27LPzbL6FU5hM017+10+Sbx
SQ+QN0g6i94+VdM6JQGbFzmHxi7zJTJYIOj9w4CTrND+FL//SKXtc1LXQZAVUp3T
/J5N69er6mRtm394PyZZ6bMrzvqUEfKfFs6gQ6+rBy4HfRzhE1q/AgP+7/EW5oAo
p+9xzkiuP1uQeQDWydDuNupDKkgwUESivslisawJUUEFOWaioSuHbaf2hGEAcccC
DCt/xEgWYAIm/VIRxYIJUdUhxvyvXp2zN3Q9/14M/sbu7OCMDA/jLhaZMr6Y4+j1
zV4aHsOwALh1lwFYq8qqJjMp3HqYSP1AuGUdqe0gRLlumDb2Euo+ZYfcvG0j4t1a
FLNCL1T1W1oo6Gg+n1l0Ev7tYd+Oh5kVL3RNIzbSHpahucQGEe+S/J1xI4Q7CxE
GzANFjnnH0Rt+lwdZfngC770KGL9fcwii0S9k06k0jdeYgsAD0e9/P6UFerTEBd4
Mdnr3nyAgyTI3Mu4J9GfkbZcl6bq6ENZAHEzv1XdPAaBxvhE9BCAUQYJX3+wFS6e
i7HRjjrfCnp+SV+XFeDaSUGEK/0ek9hC9D8zXqmvRLw+x4SNIVV3IET1Hu8wp9rm
p9fEzTUJRh1Vk3+tteOo7Ymw/hhnYv3EUphbgs9hdmLA/+ShBN817rH1YACISam8
vgqcdnc8I+fnPo+45oL1/oyrwDm+yaZ/RioZZ6v0EVA3jHtE4/oYBQZCtGdPN+03
7Dyf8gUWdff7n8WqVkn740zONbeEagq9XZUPVYxgAc1hU/oMqaewYGcP70eMzZoa
SG3IrzhHsTk0CZZWZaYl/o3KTmYhH94qtKz0EHmIaZcT4AdWZTGJyYBk=
-----END ENCRYPTED PRIVATE KEY-----"
set certificate "-----BEGIN CERTIFICATE-----
MIID4DCCAsigAwIBAgIIFsoVlSaV5B8wDQYJKoZIhvcNAQELBQAwwGZ0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDAlTdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDAlGbzJ0aUdhGUXGTAXBgNVBAMM
EEZHVDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu
ZXQuY29tMB4XDTI2MDUxNTE5Mjk0N1oXDTI4MDgxNzE5Mjk0N1owGZ0xCzAJBgNV
```

BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDAlGb3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu
ZXQuY29tMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAtqhg18YR7fKV
LeC1hX2IM6vBwBdy9XvQ0mHQnrEYUtPwMNa3G0xJVhzjwva4F8AqY3WoumOMc0GB
VNRSafe1r83t+yJxbayfYYaHKyWbRx3jr64ycz+mvHFz7zBxUa30M7Tee72g8aZY
qL4oBoupR2wFgtPSybNI8sk1F8Dd1J7dq5kY4a4M13KThnDM7ZezJhI1FKMewFpI
CTsKqWt5abHFMNHbupweKdyhNKuqhtdw6k/bSQ/hJyDpIW8YOSLjfJS/560xPdRn
Wiv1AL7EtNcG12dM44pKWktptTuttAlMKKip5NQWggcZwdwzmFRrF8YpZH6KDGxI8
moSakkV1NQIDAQABoyIwIDAjBgNVHRMEAjAAMBGA1UdJQQMMAoGCCsGAQUFBwMB
MA0GCSqGSIb3DQEBEwUAA4IBAQA4WANThY9zRDg6lKG1h3XjdQlZkR3+H8rYffAA
Jdz5Sad2yIdjGT1/LAFxiCPMaKi3QR6cPiID4Ds1TNd6jZoufWbL8Pmqj/0w1w53
+4VK5dwj0bMg+7l3BNCiW3Q+n9WL28G1oC0HQEn+pvjA4qj52X8kCQotHgpQR8m9
dsVfgHHXPJB5vNbZ37rpCB0hs09j8yP8SctBgnjsDoev49LAVRJdkdAjQk7DKAfP
TCM6f97Qapta843/lkdi0v/xwcsjgxtvxdybJru0C8YzUmegGMdRZiJK5yRPR0vj
Luy/Ipb93zlqYAZokqbp/MZD1YxpdHQmWpkmK+sRiq2Z3y9

-----END CERTIFICATE-----"

set range global
set source factory
set last-updated 1778873414

next

edit "Fortinet_SSL_RSA4096"

set password ENC

8Ys6U3w8+8fecFj7bAg+LUS1vwHmW6UFsM8EK2WMVzLzXDXAnM6apwxFKCWgv3kgK
WJb9iNfQ8mCXvtDDZ0f8Usz6goscIAAdjlnGsnyPwlw4G6D+TBtr1XCXIKV2aUk5j
dNRxEvfGwJ1jDRrB9E/p0ZbB3ni3lUwMTK2k5cWepxTQfzHR5+IosUORWXkq+73Wj
1k1lmMjY3dkVA

set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----"

MIIJtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQ4azaMYpSOJpnB6Gp
9ew0eAICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEENmisVw6AVvrhKSZ
wASHNRUEgg1QVngZArxC3oyjQ3KEvLTcbf92EZYF15pcXhq1EMTqcBJwTYxCztC8
zunL6vU606a5KwM2dUZ2kwAjj/6RSGE3o4jbzMAvV59NAE9dPMBtyf1Bc/1+6BMo
/LNN18eaLiz72pvnUuLmnD1DWnEr4hEJLJpLgcmkqx+Bpuo7dCT0oBekDokAHB1E
QVrkCQUo/DsrBwRrYt53qbvaZR6vTNMgYgz3yAKuFD03s4mcjjMa4yPmi2igEpT/
XfkF3ZLtZrEae4YteXiSsWRllV9ijecxDuGW8tkaFzZ2vPARn9vWF2wBNSIG0K0R
Xpg64jzBcwPlDsD/6bmndA1s1wR2e2m1Nomu0KxTLccNajwoSqCWcyXnHh8e/ZoY
pirZRxuWswjX9WPgVnCKaQ07SS8RBjufL7tY5UL6iKRUXuZJ8YilI1JBMQb/ZnD+
KOHypgc+a2UqyaVS5FOMen76sNJCKojFFkcvq1HZInbioJL2dtUsujpCEWzmWiyq
VRSr1ttPum5H19eWgDDPafKzppWWKob/VtTWUH4wUd/0cgamX0xHntCmOVBS3BAB
vQZdPfuTsfX8N8ECZ4t20sH3Lcd24zKthDHMWjk62oDdfZ0wE6glqYLJz13LxGuU
DlpZXpWAYEtZozm9GCEUCleLhdsABpyRzASxZ+aZ6ywhSClRkd+MNUJu4v/PdObC
6ewf/f+a203xZrYoN5UgN8C6lbHnSPzAvodlZLe9EH0Pid/J/YK5+I7MXOtEuEK6
cYwfWbPDimgZqNjBIfUUNdbH4p4dx5QZvdY6nPn4M06KcQ604/vxGHwxh/19x0ey
WIruij4QBM8nlezd8VaaUJmrAZ19vUINJXI6FB7WuQRMU591Xb050o1540GmImwe

HaarMyw0EVxf3uKgx7utUcjHY21ejxoQAs4hV/0l8no+tDrQH/zzD7N5bg4Z+zIU
mTpyr1Y4ig06Uj4LRUrtw1kwEsA/WbgePxHrsjIGQroXwUdcPn/vDU1kP80D61Je
xnsy0WDbdJgped7odb5L5BPtfsH/5gSqKZzDB4FsbJ1euYI0QRvRrM/Kcx1zqGPg
tTUcrJnmNogroSkGlWWugbVYKZinCC/KLk9xwcmIyt85RaMvuDQnPHq4sEOo1XPB
ejHdaUJzJU8RYilQojPFT8Uh5wqyBk1ie9vCc+47f9tyeICQ01R0wY5P6KLv8Irb
WiSeVRme3R4MTLdBd2SQE8S04VWKiY1t5sTRpahMED2qSgVR4LWLsTHCsc3wZPDr
gnv0nqWdjcgBJ38pcyq5J60VfUBFJnmKbUW5i3bZW0AjWq8wKV8Zs5++540onUkS
JVWCLc6Hj6m+piVr1+JFYGizV2E7X+w7xwn2D1ADemWbKqt01RHRrgU1GxXJaT1D
WBK6X7XAMxCzuKJLYTOQQeSrZvHtPsj3sYmixGPbncjz5MgqkL+faHDMUAZUFCoI
lN2zehz/mn7q89cYbhkNvy1E82oIdEoWXimZAQXkcDbePMKVyThbd5s5ga5j2FDa
YCytwkFhPRPPWJJkumJb1+SbQGu/RbEobhtb371iK3q7F9Inv7hZkY67ZFwoDbja
IQaEndA+55Qu0AFRKCKpOFX1Q053EcumA87m14RwlUEzfLDWMCP/w0ReXCFNKuFH
ZvnQ1ojQ6eL0p1G1l62TuXUspbEE6T50DYrEHV9hBj+0REGpj+lhXdnzC4Qdn38
H5fouTcHKz7qJg8PA7w4BANpwq5/nMexTWS38qzCZx3Uldgl2QONpQk5wWUuqjYk
GAGA+7Fi4K3u0UY39d1upB77831xvKV4/eiUNmK15octjy85uLQKsLThYSEPEe+3
wS+k6yPrbP/iKZAmSAaclYndjmMwsaf/u3Yo7YE+n1LUYiFv5LB0+g4z53/dehC
/PtW6oeuuUuo+0ndM3r13tABujC12ejFEp9S8aRxlrvjGR1cei1/xwVvhnOCWdK1
uwlNSFTzaHry1lze05oa8BNEn62Mvo6ngzouSnL69XsvCoq6dbzJ//lhYL2iAdQW
82PqoNw41PKzR5qjekOv4+1RYTAiE+IgxKkywkztyI2KrEfMWUOsT11M6QoI2TPR
6usn0+1ENHFdDe/FTy3cyWF1SAXD+/+aeK0hPHXcZd9+qjsbHqZaPGt13T13AA08
aNNFgrxP1HNpUKvncQEbhk9ZnN3ZgqzaPOBtfet3GTaeYLuF08mpuufmR/zxhxSg
840muoEGd7u3dubbqKPiQ8zmkot0QwtXh9SpxRhDHJT9U1v2mt0q3VfJ0/n36l/B
JDdEuh7yNwLRK46A6xgZMEQ4Wyz+7LVGaeIOS/8bt+ip6K5hBkrann1Rv226cYfG
u5GvSoQw8x65TUFb/u4Whs2h5Xeiu9USmALW4TupihtlCxmP/JwHgeLL0R76G7Nbk
DbiiJk8PF8LBC9h4Sgp/ggM10FtA095Ha7zHaXNffJIIMtMZ66hjJl36DBUhdRA+
dv/RCLMeoU10Pszzbfj08PQGktypIXw6QaqZdtDCidI4Z1Ex2b0b2+0xCipBBj9A
zd5D0ROMilhv/7rVzTrvOysHkAe3n15Iqry3fc9SXRb9RbMCNCXUURzmpmbwfn1+
liUMki2Fhv2hwoKGI7au0q0w1DAgxSiX4W2YiliyeSDZeH64yzLD4ASBm2WhdPWR
X0feNepwAA1Cwyxszu5KKHNbED6eQchtPa002nuImijl0GpPuf1AGhfqla4iLZjz
FA1Dd7/lynsb/verrwJCDuxNCSPly35XEYTUzi63Ftx9LQIIkVm05H9WcJ2qBoc1
ghD+EkPb2Zj5D0MzQcIWeC/E+jbwvcJLoP6V8SbBl+2Y32dnHHPFvxBXbjF8PCle
R+iTM8w1f0jBPw1Kqpgf8dqp8yB3c+Wlkdw9tzJwLUu+aTp69WlF0LlA+umXCQ2
reFbttcA3fCkK8wfmfnX5Be+R1aPntbqkHIox5RjfXSjB7Z/qkwxLZy5yE3e3w9y
JenBP99Z7vnFmFes7FCPcsxeR19Wnh8pZv3crzPFR1/qPIECnm8N0mXPYxJdVJ8n
kNFYxfhlSoom+3ZqRGL1PyFQ6Q68woQUhkuNDGgiY01cLzEJcWRYwb5Z1Tt59z5n
Kiub/ILoDKNC7GUYpdqr1FAxkyMR8W8K2a4TdIxf3bcORfM1aWfciNo=
-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIF4DCCA8igAwIBAgIIRoYlhEuhsKYwDQYJKoZIhvcNAQELBQAwGz0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu
ZXQuY29tMB4XDTI2MDUxNTE5Mjk0OVoxDTI4MDgxNzE5Mjk0OVowGz0xCzAJBgNV
BAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybm1hMRIwEAYDVQQHDA1TdW5ueXZhbGUx
ETAPBgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1Glb3J0aUdhGUXGTAXBgNVBAMM
EEZHVDQwR1RLMjMwOT1DR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGlu

ZXQuY29tMIICIjANBgkqhkiG9w0BAQEFAAOCAg8AMIICCgKCAgEAqhrh6vOH+0Th
FGQSeKrhNbS1nZEx0qVl9acHauyNMmW6DPdmS9bmP2RepZoDehmtZJatU21+oAu/
ui0AqnJV5or8NmTSN/tZykw1G8z1auFVaXqfP7AEizq67vqSyb/kMXaqe0iaML4s
CrVVRqxTBF/OQdBCSG7uemFJyFbPv4s6i0YZ3Y3x0CUmk4mMP3uhl2jm0kBlz8Aw
ixfAGYebzGgxQhE+yKvXrFszYGLs4QVyJar2y1m6phB6nx8p8V0hjs7QE0RQinob
y82g2DPOoXA/mZadQg8NGPEV6ftWkIOaY6FbJwr20VsB2y65kBMgmFYzA+W044Sh
k/gR7wXsuCe6IqvVLaEwnhPB/VOp+3jApSgJ/jW/lpr1Clo2nFfRWeqZrf1Ev5Rs
V+RSqrjlbPwDccjgnKpeHC0EVWoGM05hNUaakvJne0IGAJmr/RsHNPA0Viz35X9r
66LBGWjzNLcwoWgMgVk05sZJDRZy0vb32KEUxbkMI8mlww5Wav17dk95oH0dZUCS
0SxkWhynQl0JoDBupmi1I3ACMEwQf0DqYFF8zqC1D8HL7SacXD/pubs9gsvRmVZI
oibljGBxQwAZJ4AMPow7UXXZI5uYhkwXUazZfb0qTMvuVGdUBHDWswTCQII2eC8g
1/BHgBjdlcQKZ0aRLkg/AJe2/EEAql0CAwEAAAMiMCAwCQYDVR0TBAlwADATBgNV
HSUEDDAKBggrBgEFBQCcDATANBgkqhkiG9w0BAQsFAAOCAgEATrnvpqTsyp6gT5Bl
TOzzyxwh4qWaPi5Dc172sxpMKGY+aQXLsA01jKMqY5Ap1L1gf6XTnCK76kqsi0rj
kwxaoPRRBsQTGI155elWs4rcH/9x7rgmncMOioLRX80W7KbQbier42SxfkBqR6p4
WgtcP1dsZykfdz3dgBbihv47TY0J6Q394zBI/2zSqeEmqvpvpljVvENViTtnk5k/
QegsN2Ffb3IE4NWPTic9wWdsBjBQJa9HxH0dd1Xn/nSnICIrGv+eU0G5mZd14rel
LFE7bH7nkduFzXWycSxq1c1GQT33PUTkzamoBjD+qB0agz4N1MFMu+b2QkEj9jpp
wZBWV7YHsvk2VHvpopr5NH6ZAfrBQOVkd5aj1953ggU5FlyEhxZn+39/HhX50Y7
5PaYacfKQGenfKSnKcjJpL50AYyuyz5KfkJAA423hgCnnDwZmCUcDPZBVCEcxPKI
z3ly2arUPHYAYL5pke/Q6ogbNV+6ngivDb2U11ERrq2TQt5gmNU/T+/bZM+8zAYV
H73tRUCNRChjIchVfnc1FTtKI861UxB4M2VT+JR9byAOzmaUR6puWmIpoJT0wgOE
NP7tcrYQVPbKbiW5trB2MOCrpf+BjWmm19yDm0NhXe7BiqzoGVkgpM+zMgFQgSFO
5cMhqBbX5xF/rdhhKUa2+AKAlnA=

-----END CERTIFICATE-----"

```
set range global
set source factory
set last-updated 1778873414
```

next

edit "Fortinet_SSL_DSA1024"

```
set password ENC
```

9hn2Sust97Tu5dv59+7Ph0dPFL00snve7z0EcJQsh6Ykro402pxstRkUnmeGSEoeD
3UM52pJNiA0d43zVLhV6qVJS791VZQL69jwlSE30qCh+IL7Lye8L7c1PhrfriIKNm
JO+bDfE4MHghihmowlkaa1UaC2A43uf23U8uBZmPUIToF3JptjDiWu7w5EQEc4Rgw
NOFlmMjY3dkVA

```
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
```

MIIBtTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQptEMoRvy67iss3g7
20UjNqICCAAwDAYIKoZIhvcNAgkFADAdBgIghkgBZQMEASoEEIW27+cvhf/+Mkss
07WYGpkEggFQs0g9AWbrmaxhi162LqtHCz/PJkqdVdVg3FaA47o71joxk8otlbHP
wByGMUtaDdr7lNua0EqF+PkbVNAYowg3d4IliU0qS14NGRLTLuER8QK3CMzF4YU1
mfvqb25Blf7P67Ig4M7BJUIqs9XMjVKKsG4GqWk/f+XTB9K9w3nh6AirQFmdgu7m
qH+AprKuQM70HV6Vj9Df/+UpMcrUhsW2Nr2+iiiVCs3mysf0AcrtGjuDAWtJ03eI
vyJUK5RtNU066upYoItQt3UwCEdKW0f8FxeC5XvWHjd1Gg39bjKBvXRRHFQgszJ
VIeyVQbIfc7eizJwRpDDN72qeJQsAUUt60RppCfiRP2UgOLI1CR5ZbagWREPIH++

RcXtMx0Hw6GtCr0Eqgq3jELmGz1KfCJ3nzmWUXqENZGn4bYk5BG159ze/LiJrKS7
MFmdqRqy8quD

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIDnDCCA1qgAwIBAgIIatvtb5CnbdMwCwYJYIZIAWUDBAMCMIGdMQswCQYDVQQG
EwJVUzETMBEGA1UECAwKQ2FsaWZvcm5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREw
DwYDVQQKDAHGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDBBG
R1Q0MEZUSzIzMdk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0
LmNvbTAeFw0yNjA1MTUxOTI5NTBaFw0yODA4MTcxOTI5NTBaMIGdMQswCQYDVQQG
EwJVUzETMBEGA1UECAwKQ2FsaWZvcm5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREw
DwYDVQQKDAHGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDBBG
R1Q0MEZUSzIzMdk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0
LmNvbTCCAbYwggErBgcqhkJ00AQBMIIbHgKBgQCJj+zZLc725fDBU1hebfBJVb9y
bpd4TbUcusJ1B1WwZrRF5QCeJ+TXgIvHXj/SLeyeiQre6XyCGgQgGRelK2/ixlFX
GRQyvOeQNLde4fGwpmN0yY0IYjz1bcXLPdFm9te76qDjBHc7f0WqAzCD4pksBc/
nxSKmLkwdM4zeIrD2wIVAJMj4S6spMYA0t1de8y5S9P4zgeJAoGADUwofOt6LLnn
s3Nx6K60GnpX15ojD2tCzGlnMPs1AWNzLhrjgRssexDmStxfh7uVRjhqrJ8ItZ0k
aBaET4bYdyMREjdf8vOnnfRiJ3rIvaNk2fiNL+FZdzWVLdYJZP1x705V5J7bRDnW
X24YqfRXajZo0HhF0PLYtCo0T/r0SdcDgYQAAoGAHqkYx/qR61LIxLM7ngmsCJih
MYm+ai3UD4YLikKkBpWdYYFo9v554NKRm7UXyXxypVUleRwT5FgRGxwQYdJ6rP4T
f2YnGHsddcyrj64Qz09bH/x16SU/y961M907kAQj11ayprD8zN2b5lQM7G0i9jPC
jRX05zVfoUvMTdlSROejIjAgMAKGA1UdEwQCMAAwEwYDVR0lBAwwCgYIKwYBBQUH
AwEwCwYJYIZIAWUDBAMCAy8AMCwCFfGkMLAYKRSCDOUSyiyjoS7dsJIWAhRADoL5
lnWBb1v64ZlDb9vJZ+UUrge==

-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1778873414

next

edit "Fortinet_SSL_DSA2048"

set password ENC

xswga7iORDogA2Ta6msJg8xYpH225GK65ySp0dqZVQ/Ba7JLbBBg1/jhmvdq1w4Vs
Fa2/kxY6iwmGzVHSfziNluWU4AQKUNhOddLpD2Vg2/A+WPklqYPtLVkAXsXNRHQM
Y/w8Z5000A2eSk/bxvSkvqXCSZkU3L1SjkwOd5t4dXvJVtjHe+IV/VIZpAXkVdjKC
ey1lmMjY3dkVA

set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----"

MIIC1TBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQ45+fTT6yBk8Aqb2R
YwSXmgICCAAwDAYIKoZIhvcNAQgFADAdBgIghkgBZQMEASoEEMabUFsxhJFZSssW
F48S6qUEggJw1JwKHiTbH/NVANTbTzVPYFX3kWawODG0g0H06H8In09bbc97Cwdj
YFW7Tr0KoIhfSpV/eotoJtwCg827gEpSB/k42/ei62mTdRmA9IyShaGEmwKXhL+8
RxCB9rVYE8gCwyNW4k3skXRDaCu424shUcn7HUgIFlY33Q8LwCEWqb2BoTEmmuq
6tCi1bNjNHon/c6DrsmkKAHyAaNGF/E04LzclLALeGXenjxb6ms1Do2KpKxfG8vs
sFA9YvBAY+BpmcWPol+rJ2Zz0nh6Sej1CyIk90NYZVcD+Yj5ulbsqpgH30tuZ7cr
+AkTpZfIIDYkNscNbaEW1sKTN4i86s3nmX+2ciAsZZBzZsQNEUMYLkUbyocvsiln

u0e1qEkcopXkbP1LISI9FrQLxIvT72B0+h7GzM6grbNXAU0IaisUn0ehwV7h4dZN
Rw3np01ebHNtkZwCUSGrSKDh/tXQ8E7LlwUZvz/V3NIKxER3TDBWTngH03dHW0/u
HKwiVyK35x3qCgn/gCRr1ejpCVN14zgLE0xet5GKYimyKKQqH5/DYchM/wWj1DE1
M1HLi6u+XRrw6rnnYX6M1ruzN0Bvrzm1JRM1VR22zSA4buf9FH5S0KrlilC+LWVx
879FEst/W269h8H3dVpxJpdhE8rVS8qhKB19F90zEdQvhz1uKQyrPwLn8FKfsjtK
7scpX07KsMCUGJoQT4fofeGFIsLQCYuv182MPYKJunOpJ++ILUC3dhjUQMyRdz5d
jFsn5JwDFj0+vUjJtLDEfP1gLDMxeAKurhYTJV291qTs3DrjcSUq8eTiOdNmEDBQ
9qic1IDmWm47

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIFRTCCBOugAwIBAgIIAn1ZdT50upwwCwYJYIZIAWUDBAMCMIGdMQswCQYDVQQG
EwJVUzETMBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubn12YWx1MREw
DwYDVQQKDAHg3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXR1MRkwFwYDVQQDDBBG
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0
LmNvbTAeFw0yNjA1MTUxOTI5NTNaFw0yODA4MTcxOTI5NTNaMIGdMQswCQYDVQQG
EwJVUzETMBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubn12YWx1MREw
DwYDVQQKDAHg3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXR1MRkwFwYDVQQDDBBG
R1Q0MEZUSzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0
LmNvbTCCA0cwggI6BgqhkJ00AQBMIIICLQKCAQEA/dXY7j+WpRjL6Gu4aV3Wjr7R
1S+sRXRxu01EAqqQFD96ttA6gu1Rlxznk8YFQSHz/cgSF7p1Zx1CnUoHQXjdGbcC
8N++wJgN2MJejaHkD75EdqPJog+eYb9Eyn0oIBCi2SZw1fV/gk9SLdbo3zYV1VP0
0JteFasPIGf27Jgrkawf40vw6JX15yojvfS6hMzD5yfCdRdN8rzYHu+LIwTZX5pv
XBPW0HbK7QnHk8ymCokt17Zqj+RzX4oLc49keB6f9Y7+QujnrB6rFFLI0fKgsV6j
Gnxi8u22ahFAcy3Z1Dngp/jyXRN1UiuQNja31MCMwQ8//MqGap0G16+yOYkP1wIh
ALdryBvp08ZH1BbW52Q7EgTJsIT8T16FIKXJZgTL5SyJAoIBAQNwBH+1M59DE3o
jzNN9xW0qs3eEQFf/E3fmnnRiMbdFbZ8zid3C2Gq9yolpc+u1udiBMSUuEaCQW06
nHSxVuXwBE9C75Q3eoPyaIIeZ/YkYEexsYw4BQiiGAt28DRoXew8scATexOLgz0s
LN75J2vw0E/Czz6Bvk7V10eIdIkvKw0PrgARj++7krk4RYbn2H8PaxR0dWX8dLZi
VE7n4kmje0R3lzFrqh3Hxt7aLpE8/a1Jmu2K82S/m2Xi6XvrPAwQw+bgnte3/z/u
XVbBBfHHrbLPNDwb2DcSVFLPdYXgTZ+KEv0dkn+1kFHaHk7mypKI6Y1p+22Aogmz
y7JVy2qNA4IBBQACggEATU80LbvqvZukrFKuRzLY9kStFDdFDS1zUyGds40dTZpG
vx4xROKsURRJGceLc9zLwttoPLF4m2QREnbSkZYKGP0iM08qeperW6fVltej5BZc
kw08UWmmebay/sApQt6+bKEic/KwIRKUzGs3L6Vn268TQ0zNUP5Zh8jsKK+Zr90+
oISdhquvHsZoMsX8R0vAnmlmgQejVauhq6JiR80Y9iijONjjAvk1+da81C1AxMVq
r7A0ZJUP4i7pTxG+pgIviDt5kH9C46RSUAXPpQfm40yBXi6hSC2ng2LLv6iamlXK
uKRBgexXmSB96YPMrTUq/SPxYMaAeUldKg07+RODw6MiMCAwCQYDVROTBAlwADAT
BgNVHSUEDDAKBggrBgEFBQcDATA1Bg1ghkgBZQMEAwIDRwAwRAIgBpV5e3aLnQ/6
ohYpg7qq96u0/XELMEDHDJydJuYq11ICIEaqdq8Uc00WIub1XiImfeOzBDIvqXe8
GaCjtD1Zx3eg

-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1778873414

next

edit "Fortinet_SSL_ECDSA256"

```
set password ENC
LtS/OYU9nHuqj9LgbnA4zTqmaMrhiUfmBciRhwcj833ycya4uD3dL0k3V4bpfZozm
uk31txuleBLmGKtZr6NJsSXNsSSkNHpkoGSUK7+1NXZk0cAYbWHTxyIebHwAdSTfr
iPNEoin7cwZ9Ym4ZIdmXpR4I3UkE5gw3zVCAFBglAZuSDUcp9+0BU9Wir8JffklUB
91VlmMjY3dkVA
```

```
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIH0MF8GCSqGSIb3DQEFDtBSMDEGCSqGSIb3DQEFDdAkBBB7dPyMq2WhGDz16kPN
UTP4AgIIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKqQQHQOr7c8eGfDUVT1U
v3SbxwSBKktBf9sZNZWYVMwln0aC5e699bvAIRiWFQ5FfyXw7sDBv6sRZsSh0zr
+83t91JfRrEr7ETun58rjzvYpdMs4z6GZPp7x5HGuKjz5XSgndjRHoT3mMYuGvL2
JIb4iSWb0m1QN8uZP5bl4A6150GnbiaI/avAmfqy+FUgPDvxLv5g5K0dwanc0rzo
/yci/bPwaw==
-----END ENCRYPTED PRIVATE KEY-----"
```

```
set certificate "-----BEGIN CERTIFICATE-----
MIICVDCCAfqqAwIBAgIIP55h0Ta76qAwCgYIKoZIZj0EAwIwgZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDA1Gb3J0aUdhGUxGTAXBgNVBAMMEZHZH
VDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMB4XDTI2MDUxNTE5Mjk1M1oXDTI4MDgxNzE5Mjk1M1owGZ0xCzAJBgNVBAYT
AlVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLDA1Gb3J0aUdhGUxGTAXBgNVBAMMEZHZH
VDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMFkwEwYHKoZIzj0CAQYIKoZIzj0DAQcDQgAEc7It43+AQkZY+ElS7lU/3+sA
L/c0EPtwhv/CtkSUOS0Wsev/t3mba6GdaZtFRrgJG/EBF5iWHx2PaQKXXaImqMi
MCAwCQYDVR0TBAlwADATBgNVHSUEDDAKBggrBgEFBQcDATAKBggqhkiJOPQQDAgNI
ADBFAiASrffp6FCByHIk5HPH7C2zqdM2pnprBAJ8GgN+3SeFHgIhAM/Aeh9iKX4/
Z5FRvEd00U9/926uQ850mxnW1yao6rKW
-----END CERTIFICATE-----"
```

```
set range global
set source factory
set last-updated 1778873414
```

```
next
```

```
edit "Fortinet_SSL_ECDSA384"
```

```
set password ENC
FmPaujliCPpSgk8fs2Zd1LD7FNI2NOCC0FXjhazp6ifCYvGHAV7ZNa3Jt16HNNZp7
pybS5EY4fZh96S5RkyIwAYHSfGiaqBQP8P3zBt/bYYyq9wYgF2c4abCsG2w2Vk8VP
Aw4MRf7ZD+PqBp1GNpMwjD0/QVeYfLJ8/QKtJD15nv5JYTazQ0p9eThe8rNff8p1N
BJF1mMjY3dkVA
```

```
set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
```

```
set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIIBJDBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQc2050IixfaQDRrRm
5RIC+AICCAawDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEHLYCvQLF1L55EaL
oV/cP7wEgcAXY156v0hRrUD7DAodKEpAuNbx+JZMechb+I00vZHHTdIAj6UyDyD7
```

IFuWGGy2XYRunv3Bi2fRiS1SB/quw03K+PmCjfIuS1g6AIxc+b3cg81t9vhZBd4F
nVjNhWOnoEZmG3duIypjBg6Aw4iUtKdeCdAYcWiWNilUpQSbFbhWPBobB8zhs2R
qldk7TaBh700jE8kzAyCNtvNfhmtJTex7Gq4u9yNMuoPHgMmTlGOAlBSk1D2uEQm
tdhxe4pfK04=

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIICkTCCAhegAwIBAgIIGa/OwvUKIVewCgYIKoZIZj0EAwIwGZ0xCzAJBgNVBAYT
ALVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1G3J0aUdhGUxGTAXBgNVBAMMEZ
VDQwRlRLMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMB4XDTI2MDUxNTE5Mjk1M1oXDTI4MDgxNzE5Mjk1M1owGZ0xCzAJBgNVBAYT
ALVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQQLDA1G3J0aUdhGUxGTAXBgNVBAMMEZ
VDQwRlRLMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMHYwEAYHKoZIzj0CAQYFK4EEACIDYgAENp0AgDV0beYB65bSq537QGpGlsu1
u7k8edoF/SSM/1sDJbRz18YgnQv/TtxVEuTjseZNSThrhyoVs0xv0VcV3KWTdjgX
lIogJoMazWydv/v6wzrgCSytKFN2FUDWsiidoyIwIDAjBgNVHRMEAjAAMBGA1Ud
JQqMMaOGCCsGAQUFBwMBMAoGCCqGSM49BAMCA2gAMGUcmQCqf2+otGPmh4+y3PKy
+cT5S9SZz41C9Cpq5PGYp/0i21CttmeAXLHs4ITLo9Hgu+QCMBJ9lw/jl6B/wlco
JMKWgHMUPYPsGJb29yJgG1uTGBFvfzBJVTIwI7jaazPKmMdUHg==

-----END CERTIFICATE-----"

set range global

set source factory

set last-updated 1778873414

next

edit "Fortinet_SSL_ECDSA521"

set password ENC

8aaU/f/wIZoBTiISYruKPOe7Has28yFPoR2522YbGBNf3LP1GThTigJUIhn0RwtvL
ggOm1EQ+vBrauv1PA1vqrcVEv52ff5JH2zKdRxl91fk6x+xRjqjh2p9T58DzqWWZ
Mbhi510D03Mhu00cuXq/qnMHaxNqIwQxXkL7iXeiz3QgL6RLymhVhAJpOE9ZBMqLc
RkVlmMjY3dkVA

set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "

set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----"

MIIBZTBfBgkqhkiG9w0BBQ0wUjAxBgkqhkiG9w0BBQwwJAQQJ6ic+pwMIFKIdQek
M/gewQICCAAwDAYIKoZIhvcNAgkFADAdBg1ghkgBZQMEASoEEKashZ7bS7js214L
RQGt/00EggEAQd0a3ypsvIXJPdnjS5VrrJ0Wei1/vvczsM0Lj4Jxp6ziTmSuXzg
3B4gG8RmNRgHiLiPw7v1bgCHqBldDST0zE0Z2+Mn4tKxcvuRnGL6NHnZifKmGCBW
AEKUBtE7dFi26Mw53zyU4B3aMDaA0cITFVGBI12YyV/1GSin2xSP3bQAPOfKCz5r
xBk3zvVgsDZQ+1Xax30DnYKZf/Ra0pmNSsEfaP08vvTYEUBbcs56n/HQ5d8XNox8
buxhGvkZ3hhZewvnPyiGekK4/i7giLSp6H5yugMK4ZCUsc1UemdFzDSdwbH5UKVU
AZEU76tYq4K0/Y9Fmoq6rJGGrUIgJhb3uQ==

-----END ENCRYPTED PRIVATE KEY-----"

set certificate "-----BEGIN CERTIFICATE-----"

MIIC3DCCAj2gAwIBAgIIQlYDcpgFXyswCgYIKoZIZj0EAwIwGZ0xCzAJBgNVBAYT
ALVTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP

```
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLEA1Gb3J0aUdhhdGUxGTAXBgNVBAMMEEZH
VDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMB4XDTI2MDUxNTE5Mjk1M1oXDTI4MDgxNzE5Mjk1M1owgZ0xCzAJBgNVBAYT
A1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRIwEAYDVQQHDA1TdW5ueXZhbGUxETAP
BgNVBAoMCEZvcnRpbmV0MRIwEAYDVQQLEA1Gb3J0aUdhhdGUxGTAXBgNVBAMMEEZH
VDQwRlRlMjMwOTlDR0YxIzAhBgkqhkiG9w0BCQEFHN1cHBvcnRAZm9ydGluZXQu
Y29tMIGbMBAGByqGSM49AgEGBSuBBAAjA4GGAAQA5WDpZ4X9eZ6A1SU9+qs8GFSp
hb0YXeziJYJDZ07KAKSklnafiTQvN+ZJcaQLOEmNkLhvQ1LUldP+21opo/JTBE4A
UokZmRf5h47NtyHJexoXL5b05RkxGgEDCRRdYnsa0QedcCsZCaelB0Td+E5SDdJ6
OC5Ek2igZdtPW4qER43DB0ijIjAgMAKGA1UdEwQCMAAwEwYDVR0lBAwwCgYIKwYB
BQUHAWewCgYIKoZiZj0EAwIDgYwAMIGIAkIBad5u38Vb4AnuCB8XLGgIiP3YHNSd
gIm8v7ni0+5WnS8e9meinPVYBn5q11UVCNyV9+eFVbLkBhFGEVDhOdDL06UCQgCx
MzvlyjrMCgUmWzkbABw/+R+XSCrM7u51aZI/VObTptdomoDpPFOh3tOHD6woTQmg
VyMtq73P/uzNX709SvdXtQ==
-----END CERTIFICATE-----"
    set range global
    set source factory
    set last-updated 1778873414
next
edit "Fortinet_SSL_ED25519"
    set password ENC
vT2Ax/tJiafmD0mXXdonhc+95p052Mxdyp1hXbx2vw6fx4eoydzwXEpvzDMeCsSEF
ehvCwPFCQZWQIhTr1QTWgXWg1BqPTIin3500agvaJpT42nFmcwKjWEVqz3Ky9C4Ny
YVX0boeNr15FVI8fATZYRk6iZiY7B7CHbGIKvzqhWDRX6b6EVGkv2CP2vrKaM/83v
CdFlmMjY3dkVA
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIGjMF8GCSqGSib3DQEFDTBSMDEGCSqGSib3DQEFDDAKBBD69VfYw5Bg8PJ23it0
NccBAgIIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKqQQ4NH1Lg9a3ShPUhpZ
NLsBjQRAUIk7r0P6Kv7yJtFj/7e0RVBt/BuqbFX/hgQBwt740eJlBfKim6ltIUt3
gXSy0+3U7AZk9tWFMrMxv7ggZV2HA==
-----END ENCRYPTED PRIVATE KEY-----"
    set certificate "-----BEGIN CERTIFICATE-----
MIICFDCCAcagAwIBAgIICFuiY6mkPjgwBQYDK2VwMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBBGR1Q0MEZU
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAe
Fw0yNjA1MTUxOTI5NTNaFw0yODA4MTcxOTI5NTNaMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBBGR1Q0MEZU
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAq
MAUGAyt1cAMhAOXvJA+tmb3SFmLwdtuanv5m2XURayB7cNFaYmZZz+ooyIwIDAj
BgNVHRMEAjAAMBGA1UdJQMMAoGCCsGAQUFBwMBMAUGAyt1cANBAJQCw9TKks0j
G+GjZiEm15U0UXDvkUW39VmqqZS0LRsh9bPQuXiUd0yvtvgxzTcjD50FBqV26aZzT
13mYchYDXQU=
```

```

-----END CERTIFICATE-----"
    set range global
    set source factory
    set last-updated 1778873414
next
edit "Fortinet_SSL_ED448"
    set password ENC
chMtW0MNHKrzNVN6sWMWzaen4tTOEK0XW/zbWi6lEyJ/4EfMFf91oAwq2zBXVvg8p
UOKwFqtNXotxCTaUK3qmoEWGBASWZW7PsE3NhmjzCkXKd3bEALbzpfk9CJYfXr+gN
9rGtQ+ZmRY/w1U+QPT0sltWMii6+TOTH207VA50g7H0cIE3GcbMugXszfY6r9dfMd
s71lmMjY3dkVA
    set comments "This certificate is embedded in the
hardware at the factory and is unique to this unit. "
    set private-key "-----BEGIN ENCRYPTED PRIVATE KEY-----
MIGzMF8GCSqGSIb3DQEFDTBSMDEGCSqGSIb3DQEFDDAKBBAvda08M3iamHoXIDiv
8gixAgIIADAMBggqhkiG9w0CCQUAMB0GCWCGSAFlAwQBKqQQd12MXHWSMn+gTSI1
4q/ZIwRQ1FWlm4FbrrpQhDa2X4PG60iz24szIiHt6C+7v3Ss5iivkw+0+x32ALVo
EdCMFLa3Yzjp6goqmB5e/akYv+Yf9oLhS6Sk980z40Kj/iPAMe0=
-----END ENCRYPTED PRIVATE KEY-----"
    set certificate "-----BEGIN CERTIFICATE-----
MIICXzCCAd+gAwIBAgIISRERMbDbcwIwBQYDK2VxMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBBGR1Q0MEZU
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTAe
Fw0yNjA1MTUxOTI5NTNaFw0yODA4MTcxOTI5NTNaMIGdMQswCQYDVQQGEwJVUzET
MBEGA1UECAwKQ2FsaWZvcn5pYTESMBAGA1UEBwwJU3Vubnl2YWxlMREwDwYDVQQK
DAhGb3J0aW5ldDESMBAGA1UECwwJRm9ydG1HYXRlMRkwFwYDVQQDDDBBGR1Q0MEZU
SzIzMDk5Q0dGMSMwIQYJKoZIhvcNAQkBFhRzdXBwb3J0QGZvcnRpbmV0LmNvbTBD
MAUGAyt1cQM6ALox2UbvqP3TuommI2FoM+wUZpkdSBzZKE3AopXHRxv4tvvggAnan
6yJhVLRwKkpF8+qYrzWa/UBwgKMiMCAwCQYDVROTBAlwADATBgNVHSUEDDAKBggr
BgEFBQcDATAFBgMrZXEDcwBF8byTLFsMf1W30y8acwQwiFn2eQIegTkwcHFeAJwL
k51oQjItK2dp0M0Q1KDi7pDZ56PCDur6hYCJU0vLmoizyAtEQbMt/HR9tQktOoDy
aU9j9kamU5E0X8EZBpWfW0GrKs2bCeM3QSoHv0+a60j5JwA=
-----END CERTIFICATE-----"
    set range global
    set source factory
    set last-updated 1778873414
next
end
config webfilter ftgd-local-cat
    edit "custom1"
        set id 140
    next
    edit "custom2"
        set id 141
    next

```

```

end
config ips sensor
  edit "default"
    set comment "Prevent critical attacks."
    config entries
      edit 1
        set severity medium high critical
      next
    end
  next
  edit "sniffer-profile"
    set comment "Monitor IPS attacks."
    config entries
      edit 1
        set severity medium high critical
      next
    end
  next
  edit "wifi-default"
    set comment "Default configuration for offloading WiFi
traffic."
    config entries
      edit 1
        set severity medium high critical
      next
    end
  next
  edit "all_default"
    set comment "All predefined signatures with default
setting."
    config entries
      edit 1
        next
      end
    next
    edit "all_default_pass"
      set comment "All predefined signatures with PASS action."
      config entries
        edit 1
          set action pass
        next
      end
    next
    edit "protect_http_server"
      set comment "Protect against HTTP server-side
vulnerabilities."

```

```

        config entries
            edit 1
                set location server
                set protocol HTTP
            next
        end
    next
    edit "protect_email_server"
        set comment "Protect against email server-side
vulnerabilities."
        config entries
            edit 1
                set location server
                set protocol SMTP POP3 IMAP
            next
        end
    next
    edit "protect_client"
        set comment "Protect against client-side
vulnerabilities."
        config entries
            edit 1
                set location client
            next
        end
    next
    edit "high_security"
        set comment "Blocks all Critical/High/Medium and some Low
severity vulnerabilities"
        set block-malicious-url enable
        config entries
            edit 1
                set severity medium high critical
                set status enable
                set action block
            next
            edit 2
                set severity low
            next
        end
    next
end
config firewall shaper traffic-shaper
    edit "high-priority"
        set maximum-bandwidth 1048576
        set per-policy enable

```

```

next
edit "medium-priority"
    set maximum-bandwidth 1048576
    set priority medium
    set per-policy enable
next
edit "low-priority"
    set maximum-bandwidth 1048576
    set priority low
    set per-policy enable
next
edit "guarantee-100kbps"
    set guaranteed-bandwidth 100
    set maximum-bandwidth 1048576
    set per-policy enable
next
edit "shared-1M-pipe"
    set maximum-bandwidth 1024
next
end
config application list
    edit "default"
        set comment "Monitor all applications."
        config entries
            edit 1
                set action pass
            next
        end
    next
    edit "sniffer-profile"
        set comment "Monitor all applications."
        unset options
        config entries
            edit 1
                set action pass
            next
        end
    next
    edit "wifi-default"
        set comment "Default configuration for offloading WiFi
traffic."
        set deep-app-inspection disable
        config entries
            edit 1
                set action pass
                set log disable

```

```

        next
    end
next
edit "block-high-risk"
    config entries
        edit 1
            set category 2 6
        next
        edit 2
            set action pass
        next
    end
next
end
config dlp data-type
    edit "keyword"
        set pattern "built-in"
    next
    edit "regex"
        set pattern "built-in"
    next
    edit "hex"
        set pattern "built-in"
    next
    edit "mip-label"
        set pattern "^[[:xdigit:]]{8}-[[:xdigit:]]{4}-[[:xdigit:]]{4}-[[:xdigit:]]{4}-[[:xdigit:]]{12}$"
        set transform "built-in"
    next
    edit "credit-card"
        set pattern "\\b([2-6]{1}\\d{3})[- ]?(\\d{4})[- ]?(\\d{2})[- ]?(\\d{2})[- ]?(\\d{2,4})\\b"
        set verify "builtin)credit-card"
        set look-back 20
        set transform "\\b\\1[- ]?\\2[- ]?\\3[- ]?\\4[- ]?\\5\\b"
    next
    edit "ssn-us"
        set pattern "\\b(\\d{3})-(\\d{2})-(\\d{4})\\b"
        set verify "(?!-)\b(?:666|000|9\\d{2})\\d{3}-(?!00)\\d{2}-(?!0{4})\\d{4}\\b(?:-)"
        set look-back 12
        set transform "\\b\\1-\\2-\\3\\b"
    next
    edit "edm-keyword"
        set pattern ".+"
        set transform "/\\0/i"

```

```
        next
    end
    config dlp filepattern
        edit 1
            set name "builtin-patterns"
            config entries
                edit "*.bat"
                next
                edit "*.com"
                next
                edit "*.dll"
                next
                edit "*.doc"
                next
                edit "*.exe"
                next
                edit "*.gz"
                next
                edit "*.hta"
                next
                edit "*.ppt"
                next
                edit "*.rar"
                next
                edit "*.scr"
                next
                edit "*.tar"
                next
                edit "*.tgz"
                next
                edit "*.vb?"
                next
                edit "*.wps"
                next
                edit "*.xl?"
                next
                edit "*.zip"
                next
                edit "*.pif"
                next
                edit "*.cpl"
                next
            end
        next
        edit 2
            set name "all_executables"
```

```

        config entries
            edit "bat"
                set filter-type type
                set file-type bat
            next
            edit "exe"
                set filter-type type
                set file-type exe
            next
            edit "elf"
                set filter-type type
                set file-type elf
            next
            edit "hta"
                set filter-type type
                set file-type hta
            next
        end
    next
end
config dlp profile
    edit "default"
        set comment "Default profile."
    next
    edit "sniffer-profile"
        set comment "Log a summary of email and web traffic."
        set summary-proto smtp pop3 imap http-get http-post
    next
    edit "Content_Summary"
        set summary-proto smtp pop3 imap http-get http-post ftp
nntp cifs
    next
    edit "Content_Archive"
        set full-archive-proto smtp pop3 imap http-get http-post
ftp nntp cifs
        set summary-proto smtp pop3 imap http-get http-post ftp
nntp cifs
    next
    edit "Large-File"
        config rule
            edit 1
                set name "Large-File-Filter"
                set proto smtp pop3 imap http-get http-post
                set file-size 5120
                set action log-only
            next

```

```
        end
    next
end
config webfilter ips-urlfilter-setting
end
config webfilter ips-urlfilter-setting6
end
config log threat-weight
    config web
        edit 1
            set category 26
            set level high
        next
        edit 2
            set category 61
            set level high
        next
        edit 3
            set category 86
            set level high
        next
        edit 4
            set category 1
            set level medium
        next
        edit 5
            set category 3
            set level medium
        next
        edit 6
            set category 4
            set level medium
        next
        edit 7
            set category 5
            set level medium
        next
        edit 8
            set category 6
            set level medium
        next
        edit 9
            set category 12
            set level medium
        next
        edit 10
```

```

        set category 59
        set level medium
    next
    edit 11
        set category 62
        set level medium
    next
    edit 12
        set category 83
        set level medium
    next
    edit 13
        set category 72
    next
    edit 14
        set category 14
    next
    edit 15
        set category 96
        set level medium
    next
end
config application
    edit 1
        set category 2
    next
    edit 2
        set category 6
        set level medium
    next
end
end
config user fortitoken
    edit "FTKMOB42C7AD9F89"
        set license "FTMTRIAL0DE8D397"
    next
    edit "FTKMOB42D8963825"
        set license "FTMTRIAL0DE8D397"
    next
end
config user local
    edit "guest"
        set type password
        set passwd ENC
55GUG+lInb/iWEPOTEzFIzTUpn7jnrnKkp2iDej4zsF2QWm/+dRb7J2ZXYJVDfD7J
1RrK50iVIdXHibPsxz6IzqDRs/QL6hp+6gAe0MfJp7DZ26wvd7VD8DHFtwNeHDEpJ

```

```
IfQTZkFaLgrWph7apM/RrpBEv3Un2zwDypyWlB9jy9W1MSAzCjFwTZX9DRQCW9YbS
DoVlmMjY3dkVA
    next
    edit "vpnuser"
        set type password
        set passwd-time 2026-05-18 11:49:36
        set passwd ENC
Opq3MXQdpeFUQorRXqdWvQWjd+0VF2+jYKJA1Mj+QMLZf3PKZ417UKXHF451bT06
3zVM5d40jz30fPYIQ6oWHo2710cVDppjuHHh/srR6evkyt1A2P2YVPucWo0Z7b3fX
jDpaNuTHVVCwDsDaZKo2HWq1hmX5r0V+mvQs11u5VhoItgCxFRUnG/s5W2B0HyU1a
crVlmMjY3dkVA
    next
end
config user setting
    set auth-cert "Fortinet_Factory"
end
config user group
    edit "SSO_Guest_Users"
    next
    edit "Guest-group"
        set member "guest"
    next
    edit "vpngroup"
        set member "vpnuser"
    next
end
config voip profile
    edit "default"
        set comment "Default VoIP profile."
        config sip
        end
    next
    edit "strict"
        config sip
            set malformed-request-line discard
            set malformed-header-via discard
            set malformed-header-from discard
            set malformed-header-to discard
            set malformed-header-call-id discard
            set malformed-header-cseq discard
            set malformed-header-rack discard
            set malformed-header-rseq discard
            set malformed-header-contact discard
            set malformed-header-record-route discard
            set malformed-header-route discard
            set malformed-header-expires discard
```

```

        set malformed-header-content-type discard
        set malformed-header-content-length discard
        set malformed-header-max-forwards discard
        set malformed-header-allow discard
        set malformed-header-p-asserted-identity discard
        set malformed-header-sdp-v discard
        set malformed-header-sdp-o discard
        set malformed-header-sdp-s discard
        set malformed-header-sdp-i discard
        set malformed-header-sdp-c discard
        set malformed-header-sdp-b discard
        set malformed-header-sdp-z discard
        set malformed-header-sdp-k discard
        set malformed-header-sdp-a discard
        set malformed-header-sdp-t discard
        set malformed-header-sdp-r discard
        set malformed-header-sdp-m discard
    end
next
end
config system sdwan
    config zone
        edit "virtual-wan-link"
        next
    end
    config health-check
        edit "Default_DNS"
            set system-dns enable
            set interval 1000
            set probe-timeout 1000
            set recoverytime 10
            config sla
                edit 1
                    set link-cost-factor latency jitter packet-
loss
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 5
                next
            end
        next
    end
next
edit "Default_Office_365"
    set server "www.office.com"
    set protocol https
    set interval 120000
    set probe-timeout 120000

```

```

        set recoverytime 10
        config sla
            edit 1
                set link-cost-factor latency jitter packet-
loss
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 5
            next
        end
    next
    edit "Default_Gmail"
        set server "gmail.com"
        set interval 1000
        set probe-timeout 1000
        set recoverytime 10
        config sla
            edit 1
                set link-cost-factor latency jitter packet-
loss
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 2
            next
        end
    next
    edit "Default_Google Search"
        set server "www.google.com"
        set protocol https
        set interval 120000
        set probe-timeout 120000
        set recoverytime 10
        config sla
            edit 1
                set link-cost-factor latency jitter packet-
loss
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 5
            next
        end
    next
    edit "Default_FortiGuard"
        set server "fortiguard.com"
        set protocol https
        set interval 120000

```

```

        set probe-timeout 120000
        set recoverytime 10
        config sla
            edit 1
                set link-cost-factor latency jitter packet-
loss
                    set latency-threshold 250
                    set jitter-threshold 50
                    set packetloss-threshold 5
            next
        end
    next
end
config vpn ipsec phase1-interface
    edit "RemoteAccessVPN"
        set type dynamic
        set interface "wan"
        set ike-version 2
        set peertype one
        set net-device disable
        set mode-cfg enable
        set proposal aes256-sha256 aes256-sha384 aes128gcm-
prfsha256 aes256gcm-prfsha384 chacha20poly1305-prfsha256 aes256-
sha512
        set comments "VPN: RemoteAccessVPN -- Created by VPN
wizard"
        set dhgrp 20 21
        set eap enable
        set eap-identity send-request
        set wizard-type dialup-forticlient
        set authusrgrp "vpngroup"
        set transport auto
        set peerid "dialup1"
        set ipv4-start-ip 172.16.0.2
        set ipv4-end-ip 172.16.0.254
        set dns-mode auto
        set ipv4-split-include "RemoteAccessVPN_split"
        set save-password enable
        set psksecret ENC
LVoPY5PArv3JTT1g294lqtAFrrw6Nzoaok+X5tVJtRvXqfDaKbYA5o7gxUQwwUz8d
1vQyZMl9r06HmZ8gyOjjHZRCKplt+speXL88oscMYZkgNbCH+KHxQpJVdHqGalfe1
L9iZz0lCqn2Djwn5+dH8mQ2d4YBjWREcPhE/wGeQLyYfelcbp6j638NIHmdGccX6v
6j1lmMjY3dkVA
    next
end

```

```

config vpn ipsec phase2-interface
    edit "RemoteAccessVPN"
        set phase1name "RemoteAccessVPN"
        set proposal aes256-sha512 aes256-sha384 aes128gcm
aes256gcm chacha20poly1305 aes256-sha256
        set dhgrp 20 21
        set comments "VPN: RemoteAccessVPN -- Created by VPN
wizard"
    next
end
config dnsfilter profile
    edit "default"
        set comment "Default dns filtering."
        config ftgd-dns
            config filters
                edit 1
                    set category 2
                next
                edit 2
                    set category 7
                next
                edit 3
                    set category 8
                next
                edit 4
                    set category 9
                next
                edit 5
                    set category 11
                next
                edit 6
                    set category 12
                next
                edit 7
                    set category 13
                next
                edit 8
                    set category 14
                next
                edit 9
                    set category 15
                next
                edit 10
                    set category 16
                next
                edit 11

```

```
next
edit 12
    set category 57
next
edit 13
    set category 63
next
edit 14
    set category 64
next
edit 15
    set category 65
next
edit 16
    set category 66
next
edit 17
    set category 67
next
edit 18
    set category 26
    set action block
next
edit 19
    set category 61
    set action block
next
edit 20
    set category 86
    set action block
next
edit 21
    set category 88
    set action block
next
edit 22
    set category 90
    set action block
next
edit 23
    set category 91
    set action block
next
edit 24
    set category 96
    set action block
```

```

        next
        edit 25
            set category 98
            set action block
        next
        edit 26
            set category 99
            set action block
        next
    end
end
set block-botnet enable
next
end
config antivirus settings
    set machine-learning-detection enable
    set grayware enable
end
config antivirus profile
    edit "default"
        set comment "Scan files and block viruses."
        config http
            set av-scan block
        end
        config ftp
            set av-scan block
        end
        config imap
            set av-scan block
            set executables virus
        end
        config pop3
            set av-scan block
            set executables virus
        end
        config smtp
            set av-scan block
            set executables virus
        end
    next
    edit "sniffer-profile"
        set comment "Scan files and monitor viruses."
        config http
            set av-scan block
        end
        config ftp

```

```

        set av-scan block
    end
    config imap
        set av-scan block
        set executables virus
    end
    config pop3
        set av-scan block
        set executables virus
    end
    config smtp
        set av-scan block
        set executables virus
    end
next
edit "wifi-default"
    set comment "Default configuration for offloading WiFi
traffic."
    config http
        set av-scan block
    end
    config ftp
        set av-scan block
    end
    config imap
        set av-scan block
        set executables virus
    end
    config pop3
        set av-scan block
        set executables virus
    end
    config smtp
        set av-scan block
        set executables virus
    end
next
end
config file-filter profile
    edit "default"
        set comment "File type inspection."
    next
    edit "sniffer-profile"
        set comment "File type inspection."
    next
end

```

```
config webfilter ftgd-risk-level
  edit "high"
    set high 100
    set low 91
  next
  edit "suspicious"
    set high 90
    set low 71
  next
  edit "moderate"
    set high 70
    set low 51
  next
  edit "low"
    set high 50
    set low 21
  next
  edit "trustworthy"
    set high 20
    set low 1
  next
  edit "unrated"
  next
end
config webfilter profile
  edit "default"
    set comment "Default web filtering."
    config ftgd-wf
      unset options
      config filters
        edit 1
          set action block
        next
        edit 2
          set category 2
          set action block
        next
        edit 3
          set category 7
          set action block
        next
        edit 4
          set category 8
          set action block
        next
        edit 5
```

```
        set category 9
        set action block
next
edit 6
        set category 11
        set action block
next
edit 7
        set category 13
        set action block
next
edit 8
        set category 14
        set action block
next
edit 9
        set category 15
        set action block
next
edit 10
        set category 16
        set action block
next
edit 11
        set category 26
        set action block
next
edit 12
        set category 57
        set action block
next
edit 13
        set category 61
        set action block
next
edit 14
        set category 63
        set action block
next
edit 15
        set category 64
        set action block
next
edit 16
        set category 65
        set action block
```

```
next
edit 17
    set category 66
    set action block
next
edit 18
    set category 67
    set action block
next
edit 19
    set category 83
    set action block
next
edit 20
    set category 86
    set action block
next
edit 21
    set category 88
    set action block
next
edit 22
    set category 90
    set action block
next
edit 23
    set category 91
    set action block
next
edit 24
    set category 96
    set action block
next
edit 25
    set category 98
    set action block
next
edit 26
    set category 99
    set action block
next
edit 27
    set category 1
next
edit 28
    set category 3
```

```

        next
        edit 29
            set category 4
        next
        edit 30
            set category 5
        next
        edit 31
            set category 6
        next
        edit 32
            set category 12
        next
        edit 33
            set category 59
        next
        edit 34
            set category 62
        next
    end
end
next
edit "monitor-all"
    set comment "Monitor and log all visited URLs, flow-
based."
    config ftgd-wf
        unset options
        config filters
            edit 1
                set category 1
            next
            edit 2
                set category 3
            next
            edit 3
                set category 4
            next
            edit 4
                set category 5
            next
            edit 5
                set category 6
            next
            edit 6
                set category 12
            next

```

```
edit 7
    set category 59
next
edit 8
    set category 62
next
edit 9
    set category 83
next
edit 10
    set category 2
next
edit 11
    set category 7
next
edit 12
    set category 8
next
edit 13
    set category 9
next
edit 14
    set category 11
next
edit 15
    set category 13
next
edit 16
    set category 14
next
edit 17
    set category 15
next
edit 18
    set category 16
next
edit 19
    set category 57
next
edit 20
    set category 63
next
edit 21
    set category 64
next
edit 22
```

```
        set category 65
next
edit 23
        set category 66
next
edit 24
        set category 67
next
edit 25
        set category 19
next
edit 26
        set category 24
next
edit 27
        set category 25
next
edit 28
        set category 72
next
edit 29
        set category 75
next
edit 30
        set category 76
next
edit 31
        set category 26
next
edit 32
        set category 61
next
edit 33
        set category 86
next
edit 34
        set category 17
next
edit 35
        set category 18
next
edit 36
        set category 20
next
edit 37
        set category 23
```

```
next
edit 38
    set category 28
next
edit 39
    set category 29
next
edit 40
    set category 30
next
edit 41
    set category 33
next
edit 42
    set category 34
next
edit 43
    set category 35
next
edit 44
    set category 36
next
edit 45
    set category 37
next
edit 46
    set category 38
next
edit 47
    set category 39
next
edit 48
    set category 40
next
edit 49
    set category 42
next
edit 50
    set category 44
next
edit 51
    set category 46
next
edit 52
    set category 47
next
```

```
edit 53
    set category 48
next
edit 54
    set category 54
next
edit 55
    set category 55
next
edit 56
    set category 58
next
edit 57
    set category 68
next
edit 58
    set category 69
next
edit 59
    set category 70
next
edit 60
    set category 71
next
edit 61
    set category 77
next
edit 62
    set category 78
next
edit 63
    set category 79
next
edit 64
    set category 80
next
edit 65
    set category 82
next
edit 66
    set category 85
next
edit 67
    set category 87
next
edit 68
```

```
        set category 31
next
edit 69
        set category 41
next
edit 70
        set category 43
next
edit 71
        set category 49
next
edit 72
        set category 50
next
edit 73
        set category 51
next
edit 74
        set category 52
next
edit 75
        set category 53
next
edit 76
        set category 56
next
edit 77
        set category 81
next
edit 78
        set category 84
next
edit 79
next
edit 80
        set category 88
next
edit 81
        set category 89
next
edit 82
        set category 90
next
edit 83
        set category 91
next
```

```
        edit 84
            set category 92
        next
        edit 85
            set category 93
        next
        edit 86
            set category 94
        next
        edit 87
            set category 95
        next
        edit 88
            set category 96
        next
        edit 89
            set category 97
        next
        edit 90
            set category 98
        next
        edit 91
            set category 99
        next
        edit 92
            set category 100
        next
        edit 93
            set category 101
        next
    end
end
set log-all-url enable
set web-content-log disable
set web-filter-command-block-log disable
set web-filter-cookie-log disable
set web-url-log disable
set web-invalid-domain-log disable
set web-ftgd-err-log disable
next
edit "sniffer-profile"
    set comment "Monitor web traffic."
    config ftgd-wf
        config filters
            edit 1
            next
```

```
edit 2
    set category 1
next
edit 3
    set category 2
next
edit 4
    set category 3
next
edit 5
    set category 4
next
edit 6
    set category 5
next
edit 7
    set category 6
next
edit 8
    set category 7
next
edit 9
    set category 8
next
edit 10
    set category 9
next
edit 11
    set category 11
next
edit 12
    set category 12
next
edit 13
    set category 13
next
edit 14
    set category 14
next
edit 15
    set category 15
next
edit 16
    set category 16
next
edit 17
```

```
        set category 17
next
edit 18
        set category 18
next
edit 19
        set category 19
next
edit 20
        set category 20
next
edit 21
        set category 23
next
edit 22
        set category 24
next
edit 23
        set category 25
next
edit 24
        set category 26
next
edit 25
        set category 28
next
edit 26
        set category 29
next
edit 27
        set category 30
next
edit 28
        set category 31
next
edit 29
        set category 33
next
edit 30
        set category 34
next
edit 31
        set category 35
next
edit 32
        set category 36
```

```
next
edit 33
    set category 37
next
edit 34
    set category 38
next
edit 35
    set category 39
next
edit 36
    set category 40
next
edit 37
    set category 41
next
edit 38
    set category 42
next
edit 39
    set category 43
next
edit 40
    set category 44
next
edit 41
    set category 46
next
edit 42
    set category 47
next
edit 43
    set category 48
next
edit 44
    set category 49
next
edit 45
    set category 50
next
edit 46
    set category 51
next
edit 47
    set category 52
next
```

```
edit 48
    set category 53
next
edit 49
    set category 54
next
edit 50
    set category 55
next
edit 51
    set category 56
next
edit 52
    set category 57
next
edit 53
    set category 58
next
edit 54
    set category 59
next
edit 55
    set category 61
next
edit 56
    set category 62
next
edit 57
    set category 63
next
edit 58
    set category 64
next
edit 59
    set category 65
next
edit 60
    set category 66
next
edit 61
    set category 67
next
edit 62
    set category 68
next
edit 63
```

```
        set category 69
next
edit 64
        set category 70
next
edit 65
        set category 71
next
edit 66
        set category 72
next
edit 67
        set category 75
next
edit 68
        set category 76
next
edit 69
        set category 77
next
edit 70
        set category 78
next
edit 71
        set category 79
next
edit 72
        set category 80
next
edit 73
        set category 81
next
edit 74
        set category 82
next
edit 75
        set category 83
next
edit 76
        set category 84
next
edit 77
        set category 85
next
edit 78
        set category 86
```

```
next
edit 79
    set category 87
next
edit 80
    set category 88
next
edit 81
    set category 89
next
edit 82
    set category 90
next
edit 83
    set category 91
next
edit 84
    set category 92
next
edit 85
    set category 93
next
edit 86
    set category 94
next
edit 87
    set category 95
next
edit 88
    set category 96
next
edit 89
    set category 97
next
edit 90
    set category 98
next
edit 91
    set category 99
next
edit 92
    set category 100
next
edit 93
    set category 101
next
```

```
        end
    end
next
edit "wifi-default"
    set comment "Default configuration for offloading WiFi
traffic."
    set options block-invalid-url
    config ftgd-wf
    unset options
    config filters
        edit 1
            set action block
        next
        edit 2
            set category 2
            set action block
        next
        edit 3
            set category 7
            set action block
        next
        edit 4
            set category 8
            set action block
        next
        edit 5
            set category 9
            set action block
        next
        edit 6
            set category 11
            set action block
        next
        edit 7
            set category 13
            set action block
        next
        edit 8
            set category 14
            set action block
        next
        edit 9
            set category 15
            set action block
        next
        edit 10
```

```
        set category 16
        set action block
next
edit 11
        set category 26
        set action block
next
edit 12
        set category 57
        set action block
next
edit 13
        set category 61
        set action block
next
edit 14
        set category 63
        set action block
next
edit 15
        set category 64
        set action block
next
edit 16
        set category 65
        set action block
next
edit 17
        set category 66
        set action block
next
edit 18
        set category 67
        set action block
next
edit 19
        set category 83
        set action block
next
edit 20
        set category 86
        set action block
next
edit 21
        set category 88
        set action block
```

```
next
edit 22
    set category 90
    set action block
next
edit 23
    set category 91
    set action block
next
edit 24
    set category 96
    set action block
next
edit 25
    set category 98
    set action block
next
edit 26
    set category 99
    set action block
next
edit 27
    set category 1
next
edit 28
    set category 3
next
edit 29
    set category 4
next
edit 30
    set category 5
next
edit 31
    set category 6
next
edit 32
    set category 12
next
edit 33
    set category 59
next
edit 34
    set category 62
next
end
```

```

        end
    next
end
config webfilter search-engine
    edit "google"
        set hostname ".*\\.google\\.\\.*"
        set url
        "^\\/(custom|search|images|videosearch|webhp)\\?)"
        set query "q="
        set safesearch url
        set safesearch-str "&safe=active"
    next
    edit "yahoo"
        set hostname ".*\\.yahoo\\.\\.*"
        set url "^\\/search(\\/video|\\/images){0,1}(\\?|;)"
        set query "p="
        set safesearch url
        set safesearch-str "&vm=r"
    next
    edit "bing"
        set hostname ".*\\.bing\\.\\.*"
        set url
        "^((\\/images|\\/videos)?(\\/search|\\/async|\\/asynv2)\\?)"
        set query "q="
        set safesearch header
    next
    edit "yandex"
        set hostname "yandex\\.\\.*"
        set url
        "^\\/(yand|images|video|search|search\\/)\\?)"
        set query "text="
        set safesearch url
        set safesearch-str "&family=yes"
    next
    edit "youtube"
        set hostname ".*youtube.*"
        set safesearch header
    next
    edit "baidu"
        set hostname ".*\\.baidu\\.\\.com"
        set url "^\\/s?\\?)"
        set query "wd="
    next
    edit "baidu2"
        set hostname ".*\\.baidu\\.\\.com"
        set url "^\\/(ns|m|i|v)\\?)"

```

```

        set query "word="
next
edit "baidu3"
    set hostname "tieba\\.baidu\\.com"
    set url "^\\/f\\?"
    set query "kw="
next
edit "vimeo"
    set hostname ".*vimeo.*"
    set url "^\\/search\\?"
    set query "q="
    set safesearch header
next
edit "yt-scan-1"
    set url "www.youtube.com/user/"
    set safesearch yt-scan
next
edit "yt-scan-2"
    set url "www.youtube.com/youtubei/v1/browse"
    set safesearch yt-scan
next
edit "yt-scan-3"
    set url "www.youtube.com/youtubei/v1/player"
    set safesearch yt-scan
next
edit "yt-scan-4"
    set url "www.youtube.com/youtubei/v1/navigator"
    set safesearch yt-scan
next
edit "yt-channel"
    set url "www.youtube.com/channel/"
    set safesearch yt-channel
next
edit "yt-pattern"
    set url "youtube.com/channel/"
    set safesearch yt-pattern
next
edit "twitter"
    set hostname "twitter\\.com"
    set url "^\\/i\\/api\\/graphql\\/.*\\/UserByScreenName"
    set query "variables="
    set safesearch translate
    set safesearch-str "regex::%22screen_name%22:%22([A-Za-
z0-9_]{4,15})%22::twitter.com\\/\\1"
next
edit "google-translate-1"

```

```

        set hostname "translate\\.google\\.\\.*"
        set url "^\\//translate"
        set query "u="
        set safesearch translate
        set safesearch-str "regex::(?:\\|&)u=([^&]+)::\\1"
    next
    edit "google-translate-2"
        set hostname ".*\\.translate\\.\\.goog"
        set url "^\\//"
        set safesearch translate
        set safesearch-str "case::google-translate"
    next
end
config emailfilter profile
    edit "sniffer-profile"
        set comment "Malware and phishing URL monitoring."
        config imap
        end
        config pop3
        end
        config smtp
        end
    next
    edit "default"
        set comment "Malware and phishing URL filtering."
        config imap
        end
        config pop3
        end
        config smtp
        end
    next
end
config virtual-patch profile
    edit "default"
    next
end
config log memory setting
    set status enable
end
config log null-device setting
    set status disable
end
config firewall schedule recurring
    edit "always"
        set uuid 7f4c8cde-5094-51f1-ac36-407385f96c4d

```

```

        set day sunday monday tuesday wednesday thursday friday
saturday
    next
    edit "none"
        set uuid 7f4cbbb4-5094-51f1-b393-2013afe7a045
    next
    edit "default-darrrp-optimize"
        set uuid 7f4cc7da-5094-51f1-086f-fb15aaf2d8dd
        set start 01:00
        set end 01:30
        set day sunday monday tuesday wednesday thursday friday
saturday
    next
end
config firewall ssh local-key
    edit "Fortinet_SSH_RSA2048"
        set password ENC
AAAASBHpsHPdWdwxHGxvXbSvybEUMDvKaeF6TinIBOQcL6V71+W/a/ch0mL9c9C8B
CtfnSXjAboQS/PrtxGJ90RF8JMBWLLfxTgPZ+BnRY3gjtMQFsak0TMGKm7Iio0hbq
S69LXZBGICchKYQs8LC/LmOUVE9HENKgYU0zA1sUL0FbYT1Q9FG786H4A0BGPIK2D
YUF1mMjY3dkVA
        set source built-in
    next
    edit "Fortinet_SSH_DSA1024"
        set password ENC
AAAASNVeGk3hQKJfDlGNf+b6mzAXhETaDlhHnpmAhdM60tCG+1DVS9TCMaOccJN8+
CI1hyp1jde3rolzliAnmze8G6t2xafARNIrgjIG8g/mFWy8kQFd4ZocHrd0iBJ6T
XjFvx2XHzmT4fcI62ZVcMtrIvc/KR9xGVx0i6jP+NT495tYR10gdtBC2FISKwrOmn
/f1lmMjY3dkVA
        set source built-in
    next
    edit "Fortinet_SSH_ECDSA256"
        set password ENC
AAAASEw4zZD00bEl1ptLRNHwsBQxWnKpRQ6cvDtrrdkdjjsqLTQR1L1b0HWJW+Ezr
q6g8lrZuWZr00xAtWzgfC/38LkQSXVp0Gwt0yGeSPMxceM6yAnOeizACy8Sdj1Fp/
p+MbCEKn8HA9DVCYZGjrGLQCDLaI5TjMZ0RVGF5byFgFBcYofSqt9QEcVMxTe/22c
4yVlmMjY3dkVA
        set source built-in
    next
    edit "Fortinet_SSH_ECDSA384"
        set password ENC
AAAASAFYYeHaJnrtVZnFOIudw4F4420ezlVVGLjLgVYIjaH5meQbGQf0ga+33RTZ0
3RHlI5xPPNMkUXoLUPTxbKfDPACJWKGZ9tFkXbFwwI+vMTfY9uUYP442x7yCgFMRj
Q26ZuURgULh3s2PwDX3cR2l5rguDP3n12DUKxBSmm8oFc4P2So1Tn+biGJZKLFMIa
JV1lmMjY3dkVA
        set source built-in

```

```

    next
    edit "Fortinet_SSH_ECDSA521"
        set password ENC
AAAASCx/RoaLmBnIYxPF6JyjQNY+pboe6FIFFWNyVvygrxxDKmuX0ZgGeUAXryXGg
WH3ZgbifXjDqN7hGwbnW+ma4EDWRFaPUSYvfeyrYN6B1ZyM16PxnH+4MopyL4r8Q5
S0IsH+TvHfD1PCi0jiU7+GJ6p6Bue/OzuRvB1DSAp4YiSXswta5njLz0gz+05EP7I
6yFlmMjY3dkVA
        set source built-in
    next
    edit "Fortinet_SSH_ED25519"
        set password ENC
M2wUoD4W9tsXSIkpNxjjoEdo016H2Ks1t0e78uEB0m5jQp93nq51EF0lowEM4rkP3
cDtxFZiJW4tVpbQicVCLY032B5sM/nAAZP0aoyRoqUJKbxJLbjJmCZnhdqQb9vm2R
D0mB/+t1hzio/o3qyEJQJHquXTERzKnPmKm2fB7tYPBVPJ67iEBm9qCm8lIFT8ipr
JA1lmMjY3dkVA
        set source built-in
    next
end
config firewall ssh local-ca
    edit "Fortinet_SSH_CA"
        set password ENC
AAAASNzvoFlhX3LLyb720MSMUVXBPGLiS95aTeOZXKWhN7qfQ3GGppGAvISbjM1si
4q8hzsB6E+soqgy3zzDtoSpJRHR4j1Jmq9b5JH9cODs4JiqsXY9D5PrbIxSyBWvRo
000YAUjOxVuxHKHJokTqDC20ea8Y6ijJtw4gZ66Fv2s2Zvecly85safDEMmdxn2Y8
p91lmMjY3dkVA
        set source built-in
    next
    edit "Fortinet_SSH_CA_Untrusted"
        set password ENC
AAAASLPk9mf3VKJXbCEGuDHZg4AAQcFcHux8zIEyEsqbSwbGtleeBaUt5c7EQBhPc
M0xxR/OuBdBnJgZ1BQgHCDgwb6XzGsXZphBi6XMueDEHDP6JltimUNjZi1GFLXzsJ
tJUXpkep1D+AxbJlWgHf4PuaaV4edqjNx2e6c4MCGfPVdMKb70Kav8kNFBQXp/xP4
CVVlmMjY3dkVA
        set source built-in
    next
end
config firewall ssh setting
    set caname "Fortinet_SSH_CA"
    set untrusted-caname "Fortinet_SSH_CA_Untrusted"
    set hostkey-rsa2048 "Fortinet_SSH_RSA2048"
    set hostkey-dsa1024 "Fortinet_SSH_DSA1024"
    set hostkey-ecdsa256 "Fortinet_SSH_ECDSA256"
    set hostkey-ecdsa384 "Fortinet_SSH_ECDSA384"
    set hostkey-ecdsa521 "Fortinet_SSH_ECDSA521"
    set hostkey-ed25519 "Fortinet_SSH_ED25519"
end

```

```
config firewall profile-protocol-options
  edit "default"
    set comment "All default services."
    config http
      set ports 80
      unset options
      unset post-lang
    end
    config ftp
      set ports 21
      set options splice
    end
    config imap
      set ports 143
      set options fragmail
    end
    config pop3
      set ports 110
      set options fragmail
    end
    config smtp
      set ports 25
      set options fragmail splice
    end
    config nntp
      set ports 119
      set options splice
    end
    config dns
      set ports 53
    end
    config cifs
      set ports 445
      unset options
    end
  next
end
config firewall ssl-ssh-profile
  edit "deep-inspection"
    set comment "Read-only deep inspection profile."
    config https
      set ports 443
      set status deep-inspection
    end
    config ftps
      set ports 990
```

```
        set status deep-inspection
    end
    config imaps
        set ports 993
        set status deep-inspection
    end
    config pop3s
        set ports 995
        set status deep-inspection
    end
    config smtps
        set ports 465
        set status deep-inspection
    end
    config dot
        set status disable
    end
    config ssl-exempt
        edit 1
            set fortiguard-category 31
        next
        edit 2
            set fortiguard-category 33
        next
        edit 3
            set type wildcard-fqdn
            set wildcard-fqdn "adobe"
        next
        edit 4
            set type wildcard-fqdn
            set wildcard-fqdn "Adobe Login"
        next
        edit 5
            set type wildcard-fqdn
            set wildcard-fqdn "android"
        next
        edit 6
            set type wildcard-fqdn
            set wildcard-fqdn "apple"
        next
        edit 7
            set type wildcard-fqdn
            set wildcard-fqdn "appstore"
        next
        edit 8
            set type wildcard-fqdn
```

```
        set wildcard-fqdn "auth.gfx.ms"
next
edit 9
    set type wildcard-fqdn
    set wildcard-fqdn "citrix"
next
edit 10
    set type wildcard-fqdn
    set wildcard-fqdn "dropbox.com"
next
edit 11
    set type wildcard-fqdn
    set wildcard-fqdn "ease"
next
edit 12
    set type wildcard-fqdn
    set wildcard-fqdn "firefox update server"
next
edit 13
    set type wildcard-fqdn
    set wildcard-fqdn "fortinet"
next
edit 14
    set type wildcard-fqdn
    set wildcard-fqdn "googleapis.com"
next
edit 15
    set type wildcard-fqdn
    set wildcard-fqdn "google-drive"
next
edit 16
    set type wildcard-fqdn
    set wildcard-fqdn "google-play2"
next
edit 17
    set type wildcard-fqdn
    set wildcard-fqdn "google-play3"
next
edit 18
    set type wildcard-fqdn
    set wildcard-fqdn "Gotomeeting"
next
edit 19
    set type wildcard-fqdn
    set wildcard-fqdn "icloud"
next
```

```
edit 20
    set type wildcard-fqdn
    set wildcard-fqdn "itunes"
next
edit 21
    set type wildcard-fqdn
    set wildcard-fqdn "microsoft"
next
edit 22
    set type wildcard-fqdn
    set wildcard-fqdn "skype"
next
edit 23
    set type wildcard-fqdn
    set wildcard-fqdn "softwareupdate.vmware.com"
next
edit 24
    set type wildcard-fqdn
    set wildcard-fqdn "verisign"
next
edit 25
    set type wildcard-fqdn
    set wildcard-fqdn "Windows update 2"
next
edit 26
    set type wildcard-fqdn
    set wildcard-fqdn "live.com"
next
edit 27
    set type wildcard-fqdn
    set wildcard-fqdn "google-play"
next
edit 28
    set type wildcard-fqdn
    set wildcard-fqdn "update.microsoft.com"
next
edit 29
    set type wildcard-fqdn
    set wildcard-fqdn "swscan.apple.com"
next
edit 30
    set type wildcard-fqdn
    set wildcard-fqdn "autoupdate.opera.com"
next
edit 31
    set type wildcard-fqdn
```

```
        set wildcard-fqdn "cdn-apple"
    next
    edit 32
        set type wildcard-fqdn
        set wildcard-fqdn "mzstatic-apple"
    next
end
next
edit "custom-deep-inspection"
    set comment "Customizable deep inspection profile."
    config https
        set ports 443
        set status deep-inspection
    end
    config ftps
        set ports 990
        set status deep-inspection
    end
    config imaps
        set ports 993
        set status deep-inspection
    end
    config pop3s
        set ports 995
        set status deep-inspection
    end
    config smtps
        set ports 465
        set status deep-inspection
    end
    config dot
        set status disable
    end
    config ssl-exempt
        edit 1
            set fortiguard-category 31
        next
        edit 2
            set fortiguard-category 33
        next
        edit 3
            set type wildcard-fqdn
            set wildcard-fqdn "adobe"
        next
        edit 4
            set type wildcard-fqdn
```

```
        set wildcard-fqdn "Adobe Login"
next
edit 5
    set type wildcard-fqdn
    set wildcard-fqdn "android"
next
edit 6
    set type wildcard-fqdn
    set wildcard-fqdn "apple"
next
edit 7
    set type wildcard-fqdn
    set wildcard-fqdn "appstore"
next
edit 8
    set type wildcard-fqdn
    set wildcard-fqdn "auth.gfx.ms"
next
edit 9
    set type wildcard-fqdn
    set wildcard-fqdn "citrix"
next
edit 10
    set type wildcard-fqdn
    set wildcard-fqdn "dropbox.com"
next
edit 11
    set type wildcard-fqdn
    set wildcard-fqdn "ease"
next
edit 12
    set type wildcard-fqdn
    set wildcard-fqdn "firefox update server"
next
edit 13
    set type wildcard-fqdn
    set wildcard-fqdn "fortinet"
next
edit 14
    set type wildcard-fqdn
    set wildcard-fqdn "googleapis.com"
next
edit 15
    set type wildcard-fqdn
    set wildcard-fqdn "google-drive"
next
```

```
edit 16
    set type wildcard-fqdn
    set wildcard-fqdn "google-play2"
next
edit 17
    set type wildcard-fqdn
    set wildcard-fqdn "google-play3"
next
edit 18
    set type wildcard-fqdn
    set wildcard-fqdn "Gotomeeting"
next
edit 19
    set type wildcard-fqdn
    set wildcard-fqdn "icloud"
next
edit 20
    set type wildcard-fqdn
    set wildcard-fqdn "itunes"
next
edit 21
    set type wildcard-fqdn
    set wildcard-fqdn "microsoft"
next
edit 22
    set type wildcard-fqdn
    set wildcard-fqdn "skype"
next
edit 23
    set type wildcard-fqdn
    set wildcard-fqdn "softwareupdate.vmware.com"
next
edit 24
    set type wildcard-fqdn
    set wildcard-fqdn "verisign"
next
edit 25
    set type wildcard-fqdn
    set wildcard-fqdn "Windows update 2"
next
edit 26
    set type wildcard-fqdn
    set wildcard-fqdn "live.com"
next
edit 27
    set type wildcard-fqdn
```

```

        set wildcard-fqdn "google-play"
    next
    edit 28
        set type wildcard-fqdn
        set wildcard-fqdn "update.microsoft.com"
    next
    edit 29
        set type wildcard-fqdn
        set wildcard-fqdn "swscan.apple.com"
    next
    edit 30
        set type wildcard-fqdn
        set wildcard-fqdn "autoupdate.opera.com"
    next
    edit 31
        set type wildcard-fqdn
        set wildcard-fqdn "cdn-apple"
    next
    edit 32
        set type wildcard-fqdn
        set wildcard-fqdn "mzstatic-apple"
    next
end
next
edit "no-inspection"
    set comment "Read-only profile that does no inspection."
    config https
        set status disable
    end
    config ftps
        set status disable
    end
    config imaps
        set status disable
    end
    config pop3s
        set status disable
    end
    config smtps
        set status disable
    end
    config dot
        set status disable
    end
next
edit "certificate-inspection"

```

```

        set comment "Read-only SSL handshake inspection profile."
        config https
            set ports 443
            set status certificate-inspection
        end
        config ftps
            set status disable
        end
        config imaps
            set status disable
        end
        config pop3s
            set status disable
        end
        config smtps
            set status disable
        end
        config dot
            set status disable
        end
    next
end
config firewall policy
    edit 1
        set uuid 7ff80a82-5094-51f1-5024-b8d35f85e939
        set srcintf "lan"
        set dstintf "wan"
        set action accept
        set srcaddr "all"
        set dstaddr "all"
        set schedule "always"
        set service "ALL"
        set nat enable
    next
    edit 2
        set name "vpn_RemoteAccessVPN_local_allow"
        set uuid 1d0ebfa2-52eb-51f1-3a88-e260f78ba969
        set srcintf "RemoteAccessVPN"
        set dstintf "lan"
        set action accept
        set srcaddr "RemoteAccessVPN_range"
        set dstaddr "lan"
        set schedule "always"
        set service "ALL"
        set nat enable
    
```

```

        set comments "VPN: RemoteAccessVPN -- Created by VPN
wizard"
    next
end
config firewall local-in-policy
    edit 1
        set uuid 7f857c56-5094-51f1-8b4d-8ef6942001fa
        set intf "any"
        set dstaddr "all"
        set internet-service-src enable
        set internet-service-src-name "Malicious-
Malicious.Server" "Tor-Exit.Node" "Tor-Relay.Node"
        set service "ALL"
        set schedule "always"
    next
end
config switch-controller security-policy 802-1X
    edit "802-1X-policy-default"
        set user-group "SSO_Guest_Users"
    next
end
config switch-controller security-policy local-access
    edit "default"
        set mgmt-allowaccess https ping ssh
        set internal-allowaccess https ping ssh
    next
end
config switch-controller lldp-profile
    edit "default"
        set med-tlvs inventory-management network-policy
location-identification
        set auto-isl disable
        config med-network-policy
            edit "voice"
            next
            edit "voice-signaling"
            next
            edit "guest-voice"
            next
            edit "guest-voice-signaling"
            next
            edit "softphone-voice"
            next
            edit "video-conferencing"
            next
            edit "streaming-video"

```

```

        next
        edit "video-signaling"
        next
    end
    config med-location-service
        edit "coordinates"
        next
        edit "address-civic"
        next
        edit "elin-number"
        next
    end
    next
    edit "default-auto-isl"
    next
    edit "default-auto-mclag-icl"
        set auto-mclag-icl enable
    next
end
config switch-controller qos dot1p-map
    edit "voice-dot1p"
        set priority-0 queue-4
        set priority-1 queue-4
        set priority-2 queue-3
        set priority-3 queue-2
        set priority-4 queue-3
        set priority-5 queue-1
        set priority-6 queue-2
        set priority-7 queue-2
    next
end
config switch-controller qos ip-dscp-map
    edit "voice-dscp"
        config map
            edit "1"
                set cos-queue 1
                set value 46
            next
            edit "2"
                set cos-queue 2
                set value 24,26,48,56
            next
            edit "5"
                set cos-queue 3
                set value 34
            next
        next
    next
end

```

```

        end
    next
end
config switch-controller qos queue-policy
    edit "default"
        set schedule round-robin
        set rate-by kbps
        config cos-queue
            edit "queue-0"
            next
            edit "queue-1"
            next
            edit "queue-2"
            next
            edit "queue-3"
            next
            edit "queue-4"
            next
            edit "queue-5"
            next
            edit "queue-6"
            next
            edit "queue-7"
            next
        end
    next
    edit "voice-egress"
        set schedule weighted
        set rate-by kbps
        config cos-queue
            edit "queue-0"
            next
            edit "queue-1"
                set weight 0
            next
            edit "queue-2"
                set weight 6
            next
            edit "queue-3"
                set weight 37
            next
            edit "queue-4"
                set weight 12
            next
            edit "queue-5"
            next

```

```

        edit "queue-6"
        next
        edit "queue-7"
        next
    end
next
end
config switch-controller qos qos-policy
    edit "default"
    next
    edit "voice-qos"
        set trust-dot1p-map "voice-dot1p"
        set trust-ip-dscp-map "voice-dscp"
        set queue-policy "voice-egress"
    next
end
config switch-controller storm-control-policy
    edit "default"
        set description "default storm control on all port"
    next
    edit "auto-config"
        set description "storm control policy for fortalink-is1-
ic1 port"
        set storm-control-mode disabled
    next
end
config switch-controller auto-config policy
    edit "pse"
    next
    edit "default"
    next
    edit "default-ic1"
        set poe-status disable
        set igmp-flood-report enable
        set igmp-flood-traffic enable
    next
end
config switch-controller initial-config template
    edit "_default"
        set vlanid 1
    next
    edit "quarantine"
        set vlanid 4093
        set dhcp-server enable
    next
    edit "rspan"

```

```
        set vlanid 4092
        set dhcp-server enable
    next
    edit "voice"
        set vlanid 4091
    next
    edit "video"
        set vlanid 4090
    next
    edit "onboarding"
        set vlanid 4089
    next
    edit "nac_segment"
        set vlanid 4088
        set dhcp-server enable
    next
end
config switch-controller switch-profile
    edit "default"
    next
end
config switch-controller ptp profile
    edit "default"
    next
end
config switch-controller ptp interface-policy
    edit "default"
    next
end
config switch-controller remote-log
    edit "syslogd"
    next
    edit "syslogd2"
    next
end
config wireless-controller setting
    set darrp-optimize-schedules "default-darrp-optimize"
end
config wireless-controller arrp-profile
    edit "arrp-default"
    next
end
config wireless-controller wids-profile
    edit "default"
        set comment "Default WIDS profile."
        set ap-scan enable
```

```
        set wireless-bridge enable
        set deauth-broadcast enable
        set null-ssid-probe-resp enable
        set long-duration-attack enable
        set invalid-mac-oui enable
        set weak-wep-iv enable
        set auth-frame-flood enable
        set assoc-frame-flood enable
        set spoofed-deauth enable
        set asleap-attack enable
        set eapol-start-flood enable
        set eapol-logoff-flood enable
        set eapol-succ-flood enable
        set eapol-fail-flood enable
        set eapol-pre-succ-flood enable
        set eapol-pre-fail-flood enable
    next
    edit "default-wids-apscan-enabled"
        set ap-scan enable
    next
end
config wireless-controller ble-profile
    edit "fortiap-discovery"
        set advertising ibeacon eddystone-uid eddystone-url
        set ibeacon-uuid "wtp-uuid"
    next
end
config router rip
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "ospf"
    end
    config redistribute "bgp"
    end
    config redistribute "isis"
    end
end
config router ripng
    config redistribute "connected"
    end
    config redistribute "static"
    end
    config redistribute "ospf"
    end
end
```

```
        config redistribute "bgp"
        end
        config redistribute "isis"
        end
    end
    config router ospf
        config redistribute "connected"
        end
        config redistribute "static"
        end
        config redistribute "rip"
        end
        config redistribute "bgp"
        end
        config redistribute "isis"
        end
    end
    config router ospf6
        config redistribute "connected"
        end
        config redistribute "static"
        end
        config redistribute "rip"
        end
        config redistribute "bgp"
        end
        config redistribute "isis"
        end
    end
    config router bgp
        config redistribute "connected"
        end
        config redistribute "rip"
        end
        config redistribute "ospf"
        end
        config redistribute "static"
        end
        config redistribute "isis"
        end
        config redistribute6 "connected"
        end
        config redistribute6 "rip"
        end
        config redistribute6 "ospf"
        end
    end
```

```
        config redistribute6 "static"
        end
        config redistribute6 "isis"
        end
    end
    config router isis
        config redistribute "connected"
        end
        config redistribute "rip"
        end
        config redistribute "ospf"
        end
        config redistribute "bgp"
        end
        config redistribute "static"
        end
        config redistribute6 "connected"
        end
        config redistribute6 "rip"
        end
        config redistribute6 "ospf"
        end
        config redistribute6 "bgp"
        end
        config redistribute6 "static"
        end
    end
    config router multicast
    end
```