

ac_admin			
	Field	Type	Extra
P	admin_id	int(20)	Auto Increment
	admin_name	char(20) COMMENT '用户名'	
	password	char(32) COMMENT '密码'	
	true_name	char(100) COMMENT '真实姓名'	Allow Null
	is_super	tinyint(2) COMMENT '是否超管 1是'	Allow Null
	is_stop	tinyint(2)	Allow Null
	last_login	int(10) COMMENT '时间'	Allow Null
	last_ip	char(20) COMMENT 'IP'	Allow Null
	add_time	int(11)	Allow Null
	update_time	int(11)	Allow Null
	status	int(1) COMMENT '状态 (1 正常, 0 锁定)'	Allow Null
	image	varchar(200) COMMENT '头像'	Allow Null

ac_admin_log				
	Field	Type		Extra
P	id	int(12) UNSIGNED COMMENT 'ID'		Auto Increment
	admin_id	int(10) UNSIGNED COMMENT '管理员ID'		
	username	varchar(30) COMMENT '管理员'		Allow Null
	url	varchar(1500) COMMENT '操作页面'		Allow Null
	title	varchar(100) COMMENT '日志标题'		Allow Null
	content	text COMMENT '内容'		Allow Null
	ip	varchar(50) COMMENT 'IP'		Allow Null
	useragent	varchar(255) COMMENT 'User-Agent'		Allow Null
	create_time	int(10) UNSIGNED COMMENT '操作时间'		
	Index	Fields		Extra
	name	username		

ac_auth_group			
	Field	Type	Extra
P	role_id	mediumint(8) UNSIGNED	Auto Increment
	role_name	char(100) COMMENT '角色名称'	
	role_desc	varchar(255) COMMENT '角色描述'	Allow Null
	status	tinyint(1)	
	rules	text	
	create_time	int(11) COMMENT '时间'	Allow Null
	update_time	int(11)	Allow Null

ac_auth_group_access			
Field	Type	Extra	
uid	mediumint(8) UNSIGNED		
group_id	mediumint(8) UNSIGNED		
create_time	int(11)	Allow	Null
update_time	int(11)	Allow	Null
Index	Fields	Extra	
uid_group_id	uid, group_id	Unique	
uid	uid		
group_id	group_id		

ac_auth_rule			
	Field	Type	Extra
P	id	mediumint(8) UNSIGNED	Auto Increment
	pid	mediumint(8) COMMENT '父栏目ID'	
	name	char(80)	
	title	char(20)	
	type	tinyint(1)	
	status	tinyint(1)	
	condition	char(100)	
	sort	mediumint(8) COMMENT '排序'	
	create_time	int(11)	Allow Null
	update_time	int(11)	Allow Null
	auth_open	tinyint(2)	Allow Null
	icon	char(50)	Allow Null
	Index	Fields	Extra
	name	name	Unique

ac_business			
	Field	Type	Extra
P	bid	int(10) UNSIGNED	Auto Increment
	pid	int(11) COMMENT '上级'	Allow Null
	bus_name	varchar(255)	Allow Null
	sign_key	varchar(255) COMMENT '商户秘钥'	Allow Null
	bus_remark	varchar(255)	Allow Null
	password	varchar(255)	Allow Null
	money	decimal(10,2)	Allow Null
	lock_money	decimal(10,2)	Allow Null
	state	tinyint(2) COMMENT '状态 1正常'	Allow Null
	add_time	int(11)	Allow Null
	white_ip	varchar(255) COMMENT '白名单'	Allow Null

ac_config			
	Field	Type	Extra
P	id	smallint(6) UNSIGNED COMMENT '表id'	Auto Increment
	name	varchar(50) COMMENT '配置的key键名'	Allow Null
	value	varchar(512) COMMENT '配置的val值'	Allow Null
	desc	varchar(50) COMMENT '描述'	Allow Null

ac_guarantee_order			
	Field	Type	Extra
P	id	int(11) UNSIGNED	Auto Increment
	rid	int(11)	Allow Null
	sid	int(11)	Allow Null
	money	decimal(10,2)	Allow Null
	note	varchar(255)	Allow Null
	image	varchar(255)	Allow Null
	state	tinyint(2)	Allow Null
	add_time	int(11)	Allow Null
	pay_time	int(11)	Allow Null
	confirm_time	int(11)	Allow Null
	admin_id	int(11)	Allow Null
	remark	varchar(255)	Allow Null
	did	int(11)	Allow Null
	commission_money	decimal(10,2)	Allow Null
	shou_state	tinyint(2)	Allow Null
	dai_time	int(11)	Allow Null
	true_name	varchar(255)	Allow Null
	username	varchar(255)	Allow Null
	s_balance	decimal(10,2)	Allow Null
	r_image	varchar(255)	Allow Null
	r_account_name	varchar(255)	Allow Null
	r_account_card	varchar(255)	Allow Null
	r_bank_name	varchar(255)	Allow Null
	r_bank_branch	varchar(255)	Allow Null
	r_state	tinyint(2)	Allow Null
	r_bank_type	tinyint(2)	Allow Null
	d_username	varchar(255)	Allow Null
	commission_in	decimal(10,2)	Allow Null
	commission_out	decimal(10,2)	Allow Null

ac_log			
	Field	Type	Extra
P	id	int(10) UNSIGNED	Auto Increment
	admin_id	int(11) COMMENT '用户id'	Allow Null
	admin_name	varchar(50) COMMENT '用户姓名'	Allow Null
	description	varchar(255) COMMENT '描述'	Allow Null
	status	tinyint(2) COMMENT '状态 1成功 2失败'	Allow Null
	ip	char(60) COMMENT 'IP地址'	Allow Null
	add_time	int(11) COMMENT '添加时间'	Allow Null

ac_order			
	Field	Type	Extra
P	order_id	int(10) UNSIGNED	Auto Increment
	order_sn	varchar(255)	Allow Null
	pid	int(11)	Allow Null
	sid	int(11)	Allow Null
	rid	int(11)	Allow Null
	bid	int(11)	Allow Null
	bus_order_sn	varchar(255) COMMENT '商户订单'	Allow Null
	add_time	int(11) COMMENT '添加时间'	Allow Null
	pay_time	int(11) COMMENT '支付时间'	Allow Null
	pay_state	tinyint(2) COMMENT '0 未付款 1已付款 2取消 3待到账'	Allow Null
	route_type	int(255)	Allow Null
	add_money	decimal(10,0) COMMENT '下单金额'	Allow Null
	money	decimal(10,0) COMMENT '实付金额'	Allow Null
	bus_commission	varchar(255)	Allow Null
	bus_fee	varchar(255)	Allow Null
	bus_leader_fee	varchar(255)	Allow Null
	sup_commission	varchar(255)	Allow Null
	sup_fee	varchar(255)	Allow Null
	sup_leader_fee	varchar(255)	Allow Null
	income	varchar(255)	Allow Null
	bus_income	varchar(255)	Allow Null
	notify_url	varchar(255)	Allow Null
	order_type	varchar(255) COMMENT '订单类型 0正常单 1手工单 2后台单 3延迟单'	Allow Null
	uid	int(11)	Allow Null
	user_ip	varchar(255)	Allow Null
	province	varchar(255)	Allow Null
	city	varchar(255)	Allow Null
	address	varchar(255)	Allow Null
	bus_name	varchar(255)	Allow Null
	username	varchar(255)	Allow Null
	mobile	int(10)	Allow Null
	sup_state	tinyint(2) COMMENT '码商状态'	Allow Null
	is_working	tinyint(2)	Allow Null
	release_time	datetime	Allow Null
	route_name	varchar(255)	Allow Null
	pay_type	varchar(255)	Allow Null
	bank_name	varchar(255)	Allow Null
	account_name	varchar(255)	Allow Null
	card_no	varchar(255)	Allow Null
	route_image	varchar(255)	Allow Null

ac_receivables			
	Field	Type	Extra
P	rid	int(10) UNSIGNED	Auto Increment
	admin_id	int(11)	Allow Null
	image	varchar(255) COMMENT '收款图片'	Allow Null
	account_name	varchar(255) COMMENT '账号名称'	Allow Null
	account_card	varchar(255) COMMENT '银行卡号'	Allow Null
	bank_name	varchar(255) COMMENT '银行名称'	Allow Null
	bank_branch	varchar(255)	Allow Null
	bank_code	varchar(255) COMMENT '银行代码'	Allow Null
	state	tinyint(2) COMMENT '状态 0 停用 1正常'	Allow Null
	bank_type	tinyint(2) COMMENT '账号类型 1银行卡 2 微信 3 支付宝'	Allow Null
	remark	varchar(255) COMMENT '支付说明'	Allow Null
	add_time	int(11) COMMENT '添加时间'	Allow Null
	use_time	int(11)	Allow Null
	max_money	int(11) COMMENT '收款限额'	Allow Null
	complete	int(11)	Allow Null
	did	int(11)	Allow Null
	d_username	varchar(255)	Allow Null

ac_route			
	Field	Type	Extra
P	rid	int(10) UNSIGNED	Auto Increment
	sid	int(11)	Allow Null
	pay_type	int(10) COMMENT '支付类型 1微信扫码 2微信转账 11支付宝扫码 12支付宝转账 12支付宝uid转账'	
	route_name	varchar(255) COMMENT '通道名称'	Allow Null
	bank_name	varchar(255) COMMENT '银行名称'	Allow Null
	account_name	varchar(255) COMMENT '账户姓名'	Allow Null
	card_no	varchar(30) COMMENT '卡号'	Allow Null
	image	varchar(255) COMMENT '图片'	Allow Null
	qrcode	varchar(255) COMMENT '二维码'	Allow Null
	url	varchar(255)	Allow Null
	url_md5	varchar(255)	Allow Null
	add_time	int(11) COMMENT '添加时间'	Allow Null
	use_time	int(11)	Allow Null
	pay_time	int(11) COMMENT '支付时间'	Allow Null
	state	tinyint(255) COMMENT '状态 0禁用 1启用 2被风控 3码商删除'	
	sort_by	tinyint(255)	Allow Null
	min_pay	decimal(10,2) COMMENT '限额最低'	Allow Null
	max_pay	decimal(10,2) COMMENT '限额最高'	Allow Null
	amount	decimal(10,2) COMMENT '当天总额度'	Allow Null
	use_amount	decimal(10,2) COMMENT '当天剩余额度'	Allow Null
	province	varchar(255) COMMENT '省份'	Allow Null
	city	varchar(255) COMMENT '城市'	Allow Null
	remark	varchar(255) COMMENT '备注'	Allow Null
	change_time	int(11)	Allow Null
	username	varchar(255)	Allow Null

ac_supplier			
	Field	Type	Extra
P	sid	int(10) UNSIGNED	Auto Increment
	pid	int(11) COMMENT '上级码商'	Allow Null
	username	varchar(255) COMMENT '码商账号'	Allow Null
	password	varchar(255) COMMENT '登录密码'	Allow Null
	password_pay	varchar(255) COMMENT '资金密码'	Allow Null
	remark	varchar(255) COMMENT '备注'	Allow Null
	mobile	varchar(20) COMMENT '手机号'	Allow Null
	mobile_address	varchar(255)	Allow Null
	balance	decimal(10,2)	Allow Null
	balance_plan	decimal(10,2)	Allow Null
	lock_money	decimal(10,2)	Allow Null
	commission_wechat	decimal(10,4) COMMENT '微信比率'	Allow Null
	commission_alipay	decimal(10,4) COMMENT '支付宝比率'	Allow Null
	commission_bank	decimal(10,4) COMMENT '银行卡比率'	Allow Null
	commission_yunshan	decimal(10,4)	Allow Null
	max_money_day	int(10)	Allow Null
	max_money	int(10)	Allow Null
	state	tinyint(2) COMMENT '账号状态 0禁用 1正常 2封号'	Allow Null
	state_remark	varchar(255) COMMENT '禁用/封号原因'	Allow Null
	reg_time	int(11) COMMENT '注册时间'	Allow Null
	login_ip	int(255)	Allow Null
	login_address	varchar(255)	Allow Null
	last_time	int(11)	Allow Null
	is_working	tinyint(2) COMMENT '是否开工 0未启动 1 启动'	Allow Null
	share_id	int(11)	Allow Null
	use_time	int(11)	Allow Null
	stop_time	int(11)	Allow Null
	set_size	int(11)	Allow Null
	route_max_pay	int(11)	Allow Null
	release_time	int(11) COMMENT '解封时间'	Allow Null
	skype_id	varchar(60)	Allow Null
	p_username	varchar(50)	Allow Null

ac_supplier_share			
	Field	Type	Extra
P	share_id	int(11) UNSIGNED	Auto Increment
	sid	int(11)	Allow Null
	end_time	int(11) COMMENT '0 长期'	Allow Null
	state	tinyint(2) COMMENT '0 禁用 1启用 2码商删除'	Allow Null
	reg_count	int(11)	Allow Null
	commission_wechat	decimal(10,4)	Allow Null
	commission_alipay	decimal(10,4)	Allow Null
	commission_bank_qrcode	decimal(10,4)	Allow Null
	commission_yunshan	decimal(10,4)	Allow Null
	code	varchar(255)	Allow Null
	add_time	int(11)	Allow Null

ac_user			
	Field	Type	Extra
P	id	int(10) UNSIGNED	Auto Increment
	name	varchar(255)	Allow Null