

# CSLR 51-DBMS LAB - SESSION 2

Bandi Amruteswar Reddy

106122022

## 1. Develop an implementation package using 'C' program to process a FILE containing student details for the given queries.

A student record has the following format:

Std\_rollno, Std\_name, Dept, C1, C1\_c, C1\_g, C2, C2\_c, C2\_g, C3, C3\_c, C3\_g

**Note:** C1 refers to Course1, C1\_c refers to credit of the course, C1\_g refers to the grade in that course and so on.

Every student should have a unique rollno.

A student should have at least 3 courses and maximum four.

A grade point is in integer: S - 10; A - 9; B - 8; C - 7; D - 6; E - 5; F - 0.

Create a file and develop a menu driven system for the following queries.

- a. Insert at least 5 student records.
- b. Create a column 'GPA' for all the students.
- c. For a student with four courses, delete(deregister) a course name.
- d. For the same student you deleted in 'c', insert a new course name.
- e. Update the name of a course for two different students.
- f. Calculate GPA of all students using the GPA formula. Refer the following:  
[https://www.nitt.edu/home/academics/rules/BTech\\_Regulations\\_2019.pdf](https://www.nitt.edu/home/academics/rules/BTech_Regulations_2019.pdf)
- g. Upgrade the grade point of a student who has secured '7' in a course.
- h. Calculate the updated GPA of the student in 'g'.
- i. Generate a Grade report of a student given the roll no. or name.

## PROGRAM :

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

#define MAX_STUDENTS 100
#define MAX_COURSES 4
#define FILE_NAME "student_data.txt"

typedef struct {
    char course_name[10];
    int credit;
    char grade;
} Course;

typedef struct {
    int rollno;
    char name[50];
    char dept[10];
    Course courses[MAX_COURSES];
    int course_count;
    float gpa;
} Student;

Student students[MAX_STUDENTS];
int student_count = 0;

int grade_to_points(char grade) {
    switch (grade) {
        case 'S': return 10;
        case 'A': return 9;
        case 'B': return 8;
        case 'C': return 7;
        case 'D': return 6;
        case 'E': return 5;
        case 'F': return 0;
        default: return 0;
    }
}

void calculate_gpa(Student *student) {
    int total_points = 0;
    int total_credits = 0;
    for (int i = 0; i < student->course_count; i++) {
        total_points += grade_to_points(student->courses[i].grade) * student->courses[i].credit;
        total_credits += student->courses[i].credit;
    }
}
```

```

}
if (total_credits > 0) {
    student->gpa = (float) total_points / total_credits;
}
else {
    student->gpa = 0.0;
}
}

```

```

void add_student() {
    if (student_count >= MAX_STUDENTS) {
        printf("Cannot add more students.\n");
        return;
    }
    Student *student = &students[student_count++];
    printf("Enter roll number: ");
    scanf("%d", &student->rollno);
    printf("Enter name: ");
    scanf("%s", student->name);
    printf("Enter department: ");
    scanf("%s", student->dept);
    printf("Enter number of courses (3 to 4): ");
    scanf("%d", &student->course_count);
    for (int i = 0; i < student->course_count; i++) {
        printf("Enter course %d name: ", i + 1);
        scanf("%s", student->courses[i].course_name);
        printf("Enter course %d credit: ", i + 1);
        scanf("%d", &student->courses[i].credit);
        printf("Enter course %d grade: ", i + 1);
        scanf(" %c", &student->courses[i].grade);
    }
    calculate_gpa(student);
}

```

```

void create_gpa_column() {
    for (int i = 0; i < student_count; i++) {
        calculate_gpa(&students[i]);
    }
}

```

```

printf("GPA column created for all students.\n");
}

```

```

void delete_course(int rollno, const char *course_name) {

    for (int i = 0; i < student_count; i++) {
        if (students[i].rollno == rollno) {
            for (int j = 0; j < students[i].course_count; j++) {
                if (strcmp(students[i].courses[j].course_name, course_name) == 0) {
                    for (int k = j; k < students[i].course_count - 1; k++) {
                        students[i].courses[k] = students[i].courses[k + 1];
                    }
                    students[i].course_count--;
                    calculate_gpa(&students[i]);
                }
            }
        }
    }
}

```

```

printf("Course %s deleted for student %d.\n", course_name, rollno);
return;
}
}
}
}
printf("Course not found for the student.\n");
}

```

```

void insert_course(int rollno, const char *course_name, int credit, char
grade) {
for (int i = 0; i < student_count; i++) {
if (students[i].rollno == rollno) {
if (students[i].course_count >= MAX_COURSES) {
printf("Cannot add more courses for this student.\n");
return;
}
Course *course = &students[i].courses[students[i].course_count++];
strcpy(course->course_name, course_name);
course->credit = credit;
course->grade = grade;
calculate_gpa(&students[i]);
printf("Course %s inserted for student %d.\n", course_name, rollno);
return;
}
}
printf("Student not found.\n");
}

```

```

void update_course_name(int rollno, const char *old_name, const char
*new_name) {
for (int i = 0; i < student_count; i++) {
if (students[i].rollno == rollno) {
for (int j = 0; j < students[i].course_count; j++) {
if (strcmp(students[i].courses[j].course_name, old_name) == 0) {
strcpy(students[i].courses[j].course_name, new_name);
printf("Course name updated from %s to %s for student %d.\n", old_name,
new_name, rollno);
return;
}
}
}
}
printf("Course not found for the student.\n");
}

```

```

void calculate_all_gpa() {
create_gpa_column();
}

```

```

void upgrade_grade(char grade, int new_points) {
for (int i = 0; i < student_count; i++) {
for (int j = 0; j < students[i].course_count; j++) {

```

```

    if (students[i].courses[j].grade == grade) {
        students[i].courses[j].grade = new_points;
    }
}
calculate_gpa(&students[i]);
}
printf("Grades upgraded for all students.\n");
}

void upgrade_gpa(int rollno) {
    for (int i = 0; i < student_count; i++) {
        if (students[i].rollno == rollno) {
            calculate_gpa(&students[i]);
            printf("GPA upgraded for student %d.\n", rollno);
            return;
        }
    }
    printf("Student not found.\n");
}

void generate_grade_report(int rollno) {
    for (int i = 0; i < student_count; i++) {
        if (students[i].rollno == rollno) {
            printf("Grade report for student %d:\n", rollno);
            printf("+-----+-----+\n");
            printf("| Course      | Grade |\n");
            printf("+-----+-----+\n");
            for (int j = 0; j < students[i].course_count; j++) {
                printf("| %-10s |   %c   |\n", students[i].courses[j].course_name,
                    students[i].courses[j].grade);
            }
            printf("+-----+-----+\n");
            printf("| GPA          | %.2f |\n", students[i].gpa);
            printf("+-----+-----+\n");
            return;
        }
    }
    printf("Student not found.\n");
}

void display_menu() {
    printf("1. Insert student record\n");
    printf("2. Create GPA column\n");
    printf("3. Delete course\n");
    printf("4. Insert course\n");
    printf("5. Update course name\n");
    printf("6. Calculate GPA for all students\n");
    printf("7. Upgrade grade\n");
    printf("8. Upgrade GPA for a student\n");
    printf("9. Generate grade report\n");
    printf("10. Exit\n");
}

void read_student_data_from_file(const char *filename) {

```

```

FILE *fp = fopen(filename, "r");
if (fp == NULL) {
printf("Error opening file %s.\n", filename);
return;
}
student_count = 0;
while (fscanf(fp, "%d %s %s %d", &students[student_count].rollno,
students[student_count].name,
students[student_count].dept, &students[student_count].course_count) == 4)
{
for (int i = 0; i < students[student_count].course_count; i++) {
fscanf(fp, "%s %d %c", students[student_count].courses[i].course_name,
&students[student_count].courses[i].credit,
&students[student_count].courses[i].grade);
}
calculate_gpa(&students[student_count]);
student_count++;
if (student_count >= MAX_STUDENTS) {
printf("Maximum student limit reached.\n");
break;
}
}
fclose(fp);
}

```

```

void write_student_data_to_file(const char *filename) {
FILE *fp = fopen(filename, "w");
if (fp == NULL) {
printf("Error opening file %s for writing.\n", filename);
return;
}
for (int i = 0; i < student_count; i++) {
fprintf(fp, "+-----+-----+\n");
fprintf(fp, "| Student: %d (%s)\n", students[i].rollno, students[i].name);
fprintf(fp, "+-----+-----+\n");
for (int j = 0; j < students[i].course_count; j++) {
fprintf(fp, "| %-10s | %c | \n", students[i].courses[j].course_name,
students[i].courses[j].grade);
}
fprintf(fp, "+-----+-----+\n");
fprintf(fp, "| GPA          | %.2f | \n", students[i].gpa);
fprintf(fp, "+-----+-----+\n");
}
fclose(fp);
printf("Student data saved to file %s.\n", filename);
}

```

```

void add_student_to_file(const char *filename, Student *student) {
FILE *fp = fopen(filename, "a");
if (fp == NULL) {
printf("Error opening file %s for appending.\n", filename);
return;
}
fprintf(fp, "+-----+-----+\n");

```

```

fprintf(fp, "| Student: %d (%s)\n", student->rollno, student->name);
fprintf(fp, "+-----+-----+\n");
for (int i = 0; i < student->course_count; i++) {
fprintf(fp, "| %-10s | %c | \n", student->courses[i].course_name,
student->courses[i].grade);
}
fprintf(fp, "+-----+-----+\n");
fprintf(fp, "| GPA | %.2f | \n", student->gpa);
fprintf(fp, "+-----+-----+\n");
fclose(fp);
printf("Student data added to file %s.\n", filename);
}

```

```

void delete_student_from_file(const char *filename, int rollno) {
FILE *fp = fopen(filename, "r");
if (fp == NULL) {
printf("Error opening file %s.\n", filename);
return;
}

```

```

// Create a temporary file to store data except the student to be deleted
FILE *temp_fp = fopen("temp.txt", "w");
if (temp_fp == NULL) {
fclose(fp);
printf("Error creating temporary file.\n");
return;
}

```

```

int found = 0;
char line[256];

while (fgets(line, sizeof(line), fp)) {
int current_rollno;
sscanf(line, "%d", &current_rollno);
if (current_rollno == rollno) {
found = 1;
continue; // skip this line
}
fputs(line, temp_fp);
}

```

```

fclose(fp);
fclose(temp_fp);

```

```

if (found) {
remove(filename);
rename("temp.txt", filename);
printf("Student with roll number %d deleted from file.\n", rollno);
} else {
remove("temp.txt");
printf("Student with roll number %d not found in file.\n", rollno);
}
}

```

```

int main() {
int choice;
const char *filename = "student_data.txt"; // File name for student data

read_student_data_from_file(filename); // Read existing data from file

do {
display_menu();
printf("Enter your choice: ");
scanf("%d", &choice);
switch (choice) {
case 1:
add_student();
add_student_to_file(filename, &students[student_count - 1]); // Add the
last added student to file
break;
case 2:
create_gpa_column();
break;
case 3: {
int rollno;
char course_name[10];
printf("Enter roll number: ");
scanf("%d", &rollno);
printf("Enter course name: ");
scanf("%s", course_name);
delete_course(rollno, course_name);
write_student_data_to_file(filename); // Update file after deletion
break;
}
case 4: {
int rollno;
char course_name[10];
int credit;
char grade;
printf("Enter roll number: ");
scanf("%d", &rollno);
printf("Enter course name: ");
scanf("%s", course_name);
printf("Enter credit: ");
scanf("%d", &credit);
printf("Enter grade: ");
scanf(" %c", &grade);
insert_course(rollno, course_name, credit, grade);
write_student_data_to_file(filename); // Update file after insertion
break;
}
case 5: {
int rollno;
char old_name[10], new_name[10];
printf("Enter roll number: ");
scanf("%d", &rollno);
printf("Enter old course name: ");

```



```

scanf("%s", old_name);
printf("Enter new course name: ");
scanf("%s", new_name);
update_course_name(rollno, old_name, new_name);
write_student_data_to_file(filename); // Update file after course name
update
break;
}
case 6:
calculate_all_gpa();
break;
case 7: {
char grade;
int new_points;
printf("Enter grade to upgrade: ");
scanf(" %c", &grade);
printf("Enter new points: ");
scanf("%d", &new_points);
upgrade_grade(grade, new_points);
write_student_data_to_file(filename); // Update file after grade upgrade
break;
}
case 8: {
int rollno;
printf("Enter roll number: ");
scanf("%d", &rollno);
upgrade_gpa(rollno);
write_student_data_to_file(filename); // Update file after GPA upgrade
break;
}
case 9: {
int rollno;
printf("Enter roll number: ");
scanf("%d", &rollno);
generate_grade_report(rollno);
break;
}
case 10:
printf("Exiting...\n");
break;
default:
printf("Invalid choice. Please try again.\n");
}
} while (choice != 10);

return 0;
}

```

## OUTPUT :

```
1. Insert student record
2. Create GPA column
3. Delete course
4. Insert course
5. Update course name
6. Calculate GPA for all students
7. Upgrade grade
8. Upgrade GPA for a student
9. Generate grade report
10. Exit
Enter your choice: 1
Enter roll number: 106122022
Enter name: Amrut
Enter department: CSE
Enter number of courses (3 to 4): 3
Enter course 1 name: AI
Enter course 1 credit: 3
Enter course 1 grade: S
Enter course 2 name: DSD
Enter course 2 credit: 3
Enter course 2 grade: A
Enter course 3 name: PPL
Enter course 3 credit: 4
Enter course 3 grade: S
Student data added to file student_data.txt.
```

```
Enter your choice: 9
Enter roll number: 106122022
Grade report for student 106122022:
```

Course	Grade
AI	S
DSD	A
PPL	S
GPA	9.70

```

Enter your choice: 9
Enter roll number: 106122026
Grade report for student 106122026:
+-----+-----+
| Course | Grade |
+-----+-----+
| AI     | A     |
| CA     | S     |
| CN     | A     |
+-----+-----+
| GPA    | 9.33  |
+-----+-----+

```

```

Enter your choice: 9
Enter roll number: 106122082
Grade report for student 106122082:
+-----+-----+
| Course | Grade |
+-----+-----+
| CA     | S     |
| CN     | A     |
| AI     | S     |
+-----+-----+
| GPA    | 9.70  |
+-----+-----+

```

**2. Create a Student schema using the student details given in Q.No.1 and execute the following basic queries.**

```

CREATE TABLE Student (
  Std_rollno INT PRIMARY KEY,
  Std_name VARCHAR(50),
  Dept VARCHAR(10),
  Course1 CHAR(10),
  Course2 CHAR(10),
  Course3 CHAR(10),
  Course4 CHAR(10),
  dob DATE NOT NULL,
  email VARCHAR(50) CHECK (email LIKE '%@nitt.edu')
);

```

**Note:** When defining the schema, exclude the following columns: Course\_credit and Course\_grade for all the courses.

Make sure you have the following constraints: Course is declared in char datatype.

DoB should be in date (dd/mm/yyyy) format. Provide a not-null constraint for dob.

Email should have the following format: [xxx@nitt.edu](mailto:xxx@nitt.edu)

**a. Insert at least 5 student records into the Student table.**

```
INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4, dob, email)
VALUES
```

```
(1, 'Amrut', 'CSE', 'Networks', 'Math', 'Physics', '1999-02-02', 'amrut@nitt.edu'),
(2, 'Rana', 'CSE', 'DBMS', 'OS', 'Math', 'Physics', '2000-01-01', 'rana@nitt.edu'),
(3, 'Raj', 'CSE', 'Computer Architecture', 'Machines', 'Math', 'Physics', '2001-03-03', 'raj@nitt.edu'),
(4, 'Charan', 'CSE', 'Design', 'Big data', 'Math', 'Physics', '2002-04-04', 'charan@nitt.edu'),
(5, 'Neel', 'CSE', 'Structures', 'Materials', 'Math', 'Physics', '1998-05-05', 'neel@nitt.edu');
```

**b. Delete Course2 and Course3 attributes from the Student table.**

```
ALTER TABLE Student DROP COLUMN Course2;
```

```
ALTER TABLE Student DROP COLUMN Course3;
```

**c. Insert two new columns DoB and email into the Student table.**

The columns dob and email are already added in the initial schema creation.

**d. Change Course1 datatype to varchar2.**

```
ALTER TABLE Student MODIFY COLUMN Course1 VARCHAR(2);
```

**e. Update the column name 'Std\_rollno' to 'Std\_rno'.**

```
ALTER TABLE Student CHANGE Std_rollno Std_rno INT;
```

**f. Update all student records who pursue a course named "DBMS" to "OS".**

```
UPDATE Student SET Course1 = 'OS' WHERE Course1 = 'DBMS';
```

**g. Delete a student record with student name starting with letter 'S'.**

```
DELETE FROM Student WHERE Std_name LIKE 'S%';
```

**h. Display all records in which a student has born after the year 2005.**

```
SELECT * FROM Student WHERE YEAR(dob) > 2005;
```

**i. Simulate DROP and TRUNATE commands with the database you created.**

To drop the table:

```
DROP TABLE Student;
```

To truncate the table:

```
TRUNCATE TABLE Student;
```

----- \* \* THANK YOU \* \* -----