CLAIMS:

1. A compound of Formula (I):

 (I),

or a solvate, or pharmaceutically acceptable salt thereof, wherein:

R_1 is C_3-C_{16} cycloalkyl, or C_5-C_{10} aryl, wherein the C_3-C_8 monocyclic cycloalkyl, polycyclic cycloalkyl, or C_5-C_6 aryl is optionally substituted by one or more **R_{1S}**; wherein each **R_{1S}** is independently C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_1-C_6 alkoxy, C_1-C_6 haloalkoxy, or halo;

R_2 is -(C**X_2X_2**)$_n$-**R_{2S}**, wherein n is 0, 1, or 2, and each **X_2** is independently H, C_1-C_6 alkyl, C_2-C_6 alkenyl, or C_2-C_6 alkynyl, wherein the C_1-C_6 alkyl, C_2-C_6 alkenyl, or C_2-C_6 alkynyl is optionally substituted with one or more halo, -CN, -OH, -O(C_1-C_6 alkyl), -NH_2, -NH(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)$_2$, or oxo;

R_{2S} is 4- to 8-membered heterocycloalkyl optionally substituted with one or more C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, C_1-C_6 haloalkyl, halo, -CN, -OH, -O(C_1-C_6 alkyl), -NH_2, -NH(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)$_2$, or oxo; and

R_3 is 7- to 12-membered heterocycloalkyl or 5- or 6-membered heteroaryl optionally substituted with one or more **R_{3S}**, wherein each **R_{3S}** is independently C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_3-C_8 cycloalkyl, halo, or C_3-C_8 heterocycloalkyl wherein the C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_3-C_8 cycloalkyl, or C_3-C_8 heterocycloalkyl is optionally substituted with –O(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)$_2$, halo, or -CN.

2. The compound of ~~any one of the preceding claims~~claim 1, wherein **R_1** is C_3-C_7 monocyclic cycloalkyl, C_9-C_{10} bicyclic cycloalkyl, C_{12}-C_{16} tricyclic cycloalkyl, or C_5-C_{10} aryl, wherein the C_3-C_7 monocyclic cycloalkyl, C_9-C_{10} bicyclic cycloalkyl, C_{12}-C_{16} tricyclic cycloalkyl, or C_5-C_{10} aryl, is optionally substituted by one or more **R_{1S}**;

optionally wherein:

(a) the C_3-C_7 monocyclic cycloalkyl is cyclopentyl, cyclohexyl, or cycloheptyl, wherein the cyclopentyl, cyclohexyl, or cycloheptyl is optionally substituted by one or more $\mathbf{R_{1S}}$; further optionally wherein the C_3-C_7 monocyclic cycloalkyl is  or ;

(b) the C_9-C_{10} bicyclic cycloalkyl is , , or , wherein n is 0, 1, or 2; optionally ; further optionally , , or ;

(c) the C_{12}-C_{16} tricyclic cycloalkyl is  or , wherein n and n_a each independently are 0, 1, 2, or 3; further optionally ; and/or

(d) the C_5-C_{10} aryl is phenyl is substituted by one, two, or three $\mathbf{R_{1S}}$; optionally , , , , , , , ,

, , , , , , or ; or further optionally , , , ,

, , , , , , 

, , , , , ,

, , , , or .

3. The compound of claim 1 or 2, wherein $\mathbf{R_2}$ is -$\mathbf{R_{2S}}$, -($\mathbf{CX_2X_2}$)-$\mathbf{R_{2S}}$, or -($\mathbf{CX_2X_2}$)$_2$-$\mathbf{R_{2S}}$.

4. The compound of any one of claims 1 to 3, wherein $\mathbf{R_{2S}}$ is 4- to 8-membered heterocycloalkyl optionally substituted with one or more C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, C_1-C_6 haloalkyl, halo, -CN, -OH, -O(C_1-C_6 alkyl), -NH_2, -NH(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)$_2$, or oxo;

optionally oxetanyl, azetidinyl, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, azepanyl, 2-azaspiro[3.3]heptane, 2-oxaspiro[3.3]heptane, or bridged quinuclidinyl, wherein the oxetanyl, azetidinyl, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, azepanyl, 2-azaspiro[3.3]heptane, 2-

oxaspiro[3.3]heptane, or bridged quinuclidinyl is optionally substituted with one or more C_1-C_6 alkyl, C_1-C_6 haloalkyl, or oxo; or

further optionally 



5. The compound of any one of claims 1 to 4, wherein $\mathbf{R_3}$ is 7- to 12-membered heterocycloalkyl optionally substituted with one or more $\mathbf{R_{3S}}$;

optionally wherein $\mathbf{R_3}$ is pyrrolyl, pyrazolyl, imidazolyl, triazolyl, tetrazolyl, isoxazolyl, furanyl, oxazolyl, isothiazolyl, thiadiazolyl, pyridinyl, pyrimidinyl, pyridazinyl, or 4,5,6,7-tetrahydrobenzo[c]isoxazole, wherein the pyrrolyl, pyrazolyl, imidazolyl, triazolyl, tetrazolyl, isoxazolyl, furanyl, oxazolyl, isothiazolyl, thiadiazolyl, pyridinyl, pyrimidinyl, pyridazinyl, or 4,5,6,7-tetrahydrobenzo[c]isoxazole is optionally substituted with one or more **R**$_{3S}$; or

further optionally wherein **R**$_3$ is 















6. The compound of any one of claims 1 to 5, wherein at least one **R**$_{3S}$ is C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_3-C_8 cycloalkyl, halo, or C_3-C_8 heterocycloalkyl wherein the C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_3-C_8 cycloalkyl, or C_3-C_8 heterocycloalkyl is optionally substituted with –O(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)$_2$, halo, or -CN;

optionally wherein at least one **R_{3S}** is , , , methyl, ethyl, isopropyl, -CH_2OCH_3, -CH_2CF_3, -$CH_2CH_2OCH_3$, -CH_2CN, CH_2CF_2, or -$CH_2CH_2N(CH_3)_2$.

7. The compound of any one of the preceding claims, wherein the compound is of Formula (Ia-1), (Ia-2), (Ib-1), (Ib-2), (Ib-3), (Ib-1a), (Ib-1b), (Ib-1c), (Ic-1), (Ic-2), (Ic-3), (Ic-4), (Ic-5), (Ic-6), (Ic-7), (Ic-8), (Iab-1), (Iab-2), (Iac-1), (Iac-2), (Iac-3), (Iac-4), (Ibc-1), (Ibc-2), (Iabc-1), (Iabc-1a), or (Iabc-1b):

 (Ia-1);  (Ia-2);

 (Ib-1);  (Ib-2);  (Ib-3),

 (Ib-1a);  (Ib-1b);  (Ib-1c);

 (Ic-1);  (Ic-2);

 (Ic-3);  (Ic-4);

 (Ic-5);  (Ic-6);

 (Ic-7);  (Ic-8),

 (Iab-1);  (Iab-2);

 (Iac-1) ;  (Iac-2);

 (Iac-3);  (Iac-4),

 (Ibc-1);  (Ibc-2),

 (Iabc-1);  (Iabc-1a); or



(Iabc-1b)

or a solvate, or pharmaceutically acceptable salt thereof, wherein $\mathbf{R_1}$, $\mathbf{R_{2S}}$, $\mathbf{R_2}$, and $\mathbf{R_3}$ are as described herein.

8. The compound of any one of claims 1 to 7, wherein the compound is of Formula (Iabc-1a):



(Iabc-1a)

or a solvate, or pharmaceutically acceptable salt thereof, wherein $\mathbf{R_{3S}}$ is as described herein.

9. The compound of any one of the claims 1 to 8, being selected from Compound Nos. 1-166:

Compound No.	Structure
1	

Compound No.	Structure
2	
3	
4	
5	

Compound No.	Structure
6	
7	
8	
9	

Compound No.	Structure
10	
11	
12	
13	

Compound No.	Structure
14	
15	
16	
17	

Compound No.	Structure
18	
19	
20	
21	

Compound No.	Structure
22	
23	
24	
25	
26	

Compound No.	Structure
27	
28	
29	
30	
31	
32	

Compound No.	Structure
33	
34	
35	
36	
37	

Compound No.	Structure
38	
39	
40	
41	
42	
43	

Compound No.	Structure
44	
45	
46	
47	
48	

275460001 v1

Compound No.	Structure
49	
50	
51	
52	
53	

Compound No.	Structure
54	
55	
56	
57	
58	
59	

Compound No.	Structure
60	
61	
62	
63	
64	

Compound No.	Structure
65	
66	
67	
68	
69	

Compound No.	Structure
70	
71	
72	
73	
74	

275460001 v1

Compound No.	Structure
75	
76	
77	
78	
79	
80	

Compound No.	Structure
81	
82	
83	
84	
85	

Compound No.	Structure
86	
87	
88	
89	
90	
91	

Compound No.	Structure
92	
93	
94	
95	
96	
97	

Compound No.	Structure
98	
99	
100	
101	
102	
103	

Compound No.	Structure
104	
105	
106	
107	
108	
109	

Compound No.	Structure
110	
111	
112	
113	
114	
115	

Compound No.	Structure
116	
117	
118	
119	
120	
121	

Compound No.	Structure
122	
123	
124	
125	
126	
127	

Compound No.	Structure
128	
129	
130	
131	
132	
133	

Compound No.	Structure
134	
135	
136	
137	
138	
139	

Compound No.	Structure
140	
141	
142	
143	
144	
145	

Compound No.	Structure
146	
147	
148	
149	
150	
151	

Compound No.	Structure
152	
153	
154	
155	
156	
157	

Compound No.	Structure
158	
159	
160	
161	
162	
163	

Compound No.	Structure
164	
165	
166	

-and pharmaceutically acceptable salts thereof.

10. A pharmaceutical composition comprising the compound of any one of claims 1 to 9 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

11. The compound of any one of claims 1 to 9, or the pharmaceutical composition of claim 10, for use in inhibiting inflammasome activity; optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.

12. The compound of any one of claims 1 to 9, or the pharmaceutical composition of claim 10, for use in treating or preventing a disease or disorder; preferably wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.

13. The compound or pharmaceutical composition for use of claim 11 or 12, wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder or an autoimmune disorder; optionally, the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID)), familial Mediterranean fever (FMF), nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis, dermatological diseases (e.g., acne) and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).

14. The compound or pharmaceutical composition for use of claims 11 or 12, wherein disease or disorder is a neurodegenerative disease; optionally, the disease or disorder is Parkinson's disease or Alzheimer's disease.

15. The compound or pharmaceutical composition for use of claims 11 or 12, wherein the disease or disorder is cancer; optionally, the cancer is metastasising cancer, gastrointestinal cancer, brain cancer, skin cancer, non-small-cell lung carcinoma, head and neck squamous cell carcinoma or colorectal adenocarcinoma.