


CLAIMS:


1. A method for preparing compound of formula (J):



(J),


comprising the steps of:

- (a) contacting a compound of formula (R):




(R)

with a compound of formula (S):



(S)


under conditions sufficient to form a compound of formula (P):



(P)

or a solvate or a hydrate thereof,


- (b) contacting a compound of formula (P), or a solvate or a hydrate thereof, with a base under conditions sufficient to form a compound of formula (O):



(O)


or a salt, a solvate, or a hydrate thereof,

(c) contacting a compound of formula (O), or a salt, a solvate, or a hydrate thereof, with a reductant and a catalyst under conditions sufficient to form a compound of formula (N):




(N);

(d) contacting a compound of formula (N) with a compound of formula (M):




(M)

under conditions sufficient to form a compound of formula (L):



(L);

(e) contacting a compound of formula (L) with a reductant under conditions sufficient to form a compound of formula (K):




(K);

and (f) contacting a compound of formula (K) with a reductant under conditions sufficient to form a compound of formula (J);

wherein R^4 is C_{1-3} alkyl and each R^5 is independently an optionally substituted C_{1-6} alkyl or an optionally substituted C_{1-6} aryl.


2. A method for preparing compound of formula (J):



(J),


comprising the steps of:

(a) contacting a compound of formula (R):




(R)

with a compound of formula (S):



(S)


under conditions sufficient to form a compound of formula (P):



(P)

or a solvate or a hydrate thereof,


(b) contacting a compound of formula (P), or a solvate or a hydrate thereof, with a base under conditions sufficient to form a compound of formula (O):



(O)


or a salt, a solvate, or a hydrate thereof,

(c) contacting a compound of formula (O), or a salt, a solvate, or a hydrate thereof, with a reductant and a catalyst under conditions sufficient to form a compound of formula (N):




(N);

(d) contacting a compound of formula (N) with a compound of formula (M):



(M)

under conditions sufficient to form a compound of formula (L):



(L);

and (g) contacting a compound of formula (L) with a reductant under conditions sufficient to form a compound of formula (J),

wherein R^4 is C_{1-3} alkyl and each R^5 is independently an optionally substituted C_{1-6} alkyl or an optionally substituted C_{1-6} aryl.

3. The method of claim 1 or 2, wherein R^4 is methyl.
4. The method of claim 1 or 2, wherein R^5 is ethyl.