


Claims

1. A compound of formula I or a pharmaceutical acceptable salt thereof:



wherein

A is a divalent radical $-(CR_aR_b)_n-A'$ -, wherein R_a and R_b are independently selected from a group consisting of H, a C_{1-3} alkyl, a halogen, and n is an integer from 0 to 3;


m is an integer from 0 to 3;

R^1 is ~~independently selected from a hydrogen, substituted or unsubstituted C_4-C_{10} alkyl,~~ substituted or unsubstituted phenyl, optionally substituted C_3-C_8 cycloalkyl;

A' is a benzene ring, a five- or six-membered nitrogen-containing heterocycle;

R^2 is independently selected from a C_2-C_4 alkenyl substituted acylamino, substituted or unsubstituted C_2-C_4 alkenyl substituted acyl;

R^7 is selected from a group consisting of:




R^3 , R^4 , R^5 and R^6 are independently selected from a group consisting of H, a substituted or unsubstituted C_1-C_6 alkoxy, a substituted or unsubstituted C_1-C_6 alkyl.
















2. The compound of claim 1, wherein ~~the substituted or unsubstituted C_4-C_{10} alkyl is a substituted or unsubstituted C_4-C_6 alkyl;~~

the substituted or unsubstituted C_1-C_6 alkoxy is a C_1-C_3 alkoxy; and

the substituted or unsubstituted C_1-C_6 alkyl is a C_1-C_3 alkyl.

3. A compound or a pharmaceutical acceptable salt thereof selected from the following group:






40

31

38

41

46



4. The compound of claim 1, wherein

R^1 is ~~independently selected from a group consisting of a hydrogen, substituted or unsubstituted C_1 - C_6 alkyl, or substituted or unsubstituted phenyl;~~


$n = 0$;

A' is a benzene ring, or a five-membered nitrogen-containing heterocycle;

R^2 is independently selected from a C_2 - C_4 alkenyl substituted acylamino, or C_2 - C_4 alkenyl substituted acyl;


m is an integer from 0 to 2;

R^7 is selected from:



R^3 , R^4 , R^5 and R^6 are independently selected from a group consisting of H, a substituted or unsubstituted C_1 - C_3 alkoxy, a substituted or unsubstituted C_1 - C_3 alkyl.

5. A compound or a pharmaceutical acceptable salt thereof selected from the following group:





7. Use of the compound of any one of claims 1-5 for preparation of a medicament for treating or preventing EGFR-mediated diseases, or inhibiting EGFR, wherein the EGFR-mediated disease is cancer.

— 5 —