


Claims

1. A compound of formula I or a pharmaceutical acceptable salt thereof:



wherein

A is a divalent radical $-(CR_aR_b)_n-A'$, wherein R_a and R_b are independently selected from a group consisting of H, a C_{1-3} alkyl, a halogen, and n is an integer from 0 to 3;


m is an integer from 0 to 3;

R^1 is substituted or unsubstituted phenyl, optionally substituted C_3 - C_8 cycloalkyl;

A' is a benzene ring, a five- or six-membered nitrogen-containing heterocycle;


R^2 is independently selected from a C_2 - C_4 alkenyl substituted acylamino, substituted or unsubstituted C_2 - C_4 alkenyl substituted acyl;

R^7 is selected from a group consisting of:










R^3 , R^4 , R^5 and R^6 are independently selected from a group consisting of H, a substituted or unsubstituted C_1 - C_6 alkoxy, a substituted or unsubstituted C_1 - C_6 alkyl,







or a compound or a pharmaceutical acceptable salt thereof selected from the following group:



12.




2. The compound of claim 1, wherein the substituted or unsubstituted C₁-C₆ alkoxy is a C₁-C₃ alkoxy; and
the substituted or unsubstituted C₁-C₆ alkyl is a C₁-C₃ alkyl.
3. The compound or a pharmaceutical acceptable salt thereof of claim 1, selected from the following group:





31



38



40

41

46



52

53-2(S)

4. The compound of claim 1, wherein

R¹ is substituted or unsubstituted phenyl;

n = 0;


A' is a benzene ring, or a five-membered nitrogen-containing heterocycle;

R² is independently selected from a C₂-C₄ alkenyl substituted acylamino, or C₂-C₄

alkenyl substituted acyl;


m is an integer from 0 to 2;

R^7 is selected from:



R³, R⁴, R⁵ and R⁶ are independently selected from a group consisting of H, a substituted or unsubstituted C₁-C₃ alkoxy, a substituted or unsubstituted C₁-C₃ alkyl.

5. The compound or a pharmaceutical acceptable salt thereof of claim 1, selected from the following group:



6. A pharmaceutical composition, comprising the compound or a pharmaceutical acceptable salt thereof of any one of claims 1-5 and a pharmaceutically acceptable carrier or excipient.

7. ~~Use of~~ The compound of any one of claims 1-5 for preparation of a medicament for use in treating or preventing EGFR-mediated diseases, or inhibiting EGFR, wherein the EGFR-mediated disease is cancer.

8. The compound for use of claim 7, wherein the cancer is selected from a group consisting of non-small cell lung cancer, small cell lung cancer, lung adenocarcinoma, lung squamous cell carcinoma, breast cancer, prostate cancer, glioblastoma, ovarian cancer, squamous cell carcinoma of head and neck, cervical cancer, esophageal cancer, liver cancer, kidney cancer, pancreas cancer, colon cancer, skin cancer, leukemia, lymphoma, stomach cancer, multiple myeloma and solid tumors.