


Claims

1. A compound of formula I or a pharmaceutical acceptable salt thereof:



wherein

A is a divalent radical $-(CR_aR_b)_n-A'$ -, wherein R_a and R_b are independently selected from a group consisting of H, a C_{1-3} alkyl, a halogen, and n is an integer from 0 to 3;


m is an integer from 0 to 3;

R^1 is substituted or unsubstituted phenyl, optionally substituted C_3 - C_8 cycloalkyl;

A' is a benzene ring, a five- or six-membered nitrogen-containing heterocycle;


R^2 is independently selected from a C_2 - C_4 alkenyl substituted acylamino, substituted or unsubstituted C_2 - C_4 alkenyl substituted acyl;

R^7 is selected from a group consisting of:



R^3 , R^4 , R^5 and R^6 are independently selected from a group consisting of H, a substituted or unsubstituted C_1 - C_6 alkoxy, a substituted or unsubstituted C_1 - C_6 alkyl,

or a compound or a pharmaceutical acceptable salt thereof selected from the following group:


















12.

2. The compound of claim 1, wherein the substituted or unsubstituted C₁-C₆ alkoxy is a C₁-C₃ alkoxy; and

the substituted or unsubstituted C₁-C₆ alkyl is a C₁-C₃ alkyl.




3. ~~A compound or a pharmaceutical acceptable salt thereof~~ The compound or a pharmaceutical acceptable salt thereof of claim 1, selected from the following group:





31


38




40

41


46



52




53-2(S)





12

4. The compound of claim 1, wherein
 R^1 is substituted or unsubstituted phenyl;
 $n = 0$;
 A' is a benzene ring, or a five-membered nitrogen-containing heterocycle;
 R^2 is independently selected from a C_2 - C_4 alkenyl substituted acylamino, or C_2 - C_4 alkenyl substituted acyl;
 m is an integer from 0 to 2;
 R^7 is selected from:



- R^3 , R^4 , R^5 and R^6 are independently selected from a group consisting of H, a substituted or unsubstituted C_1 - C_3 alkoxy, a substituted or unsubstituted C_1 - C_3 alkyl.

5. ~~The compound or a pharmaceutical acceptable salt thereof of claim 1, A~~
~~compound or a pharmaceutical acceptable salt thereof selected from the following group:~~



7. Use of the compound of any one of claims 1-5 for preparation of a medicament for treating or preventing EGFR-mediated diseases, or inhibiting EGFR, wherein the EGFR-mediated disease is cancer.