


CLAIMS

1. A compound of Formula (I):








or a prodrug, hydrate, solvate, or pharmaceutically acceptable salt thereof, wherein:

R₁ is:

~~C₃-C₇-monocyclic cycloalkyl, (a) C₈-C₁₆ polycyclic cycloalkyl, C₅-C₁₀-aryl, 8- to 12-membered heterocycloalkyl, or 5- to 6-membered heteroaryl, wherein the C₃-C₇-monocyclic cycloalkyl, polycyclic cycloalkyl, 8- to 12-membered heterocycloalkyl, or 5- to 6-membered heteroaryl is optionally substituted by one or more R₆;~~

(b) benzofuranyl or dihydrobenzofuranyl, wherein the benzofuranyl or dihydrobenzofuranyl is optionally substituted by one or more R₆;





R₃ is H or C₁-C₄ alkyl optionally substituted with one or more **R₇**;

R₄ is H, C₁-C₆ alkyl, -(CH₂)₀₋₃-(C₃-C₆ cycloalkyl), or -(CH₂)₀₋₃-C₅-C₆ aryl;

R₆ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₁-C₆ alkoxy, C₃-C₈ cycloalkyl, halo, oxo, -OH, -CN, -NH₂, -NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, -CH₂F, -CHF₂, or -CF₃;

R₇ is -OR₈, C₅-C₁₀ aryl, or 5- to 10- membered heteroaryl, wherein the C₅-C₁₀ aryl or 5- to 10-membered heteroaryl is optionally substituted by one or more **R_{7S}**, wherein each **R_{7S}** is independently C₁-C₆ alkyl, C₁-C₆ alkoxy, 5- to 10-membered heteroaryl, halo, -OH, -CN, -(CH₂)₀₋₃-NH₂, -(CH₂)₀₋₃-NH(C₁-C₆ alkyl), -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, -CH₂F, -CHF₂, or -CF₃; and

R₈ is C₁-C₆ alkyl or 5- to 7-membered heterocycloalkyl, wherein the C₁-C₆ alkyl or 5- to 7-membered heterocycloalkyl is optionally substituted by one or more **R_{7S}**.

~~2. The compound of claim 1, wherein **R₁** is C₃-C₇ monocyclic cycloalkyl, polycyclic cycloalkyl, or C₅-C₁₀ aryl, wherein the C₃-C₇ monocyclic cycloalkyl, polycyclic cycloalkyl, or C₅-C₁₀ aryl is optionally substituted by one or more **R₆**.~~

~~3. The compound of claim 1 or claim 2, wherein **R₁** is C₃-C₇ monocyclic cycloalkyl optionally substituted by one or more **R₆**.~~

~~4. The compound of any one of claims 1-3, wherein **R₁** is cyclopentyl, cyclohexyl, or cycloheptyl, wherein the cyclopentyl, cyclohexyl, or cycloheptyl is optionally substituted by one or more **R₆**.~~

~~25. The compound of claim 1 or claim 2, wherein **R₁** is C₈-C₁₆ polycyclic cycloalkyl substituted by one or more **R₆**.~~

~~36. The compound of any one of claims 1-2 and 5, wherein **R₁** is adamantyl, norbornyl, or bicyclo[2.2.2]octanyl, wherein the adamantyl, norbornyl, or bicyclo[2.2.2]octanyl is optionally substituted by one or more **R₆**.~~

~~47. The compound of any one of claims 1-2 and 5, wherein **R₁** is C₁₂-C₁₆ tricyclic saturated cycloalkyl optionally substituted by one or more **R₆**;~~


~~optionally wherein the C₁₂-C₁₆ tricyclic saturated cycloalkyl~~

~~8. The compound of any one of claims 1-2, 5, and 7, wherein **R₁** is hexahydroindacenyl, further optionally wherein the substituted by one or more **R₆**.~~

~~9. The compound of any one of claims 1-2, 5, and 7-8, wherein **R₁** is hexahydroindacenyl optionally is substituted by one, two, three, or four substituents independently selected from C₁-C₄ alkyl, C₁-C₆ alkoxy, halo, oxo, -OH, and -CF₃.~~


~~10. The compound of any one of claims 1-2, 5, and 7-9, wherein R_1 is hexahydroindacenyl.~~

~~511. The compound of any one of claims 1-2, 5, and 47-10, wherein R_1 is~~



~~_____ or~~

~~12. The compound of any one of claims 1-2, 5, and 7-9, wherein R_1 is~~




wherein n and n_a each independently are 0, 1, 2, or 3.


~~13. The compound of claim 1 or claim 2, wherein R_1 is C_5 - C_{10} aryl optionally substituted by one or more R_6 .~~

~~14. The compound of any one of claims 1-2 and 13, wherein R_1 is phenyl optionally substituted by one or more R_6 .~~


~~15. The compound of any one of claims 1-2 and 13-14, wherein phenyl optionally substituted by one, two, or three substituents independently selected from C_1 - C_4 alkyl, halo, CN, and CF_3 ; optionally, the one, two, or three substituents are independently selected from Cl and F.~~




~~16. The compound of any one of claims 1-2 and 13-14, wherein R_1 is~~




17. The compound of any one of claims 1, 2, 13, 14, and 16, wherein R_4 is




18. The compound of any one of claims 1, 2, 13, 14, and 16, wherein R_4 is






19. The compound of any one of claims 1, 2, 13, 14, and 16, R_4 is




20. The compound of any one of claims 1, 2 and 13, wherein R_4 is naphthalenyl optionally substituted by one or more R_6 .

21. The compound of any one of claims 1, 2, 13, and 20, wherein R_4 is unsubstituted naphthalenyl;





~~22. The compound of claim 1, wherein R_1 is 8- to 12-membered heterocycloalkyl optionally substituted by one or more R_6 .~~

~~23. The compound of claim 1 or claim 22, wherein R_1 is benzofuranyl or dihydrobenzofuranyl, wherein the benzofuranyl or dihydrobenzofuranyl is optionally substituted by one or more R_6 ;~~




~~24. The compound of claim 1 or claim 22, wherein R_1 is~~



~~25. The compound of claim 1, wherein R_1 is 5- to 6-membered heteroaryl optionally substituted by one or more R_6 .~~

~~26. The compound of claim 1 or claim 25, wherein R_1 is thiophenyl optionally substituted by~~



~~27. The compound of any one of claims 1-26, wherein R_3 is H.~~


~~728.~~ The compound of any one of claims 1-~~526~~, wherein **R**₃ is C₁-C₄ alkyl optionally substituted with one or more **R**₇.

~~829.~~ The compound of any one of claims 1-~~526~~ and ~~728~~, wherein **R**₃ is methyl or ethyl.

~~30.~~ The compound of any one of claims 1-26 and 28, wherein **R**₃ is C₁-C₄ alkyl substituted with one or more **R**₇.


~~934.~~ The compound of any one of claims ~~81-26, 28, and 30~~, wherein **R**₃ is methyl substituted with:

(a) one or more C₁-C₆ alkoxy, wherein the C₁-C₆ alkoxy is optionally substituted with one or more C₁-C₆ alkoxy;




(b)

~~32.~~ The compound of any one of claims 1-26, 28, and 30, wherein **R**₃ is methyl substituted with one or more -O-(5- to 7-membered heterocycloalkyl);



(c)


~~33.~~ The compound of any one of claims 1-26, 28, and 30, wherein in some embodiments, **R**₃ is methyl with one or more C₅-C₁₀ aryl, wherein the C₅-C₁₀ aryl is optionally substituted with one or more 5- to 10-membered heteroaryl or -CN;




34. The compound of any one of claims 1-26, 28, and 30, wherein R_3 is methyl substituted with one or more 5- to 10-membered heteroaryl, wherein the 5- to 10-membered heteroaryl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, or -CF₃;


(e)

35. The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more pyridinyl, wherein the pyridinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, or -CF₃;




36. The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more pyrazolyl, wherein the pyrazolyl is optionally substituted with one or more methyl, methoxy, F, Cl, -CN, -CH₂-N(CH₃)₂, or -CF₃;







(g)

37. The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more imidazolyl, wherein the imidazolyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, $-(CH_2)_{0-3}-N(C_1-C_6 \text{ alkyl})_2$, or -CF₃;




(h)

38. The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more pyridazinyl, wherein the pyridazinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, $-(CH_2)_{0-3}-N(C_1-C_6 \text{ alkyl})_2$, or -CF₃;

optionally, wherein R_3 is  or .


(i)


39. ~~The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more pyrimidinyl, wherein the pyrimidinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, or -CF₃;~~



(j)


40. ~~The compound of any one of claims 1-26, 28, 30, and 34, wherein R_3 is methyl substituted with one or more pyrazinyl, wherein the pyrazinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, or -CF₃;~~






(k)

~~41. The compound of any one of claims 1-26, 28, 30, and 34, wherein **R**₃ is methyl substituted with one or more triazolyl, wherein the triazolyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ alkoxy, halo, -CN, -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, or -CF₃;~~



~~1042. The compound of any one of claims 81-26, 28, and 30, wherein **R**₃ is ethyl substituted with one or more C₅-C₁₀ aryl;~~



~~1143. The compound of any one of claims 1-1042, wherein **R**₄ is H.~~

~~1244. The compound of any one of claims 1-1042, wherein **R**₄ is :~~


~~(a) C₁-C₆ alkyl, -(CH₂)₀₋₃-(C₃-C₆ cycloalkyl), or -(CH₂)₀₋₃-C₅-C₆ aryl.~~

~~45. The compound of any one of claims 1-42 and 44, wherein **R**₄ is C₁-C₆ alkyl;~~


~~optionally, wherein **R**₄ is methyl, ethyl, propyl, or butyl;~~

(b)

46. ~~The compound of any one of claims 1-42 and 44, wherein R_4 is $-(CH_2)_{0-3}-(C_3-C_6$ cycloalkyl);~~



47. ~~The compound of any one of claims 1-42 and 44, wherein in some embodiments, R_4 is $-(CH_2)_{0-3}-C_5-C_6$ aryl;~~



1348. The compound of any one of claims 1-47, wherein at least one R_6 is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_1-C_6 alkoxy, or C_3-C_8 cycloalkyl;

_____ or

49. ~~The compound of any one of claims 1-47, wherein at least one R_6 is halo, oxo, -OH, -CN, -NH₂, -NH(C_1-C_6 alkyl), -N(C_1-C_6 alkyl)₂, -CH₂F, -CHF₂, or -CF₃.~~

1450. The compound of any one of claims 1-1349, wherein:

(a) at least one R_7 is $-OR_{8\frac{1}{2}}$

optionally, wherein at least one R_7 is C_1-C_6 alkoxy optionally substituted by one or more $R_{7S\frac{1}{2}}$ or at least one R_7 is $-O$ -(5- to 7-membered heterocycloalkyl) optionally substituted with one or more $R_{7S\frac{1}{2}}$

(b)

51. ~~The compound of any one of claims 1-49, wherein at least one R_7 is C_5-C_{10} aryl optionally substituted by one or more $R_{7S\frac{1}{2}}$; or~~

(c)

52. ~~The compound of any one of claims 1-49, wherein at least one R_7 is 5- to 10-membered heteroaryl optionally substituted by one or more R_{7S} .~~

~~1553.~~ The compound of any one of claims 1-~~1452~~, wherein at least one **R_{7S}** is C₁-C₆ alkyl, C₁-C₆ alkoxy, or 5- to 10-membered heteroaryl;

~~_____ or~~

~~54.~~ The compound of any one of claims 1-~~52~~, wherein at least one **R_{7S}** is halo, -OH, -CN, -(CH₂)₀₋₃-NH₂, -(CH₂)₀₋₃-NH(C₁-C₆ alkyl), -(CH₂)₀₋₃-N(C₁-C₆ alkyl)₂, -CH₂F, -CHF₂, or -CF₃.


~~1655.~~ The compound of any one of claims 1-~~1554~~, wherein **R₈** is C₁-C₆ alkyl optionally substituted by one or more **R_{7S}**;

~~_____ or~~

~~56.~~ The compound of any one of claims 1-~~54~~, wherein **R₈** is 5- to 7-membered heterocycloalkyl optionally substituted with one or more **R_{7S}**.

~~1757.~~ The compound of any one of claims 1-~~1656~~, being of:


~~(a)~~ Formula (Ia) or (Ib):




or a prodrug, hydrate, solvate, or pharmaceutically acceptable salt thereof;


~~_____ (b)~~

~~58.~~ The compound of any one of claims 1-~~56~~, being of any one of Formulae (II), (IIa), and (IIb):





(IIa);




(IIb);


or a ~~prodrug~~, hydrate, solvate, or pharmaceutically acceptable salt thereof;

(c)


59. ~~The compound of any one of claims 1-56, being of any one of Formulae (III), (IIIa), and (IIIb):~~



(III);



(IIIa);




(IIIb);


or a ~~prodrug~~, hydrate, solvate, or pharmaceutically acceptable salt thereof;

(d)


60. ~~The compound of any one of claims 1-56 and 58-59, being of any one of Formulae (IV), (IVa), and (IVb):~~



(IV);



(IVa);









(IVb);

or a ~~prodrug~~, hydrate, solvate, or pharmaceutically acceptable salt thereof;

(e)




61. ~~The compound of any one of claims 1-56, being of any one of Formulae (V), (Va), (Vb), (VI), (VIa), and (VIb):~~






or a ~~prodrug~~, hydrate, solvate, or pharmaceutically acceptable salt thereof;

(f)

62. ~~The compound of any one of claims 1-56, 59, and 61, being of any one of Formulae (VII), (VIIa), (VIIb), (VIII), (VIIIa), and (VIIIb):~~











or a prodrug, hydrate, solvate, or pharmaceutically acceptable salt thereof; or

(g)

63. The compound of any one of claims 1-56 and 58-62, being of any one of Formulae (IX), (IXa), (IXb), (X), (Xa), and (Xb):




















or a prodrug, hydrate, solvate, or pharmaceutically acceptable salt thereof.

~~64. The compound of any one of claims 1-63, being selected from Compound Nos. 1-130 and prodrugs and pharmaceutically acceptable salts thereof.~~








1865. The compound of any one of claims 1-~~176~~4, being selected from Compound Nos. 1-~~8~~10-52, 55, 57-86, 88-117, 119-121, 123-128 and 130 and pharmaceutically acceptable salts thereof.








<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>1</u>		<u>Ethyl 2-[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}acetate</u>
<u>2</u>		<u>Ethyl 2-[(2,6-difluorophenyl)carbamoyl]oxy}acetate</u>
<u>3</u>		<u>Ethyl 2-[(2,6-dichlorophenyl)carbamoyl]oxy}acetate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>4</u>		<u>Ethyl 2-((naphthalen-1-yl)carbamoyl)oxyacetate</u>
<u>5</u>		<u>Ethyl 2-((2,2-dimethyl-2,3-dihydro-1-benzofuran-7-yl)carbamoyl)oxyacetate</u>
<u>6</u>		<u>Ethyl 2-((1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl)oxy-3-methoxypropanoate</u>
<u>7</u>		<u>Ethyl 2-((2-fluoro-5-(trifluoromethyl)phenyl)carbamoyl)oxyacetate</u>
<u>8</u>		<u>Ethyl 2-((2,6-dimethylphenyl)carbamoyl)oxyacetate</u>
<u>10</u>		<u>Ethyl 2-((2-chloro-6-methylphenyl)carbamoyl)oxyacetate</u>
<u>11</u>		<u>Ethyl 2-((2-cyanophenyl)carbamoyl)oxyacetate</u>
<u>12</u>		<u>Ethyl 2-((1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl)oxy-3-(pyridin-3-yl)propanoate</u>








<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>13</u>		<u>Ethyl 2-([(2-tert-butylphenyl)carbamoyl]oxy)acetate</u>
<u>14</u>		<u>Ethyl 2-((mesitylcarbamoyl)oxy)acetate</u>
<u>15</u>		<u>Ethyl 2-(((2-isopropylphenyl)carbamoyl)oxy)acetate</u>
<u>16</u>		<u>Ethyl 2-(((2-ethyl-6-methylphenyl)carbamoyl)oxy)acetate</u>
<u>17</u>		<u>Ethyl 2-(((1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl)oxy)-3-phenylpropanoate</u>
<u>18</u>		<u>Ethyl 2-(((1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl)oxy)-3-(pyridin-2-yl)propanoate</u>
<u>19</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>








<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>20</u>		<u>Propan-2-yl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>21</u>		<u>2-([(1,2,3,5,6,7-Hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>22</u>		<u>Cyclopropylmethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>23</u>		<u>Cyclobutyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>24</u>		<u>2-methylpropyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>25</u>		<u>Ethyl 3-(4-cyanophenyl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>26</u>		<u>Ethyl 2-([(2-methyl-6-(propan-2-yl)phenyl]carbamoyl]oxy)acetate</u>









<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>27</u>		<u>2-([(1,2,3,5,6,7-Hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetic acid</u>
<u>28</u>		<u>Ethyl 2-([(2,6-diethyl-4-methylphenyl)carbamoyl]oxy)acetate</u>
<u>29</u>		<u>Methyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>30</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-4-phenylbutanoate</u>
<u>31</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>32</u>		<u>Cyclopentyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)acetate</u>
<u>33</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-imidazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>34</u>		<u>Ethyl 2-([2,6-bis(propan-2-yl)phenyl]carbamoyl)oxy}acetate</u>
<u>35</u>		<u>Ethyl 2-([2-chloro-5-(trifluoromethyl)phenyl]carbamoyl)oxy}acetate</u>
<u>36</u>		<u>Ethyl 2-([2-tert-butyl-6-methylphenyl]carbamoyl)oxy}acetate</u>
<u>37</u>		<u>Ethyl 2-([(2,5-dimethylphenyl]carbamoyl)oxy}acetate</u>
<u>38</u>		<u>2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl]carbamoyl)oxy}-3-methoxypropanoic acid</u>
<u>39</u>		<u>cyclopropyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl]carbamoyl)oxy}acetate</u>
<u>40</u>		<u>2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl]carbamoyl)oxy}-3-(1H-pyrazol-1-yl)propanoic acid</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>41</u>		<u>Ethyl (2R)-3-(3-cyanophenyl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>42</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-[3-(1H-pyrazol-1-yl)phenyl]propanoate</u>
<u>43</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-[3-(1H-pyrazol-1-yl)phenyl]propanoate</u>
<u>44</u>		<u>Ethyl 2-([(2,6-difluorophenyl)carbamoyl]oxy}-3-1H-pyrazol-1-yl]propanoate</u>
<u>45</u>		<u>Ethyl 2-[(phenylcarbamoyl]oxy]-3-(1H-pyrazol-1-yl)propanoate</u>
<u>46</u>		<u>Ethyl 2-([(2-ethyl-6-methylphenyl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>
<u>47</u>		<u>Ethyl 2-([(2,6-dimethylphenyl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>48</u>		<u>Ethyl 2-([(2,6-diethylphenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>49</u>		<u>Ethyl 2-([(2-fluoro-6-methylphenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>50</u>		<u>Ethyl 2-([(2-chloro-6-fluorophenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>51</u>		<u>Ethyl 2-([(2-chloro-6-methylphenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>52</u>		<u>Ethyl 2-([(2,6-dichlorophenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>55</u>		<u>Ethyl 3-(4-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>57</u>		<u>Ethyl 2-([(2-cyano-6-methylphenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>58</u>		<u>Ethyl 2-([(2-cyano-6-ethylphenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>59</u>		<u>Ethyl 2-([(2-chloro-6-cyanophenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>60</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrazin-2-yl)propanoate</u>
<u>61</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoic acid</u>
<u>62</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyridazin-3-yl)propanoate</u>
<u>63</u>		<u>Ethyl 3-(1H-pyrazol-1-yl)-2-([(2,3,6-trifluorophenyl)carbamoyl]oxy)propanoate</u>
<u>64</u>		<u>Benzyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>65</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>66</u>		<u>Ethyl 2-([(2-ethyl-6-fluorophenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>67</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-imidazol-1-yl)propanoate</u>
<u>68</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-methoxypropanoate</u>
<u>69</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-methoxypropanoic acid</u>
<u>70</u>		<u>Ethyl 2-([(2-chloro-3-(trifluoromethyl)phenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>71</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-1,2,4-triazol-1-yl)propanoate</u>
<u>72</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(3-methyl-1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>73</u>		<u>Ethyl 3-(1H-pyrazol-1-yl)-2-([(2,4,6-trifluorophenyl)carbamoyl]oxy}propanoate</u>
<u>74</u>		<u>Ethyl 2-([(2-methyl-6-(propan-2-yl)phenyl]carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>75</u>		<u>Ethyl 2-([(3-chloro-2,6-difluorophenyl)carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>76</u>		<u>Ethyl (2R)-3-(4-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>77</u>		<u>Benzyl (2R)-3-(4-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>78</u>		<u>Ethyl 2-([(2,6-dimethylphenyl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>79</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-imidazol-1-yl)propanoic acid</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>80</u>		<u>Ethyl 3-(4-fluoro-1H-pyrazol-1-yl)-2-[[[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>81</u>		<u>Ethyl 2-[[[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-(5-methyl-1H-imidazol-1-yl)propanoate</u>
<u>82</u>		<u>(2R)-3-(4-cyano-1H-pyrazol-1-yl)-2-[[[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoic acid</u>
<u>83</u>		<u>Ethyl (2R)-2-[[[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-(1H-1,2,4-triazol-1-yl)propanoate</u>
<u>84</u>		<u>Ethyl 2-[[[(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-(2-methyl-1H-imidazol-1-yl)propanoate</u>
<u>85</u>		<u>Ethyl 2-[[[(2-chloro-6-ethylphenyl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>
<u>86</u>		<u>Ethyl 2-[[[(2-methylnaphthalen-1-yl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>88</u>		<u>Ethyl (2R)-3-(4-chloro-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>89</u>		<u>Ethyl (2R)-3-(4-cyano-1H-imidazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>90</u>		<u>Ethyl (2R)-3-(5-cyano-1H-imidazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>91</u>		<u>Ethyl 2-([(2,6-dimethyl-4-(trifluoromethyl)phenyl]carbamoyl]oxy)-3-(1H-pyrazol-1-yl)propanoate</u>
<u>92</u>		<u>Ethyl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(4-methoxy-1H-pyrazol-1-yl)propanoate</u>
<u>93</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>94</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrazin-2-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>95</u>		<u>Ethyl (2R)-3-ethoxy-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>96</u>		<u>Ethyl (2R)-3-(3-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoate</u>
<u>97</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}-3-[4-(trifluoromethyl)-1H-pyrazol-1-yl]propanoate</u>
<u>98</u>		<u>(2R)-3-{4-[(dimethylamino)methyl]-1H-pyrazol-1-yl}-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy}propanoic acid hydrochloride</u>
<u>99</u>		<u>Ethyl 2-([(2,4-dimethylthiophen-3-yl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>
<u>100</u>		<u>Ethyl 2-([(4,10-dioxatricyclo[7.3.0.0^{3,7}]dodeca-1,3(7),8-trien-2-yl)carbamoyl]oxy}-3-(1H-pyrazol-1-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>101</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(2-methoxyethoxy)propanoate</u>
<u>102</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(oxan-4-yloxy)propanoate</u>
<u>103</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(5-methyl-1H-1,2,4-triazol-1-yl)propanoate</u>
<u>104</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(propan-2-yloxy)propanoate</u>
<u>105</u>		<u>Ethyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(3-methyl-1H-1,2,4-triazol-1-yl)propanoate</u>
<u>106</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoic acid</u>
<u>107</u>		<u>Propan-2-yl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>108</u>		<u>Cyclopentyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>109</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrazin-2-yl)propanoic acid</u>
<u>110</u>		<u>Propan-2-yl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrazin-2-yl)propanoate</u>
<u>111</u>		<u>Cyclopentyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyrazin-2-yl)propanoate</u>
<u>112</u>		<u>Propan-2-yl (2R)-3-(4-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>113</u>		<u>Cyclopentyl (2R)-3-(4-cyano-1H-pyrazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>114</u>		<u>(2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-1,2,4-triazol-1-yl)propanoic acid</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>115</u>		<u>Propan-2-yl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-1,2,4-triazol-1-yl)propanoate</u>
<u>116</u>		<u>Cyclopentyl (2R)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(1H-1,2,4-triazol-1-yl)propanoate</u>
<u>117</u>		<u>Propan-2-yl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(6-methylpyrazin-2-yl)propanoate</u>
<u>119</u>		<u>Propan-2-yl 3-(5-cyanopyrazin-2-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>120</u>		<u>Propan-2-yl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(2-methylpyrimidin-4-yl)propanoate</u>
<u>121</u>		<u>Propan-2-yl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(5-methylpyrazin-2-yl)propanoate</u>
<u>123</u>		<u>Propan-2-yl 2-([(2-chloro-6-fluorophenyl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>

<u>Compound No.</u>	<u>Structure</u>	<u>Name</u>
<u>124</u>		<u>Propan-2-yl 2-([(2,6-difluorophenyl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>125</u>		<u>Propan-2-yl 2-([(2,6-dichlorophenyl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>126</u>		<u>Propan-2-yl (2R)-3-(3-cyano-1H-1,2,4-triazol-1-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>
<u>127</u>		<u>Propan-2-yl 2-([(bicyclo[2.2.2]octan-1-yl)carbamoyl]oxy)-3-(pyrimidin-2-yl)propanoate</u>
<u>128</u>		<u>Propan-2-yl 2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)-3-(pyridazin-4-yl)propanoate</u>
<u>130</u>		<u>Propan-2-yl 3-(5-cyanopyrimidin-2-yl)-2-([(1,2,3,5,6,7-hexahydro-s-indacen-4-yl)carbamoyl]oxy)propanoate</u>

~~66.~~ The compound of any one of claims 1-65, being selected from Compound Nos. 1-130.

~~1967.~~ A compound being an isotopic derivative of the compound of any one of claims 1-~~1866~~; optionally wherein the compound is

~~68. The compound of claim 67, being a deuterium labeled compound.~~

~~69. The compound of claim 68, being a deuterium labeled compound of any one of Compound Nos. 1-130 and prodrugs and pharmaceutically acceptable salts thereof.~~

~~70. The compound of claim 69, being a deuterium labeled compound of any one of Compound Nos. 1-130.~~

~~71. A compound obtainable by, or obtained by, a method described herein;
optionally, the method comprises one or more steps described in Schemes 1-5.~~

~~72. A compound, by an intermediate obtained by a method for preparing the compound of any one of claims 1-70;
optionally, the intermediate is selected from the intermediates described in Examples 1-126.~~

~~2073. A pharmaceutical composition comprising the compound of any one of claims 1-1972 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.~~

~~74. The pharmaceutical composition of claim 73, wherein the compound is selected from Compound Nos. 1-130.~~

~~75. A method of inhibiting inflammasome activity, comprising contacting a cell with an effective amount of the compound of any one of claims 1-72 or a pharmaceutically acceptable salt thereof;
optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.~~

~~76. A method of treating or preventing a disease or disorder in a subject in need thereof, comprising administering to the subject a therapeutically effective amount of the compound of any one of claims 1-72 or a pharmaceutically acceptable salt thereof, or the pharmaceutical~~

~~composition of claim 73 or claim 74.~~

~~77. The method of claim 76, wherein the disease or disorder is associated with an implicated inflammasome activity;~~

~~optionally, the disease or disorder is a disease or disorder in which inflammasome activity is implicated.~~

~~78. The method of claim 76 or claim 77, wherein the disease or disorder is an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.~~

~~79. The method of any one of claims 76-78, wherein the disease or disorder is an autoinflammatory disorder or an autoimmune disorder;~~

~~Optionally, the disease or disorder is selected from cryopyrin-associated auto-inflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS)), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID), familial Mediterranean fever and nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).~~

~~80. The method of any one of claims 76-78, wherein disease or disorder is a neurodegenerative disease;~~

~~optionally, the disease or disorder is Parkinson's disease or Alzheimer's disease.~~

~~81. The method of any one of claims 76-78, wherein the disease or disorder is cancer;~~

~~optionally, the cancer is metastasising cancer, gastrointestinal cancer, skin cancer, non-small cell lung carcinoma, or colorectal adenocarcinoma.~~

~~82. The compound of any one of claims 1-72, or the pharmaceutical composition of claim 69~~

~~or claim 70, for use in inhibiting inflammasome activity;~~

~~_____ optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.~~

2183. The compound of any one of claims 1-~~1972~~, or the pharmaceutical composition of claim ~~2069 or claim 70~~, for use in treating or preventing a disease or disorder.

~~84. The compound or pharmaceutical composition of claim 83, wherein the disease or disorder is associated with an implicated inflammasome activity;~~

~~_____ optionally, the disease or disorder is a disease or disorder in which inflammasome activity is implicated.~~

2285. The compound or pharmaceutical composition for use of claim ~~2183 or claim 84~~, wherein the disease or disorder is:

(a) an autoinflammatory disorder ~~or; an autoimmune disorder, a neurodegenerative disease, or cancer.~~

~~86. The compound or pharmaceutical composition of any one of claims 83-85, wherein the disease or disorder is an autoinflammatory disorder or an autoimmune disorder;~~

~~_____ optionally, wherein the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS)), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID), familial Mediterranean fever and nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases);~~

~~_____ (b)~~

~~87. The compound or pharmaceutical composition of any one of claims 83-85, wherein disease or disorder is a neurodegenerative disease;~~

optionally, wherein the disease or disorder is Parkinson's disease or Alzheimer's disease;

or

_____ (c)

88. ~~— The compound or pharmaceutical composition of any one of claims 83–85, wherein the disease or disorder is cancer;~~

optionally, wherein the cancer is metastasising cancer, gastrointestinal cancer, skin cancer, non-small-cell lung carcinoma, or colorectal adenocarcinoma.

89. ~~— Use of the compound of any one of claims 1–72 or a pharmaceutical salt thereof in the manufacture of a medicament for inhibiting inflammasome activity;~~

~~— optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.~~

90. ~~— Use of the compound of any one of claims 1–72 or a pharmaceutical salt thereof in the manufacture of a medicament for treating or preventing a disease or disorder.~~

91. ~~— The use of claim 90, wherein the disease or disorder is associated with an implicated inflammasome activity;~~

~~optionally, the disease or disorder is a disease or disorder in which inflammasome activity is implicated.~~

92. ~~— The use of claim 90 or claim 91, wherein the disease or disorder is an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.~~

93. ~~— The use of any one of claims 90–92, wherein the disease or disorder is an autoinflammatory disorder or an autoimmune disorder;~~

~~— optionally, the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS)), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID), familial Mediterranean fever and nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis~~

~~(NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).~~

~~94. The use of any one of claims 90-92, wherein disease or disorder is a neurodegenerative disease;~~

~~optionally, the disease or disorder is Parkinson's disease or Alzheimer's disease.~~

~~95. The use of any one of claims 90-92, wherein the disease or disorder is cancer;~~

~~optionally, the cancer is metastasising cancer, gastrointestinal cancer, skin cancer, non-small cell lung carcinoma, or colorectal adenocarcinoma.~~