



European Patent Office
80298 MUNICH
GERMANY
Tel: +49 89 2399 0
Fax: +49 89 2399 4465



Cooley (UK) LLP
22 Bishopsgate
London EC2N 4BQ
ROYAUME UNI

Questions about this communication?

Contact Customer Services at
www.epo.org/contact

Primary Examiner

Name: Gavrilu, Daniela
Tel: +49 89 2399 - 8274

Application No. 18 826 609.2 - 1110	Ref. NODT-004/N01EP	Date 17.04.2023
Applicant Nodthera Limited		

Communication pursuant to Article 94(3) EPC

The examination of the above-identified application has revealed that it does not meet the requirements of the European Patent Convention for the reasons enclosed herewith. If the deficiencies indicated are not rectified the application may be refused pursuant to Article 97(2) EPC.

You are invited to file your observations and insofar as the deficiencies are such as to be rectifiable, to correct the indicated deficiencies within a period

of 4 months

from the notification of this communication, this period being computed in accordance with Rules 126(2) and 131(2) and (4) EPC. One set of amendments to the description, claims and drawings is to be filed within the said period on separate sheets (R. 50(1) EPC).

If filing amendments, you must identify them and indicate the basis for them in the application as filed. Failure to meet either requirement may lead to a communication from the Examining Division requesting that you correct this deficiency (R. 137(4) EPC).

Failure to comply with this invitation in due time will result in the application being deemed to be withdrawn (Art. 94(4) EPC).



Gavriliu, Daniela
Primary Examiner
For the Examining Division

Enclosure(s): 3 page/s reasons (EPO Form 2906)