


MAIN REQUEST**CLAIMS:**

1. A compound of Formula (Iac1):




or a solvate, or pharmaceutically acceptable salt thereof, wherein:


R₂ is $-(CH_2)_n-R_{2S}$, wherein *n* is 0, 1, or 2, and **R_{2S}** is 4- to 8-membered monocyclic heterocycloalkyl optionally substituted with one or more C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₆ haloalkyl, halo, -CN, -OH, -O(C₁-C₆ alkyl), -NH₂, -NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, or oxo; and

each **R_{3S}** is independently C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, halo, or C₃-C₈ heterocycloalkyl wherein the C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, or C₃-C₈ heterocycloalkyl is optionally substituted with -O(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, halo, or -CN.


2. The compound of claim 1, wherein **R_{2S}** is oxetanyl, azetidiny, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, or azepanyl, wherein the oxetanyl, azetidiny, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, or azepanyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ haloalkyl, or oxo; or

further optionally







3. The compound of claim 1 or claim 2, wherein at least one **R_{3S}** is C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, halo, or C₃-C₈ heterocycloalkyl wherein the C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, or C₃-C₈ heterocycloalkyl is optionally substituted with -O(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, halo, or -CN;

optionally wherein at least one **R_{3S}** is , methyl, ethyl, isopropyl, -CH₂OCH₃, -CH₂CF₃, -CH₂CH₂OCH₃, -CH₂CN, CH₂CF₂, or -CH₂CH₂N(CH₃)₂.


4. The compound of any one of the preceding claims, wherein the compound is of Formula (Iabc-1), (Iabc-1a), or (Iabc-1b):





or a solvate, or pharmaceutically acceptable salt thereof, wherein **R_{2S}** and **R_{3S}** are as described in claim 1.






5. The compound of any one of claims 1 to 4, wherein the compound is of Formula (Iabc-1a):








or a solvate, or pharmaceutically acceptable salt thereof, wherein **R_{3S}** is as described in claim 1.







6. The compound of any one of claims 1 to 5, being selected from:







Compound No.	Structure
1	





2	
3	
4	
5	
6	







7	
8	
10	
11	
14	







15	
16	
22	
23	
24	







25	
26	
27	
28	
29	
30	







31	
32	
33	
34	
35	
36	







37	
38	
39	
41	








42	
43	
44	
45	
46	
47	








50	
51	
52	
55	
56	
57	


59	
60	
61	
62	
63	
64	

65	
67	
68	
74	
78	
79	

82	
83	
84	
85	
99	
103	

107	
110	
111	
118	
120	
121	
122	

123	
135	
136	
138	
139	
150	
151	



and pharmaceutically acceptable salts thereof.

7. A pharmaceutical composition comprising the compound of any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.
8. The compound of any one of claims 1 to 6, or the pharmaceutical composition of claim 7, for use in inhibiting inflammasome activity; optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.
9. The compound of any one of claims 1 to 6, or the pharmaceutical composition of claim 7, for use in treating or preventing a disease or disorder; preferably wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.
10. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder or an autoimmune disorder; optionally, the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID)), familial Mediterranean fever (FMF), nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis, dermatological diseases (e.g., acne) and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).
11. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein disease or disorder is a neurodegenerative disease; optionally, the disease or disorder is

Parkinson's disease or Alzheimer's disease.

12. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein the disease or disorder is cancer; optionally, the cancer is metastasising cancer, gastrointestinal cancer, brain cancer, skin cancer, non-small-cell lung carcinoma, head and neck squamous cell carcinoma or colorectal adenocarcinoma.