


AUXILIARY REQUEST 1**CLAIMS:**

1. A compound of Formula (Iac1):




or a solvate, or pharmaceutically acceptable salt thereof, wherein:


R₂ is $-(CH_2)_n-R_{2S}$, wherein *n* is 0, 1, or 2, and **R_{2S}** is a 5 or 6 membered monocyclic heterocycloalkyl optionally substituted with one or more C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₆ haloalkyl, halo, -CN, -OH, -O(C₁-C₆ alkyl), -NH₂, -NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, or oxo; and

each **R_{3S}** is independently C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, halo, or C₃-C₈ heterocycloalkyl wherein the C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, or C₃-C₈ heterocycloalkyl is optionally substituted with -O(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, halo, or -CN.


2. The compound of claim 1, wherein **R_{2S}** is tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, or morpholinyl, wherein the tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, or morpholinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ haloalkyl, or oxo; or

further optionally






3. The compound of claim 1 or claim 2, wherein at least one R_{3S} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_8 cycloalkyl, halo, or C_3 - C_8 heterocycloalkyl wherein the C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_8 cycloalkyl, or C_3 - C_8 heterocycloalkyl is optionally substituted with $-O(C_1$ - C_6 alkyl), $-N(C_1$ - C_6 alkyl) $_2$, halo, or $-CN$;


optionally wherein at least one R_{3S} is , methyl, ethyl, isopropyl, $-CH_2OCH_3$, $-CH_2CF_3$, $-CH_2CH_2OCH_3$, $-CH_2CN$, CH_2CF_2 , or $-CH_2CH_2N(CH_3)_2$.

4. The compound of any one of the preceding claims, wherein the compound is of Formula (Iabc-1), (Iabc-1a), or (Iabc-1b):



or a solvate, or pharmaceutically acceptable salt thereof, wherein R_{2S} and R_{3S} are as described in claim 1.

5. The compound of any one of claims 1 to 4, wherein the compound is of Formula (Iabc-1a):













(Iabc-1a)







or a solvate, or pharmaceutically acceptable salt thereof, wherein R_{3S} is as described in claim 1.







6. The compound of any one of claims 1 to 5, being selected from:







Compound No.	Structure
1	
2	
3	







4	
5	
6	
7	
8	







10	
11	
14	
15	
22	







23	
24	
25	
26	
27	
28	







29	
30	
31	
32	
33	
34	








35	
36	
37	
38	
39	
41	








42	
43	
44	
45	
46	
47	


50	
51	
52	
55	
56	
57	

60	
61	
62	
65	
68	
78	

79	
82	
83	
84	
85	
99	

103	
107	
110	
118	
120	
121	
122	

123	
135	
136	
138	
139	
150	
151	



and pharmaceutically acceptable salts thereof.

7. A pharmaceutical composition comprising the compound of any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.
8. The compound of any one of claims 1 to 6, or the pharmaceutical composition of claim 7, for use in inhibiting inflammasome activity; optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.
9. The compound of any one of claims 1 to 6, or the pharmaceutical composition of claim 7, for use in treating or preventing a disease or disorder; preferably wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.
10. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder or an autoimmune disorder; optionally, the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID)), familial Mediterranean fever (FMF), nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis, dermatological diseases (e.g., acne) and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).
11. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein disease or disorder is a neurodegenerative disease; optionally, the disease or disorder is

Parkinson's disease or Alzheimer's disease.

12. The compound or pharmaceutical composition for use of claim 8 or claim 9, wherein the disease or disorder is cancer; optionally, the cancer is metastasising cancer, gastrointestinal cancer, brain cancer, skin cancer, non-small-cell lung carcinoma, head and neck squamous cell carcinoma or colorectal adenocarcinoma.