


CLAIMS:

1. A compound of Formula (I):



or a solvate, or pharmaceutically acceptable salt thereof, wherein:

R₁ is C₃-C₁₆ cycloalkyl, ~~or C₅-C₁₀ aryl, wherein the~~ optionally substituted by one or more **R_{1S}**, wherein the C₃-C₁₆ cycloalkyl is a C₃-C₈ monocyclic cycloalkyl, or polycyclic cycloalkyl, ~~or, **R₁** is a phenyl, or C₅-C₆ aryl is optionally substituted by one two or more three **R_{1S}**;~~ wherein each **R_{1S}** is independently C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, or halo, and at least one **R_{1S}** is C₁-C₆ alkyl, C₁-C₆ haloalkyl, or halo;

R₂ is $\text{---}(\text{CX}_2\text{X}_2)_n\text{---R}_{2S}$, wherein n is 0, 1, or 2, and each **X₂** is independently H, C₁-C₆ alkyl, C₂-C₆ alkenyl, or C₂-C₆ alkynyl, wherein the C₁-C₆ alkyl, C₂-C₆ alkenyl, or C₂-C₆ alkynyl is optionally substituted with one or more halo, -CN, -OH, -O(C₁-C₆ alkyl), -NH₂, -NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, or oxo;


R_{2S} is 4- to 8-membered monocyclic heterocycloalkyl optionally substituted with one or more C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₆ haloalkyl, halo, -CN, -OH, -O(C₁-C₆ alkyl), -NH₂, -NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, or oxo; and


R₃ is 7- to 12-membered heterocycloalkyl or 5- or 6-membered heteroaryl optionally substituted with one or more **R_{3S}**, wherein each **R_{3S}** is independently C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, halo, or C₃-C₈ heterocycloalkyl wherein the C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₈ cycloalkyl, or C₃-C₈ heterocycloalkyl is optionally substituted with -O(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)₂, halo, or -CN.



2. The compound of claim 1, wherein **R₁** is C₃-C₇ monocyclic cycloalkyl, C₉-C₁₀ bicyclic cycloalkyl, C₁₂-C₁₆ tricyclic cycloalkyl, ~~or C₅-C₁₀ aryl~~ phenyl, wherein the C₃-C₇ monocyclic cycloalkyl, C₉-C₁₀ bicyclic cycloalkyl, or C₁₂-C₁₆ tricyclic cycloalkyl, ~~or C₅-C₁₀ aryl,~~ is optionally substituted by one or more **R_{1S}**, the phenyl is substituted by two or three **R_{1S}**; and wherein at least one **R_{1S}** is C₁-C₆ alkyl, C₁-C₆ haloalkyl, or halo;


optionally wherein:


(a) the C₃-C₇ monocyclic cycloalkyl is -cyclopentyl, cyclohexyl, or cycloheptyl, wherein the cyclopentyl, cyclohexyl, or cycloheptyl is optionally substituted by one or more **R**_{1s}; further


optionally wherein the C₃-C₇ monocyclic cycloalkyl is  ;


(b) the C₉-C₁₀ bicyclic cycloalkyl is  , wherein n


is 0, 1, or 2; optionally  ; further optionally  , or




(c) the C₁₂-C₁₆ tricyclic cycloalkyl is  , wherein n and n_a

each independently are 0, 1, 2, or 3; further optionally  ; and/or

(d) the C₅-C₁₀ aryl is phenyl is substituted by one, two, or three **R**_{1s}; optionally.  ;






3. The compound of claim 1 or 2, wherein R_2 is $-R_{2s}$, $-(CX_2X_2)-R_{2s}$, or $-(CX_2X_2)_2-R_{2s}$.

4. The compound of any one of claims 1 to 3, wherein R_{2s} is 4- to 8-membered monocyclic heterocycloalkyl optionally substituted with one or more C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_1 - C_6 haloalkyl, halo, $-CN$, $-OH$, $-O(C_1$ - C_6 alkyl), $-NH_2$, $-NH(C_1$ - C_6 alkyl), $-N(C_1$ - C_6 alkyl) $_2$, or oxo;


Optionally oxetanyl, azetidiny, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, or azepanyl, ~~2-azaspiro[3.3]heptane, 2-oxaspiro[3.3]heptane, or bridged quinuclidinyl~~, wherein the oxetanyl, azetidiny, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl, piperidinyl, morpholinyl, or azepanyl, ~~2-azaspiro[3.3]heptane, 2-~~

oxaspiro[3.3]heptane, or bridged quinuclidinyl is optionally substituted with one or more C₁-C₆ alkyl, C₁-C₆ haloalkyl, or oxo; or





5. The compound of any one of claims 1 to 4, wherein **R**₃ is 7- to 12-membered heterocycloalkyl optionally substituted with one or more **R**_{3S};


optionally wherein **R**₃ is pyrrolyl, pyrazolyl, imidazolyl, triazolyl, tetrazolyl, isoxazolyl, furanyl, oxazolyl, isothiazolyl, thiadiazolyl, pyridinyl, pyrimidinyl, pyridazinyl, or 4,5,6,7-tetrahydrobenzo[c]isoxazole, wherein the pyrrolyl, pyrazolyl, imidazolyl, triazolyl, tetrazolyl,

optionally wherein at least one R_{3S} is , methyl, ethyl, isopropyl, -CH₂OCH₃, -CH₂CF₃, -CH₂CH₂OCH₃, -CH₂CN, CH₂CF₂, or -CH₂CH₂N(CH₃)₂.

7. The compound of any one of the preceding claims, wherein the compound is of Formula (Ia-1), (Ia-2), (Ib-1), (Ib-2), (Ib-3), (Ib-1a), (Ib-1b), (Ib-1c), (Ic-1), (Ic-2), (Ic-3), (Ic-4), (Ic-5), (Ic-6), (Ic-7), (Ic-8), (Iab-1), (Iab-2), (Iac-1), (Iac-2), (Iac-3), (Iac-4), (Ibc-1), (Ibc-2), (Iabc-1), (Iabc-1a), or (Iabc-1b):








(Iabc-1b)

or a solvate, or pharmaceutically acceptable salt thereof, wherein **R₁**, **R_{2S}**, **R₂**, and **R₃** are as described herein.

8. The compound of any one of claims 1 to 7, wherein the compound is of Formula (Iabc-1a):







(Iabc-1a)

or a solvate, or pharmaceutically acceptable salt thereof, wherein **R_{3S}** is as described herein.

9. The compound of any one of the claims 1 to 8, being selected from ~~Compound Nos. 1-166:~~

Compound No.	Structure
1	







Compound No.	Structure
2	
3	
4	
5	







Compound No.	Structure
6	 <chem>CC1=CN(C2=CC=C(N2)N3CCCC3)S(=O)(=O)N(C(=O)N4C5=CC6C(=C5)C7CCCC7C=C6C=C4)C8OCCO8.[Na+]</chem>
7	 <chem>CC1=CN(C2=CC=C(N2)N3CCCC3)S(=O)(=O)N(C(=O)N4C5=CC6C(=C5)C7CCCC7C=C6C=C4)C8CCN(C)CC8.[Na+]</chem>
8	 <chem>CC1=CN(C2=CC=C(N2)N3CCCC3)S(=O)(=O)N(C(=O)N4C5=CC6C(=C5)C7CCCC7C=C6C=C4)C8OCCO8.[Na+]</chem>
9	 <chem>CN1C=CC2=C(N1)N3CCCC3C2S(=O)(=O)N(C(=O)N4C5=CC6C(=C5)C7CCCC7C=C6C=C4)C8OCCO8.[Na+]</chem>
10	 <chem>CC1=C(C)N(C)C=C1S(=O)(=O)N(C(=O)N4C5=CC6C(=C5)C7CCCC7C=C6C=C4)C8OCCO8.[Na+]</chem>







Compound No.	Structure
11	 <chem>CN1C=CN(C)C1C2C(S(=O)(=O)NC(=O)Nc3ccc4c(c3)C5CCCC45)C6OCCO6.[Na+]</chem>
12	 <chem>CC1=CN=C(N1)C2C(S(=O)(=O)NC(=O)Nc3ccc4c(c3)C5CCCC45)C6OCCO6.[Na+]</chem>
13	 <chem>C1=CC2=C(N1)C(S(=O)(=O)NC(=O)Nc3ccc4c(c3)C5CCCC45)C6OCCO6.[Na+]</chem>
14	 <chem>CN1C=CN(C)C1C2C(S(=O)(=O)NC(=O)Nc3ccc4c(c3)C5CCCC45)C6CCN(C)CC6.[Na+]</chem>







Compound No.	Structure
15	 <chem>CN1C=NC(C)=N1C2(C)CCN(C)CC2NS(=O)(=O)NC(=O)c3ccc4c(c3)C5CCCC5C4.[Na+]</chem>
16	 <chem>CN1C=NC=C1N(C2CCOC2)NS(=O)(=O)NC(=O)c3ccc4c(c3)C5CCCC5C4.[Na+]</chem>
17	 <chem>c1ccncc1N(C2CCOCC2)NS(=O)(=O)NC(=O)c3ccc4c(c3)C5CCCC5C4.[Na+]</chem>
18	 <chem>Cc1ccocn1N(C2CCOCC2)NS(=O)(=O)NC(=O)c3ccc4c(c3)C5CCCC5C4.[Na+]</chem>
19	 <chem>CN1C=NC=N1N(C2CCOCC2)NS(=O)(=O)NC(=O)c3ccc4c(c3)C5CCCC5C4.[Na+]</chem>







Compound No.	Structure
20	 <chem>CN1CCN(C1)C2=CN(C)C=C2NS(=O)(=O)NC(=O)Nc3ccc4c5ccccc4c35</chem>
21	 <chem>CN1CCOC(C1)N2=CN(C)C=C2NS(=O)(=O)NC(=O)Nc3ccc4c5ccccc4c35</chem>
22	 <chem>CN1CCOC(C1)N2=CN(C)C=C2NS(=O)(=O)NC(=O)Nc3ccc4c5ccccc4c35</chem>
23	 <chem>CN1CCN(C1)C2=CN(C)C=C2NS(=O)(=O)NC(=O)Nc3ccc4c5ccccc4c35</chem>







Compound No.	Structure
24	
25	
26	
27	
28	
29	






Compound No.	Structure
30	
31	
32	
33	
34	
35	






Compound No.	Structure
36	
37	
38	
39	
40	
41	






Compound No.	Structure
42	
43	
44	
45	
46	
47	







Compound No.	Structure
48	
49	
50	
51	
52	
53	







Compound No.	Structure
54	
55	
56	
57	
58	
59	







Compound No.	Structure
60	
61	
62	
63	
64	







Compound No.	Structure
65	
66	
67	
68	
69	







Compound No.	Structure
70	
71	
72	
73	
74	

Compound No.	Structure
75	
76	
77	
78	
79	
80	







Compound No.	Structure
81	
82	
83	
84	
85	
86	







Compound No.	Structure
87	
88	
89	
90	
91	
92	







Compound No.	Structure
93	
94	
95	
96	
97	
98	







Compound No.	Structure
99	
100	
101	
102	
103	
104	

Compound No.	Structure
105	
106	
107	
108	
109	
110	








Compound No.	Structure
111	
112	
113	
114	
115	
116	







Compound No.	Structure
117	
118	
119	
120	
121	
122	







Compound No.	Structure
123	
124	
125	
126	
127	
128	







Compound No.	Structure
129	
130	
131	
132	
133	
134	


Compound No.	Structure
135	
136	
137	
138	
139	
140	

Compound No.	Structure
141	
142	
143	
144	
145	
146	
147	

Compound No.	Structure
148	
149	
150	
151	
152	
153	

Compound No.	Structure
154	
155	
156	
157	
158	
159	

Compound No.	Structure
160	
161	
162	
163	
164	
165	

Compound No.	Structure
166	

and pharmaceutically acceptable salts thereof.

10. A pharmaceutical composition comprising the compound of any one of claims 1 to 9 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

11. The compound of any one of claims 1 to 9, or the pharmaceutical composition of claim 10, for use in inhibiting inflammasome activity; optionally, the inflammasome is NLRP3 inflammasome, and the activity is *in vitro* or *in vivo*.

12. The compound of any one of claims 1 to 9, or the pharmaceutical composition of claim 10, for use in treating or preventing a disease or disorder; preferably wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder, an autoimmune disorder, a neurodegenerative disease, or cancer.

13. The compound or pharmaceutical composition for use of claim 11 or 12, wherein the disease or disorder is an inflammatory disorder, an autoinflammatory disorder or an autoimmune disorder; optionally, the disease or disorder is selected from cryopyrin-associated autoinflammatory syndrome (CAPS; e.g., familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome/ neonatal-onset multisystem inflammatory disease (NOMID)), familial Mediterranean fever (FMF), nonalcoholic fatty liver disease (NAFLD), non-alcoholic steatohepatitis (NASH), gout, rheumatoid arthritis, osteoarthritis, Crohn's disease, chronic obstructive pulmonary disease (COPD), chronic kidney disease (CKD), fibrosis, obesity, type 2 diabetes, multiple sclerosis, dermatological diseases (e.g., acne) and neuroinflammation occurring in protein misfolding diseases (e.g., Prion diseases).

14. The compound or pharmaceutical composition for use of claims 11 or 12, wherein disease or disorder is a neurodegenerative disease; optionally, the disease or disorder is Parkinson's disease or Alzheimer's disease.

15. The compound or pharmaceutical composition for use of claims 11 or 12, wherein the disease or disorder is cancer; optionally, the cancer is metastasising cancer, gastrointestinal cancer, brain cancer, skin cancer, non-small-cell lung carcinoma, head and neck squamous cell carcinoma or colorectal adenocarcinoma.