

Part 1

Task 1



phpMyAdmin
Recent
Favorites
New
blog_site
New
posts
users
information_schema
mysql
performance_schema
phpmyadmin
student_db
test
Server: 127.0.0.1
Databases
Create database
exhibition_db
utf8mb4_general_ci
Create
Check all
Drop
Search
Database
Collation
Action
blog_site utf8mb4_general_ci Check privileges
information_schema utf8_general_ci Check privileges
mysql utf8mb4_general_ci Check privileges
performance_schema utf8_general_ci Check privileges
phpmyadmin utf8_bin Check privileges
student_db utf8mb4_general_ci Check privileges
latin1_swedish_ci Check privileges
Console


Task 2


Server: 127.0.0.1 » Database: exhibition_db
Run SQL query/queries on database exhibition_db:
CREATE TABLE cars (
car_id INT NOT NULL AUTO_INCREMENT PRIMARY KEY ,
make VARCHAR(25) NOT NULL ,
model VARCHAR(40) NOT NULL ,
price FLOAT NOT NULL ,
yom INT NOT NULL
);
Clear
Format
Get auto-saved query
Bind parameters
Delimiter
;
Console
is query here again



Server: 127.0.0.1 » Database: exhibition_db
Structure
SQL
Search
Query
Export
Import
Operations
Privileges
Routines
Events
Triggers
Designer
Show query box
MySQL returned an empty result set (i.e. zero rows). (Query took 0.0079 seconds.)
CREATE TABLE cars (car_id INT NOT NULL AUTO_INCREMENT PRIMARY KEY , make VARCHAR(25) NOT NULL , model VARCHAR(40) NOT NULL , price FLOAT NOT NULL , yom INT NOT NULL);
[Edit inline] [Edit] [Create PHP code]


Task 3


Server: 127.0.0.1 » Database: exhibition_db » Table: cars
Run SQL query/queries on table exhibition_db.cars:
1 INSERT INTO cars (car_id, make, model, price, yom) VALUES (NULL, 'BMW', 'X3', '35000', '2010');
2 INSERT INTO cars (make, model, price, yom) VALUES ('Holden', 'Atra', '14000', '2009');
3 INSERT INTO cars (make, model, price, yom) VALUES ('Ford', 'Falcon', '39000', '2013');
4 INSERT INTO cars (make, model, price, yom) VALUES ('Toyota', 'Corolla', '20000', '2012');
5 INSERT INTO cars (make, model, price, yom) VALUES ('Holden', 'Commodore', '28000', '2009');
SELECT *
SELECT
INSERT
UPDATE
DELETE
Clear
Format
Get auto-saved query
Bind parameters
car_id
make
model
price
Console


Server: 127.0.0.1 » Database: exhibition_db » Table: cars
Browse Structure SQL Search Insert Export Import Privileges Operations Triggers
INSERT INTO cars (car_id, make, model, price, yom) VALUES (NULL, 'BMW', 'X3', '35000', '2010');
[Edit inline] [Edit] [Create PHP code]
1 row inserted.
Inserted row id: 2 (Query took 0.0017 seconds.)
INSERT INTO cars (make, model, price, yom) VALUES ('Holden', 'Atra', '14000', '2009');
[Edit inline] [Edit] [Create PHP code]
1 row inserted.
Inserted row id: 3 (Query took 0.0026 seconds.)
INSERT INTO cars (make, model, price, yom) VALUES ('Ford', 'Falcon', '39000', '2013');
[Edit inline] [Edit] [Create PHP code]
1 row inserted.
Inserted row id: 4 (Query took 0.0020 seconds.)
INSERT INTO cars (make, model, price, yom) VALUES ('Toyota', 'Corolla', '20000', '2012');
[Edit inline] [Edit] [Create PHP code]
1 row inserted.
Inserted row id: 5 (Query took 0.0016 seconds.)
Console

Task 4


Server: 127.0.0.1 » Database: exhibition_db » Table: cars
Run SQL query/queries on table exhibition_db.cars:
1 SELECT * FROM cars;
2
3 SELECT make, model, price FROM cars ORDER BY make, model;
4


Extra options
make 1
model 2
price
Edit Copy Delete BMW X3 35000
Edit Copy Delete Ford Falcon 39000
Edit Copy Delete Holden Atra 14000
Edit Copy Delete Holden Commodore 28000
Edit Copy Delete Toyota Corolla 20000
Check all
With selected:
Edit
Copy
Delete

Run SQL query/queries on table exhibition_db.cars:

```
1 SELECT * FROM cars;
2
3 SELECT make, model FROM cars WHERE price >= 20000;
4
```

Extra options

	make	model
Edit Copy Delete	BMW	X3
Edit Copy Delete	Ford	Falcon
Edit Copy Delete	Toyota	Corolla
Edit Copy Delete	Holden	Commodore

Check all With selected: Edit Copy Delete Export

Run SQL query/queries on table exhibition_db.cars:


```
1 SELECT * FROM cars;
2
3 SELECT make, AVG(price) FROM cars GROUP BY make;
```


Show all | Number of rows: 25 Filter rows: Search this table

Extra options


	make	AVG(price)
Edit Copy Delete	BMW	35000
Edit Copy Delete	Ford	39000
Edit Copy Delete	Holden	21000
Edit Copy Delete	Toyota	20000

Check all With selected: Edit Copy Delete Export


Browse
Structure
SQL
Search
Insert
Export
Import
Privileges
Operations
Triggers
Run SQL query/queries on table exhibition_db.cars:
1 SELECT * FROM cars;
2
3 SELECT make, model FROM cars WHERE price < 15000 AND price > 10000;


Showing rows 0 - 0 (1 total, Query took 0.0006 seconds.)
SELECT make, model FROM cars WHERE price < 15000 AND price > 10000;
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
Show all
Number of rows:
25
Filter rows:
Search this table
Extra options
make
model
Edit
Copy
Delete
Holden
Atra
Check all
With selected:
Edit
Copy
Delete
Export

Task 5


Files
main
Lab09 / Part 1 / settings.php
106628864 Add database configuration in settings.php
3f4b8d5 · 1 minute ago
6 lines (6 loc) · 84 Bytes
Code
Blame
Raw
1 <?php
2 $host = "localhost";
3 $user = "root";
4 $pwd = "";
5 $sql_db = "exhibition_db";
6 ?>

Task 6