

# Service Impl 外部接口

<b>SERVICE IMPL 外部接口 .....</b>	<b>1</b>
一、 CHARACTERENCODING .....	2
二、 REQUEST .....	2
1. func id table .....	2
1 ctrl table .....	2
2 friend table .....	2
3 hardware table .....	3
4 jective table .....	3
5 like table .....	3
6 message table .....	3
7 reply table .....	3
8 status table .....	3
9 talk table .....	4
10 user table .....	4
2. zosn table .....	4
1. forwardCtrl :1001 .....	4
2. saveCtrl :1002 .....	4
3. selectCtrl :1003 .....	5
4. addFriend : 1011 .....	5
5. deleteFriend : 1012 .....	5
6. modifyFriend : 1013 .....	6
7. selectFriend : 1014 .....	6
8. selectNoFriend : 1015 .....	6
9. addHardware : 1021 .....	6
10. deleteHardware : 1022 .....	6
11. selectHardware : 1023 .....	7
12. addJective : 1031 .....	7
13. selectJective : 1032 .....	7
14. addLike : 1041 .....	8
15. deleteLike : 1042 .....	8
16. selectLike : 1043 .....	8
17. addMessage : 1051 .....	8
18. deleteMessage : 1052 .....	9
19. selectFriendMessage : 1053 .....	9
20. selectMessage : 1054 .....	10
21. updataLikenumberMessage : 1055 .....	10
22. addReply : 1061 .....	11
23. deleteReply : 1062 .....	11
24. selectReply : 1063 .....	11
25. addStatus : 1071 .....	11
26. selectStatus : 1072 .....	12

27.	addTalk : 1081 .....	12
28.	deleteTalk : 1082 .....	12
29.	selectTalk : 1083 .....	13
30.	bindPhone : 1091 .....	13
31.	getCode : 1092 .....	13
32.	login : 1093 .....	14
33.	modifyPassword : 1094 .....	14
34.	modifyUser : 1095 .....	15
35.	register : 1096 .....	15
36.	resetPassword : 1097 .....	15
37.	uploadPicture : 1098 .....	16
三、	RESPONSE .....	16
	resultCode .....	16

## 一、 CharacterEncoding

UTF-8

## 二、 Request

func : the function id

zson : data from map to json

### 1. func id table

#### 1 ctrl table

forwardCtrl = 1001;// 转发控制

saveCtrl = 1002;// 保存控制

selectCtrl = 1003;// 选择控制

#### 2 friend table

addFriend = 1011;// 添加好友

deleteFriend = 1012;// 删除好友

modifyFriend = 1013;// 修改好友

selectFriend = 1014;// 查找好友

selectNoFriend = 1015;// 查找非好友

### 3 hardware table

addHardware = 1021;// 添加硬件  
deleteHardware = 1022;// 删除硬件  
selectHardware = 1023;// 查找硬件

### 4 jective table

addJective = 1031;// 添加目标  
selectJective = 1032;// 查找目标

### 5 like table

addLike = 1041;// 添加关注  
deleteLike = 1042;// 取消关注  
selectLike = 1043;// 查找关注

### 6 message table

addMessage = 1051;// 添加信息  
deleteMessage = 1052;// 删除信息  
selectFriendMessage = 1053;// 查找好友信息  
selectMessage = 1054;// 查找信息  
updataLikenumberMessage = 1055;// 更新点赞信息

### 7 reply table

addReply = 1061;// 添加回复  
deleteReply = 1062;// 删除回复  
selectReply = 1063;// 查找回复

### 8 status table

addStatus = 1071;// 添加身份  
selectStatus = 1072;// 查找身份

## 9 talk table

addTalk = 1081;// 添加聊天  
deleteTalk = 1082;// 删除聊天  
selectTalk = 1083;// 查找聊天

## 10 user table

bindPhone = 1091;// 关联手机  
getCode = 1092;// 获取验证码  
login = 1093;// 登录  
modifyPassword = 1094;// 修改密码  
modifyUser = 1095;// 切换用户  
register = 1096;// 注册  
resetPassword = 1097;// 重设密码  
uploadPicture = 1098;// 上传图片

## 2. zosn table

### 1. forwardCtrl :1001

*request:*

uid  
hid  
uname  
hname  
uiaddress  
clevel  
content

*response:*

resultCode:(String)000~1099  
ctrlList: (JsonArray)

### 2. saveCtrl :1002

*request:*

uid  
hid  
uname  
hname

uipaddress  
    clevel  
    content  
*response:*  
    resultCode:(String)000~1099  
    ctrlList: (JsonArray)

### 3. selectCtrl :1003

*request:*  
    uid  
    hid  
    uname  
    hname  
    uipaddress  
    clevel  
    content  
*response:*  
    resultCode:(String)000~1099  
    ctrlList: (JsonArray)

### 4. addFriend : 1011

*request:*  
    firstid  
    secondid  
*response:*  
    resultCode:(String)000~1099  
    friendList: (JsonArray)

### 5. deleteFriend : 1012

*request:*  
    firstid  
    secondid  
*response:*  
    resultCode:(String)000~1099  
    friendList: (JsonArray)

## 6. modifyFriend : 1013

*request:*

firstid  
secondid

*response:*

resultCode:(String)000~1099  
friendList: (JsonArray)

## 7. selectFriend : 1014

*request:*

firstid  
secondid

*response:*

resultCode:(String)000~1099  
friendList: (JsonArray)

## 8. selectNoFriend : 1015

*request:*

firstid  
secondid

*response:*

resultCode:(String)000~1099  
noFriendList: (JsonArray)

## 9. addHardware : 1021

*request:*

uid  
hardwareid

*response:*

resultCode:(String)000~1099  
hardwareList: (JsonArray)

## 10. deleteHardware : 1022

*request:*

uid

hardwareid  
*response:*  
resultCode:(String)000~1099  
hardwareList: (JsonArray)

## 11. selectHardware : 1023

*request:*  
uid  
hardwareid  
*response:*  
resultCode:(String)000~1099  
hardwareList: (JsonArray)

## 12. addJective : 1031

*request:*  
uid  
temperature  
humidity  
air  
weekday  
peoplenumber  
word  
picturecolor  
picturenumber  
music  
*response:*  
resultCode:(String)000~1099  
jectiveList: (JsonArray)

## 13. selectJective : 1032

*request:*  
uid  
temperature  
humidity  
air  
weekday  
peoplenumber  
word  
picturecolor

picturenumber  
music  
*response:*  
resultCode:(String)000~1099  
jectiveList: (JsonArray)

#### 14. addLike : 1041

*resquest:*  
uid  
messageid  
*response:*  
resultCode:(String)000~1099  
likeList: (JsonArray)

#### 15. deleteLike : 1042

*resquest:*  
uid  
messageid  
*response:*  
resultCode:(String)000~1099  
likeList: (JsonArray)

#### 16. selectLike : 1043

*resquest:*  
uid  
messageid  
*response:*  
resultCode:(String)000~1099  
likeList: (JsonArray)

#### 17. addMessage : 1051

*resquest:*  
content  
picture  
address  
permission



likenumber  
uname  
uid  
mtype  
jword  
jpicturecolor  
jpicturenumber  
jmusic

*response:*

resultCode:(String)000~1099  
messageList: (JsonArray)

## 18. deleteMessage : 1052

*request:*

content  
picture  
address  
permission  
likenumber  
uname  
uid  
mtype  
jword  
jpicturecolor  
jpicturenumber  
jmusic

*response:*

resultCode:(String)000~1099  
messageList: (JsonArray)

## 19. selectFriendMessage : 1053

*request:*

content  
picture  
address  
permission  
likenumber  
uname  
uid  
mtype

jword  
jpicturecolor  
jpicturenumber  
jmusic

*response:*

resultCode:(String)000~1099  
messageList: (JsonArray)

## 20. selectMessage : 1054

*request:*

content  
picture  
address  
permission  
likenumber  
uname  
uid  
mtype  
jword  
jpicturecolor  
jpicturenumber  
jmusic

*response:*

resultCode:(String)000~1099  
messageList: (JsonArray)

## 21. updataLikenumberMessage : 1055

*request:*

content  
picture  
address  
permission  
likenumber  
uname  
uid  
mtype  
jword  
jpicturecolor  
jpicturenumber  
jmusic

*response:*

resultCode:(String)000~1099  
messageList: (JsonArray)

## 22. addReply : 1061

*request:*

messageid  
firstid  
secondid  
content

*response:*

resultCode:(String)000~1099  
replyList: (JsonArray)

## 23. deleteReply : 1062

*request:*

messageid  
firstid  
secondid  
content

*response:*

resultCode:(String)000~1099  
replyList: (JsonArray)

## 24. selectReply : 1063

*request:*

messageid  
firstid  
secondid  
content

*response:*

resultCode:(String)000~1099  
replyList: (JsonArray)

## 25. addStatus : 1071

*request:*

uid  
sstatus

uname  
    address  
*response:*  
    resultCode:(String)000~1099  
    statusList: (JSONArray)

## 26. selectStatus : 1072

*request:*  
    uid  
    sstatus  
    uname  
    address  
*response:*  
    resultCode:(String)000~1099  
    statusList: (JSONArray)

## 27. addTalk : 1081

*request:*  
    firstid  
    secondid  
    ttype  
    content  
*response:*  
    resultCode:(String)000~1099  
    talkList: (JSONArray)

## 28. deleteTalk : 1082

*request:*  
    firstid  
    secondid  
    ttype  
    content  
*response:*  
    resultCode:(String)000~1099  
    talkList: (JSONArray)

## 29. selectTalk : 1083

*request:*

- firstid
- secondid
- ttype
- content

*response:*

- resultCode:(String)000~1099
- talkList: (JsonArray)

## 30. bindPhone : 1091

*request:*

- phone
- uname
- utype
- upassword
- ipaddress
- ustatus
- sex
- age
- picture
- sign
- newpassword

*response:*

- resultCode:(String)000~1099
- user: (JsonObject)

## 31. getCode : 1092

*request:*

- phone
- uname
- utype
- upassword
- ipaddress
- ustatus
- sex
- age
- picture
- sign

newpassword  
*response:*  
resultCode:(String)000~1099  
user: (JsonObject)

## 32. login : 1093

*request:*  
phone  
uname  
utype  
upassword  
ipaddress  
ustatus  
sex  
age  
picture  
sign  
newpassword  
*response:*  
resultCode:(String)000~1099  
user: (JsonObject)

## 33. modifyPassword : 1094

*request:*  
phone  
uname  
utype  
upassword  
ipaddress  
ustatus  
sex  
age  
picture  
sign  
newpassword  
*response:*  
resultCode:(String)000~1099  
user: (JsonObject)

### 34. modifyUser : 1095

*request:*

- phone
- uname
- utype
- upassword
- ipaddress
- ustatus
- sex
- age
- picture
- sign
- newpassword

*response:*

- resultCode:(String)000~1099
- user: (JsonObject)

### 35. register : 1096

*request:*

- phone
- uname
- utype
- upassword
- ipaddress
- ustatus
- sex
- age
- picture
- sign
- newpassword

*response:*

- resultCode:(String)000~1099
- user: (JsonObject)

### 36. resetPassword : 1097

*request:*

- phone
- uname
- utype

upassword  
ipaddress  
ustatus  
sex  
age  
picture  
sign  
newpassword

*response:*

resultCode:(String)000~1099  
user: (JsonObject)

### 37. uploadPicture : 1098

*request:*

phone  
uname  
utype  
upassword  
ipaddress  
ustatus  
sex  
age  
picture  
sign  
newpassword

*response:*

resultCode:(String)000~1099  
user: (JsonObject)

## 三、 Response

### resultCode

resultCode:(String)000~1099  
ctrlList: (JsonArray)  
friendList: (JsonArray)  
noFriendList: (JsonArray)  
hardwareList: (JsonArray)  
jectiveList: (JsonArray)  
likeList: (JsonArray)  
messageList: (JsonArray)



replyList: (JSONArray)  
statusList: (JSONArray)  
talkList: (JSONArray)  
user: (JsonObject)