

Supplementary Appendix for DPGBench: Evaluating Practical Privacy Protection in Differentially Private Graph Synthesis

Xinyue Sun
The Hong Kong Polytechnic
University
Harbin Institute of Technology
xysun@hit.edu.cn

Tongsu Yang
Harbin Institute of Technology
tsyang@hit.edu.cn

Qingqing Ye
The Hong Kong Polytechnic
University
qqing.ye@polyu.hk

Haibo Hu^{*}
The Hong Kong Polytechnic
University
haibo.hu@polyu.hk

Hui He
Harbin Institute of Technology
hehui@hit.edu.cn

Weizhe Zhang^{*}
Harbin Institute of Technology
Peng Cheng Laboratory
wzzhang@hit.edu.cn
Anonymous Institution
Anonymous

PVLDB Reference Format:

Xinyue Sun, Tongsu Yang, Qingqing Ye, Haibo Hu^{*}, Hui He, and Weizhe Zhang^{*}. Supplementary Appendix for DPGBench: Evaluating Practical Privacy Protection in Differentially Private Graph Synthesis. PVLDB, 20(1): XXX-XXX, 2027.
doi:XX.XX/XXX.XX

PVLDB Artifact Availability:

The source code, data, and/or other artifacts have been made available at <https://github.com/1092456/DPGBench>.

A MIA IMPLEMENTATION

This appendix provides implementation details for the black-box membership inference attack used in DPGBench, complementing the attack definition in Section 5.1.2.

Target construction and attack pipeline. For the synthetic-release branch of the attack ($b = 1$), we first sample target nodes or edges from the original graph under evaluation. For each target instance, we construct member and non-member cases using the same inclusion-versus-replacement protocol as in the main text: the target is retained for the member case ($s_t = 1$), and replaced by a non-target element drawn from the corresponding non-target pool for the non-member case ($s_t = 0$). For each resulting graph, we apply the synthesis procedure and sample a released synthetic graph. The attacker then extracts target-related structural features from the released graph and feeds them to a supervised attack model, which outputs the membership prediction $\hat{s}_t$. For the original-release branch ($b = 0$), membership is checked directly as defined in the main text. We repeat this process over multiple targets and repeated trials to estimate attack accuracy, AUC, and attack advantage.

Shadow-model-based training. Following the shadow-model paradigm, the attacker is assumed to know the synthesis procedure and the target graph size setting (m_v, m_e), and to possess auxiliary knowledge $\mathcal{P}$ that includes reference graphs drawn from the reference graph population $\mathcal{G}$. Using these reference graphs, the attacker constructs shadow graphs under the same inclusion-versus-replacement protocol as above, applies the same synthesis procedure, and obtains labeled shadow synthetic graphs for the member and non-member cases. These labeled synthetic graphs are used to train the attack classifier.

Graph structural features. We instantiate the black-box MIA in the graph domain using target-centered structural features extracted from the released synthetic graph. For node targets, representative features include node degree, clustering coefficient, neighbor degree statistics, and local subgraph density. For edge targets, we use analogous edge-centered features, such as endpoint degree statistics and local edge-neighborhood structure. These features capture both local connectivity and higher-order structural signals around the target.

Attack model and metrics. We instantiate $\mathcal{A}^{\mathcal{L}}$ as a Random Forest classifier trained on the feature vectors extracted from labeled shadow synthetic graphs. At evaluation time, the classifier outputs the membership prediction $\hat{s}_t$ for the target. We then estimate $\Pr[\hat{s}_t = 1 \mid s_t = 1]$ and $\Pr[\hat{s}_t = 1 \mid s_t = 0]$ to compute the empirical attack advantage in Equation 11. We also report attack accuracy and AUC as auxiliary metrics.

B AIA IMPLEMENTATION

This appendix provides implementation details for the attribute inference attack used in DPGBench, complementing the attack definition in Section 5.1.3.

Partial targets and attack pipeline. For evaluation on a given original graph, we first sample target nodes or edges and designate one attribute of the sampled target as sensitive. The remaining observed information forms the partial target record $\tilde{r}_t$, while the withheld value is treated as the prediction target r_s . For each target instance, we first construct the corresponding original graph with

This work is licensed under the Creative Commons BY-NC-ND 4.0 International License. Visit <https://creativecommons.org/licenses/by-nc-nd/4.0/> to view a copy of this license. For any use beyond those covered by this license, obtain permission by emailing info@vldb.org. Copyright is held by the owner/author(s). Publication rights licensed to the VLDB Endowment.
Proceedings of the VLDB Endowment, Vol. 20, No. 1 ISSN 2150-8097.
doi:XX.XX/XXX.XX

the target included or excluded, and then evaluate attribute inference under either original release or synthetic release. We repeat this process over multiple targets and repeated trials to estimate attribute inference risk.

Attack logic under different release settings. When the original graph is released and the target can be uniquely linked based on its observed attributes, the attacker directly reads out the sensitive attribute from the matched record. When such linkage is not possible, including the synthetic-release case, the attacker treats attribute inference as a supervised prediction task. Specifically, the attacker uses the released graph to construct training instances in which the observed target information serves as input features and the sensitive attribute serves as the prediction label. The partial target $\tilde{r}_t$ is then fed to the trained predictor to obtain the estimate $\hat{r}_s$.

Feature construction in the graph setting. The AIA implementation supports both node-target and edge-target settings when the corresponding attributes are available. For node targets, the withheld attribute is a node attribute associated with the sampled target; for edge targets, the withheld attribute is an edge attribute associated with the sampled target edge. Feature construction combines information from the partially observed target record with structural signals extracted from the released graph and, when available, auxiliary knowledge $\mathcal{P}$. This allows the predictor to exploit both target-side and graph-context information when estimating the sensitive attribute.

Attack model and metrics. Depending on the attribute domain, we instantiate $\mathcal{A}^f$ as either a classifier or a regressor. In our implementation, categorical sensitive attributes are predicted using a Random Forest classifier, while continuous sensitive attributes are predicted using a regression model. The empirical attack advantage is computed from the success probabilities in Equation 13, and privacy gain is then obtained from the difference between the original-release and synthetic-release cases. We also report task-appropriate auxiliary metrics for attribute prediction.

C DATASET DETAILS AND PREPROCESSING

As listed in Section 6.1, the graph datasets used in this experiment include *Wiki-Vote*, *Chameleon*, and *Facebook*, which are undirected graphs derived from real-world scenarios. In the experimental setup, these graph datasets are processed into text files (.txt) that represent the graph in the form of node pairs. This format is convenient for both machine processing and developer interpretation.

However, during the study it was observed that when performing membership inference attacks and attribute inference attacks, using the complete graph data (which typically contains thousands of nodes and tens of thousands of edges) results in excessively long testing times and makes it difficult to clearly analyze graph features. Therefore, the actual graph used for attacks is a subgraph of the aforementioned datasets, denoted as G_1 .

After extracting the subgraph, we perform normalization on it. Specifically, self-loops and duplicate edges are removed, and the nodes are reindexed to form a strictly defined undirected subgraph. In this representation, the first node in each node pair increases in order, and the second node is always greater than the first node.

As mentioned previously, membership inference attacks and attribute inference attacks require the participation of prior knowledge $\mathcal{P}$. This prior knowledge typically comes from other graphs within the same domain. In this experiment, we select another subgraph generated from the same dataset, denoted as G_2 . It should be noted that G_2 must have no overlap with G_1 in order to prevent leakage of the true graph information.

After extracting G_2 , the same normalization process applied to G_1 is also performed. In our experimental design, G_1 and G_2 are generated simultaneously within the same code framework. The parameters involved in this process include: *total_nodes*, which represents the total number of nodes shared by the two graphs, and *split_ratio*, which denotes the proportion of nodes allocated to the target attack graph.

D IMPLEMENTATION NOTES

Unless otherwise stated, we follow the original codebases and recommended parameter settings of the integrated methods as closely as possible, and modify only those parts required by the unified privacy settings and the common evaluation protocol in DPGBench. For the integrated methods other than PrivDPR, our implementations further follow the codebase, implementation choices, and parameter settings in [1] as closely as possible. PrivDPR is newly integrated in this work and, unless otherwise stated, also uses the parameter settings recommended in the original paper. The complete implementation of DPGBench is publicly available.

E COMPLETE EXPERIMENTAL RESULTS

This appendix reports the complete per-dataset results in figures 5, 6, and 7. For each dataset, we provide the full privacy-gain results under nMIA, nAIA, eMIA, and eAIA, together with the complete utility results on all 15 graph query tasks. For each dataset, privacy budget, and metric, the best result across methods is highlighted using **, with higher values preferred for privacy gain and lower values preferred for utility loss. The CD column is reported in its original form and is therefore not highlighted.**

REFERENCES

- [1] Shang Liu, Hao Du, Yang Cao, Bo Yan, Jinfei Liu, and Masatoshi Yoshikawa. 2025. Pgb: Benchmarking differentially private synthetic graph generation algorithms. In *2025 IEEE 41st International Conference on Data Engineering (ICDE)*. IEEE, 1348–1361.




Figure 4: Comparison under similar empirical privacy protection for node attribute inference attack (nAIA). The x-axis reports empirical privacy gain, and the y-axis reports utility loss. The four columns correspond to Δ , d , MOD, and EVC, respectively. Each point represents one operating point of a method, and the curves compare utility loss at similar levels of actual privacy protection.

Table 5: Complete privacy gain and utility loss results on Wiki-Vote.

Method	ϵ	Privacy Gain				Utility Loss / Utility Metrics															
		nMA	nAIA	eMA	eAIA	$ V $	$ E $	$\bar{d}$	d_g	d	Δ	$l_{\max}$	$\bar{l}$	l	GCC	ACC	CD	Mod	Ass	EVC	
PrivDPR	1	0.037	0.894	0.156	1.077	0.000	0.905	0.912	2.128	0.478	31.487	1.000	13.685	2.065	0.798	0.985	0.932	0.375	0.118	0.725	
	5	0.020	0.824	0.102	0.994	0.000	0.904	0.911	1.956	0.477	28.669	1.000	11.523	1.887	0.794	0.984	0.930	0.371	0.089	0.722	
	10	0.016	0.788	0.084	0.949	0.000	0.903	0.910	1.870	0.477	27.940	1.000	10.718	1.799	0.791	0.983	0.929	0.369	0.081	0.720	
	∞	0.003	0.707	0.045	0.864	0.000	0.902	0.908	1.645	0.476	24.875	1.000	8.592	1.576	0.786	0.981	0.926	0.365	0.045	0.716	
PrivGraph	1	0.866	0.548	1.151	0.943	0.140	0.110	0.063	0.315	0.278	0.349	0.376	0.115	0.308	0.277	0.302	0.969	0.182	0.982	0.181	
	5	0.742	0.418	0.937	0.843	0.093	0.099	0.046	0.279	0.268	0.281	0.347	0.078	0.272	0.272	0.279	0.967	0.177	0.885	0.178	
	10	0.699	0.388	0.866	0.803	0.081	0.096	0.041	0.261	0.265	0.261	0.340	0.060	0.254	0.269	0.268	0.966	0.175	0.842	0.176	
	∞	0.563	0.269	0.654	0.714	0.041	0.086	0.022	0.217	0.255	0.213	0.313	0.019	0.210	0.263	0.231	0.964	0.169	0.721	0.172	
DGG	1	0.588	0.598	1.023	0.832	0.006	0.054	0.165	0.421	0.282	0.892	1.191	0.188	0.408	0.318	0.378	0.939	0.365	1.162	0.209	
	5	0.432	0.499	0.884	0.756	0.004	0.053	0.157	0.405	0.272	0.780	1.104	0.179	0.391	0.314	0.373	0.936	0.355	1.147	0.207	
	10	0.384	0.459	0.863	0.728	0.004	0.052	0.154	0.400	0.269	0.750	1.075	0.176	0.386	0.311	0.371	0.935	0.352	1.142	0.205	
	∞	0.242	0.385	0.739	0.647	0.002	0.051	0.146	0.388	0.261	0.627	1.004	0.168	0.373	0.306	0.365	0.933	0.341	1.127	0.202	
DP-dK	1	0.432	0.795	0.000	0.887	0.625	9.187	5.412	3.815	0.198	107.677	138.025	11.287	3.721	0.754	0.708	0.915	0.673	4.503	0.638	
	5	0.260	0.726	0.000	0.745	0.335	4.982	2.915	3.090	0.107	83.411	75.661	6.723	3.002	0.747	0.505	0.902	0.455	2.731	0.631	
	10	0.218	0.683	0.000	0.663	0.259	3.865	2.236	2.836	0.083	76.958	59.606	6.205	2.748	0.743	0.402	0.898	0.372	2.218	0.627	
	∞	0.030	0.614	0.000	0.540	0.012	0.188	0.078	1.920	0.003	56.261	6.203	2.215	1.845	0.734	0.115	0.884	0.078	0.842	0.620	
TmF	1	0.273	0.771	0.891	0.956	0.001	0.001	0.001	0.511	0.675	0.439	1.015	0.239	0.501	0.408	0.978	0.998	0.766	1.192	0.322	
	5	0.194	0.592	0.558	0.803	0.000	0.001	0.001	0.466	0.501	0.289	0.666	0.211	0.457	0.402	0.701	0.689	0.461	0.743	0.318	
	10	0.141	0.543	0.484	0.776	0.000	0.001	0.001	0.434	0.422	0.234	0.503	0.200	0.433	0.398	0.612	0.609	0.381	0.615	0.315	
	∞	0.041	0.397	0.187	0.654	0.000	0.001	0.000	0.342	0.282	0.113	0.213	0.178	0.379	0.391	0.385	0.360	0.130	0.231	0.310	
PrivSKG	1	0.038	0.653	0.139	1.005	0.114	0.019	0.115	0.778	0.461	0.431	0.841	0.325	0.765	0.518	0.823	0.971	0.808	0.160	0.286	
	5	0.022	0.579	0.081	0.901	0.114	0.018	0.111	0.765	0.458	0.379	0.789	0.322	0.752	0.515	0.815	0.969	0.805	0.132	0.284	
	10	0.018	0.552	0.066	0.855	0.113	0.017	0.109	0.761	0.457	0.370	0.780	0.321	0.748	0.512	0.811	0.968	0.803	0.124	0.282	
	∞	0.002	0.498	0.013	0.755	0.112	0.014	0.106	0.748	0.454	0.323	0.737	0.319	0.735	0.507	0.803	0.966	0.800	0.095	0.279	
PrivHRG	1	0.200	1.014	0.957	0.932	0.007	36.825	36.982	1.220	1.001	0.727	3094.811	0.558	1.212	0.676	0.942	0.981	0.847	2.895	0.575	
	5	0.127	0.866	0.824	0.853	0.004	19.987	20.153	1.046	0.856	0.601	1682.837	0.425	1.045	0.669	0.685	0.976	0.697	2.087	0.568	
	10	0.115	0.807	0.785	0.821	0.003	15.283	15.428	0.965	0.808	0.561	1318.718	0.385	0.966	0.664	0.628	0.975	0.650	1.832	0.564	
	∞	0.032	0.671	0.650	0.750	0.000	0.602	0.605	0.799	0.656	0.422	93.530	0.228	0.792	0.655	0.380	0.971	0.517	0.998	0.556	

Table 6: Complete privacy gain and utility loss results on Chameleon.

Method	ϵ	Privacy Gain				Utility Loss / Utility Metrics															
		nMA	nAIA	eMA	eAIA	$ V $	$ E $	$\bar{d}$	d_e	d	Δ	$l_{\max}$	$\bar{l}$	l	GCC	ACC	CD	Mod	Ass	EVC	
PrivDPR	1	0.035	1.007	0.064	1.165	0.000	0.928	0.928	0.895	0.795	11.915	1.000	14.029	0.978	1.000	1.000	0.949	0.384	0.120	0.051	
	5	0.022	0.941	0.039	1.063	0.000	0.928	0.928	0.894	0.793	10.022	1.000	11.855	0.970	0.999	0.999	0.947	0.380	0.090	0.051	
	10	0.017	0.930	0.029	1.029	0.000	0.928	0.928	0.893	0.792	9.312	1.000	11.012	0.968	0.998	0.999	0.947	0.379	0.080	0.051	
	∞	0.001	0.871	0.006	0.927	0.000	0.928	0.928	0.891	0.790	7.420	1.000	8.843	0.961	0.997	0.999	0.945	0.376	0.046	0.051	
PrivGraph	1	0.984	0.860	1.177	0.793	0.146	0.113	0.066	0.059	0.088	0.219	0.262	0.120	0.145	0.207	0.317	0.984	0.083	0.995	0.050	
	5	0.791	0.681	0.972	0.682	0.097	0.102	0.048	0.045	0.060	0.173	0.249	0.080	0.108	0.182	0.289	0.983	0.078	0.896	0.050	
	10	0.766	0.645	0.901	0.665	0.085	0.099	0.043	0.040	0.053	0.158	0.242	0.061	0.090	0.176	0.277	0.982	0.077	0.853	0.050	
	∞	0.624	0.495	0.727	0.549	0.044	0.089	0.024	0.022	0.029	0.119	0.223	0.020	0.056	0.153	0.238	0.980	0.072	0.733	0.049	
DGG	1	0.795	0.632	1.379	0.931	0.007	0.168	0.177	0.158	0.142	0.161	0.348	0.197	0.393	0.308	0.397	0.954	0.372	1.174	0.051	
	5	0.604	0.569	1.111	0.863	0.005	0.159	0.166	0.152	0.139	0.133	0.330	0.187	0.374	0.295	0.392	0.951	0.362	1.159	0.051	
	10	0.548	0.554	1.040	0.838	0.005	0.156	0.163	0.149	0.138	0.124	0.325	0.185	0.370	0.291	0.390	0.951	0.359	1.154	0.051	
	∞	0.378	0.484	0.844	0.755	0.003	0.147	0.153	0.141	0.136	0.095	0.303	0.177	0.355	0.276	0.386	0.949	0.348	1.139	0.051	
DP-dK	1	0.576	0.870	0.000	0.979	0.630	9.418	5.525	5.218	0.358	32.547	88.429	11.537	0.726	1.185	0.721	0.932	0.683	4.592	0.051	
	5	0.408	0.787	0.000	0.847	0.339	5.070	3.002	2.895	0.195	21.014	47.685	6.857	0.564	0.721	0.517	0.919	0.459	2.806	0.051	
	10	0.356	0.762	0.000	0.815	0.263	3.935	2.311	2.207	0.150	19.696	37.350	6.328	0.539	0.591	0.411	0.915	0.376	2.289	0.051	
	∞	0.146	0.667	0.000	0.683	0.013	0.193	0.080	0.075	0.005	9.421	2.679	2.277	0.406	0.201	0.118	0.901	0.081	0.853	0.051	
TmF	1	0.244	0.779	1.318	0.846	0.001	0.001	0.001	0.001	0.623	0.641	1.011	0.246	0.535	0.989	0.992	1.014	0.776	1.205	0.182	
	5	0.142	0.614	0.769	0.733	0.000	0.001	0.001	0.001	0.398	0.540	0.676	0.218	0.453	0.608	0.718	0.696	0.465	0.755	0.101	
	10	0.112	0.572	0.640	0.707	0.000	0.001	0.001	0.001	0.334	0.504	0.566	0.207	0.420	0.503	0.623	0.616	0.385	0.626	0.081	
	∞	0.006	0.442	0.191	0.612	0.000	0.001	0.000	0.000	0.151	0.417	0.283	0.183	0.349	0.189	0.393	0.374	0.133	0.238	0.022	
PrivSKG	1	0.065	0.670	0.033	1.140	0.118	0.020	0.118	0.112	0.092	0.638	0.833	0.331	0.527	0.836	0.698	0.987	0.818	0.164	0.088	
	5	0.038	0.573	0.018	1.062	0.118	0.018	0.114	0.108	0.090	0.605	0.825	0.329	0.526	0.828	0.685	0.986	0.815	0.135	0.086	
	10	0.031	0.545	0.014	1.033	0.117	0.017	0.112	0.106	0.089	0.595	0.823	0.329	0.526	0.826	0.681	0.985	0.813	0.127	0.086	
	∞	0.005	0.466	0.001	0.948	0.116	0.014	0.109	0.103	0.087	0.567	0.814	0.327	0.526	0.818	0.667	0.984	0.810	0.097	0.084	
PrivHRG	1	0.113	1.049	1.060	0.838	0.008	37.237	37.234	35.826	1.020	0.807	687.101	0.572	0.760	0.954	0.932	0.996	0.851	2.960	0.177	
	5	0.062	0.876	0.980	0.751	0.005	20.397	20.397	19.218	0.841	0.736	368.058	0.432	0.667	0.697	0.673	0.991	0.701	2.137	0.135	
	10	0.050	0.834	0.962	0.710	0.004	15.635	15.634	14.873	0.783	0.712	290.239	0.391	0.638	0.639	0.591	0.990	0.654	1.885	0.121	
	∞	0.002	0.646	0.882	0.628	0.000	0.618	0.617	0.598	0.602	0.632	22.683	0.232	0.523	0.390	0.289	0.986	0.526	1.015	0.085	

Table 7: Complete privacy gain and utility loss results on Facebook.

Method	ϵ	Privacy Gain				Utility Loss / Utility Metrics															
		nMA	nAA	eMA	eAA	$ V $	$ E $	$\bar{d}$	d_G	d	Δ	$l_{\max}$	$\bar{l}$	l	GCC	ACC	CD	Mod	Ass	EVC	
PrivDPR	1	0.025	1.051	0.135	1.081	0.000	0.891	0.895	2.153	0.892	20.904	1.000	13.852	2.093	0.802	0.982	0.938	0.378	0.105	0.728	
	5	0.015	1.001	0.074	0.999	0.000	0.890	0.894	1.981	0.891	19.263	1.000	11.627	1.915	0.798	0.981	0.936	0.374	0.082	0.725	
	10	0.012	0.987	0.056	0.976	0.000	0.889	0.893	1.895	0.890	18.760	1.000	10.813	1.826	0.795	0.980	0.935	0.372	0.075	0.723	
	∞	0.001	0.940	0.004	0.895	0.000	0.888	0.891	1.670	0.889	17.303	1.000	8.657	1.603	0.790	0.978	0.932	0.368	0.042	0.719	
PrivGraph	1	1.042	0.784	1.074	0.829	0.142	0.111	0.059	0.320	0.050	0.252	0.259	0.112	0.312	0.281	0.298	0.973	0.185	0.947	0.184	
	5	0.852	0.643	0.819	0.692	0.095	0.100	0.045	0.284	0.031	0.193	0.255	0.075	0.276	0.276	0.283	0.971	0.180	0.853	0.181	
	10	0.762	0.611	0.737	0.655	0.083	0.097	0.040	0.266	0.027	0.168	0.252	0.058	0.258	0.273	0.276	0.970	0.178	0.812	0.179	
	∞	0.595	0.495	0.502	0.518	0.042	0.087	0.022	0.222	0.011	0.099	0.248	0.018	0.215	0.267	0.261	0.968	0.172	0.698	0.175	
DGG	1	0.133	0.693	1.050	0.873	0.006	0.052	0.158	0.426	0.170	0.299	0.476	0.189	0.415	0.322	0.375	0.942	0.368	1.123	0.212	
	5	0.075	0.612	0.865	0.785	0.004	0.051	0.152	0.410	0.168	0.234	0.459	0.178	0.398	0.318	0.371	0.939	0.358	1.108	0.210	
	10	0.065	0.577	0.798	0.758	0.004	0.050	0.149	0.405	0.167	0.222	0.449	0.175	0.393	0.315	0.368	0.938	0.355	1.101	0.208	
	∞	0.004	0.480	0.638	0.666	0.002	0.049	0.141	0.393	0.165	0.157	0.428	0.167	0.380	0.310	0.362	0.936	0.344	1.085	0.205	
DP-dK	1	0.807	0.652	0.000	0.770	0.628	9.215	5.218	3.850	0.313	43.262	52.756	11.326	3.782	0.758	0.692	0.921	0.677	4.315	0.641	
	5	0.559	0.579	0.000	0.670	0.336	5.012	2.895	3.125	0.170	38.365	28.446	6.683	3.057	0.751	0.503	0.908	0.452	2.628	0.634	
	10	0.462	0.554	0.000	0.634	0.260	3.898	2.207	2.871	0.131	37.260	22.222	6.159	2.803	0.747	0.401	0.904	0.370	2.153	0.630	
	∞	0.121	0.497	0.000	0.503	0.012	0.190	0.075	1.954	0.005	31.148	1.484	2.148	1.892	0.738	0.112	0.890	0.078	0.817	0.623	
TmF	1	0.224	0.703	1.163	0.949	0.001	0.001	0.001	0.516	0.561	0.505	1.015	0.238	0.506	0.412	0.975	1.003	0.770	1.158	0.325	
	5	0.140	0.572	0.668	0.793	0.000	0.001	0.001	0.471	0.342	0.403	0.653	0.209	0.460	0.406	0.702	0.685	0.459	0.713	0.321	
	10	0.108	0.541	0.531	0.737	0.000	0.001	0.001	0.439	0.269	0.355	0.516	0.198	0.435	0.402	0.603	0.605	0.380	0.589	0.318	
	∞	0.005	0.431	0.116	0.561	0.000	0.001	0.000	0.347	0.093	0.267	0.215	0.172	0.382	0.395	0.381	0.363	0.130	0.215	0.313	
PrivSKG	1	0.041	0.707	0.094	1.170	0.116	0.019	0.112	0.783	0.419	0.626	0.871	0.322	0.773	0.522	0.819	0.976	0.812	0.152	0.289	
	5	0.024	0.608	0.050	1.058	0.116	0.018	0.108	0.770	0.416	0.606	0.861	0.319	0.760	0.519	0.812	0.974	0.809	0.128	0.287	
	10	0.019	0.584	0.040	1.007	0.115	0.017	0.106	0.766	0.415	0.596	0.857	0.318	0.756	0.516	0.809	0.973	0.807	0.121	0.285	
	∞	0.002	0.492	0.003	0.852	0.114	0.014	0.103	0.753	0.411	0.577	0.848	0.316	0.743	0.511	0.801	0.971	0.804	0.092	0.282	
PrivHRG	1	0.135	0.951	1.260	1.070	0.007	37.012	35.826	1.255	0.952	0.765	263.096	0.561	1.235	0.680	0.938	0.985	0.845	2.815	0.578	
	5	0.078	0.827	1.104	0.881	0.004	20.185	19.218	1.081	0.775	0.660	140.412	0.421	1.062	0.673	0.682	0.980	0.695	2.003	0.571	
	10	0.062	0.816	1.062	0.832	0.003	15.428	14.873	1.000	0.729	0.627	110.423	0.380	0.981	0.668	0.631	0.979	0.650	1.768	0.567	
	∞	0.003	0.688	0.882	0.675	0.000	0.615	0.598	0.824	0.537	0.522	8.716	0.221	0.805	0.659	0.382	0.975	0.520	0.973	0.559	