TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE M-45 NEOTEC WP	800 g/kg	WP	FUNGICIDE	4	091-053-0633	14-Oct-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	0.80ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after spraying
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
RED BUFFALO AGRIVENTURES CORPORATION	DIURON	DIURED 80 SC	800 g/L	SC	HERBICIDE	4	501-021-4753	18-Feb-23	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Enter the field 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16L water	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16L water	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/16L water	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/16L water	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/16L water	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	-	_	_	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	3-5 Tbsp/16 L water	_	_	Entry to fields treated with DIUTEX 80 WP can be done one day after application

TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6½-13.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	5g/Tree (Trunk Injection)	-	-	As soon as spray solution has dried on the foliage
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	23-Dec-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
EZERTECH CORPORATION	TRIDEMORPH	D-MORPH 86 OL	860 g/L	OL	FUNGICIDE	2	648-097-4798	21-May-20	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/Ha + 5-10 L/Ha Oil+Emulsifier (0.5% oil	-	Harvesting may be done right after spraying	As soon as spray solution has dried on foliage
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Beans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cabbage	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Ginger	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Pepper	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16 L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Strawberry	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
JOCANIMA CORPORATION	DODINE	DODINA 400 SC	400 g/L	SC	FUNGICIDE	2	241-418-5729	12-Nov-24		Banana	Black Sigatoka	One (1) Liter per hectare	-	0 Day	No ground workers are allowed during the spray operation. Works can enter the treated area only after 1-2 hours of application to avoid
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE+CARBENDAZIM	DOMARK PRO	125 g/L+150 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Mango	Anthracnose, Stem-end rot	68-80ml/100 L water	-	14 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE+CARBENDAZIM	DOMARK PRO	125 g/L+150 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Rice	Sheath blight	400ml/ha	Tetraconazole -0.5ppm, Carbendazim-0.5 ppm	14 days	0-1 day
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPYRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/hectare	0.1 ppm	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPYRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/hectare	0.1 ppm	-	-
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried

JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	12-Feb-24		Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Banana	Black Sigatoka	1.0-2.0 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Carrot	Alternaria, crcospora, helminthosporium	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cabbage	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Broccoli	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cauliflower	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucumber	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Melon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Squash	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Watermelon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Celery	Early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Mango	Anthracnose, diplodia	3.75-5.60 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Pepper	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ENVIRO CROPVET PRODUCTS, INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foilage
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROCHLORAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Banana	Fungal crown mold/crown rot	2 ml/L	5.0 mg/kg	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	PROCHLORAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Pineapple	Butt and crown Fruitlet core rot	0.5-1 mL/L water or 200-400 ppm a.i / L/ha	2.0 mg/kg	-	-
VAST AGRO SOLUTIONS, INC.	TRIDEMORPH	DORPHALAN 86 OL	860 g/L	OL	FUNGICIDE	2	385-097-3514	24-Aug-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/Ha + 10-15 L/Ha water + 0.7 L/Ha oil		-	As soon as solution has dried up
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Rice (Transplanted)	Sedges & Broadleaf weeds	3.5-6.5 Tbsp/ 16L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Sugarcane	Sedges & Broadleaf weeds	13-25 Tbsp/16 L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Corn	Sedges & Broadleaf weeds	5.0-6.5 tbsp/ 16 L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	31-Dec-23	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	31-Dec-23	-	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	31-Dec-23	-	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	*BACILLUS AMYLOLIQUEFACIENS* D747 STRAIN	DOUBLE NICKEL 250 WG		WDG	FUNGICIDE	4	088-544-5417	27-Apr-24	-	Banana	Crown rot and Crown mold	1.25 g prod. / ha	-	-	Enter treated fields when spray droplets dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	*BACILLUS AMYLOLIQUEFACIENS* D747 STRAIN	DOUBLE NICKEL 250 WG	250g/kg	WDG	FUNGICIDE	4	088-544-5417	27-Apr-24	-	Banana	Black Sigatoka	0.25-1.0 kg prod. / hectare at volume rate of 150 L/ hectare	-	-	Enter treated fields when spray droplets dries
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Coffee	Berry borer	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Citrus	Rind borer	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried

NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	DOUBLE UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	28-Dec-25	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	As soon as the spray solution has dried on the foliage.
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	DOUBLE UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	28-Dec-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water		-	As soon as the spray solution has dried on the foliage.
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Potato	Whiteflies, aphids, thrips	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Eggplant	Green leafhopper, whiteflies, aphids	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Bitter gourd	Leafhopper, aphids, thrips, fruitfly, cutworm	4.0-13.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Corn	Cutworm	10.0-16.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Mango	Mango leafhopper	20-30ml/ 100 ml product/Ha	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Banana	Flower Thrips	1-3ml/L ml product/Ha	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Rice	Stemborer, leafhoppers	10.0-30.0 ml product/16L	-	-	-
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Ampalaya	Leafhoppers, trips, aphids	100-200mL product/ha; 4-13 ml/16L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Mango	Leafhoppers, tip borers	12-24mL/200L		3 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400ml product/ha; 10.0-16.0 mL product/16L		3 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Banana	Flower thrips	1-3 ml/L		90 days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbs.p prod/16L		14 Days	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	BUPROFEZIN	DOWNLOAD 250 SC	250g/L	SC	INSECTICIDE	3	487-224-5233	05-Jul-24		Mango	Leafhopper	60-80mL/200 L water	-	Do not spray 15 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 10 SC	105.5 g/L	SC	HERBICIDE	4	605-276-4234	11-Jan-21	SELECTIVE	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	_	As soon as spray deposits have dried
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 10 SC	105.5 g/L	SC	HERBICIDE	4	605-276-4234	11-Jan-21	SELECTIVE	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	_	As soon as spray deposits have dried
DU PONT FAR EAST, INC.	TRIFLUMEZOPYRIM	DPX-RABS5 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Transplanted)	Planthopper and green leafhopper	175g prod. / ha. ; 160 L / ha	-	-	-
DU PONT FAR EAST, INC.	TRIFLUMEZOPYRIM	DPX-RABS5 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Direct-Seeded)	Planthopper and green leafhopper	125 g prod./ ha. ; 240-320 L/ ha.	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Mango	Leaafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-May-25	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			

TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm		
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	16 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	24 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Coconut	Scale insects	2-5 g/16L water	_	-	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	DRAGON PYRA-ULTRA8.5 EC	25+60g/L	EC	HERBICIDE	3	517-453-5223	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	-	-	-	As soon as spray deposits dry up.
TEAMAGRO TRADING CORPORATION	BUTACHLOR+2,4-D IBE	DRAW 60 EC	360+240 g/L	EC	HERBICIDE	3	248-152-2490	23-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	
TEAMAGRO TRADING CORPORATION	BUTACHLOR+2,4-D IBE	DRAW 60 EC	360+240 g/L	EC	HERBICIDE	3	248-152-2490	23-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	589 g/L	EC	HERBICIDE	4	623-150-4537	16-Oct-24	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	Entry to fields are crops treated with DRAX 60 EC can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	589 g/L	EC	HERBICIDE	4	623-150-4537	16-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	Entry to fields are crops treated with DRAX 60 EC can be done one day after spraying
PHIL DREAM AGRO VENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	DREAM KILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	726-229-5792	20-Sep-25	-	Rice	Golden Apple Snail (Kuhol)		-	-	No less than 48 hours after spraying
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water		0 Day	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Banana	Thrips, mealybug, leaffolder (STEM and MAT spray application of mealy bugs)	2.5-4.0 Tbsp/16L Water		14 days; Stem and Mat 0-day	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
VERDANT LUSTERCORE CORPORATION	BISPYRIBAC SODIUM	DRUMLIN 100 SC	100 g/L	SC	HERBICIDE	4	446-049-4128	27-Sep-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			

GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	12-Sep-23	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72-107 mL/16L water	-	-	-
S&P ENTERPRISES, INC-	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	115 mL/16L water	-	-	-
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72 mL/16L water	-	-	-
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	86-115 mL/16L water	-	-	-
DU PONT FAR EAST, INC.	PENTAPOTASSUIM BIS (PEROXYMONOSULFATE) BIS (SUFATE)	DU PONT MICROFREE	497 g/Kg	P	OTHERS	4	014-433-3089	19-Mar-17	-	Banana	Moko Disease (Raistonia Solanacearum) and Panana Diesease (Fusarium Oxysporum)	20 g/L water	-	0 day	-
DU PONT FAR EAST, INC.	HEXAZINONE+DIURON	DU PONT VELPAR K4	132 g/Kg+468 g/Kg	WG	HERBICIDE	4	014-435-3113	31-Dec-20		Sugarcane	Grasses, sedges & broadleaves	400 Li/ha			
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Pineapple	Mealy bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cotton	Katydids, grasshopper, cutworm, mites	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Mango	Hopper, tip borer	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Asparagus	Armyworm, cutworm		z		Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Banana	Thrips				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Corn	Cornborer, earworm				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Sorghum	Cornborer,earworm				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm				Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Tomato	Tomato fruitworm, aphids				Twelve ours after spraying.
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2-3 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges				
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	non-crop agricultural areas	Annual grasses, broadleaf weeds & sedges	-			
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM+TEBUCONAZOLE	DUOTEMIC 25SC	125 g/L+125 g/L	SC	FUNGICIDE	4	540-405-6136	20-Feb-26		Mango	Anthracnose	200 L water; 200-300 mL 16 L water; 16-24 mL	-	-	As soon as spray deposits have dried
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application

VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379	11-Nov-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Cabbage	Diamond-back moth, cabbage worms, loopers	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Potato	Thrips, armyworm, cutworm, tubermoth	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Sitao	Beanfly, leaffolder, budworms	1.5-3.0 Tbsp/ 16L water	-	14 Days	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Watermelon	Beanflies, aphids	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	DURFLEX 1% PE	-	-	INSECTICIDE	-	075-101-5239	07-Sep-23	-	Banana	mealy bug	-	-	-	-
CHEMPLAST PHILIPPINES, INC.	CHLORPYRIFOS	DURFLEX 1% PE	10 g/Kg	EC	INSECTICIDE	2	574-101-5195	07-Sep-23		Banana	mealy bug		-	-	Not applicable
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORPORATION	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSTHIAZATE	EAMOZAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Banana	Burrowing nematode	1.0-g A.I./mat or 10-g prod/mat; 2-kg A.I./ha or 20-kg prod./ ha.	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSTHIAZATE	EAMOZAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Potato	Potato cyst nematode	20-kg prod./ ha.	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Onion	Thrips	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	_	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
ENVIROCURE BIO RESEARCH INC.	HYDROGEN PEROXIDE	EBR 800	50 g/L	AS	OTHERS	4	610-464-4391	06-Jun-19	-	Banana	Black Sigatoka	3-5 L product/ha	-	-	-
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			

ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		–	-
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges			–	–
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	ECD NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	614-229-4432	25-Jul-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PYMETROZINE	ECD PYMETROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	614-307-4431	25-Jul-21	-	Mango	leafhopper	1 Sachet/200L	-	-	Do not enter the treated fields for at least 24 hours after application
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1 1/2 tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Mango	Hopper	3/4-1 1/2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Onion	Thrips, cutworm	1 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up

NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Corn	Cornborer, aphids, seedling maggots	1-1 1/2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Tobacco	Budworm, cutworm, aphids, katydids	1-1 1/2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Cotton	Bollworm	1-1 1/2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Cocoa	Pod borer	1-2 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ECHIDNA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Watermelon	Squash beetle, melon worm	1 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR	ECHO 800 EC	800 g/L	EC	HERBICIDE	3	590-150-5433	10-May-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	5-7.5 TBsp/16 water	-	-	Do not enter treated fields within two days after spraying
STERIX INCORPORATED	PHOSPHINE	ECOzFUME	2 g/Kg	-	FUMIGANT	1	434-399-2323	27-Oct-23		Stored grain	Stored grain pests specially corn weevil and rice weevil , red flour beetle and lesser grain borer				
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Corn	Downy mildew as seed treatment	3.84-4.48g or mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Papaya(Direct seeded)	Root rot and damping off	11.2-44.8g or mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Papaya (Solo plant)	Root rot and damping off	227.20-456g ot mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges			-	
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	EJA NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	465-229-2514	07-Jul-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
JOCANIMA CORPORATION	GLUFOSINATE-P	EL GLUFO 10 SL	100 g/L	SL	HERBICIDE	4	241-616-6081	13-Mar-24	NON-SELECTIVE (POST-EMERGENT	Banana	Grasses sedges and Broadleaves	1-2 L prod/ hectare; 2 L prod/ hectare	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Glyphosate tolerant corn	Annual And Perennial, grass and broad-leaved weeds	2.0-4.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Mango	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Banana	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coffee	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Cacao	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Rubber	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Oil palm	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Citrus	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-

INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coconut	Annual And Perennial, grass and broad-leaved weeds	4.5 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Sugarcane	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Non-crop areas	Annual And Perennial, grass and broad-leaved weeds		-	-	-
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TAYAMET 25WG will be 436 days before harvest	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 2.0-10.0 Tbsp/16L water	-	28 Days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 Days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as EL TORO 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-23	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
SHARPHIL INC.	QUIZALOFOP-P-BUTYL	ELEGANT 10 EC	100 g/L	EC	HERBICIDE	4	402-317-4491	28-Aug-21	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water			As soon as the spray mist dries up.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Eggplant	shootborer/fruitborer. Cutworm	10- mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Stringbeans	Podborer, leaffolder	10- mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Rice	Stemborer, leaffolder	60 mL prod/16L water	-	45-60 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Tomato	Cutworm, fruitworm	27-40 mL prod/16L	-	3 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Corn	Corn borer, earworm	25-30 mL/16L	-	7 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	7 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/Ha	-	240-300 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Bittergourd	Leafhopper, cutworm	20 mL/16L	-	3 days	-
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L		INSECTICIDE	4	075-393-4877	20-Aug-20	-	Corn	Fall armyworm	(30-40) mL product per 16 Liters water	-	-	-
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Citrus	Grasses, annual & perennial broadleaves	13.0-19.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Coffee	Grasses, annual & perennial broadleaves	13.0-19.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Cotton	Grasses, annual & perennial broadleaves	8.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Pineapple	Grasses, annual & perennial broadleaves	13.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Non-crop	Grasses, annual & perennial broadleaves	-		-	24 hours after application
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Ttbsp / 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after sprayin
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after sprayin
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp / 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after sprayin
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	CLOTHIANIDIN	ELITE CATINDI 20 SC	200 g/L	SC	INSECTICIDE	4	719-379-6111	7-Sep-25	-	Rice	Rice black bug	40-50 mL	-	-	-
ELITE AGROCHEMICALS INC.	CYHALOFOP-BUTYL	ELITE CYBAC 200 OD	150 g/L	OD	HERBICIDE	4	719-504-5916	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500 mL to 1 L Formulated Product per hectare (using spray volumes of 160	-	-	Re-entry to the rice field can be done as soon as spray dries up
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-

ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
ELITE AGROCHEMICALS INC.	NICLOSAMIDE ETHANOLAMINE SALT	ELITE K.O. KUHOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	719-229-5915	1-Dec-23	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1 1/2 tbsp/16L water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Mango	hoppers	2/4-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Onion	Thrips, cutworm	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Corn	Cornborer, aphids, seedling maggots	1-1 1/2 tbsp/16L water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Tobacco	Budworm, cutworm. Aphids, katydids	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Cotton	Bollworm	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Cocoa	Pod borer	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Watermelon	Squash beetle, melon worm	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Grapes	Beetles, cutworm, leafhopper, mealy bug, scale insects, spider mites	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Pineapple	Mealy bugs	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Garlic	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Onion	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Sorghum	Web worm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Potato	Early and late blight	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Celery	Late blight	3-6 tbsp/ 16L water		14 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cotton	Damping off	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Lettuce	Downy mildew	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Beans	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Peas	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Mungo	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Pepper	Anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Chili	Anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Eggplant	Blight, anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/ 16L water		-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 tbsp/ 16L water		60 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Mango	Anthracnose and scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Papaya	Fruit rot	3-6 tbsp/ 16L water		-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Corn (Sweet and popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 tbsp/ 16L water		14 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Soybean	Leaf rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Celery	Late blight	3-6 Tbsp/16L water		14 Days	As soon as spray dries

GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cotton	Damping off	3-6 Tbsp/16L water		-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Chili	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/16L water		-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp/16L water		-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-	As soon as spray dries
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Pineapple	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Banana	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Mango	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Coffee	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	EMBESAFE 160 SL	160 g/L	SL	HERBICIDE	4	701-151-5582	20-Aug-24		non-crop areas	common grassy fields				
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	24-Jul-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE	EMERALD 10 EC	100 g/L	EC	FUNGICIDE	4	099-430-3069	30-Sep-24	SYSTEMIC	Cabbage	Diamondback moth	1.0 L prod./ha	0.01ppm	21 days	-
TAIPAN BRAND FARM INC.	CHLOROTHALONIL+TETRACONAZOLE	EMINENT STAR	250+62.5 g/L	SC	FUNGICIDE	3	529-408-8535	07-Sep-18	SYSTEMIC	Mango	Anthracnose				
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	EMPEROR 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	367-239-4421	05-Jul-24		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	0.10 ppm	25 days	
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	EMPEROR 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	367-239-4421	05-Jul-24		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	0.03 ppm	50 days	
JRPV SEMICON SUPPLIES, INC.	DIBENZYL BLPHENYL POLYOXYETHYLENE ETHER+ALKYL PHENYL POLYOXYETHYLENE POLYOXYPROPYLENE ETHER+CALCIUM DODECYLBENZENE	EMULSIFYING AGENT OC35	-	-	OTHERS	-	731-596-5848	8-Sep-25	-	As an emulsifier for insecticide formulation	-	-	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Banana	Black Sigatoka	4.5 Li/Ha or 12 Tbsp/16Li	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Potato	Late blight	5-6 ½ Tbsp/16Li	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26		Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 455 SC	455 g/L	SC	FUNGICIDE	4	466-053-2646	30-Mar-26		Banana	Sigatoka	3.6-4.6 L/ha	-	Allow 7 days from last spray until harvest	As soon as spray until harvest
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 OS	620 g/L	OS	FUNGICIDE	4	466-053-2647	30-Mar-26	-	Banana	Black sigatoka	-		-	
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 SC	800 g/kg	SC	FUNGICIDE	4	466-053-4132	09-Oct-23		Banana	Black sigatoka	3-6 Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Tomato	Early and late blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Banana	Sigatoka				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Potato	Early and Late Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cabbage	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cauliflower	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Broccoli	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Celery	Late Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cucumber	Downy Mildew, Anthracnose,Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Squash	Downy Mildew, Anthracnose,Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cotton	Damping off				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Lettuce	Downy Mildew				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Beans	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peas	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mungo	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Tomato	Early and late blight, Anthracnose ,Septoria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Onion	Purple blotch, Downy mildew, Botrytis leaf Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Pepper	Anthracnose				

SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Eggplant	Blight, Anthracnose					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Banana	Sigatoka, Black leaf streak					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Grapes	Downy Mildew, Black rot					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mango	Anthracnose, and scab					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Papaya	Fruit rot					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Corn (sweet and popcorn)	Helminthosphorium leaf spot					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.02ppm			
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peanut	Cercospora leaf spot					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Soybeans	Leaf rust					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Ornamentals	Black spot, Blight, Anthracnose					
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/16 L water		-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-		As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-		As soon as spray dries
DOW AGRO SCIENCES B.V.	FENBUCONAZOLE	ENABLE 2 F	235 g/L	F	FUNGICIDE	4	013-262-0641	31-Jul-19	-	Banana	Black sigatoka and black leaf streak	425ml/ha in 30-40 L water	-	-		Don't enter fields without protective clothing until spray deposits have dried
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/ 16L	-	7 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/ 16L	-	7 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/ 16L	-	7 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha; 4-13 mL/ 16L	-	7 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100 L	-	3 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha; 10-16 mL/16L	-	3 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Banana	Flower thrips	1-3 mL	-	90 days		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-23	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10-30 mL/16L	-	14 days		-
PHILIPPINE FARMFIX SOLUTIONS INC.	SPIROXAMINE	ENIMAX 50 EC	500g/L	EC	FUNGICIDE	2	535-385-4244	31-Jan-21	SYSTEMIC	Banana	Mycosphaerella fijiensis(Black Sigatoka)	0.64 Liters prod/ha	-	0 day		After spray deposits have dried.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	099-282-1220	21-May-24	CONTACT	Banana	Black sigatoka as spray advujant in combination with the standard fungicide	5.0 Liters/Ha; 20mL/Liter	-	-		To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	099-282-1220	21-May-24	CONTACT	Banana	Scale insects mealybugs	-	-	-		To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	099-282-1220	21-May-24	CONTACT	Pineapple	Scale insects mealybugs	15 L prod./ ha., solo or in combination with DIAZOL 60 EC at spray volume of	-	-		To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done
BIOLIFE SCIENCES SOLUTIONS COMPANY	POTASSIUM SALTS OF FATTY ACID	ENTOMGARD	-	-	INSECTICIDE	4	581-476-4330	19-Mar-25	-	Cavendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mat spray	-	-	-		-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango		As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Sorghum	Webworm, army worm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango		As soon as spray deposits have dried

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Citrus	Rind Borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cowpea	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Soybeans	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ENVIRO SCOPE SYNERGY, INC.	(Z)-9-TETRADECENYL ACETATE+(Z)-11-HEXADECENYL ACETATE (7)-7 DODECENYL ACETATE	ENVIRO ASTRA	-	-	OTHERS	4	649-550-5544	28-Sep-23	-	Corn	Fall armyworm	5 lures per ha.	-	-	-
ENVIRO SCOPE SYNERGY, INC.	(Z)-9-TETRADECEN-1-ol]+(Z,E)-9,12-TETRADECADIEN-1-yl ACETATE)	ENVIRO NOMATE	-	-	OTHERS	4	649-551-5545	28-Sep-23	-	Onion	Beet armyworm	5 lures per ha.	-	-	
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN+PYRIPROXYFEN	EPINGLE SE	82.80+36.20 g/L	SE	INSECTICIDE	4	472-597-5855	19-Sep-23	-	Eggplant	Whiteflies, leafhoppers (including jassids), aphids, thrips, fruit and shoot borer	15-40 mL per 16L water	-	3 days	As soon as the spray mist dries up
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Rice	Rice blast, helminthosporium, cercospora leaf spot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Banana	Sigatoka	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Potato	Early blight, late blight	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	0.10 ppm	25 days	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	0.05 ppm	-	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	0.10 ppm	-	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24		Beans	Beanfly, leafroiler, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	0.05-0.10	-	After 24 hours or until spray deposits have dried up.
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/Kg	DF	FUNGICIDE	4	014-352-1146	12-Apr-26		Tomato	Late blight	1.5-2.0 tbsp./16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/Kg	DF	FUNGICIDE	4	014-352-1146	12-Apr-26	-	Potato	Late blight	1.5-2.0 tbsp./16 L water	-	-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Corn	Seed treatment	-			
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	BUTACHLOR+PROPANIL	ERASER 70 EC	350+350 g/L	EC	HERBICIDE	3	266-238-3322	03-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR+PROPANIL	ERASER 70 EC	350+350 g/L	EC	HERBICIDE	3	266-238-3322	03-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JARDINE DISTRIBUTION, INC.	PYRAZOSULFURON ETHYL+PRETILACHLOR	EROS GOLD 30.75 WG	7.5 g/Kg +300 g/Kg	WG	HERBICIDE	4	367-518-4924	02-Dec-23	-	Rice (Pre-emergent and Early post-emergent	Grasses, sedges, broadleaves	(1-2) Kg/ha; Pre-emergent herbicide (5 DAS) and post-emergent herbicide (10	-	-	Re-entry to field is allowed one day after treatment
JARDINE DISTRIBUTION, INC.	CYHALOFOP-BUTYL	ESCAPE 100 EC	100 g/L	EC	HERBICIDE	4	367-257-4353	11-May-24	SYSTEMIC	Rice (Direct-seeded)	Grasses	12,15,20 tankload/ha	–	–	–
MONARCH AGRICULTURAL PRODUCTS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	ESCARGO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	096-229-2945	10-Jan-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-

NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
JS UNION OILS & TRADING INC.	PARAFFINIC MINERAL OIL	ESOL BOH3	990 g/L	-	OTHERS	4	717-282-5724	18-May-23	-	Banana	Sigatoka	5.0 L/ ha	-	-	
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/ 100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Onion	Basal/ bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIMETHANIL	ETHPYRI 600 SC	600 g/L	SC	FUNGICIDE	4	539-345-4957	26-Nov-25	-	Cavendish Banana	Black sigatoka	500 - 750 mL/ha	-	Do not harvest for 7 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Banana	Banana ripening	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Mango	Mango ripening	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Coffee	Coffee ripening	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		-	
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Rice	Sheath blight	30-50 mL prod/100L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Mango	Anthracnose	30-50 mL prod/100L 0.528- 88 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Stringbeans	Leafspot	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Tomato	*Alternaria* leafspot, *cercospora* leaf mold, powdery mildew	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Eggplant	Leafspot	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Cabbage	Ringspot, *alternaria*	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Asparagus	Stem and leaf blight	0.6/liter 0.36 L prrod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Onion	Purple blotch	30-50 mL prod/100L 0.40-0.50 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Banana	Black sigatoka	30-50 mL prod/100L 0.30-0.40 L prod./ha	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 412F	412 g/L	F	FUNGICIDE	4	261-053-2364	24-Jan-23		Banana	Black Sigatoka				-
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 600 OS	600 g/L	OS	FUNGICIDE	4	261-053-2387	04-Jan-23		Banana	Black sigatoka				
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/16L		10-12 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries

EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Citrus	Rusetting, greasy spot, black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cucumber	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Mango	Anthracnose, scab	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Melon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Onion	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Ornamentals	Black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Potato	Early & Late blight	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Rice	Blast, Sheath blight, anthracnose	3.0-6.0 Tbsp/16L	0.02ppm	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Tobacco	Blue mold, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Watermelon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EVERSOL A-150K	285+475 mL/L	LC	OTHERS	4	261-348-2274	21-Apr-18			Surfactant on Nomess SC 100	10 - 30 mL/16 L water; 10 - 20 spray lpads			
BAYER CROPSCIENCE, INC.	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EVERSOL-A 150 K	285+475 mL/L	LC	OTHERS	4	284-348-3397	21-May-18	-	-	Surfactant on Nomess SC 100	0.25L/Ha			
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
TAIPAN BRAND FARM INC.	FLUOXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	30-Jul-24	SYSTEMIC	Mango	Anthracnose & stem-end rot	75-15mL/200L	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
TAIPAN BRAND FARM INC.	FLUOXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	30-Jul-24	SYSTEMIC	Corn	Gray leaf spot, rust & shealt blight	10-15mL (Low Disease Pressure) 15-25mL (High Disease Pressure)	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
UPL PHILIPPINES, INC.	FLUOXASTROBIN+TEBUCONAZOLE	TEPERA PLUS 480 SC	200.2 g/L+277.4 g/L	SC	FUNGICIDE	4	562-488-4848	15-Jun-24	SYSTEMIC	Rice	Sheath blight and neck/node blast	250-350mL product/ha with volume rate of 160L/ha at 45-55 DAT and 60-	0.6-mg/kg(Tebuconazole) 0.01mg/kg(Fluoxastrobin)	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO-T may be done 1 day after spraying
INTEGRATED CROP TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	EXACTO PLUS 200OD	150g/L+50g/L	OD	HERBICIDE	4	274-504-6165	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	50-100 mL / 16L	-	-	As soon as spray dries up.
INTEGRATED CROP TRADING CORPORATION	BISPYRIBAC SODIUM	EXACTO SC 100	105.5 g/L	SC	HERBICIDE	4	274-276-3205	13-Aug-19	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		
INTEGRATED CROP TRADING CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EXACTOSOL A-150K		LC	OTHERS	4	274-348-3206	13-Aug-19		-	As surfactant on EXACTO SC 100	10 - 30 mL/16 L water; 10 - 20 spray lpads			
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60 g/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Potato	Thrips and leafminer	400-500 mL prod/hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60 g/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Onion	Leafminer	500-600 L / hectare 500-750 mL pro/ hectare 300 L/ hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Corn	Fall armyworm	500 mL product/ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Mango	Thrips and tip borer	30-40 mL prod. / 100L	-	14 days	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	013-452-3600	21-Aug-21		Tomato	Leafminer	600-750 mL prod/ Ha	-	-	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	013-452-3600	21-Aug-21		Eggplant	Fruit and shoot borer	500-750 mL prod/ Ha	-	-	-
JARDINE DISTRIBUTION, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	367-452-3619	12-Jan-19	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/16L water	-	-	-

DU PONT FAR EAST, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	014-452-4297	27-Nov-24	_	Cabbage	Diamond back moth	1-2 Tbsp/16 L water	_	_	_	_
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPANIL	EXCEED 70 EC	350+350 g/L	EC	HERBICIDE	3	031-238-1424	25-Nov-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		Entry to the fields sprayed with the product is allowed after the mist has dried
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPANIL	EXCEED 70 EC	350+350 g/L	EC	HERBICIDE	3	031-238-1424	25-Nov-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		Entry to the fields sprayed with the product is allowed after the mist has dried
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9,7,7,7,11 Tbsp/16L Sprayload	-	-		-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9,7,11,12 Tbsp/16L Sprayload		-		
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPANIL	EXCELPRO 70 EC	350+350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPANIL	EXCELPRO 70 EC	350+350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL-R EC	360+240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL-R EC	360+240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Potato	Early and late blight	3-6 Tbsp/16L water	-	-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Celery	Late blight	3-6 Tbsp/16L water		14 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Cotton	Damping off	3-6 Tbsp/16L water		-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Chili	Anthracnose	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Papaya	Fruit rot	3-6 Tbsp/16L water		-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Soybeans	Leaf rust	3-6 Tbsp/16L water		-		As soon as spray dries
EDSEL AGRI AND CHEMICAL CORPORATION	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	13-Oct-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-		As soon as spray dries
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Banana	Blossom thrips	0.5/ L water				Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Cabbage	Diamond back moth	1000 mL prod/ha	-	7 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-			Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Pineapple	Mites	1000-4000mL prod/ha	-			Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-			Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 Days		Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 Days		Re-enter treated area only after spray has dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as application will be 436 days before harvest		Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest		Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	_	28 days		Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	7 days		Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	3 days		Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as Exelon will be applied as bud injection		Do not enter unless spray deposits have dried
VERCA AGRO CHEM, INC.	Z,E-9,12- TETRADECADIENYL ACETATE + Z-9 TETRADECENOL	EXIGUA-LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-24		Cotton	Armyworm (pheromone lure)	90 mg A.I. per hectare or 45 lures per hectare	-	-		-
VERCA AGRO CHEM, INC.	Z,E-9,12- TETRADECADIENYL ACETATE + Z-9 TETRADECENOL	EXIGUA-LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-24		Onion	Armyworm (pheromone lure)	90 mg A.I. per hectare or 45 lures per hectare	-	-		-
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/ 16L		7 days		Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1-3 Tbsp/ 16L		7 days		Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.

INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Cabbage	Diamond back-moth, cabbage moth, worm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Tomato	Tomato,fruitworm, aphids, beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Watermelon	Aphids, thrips, beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Onion	Thrips, cutworm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Banana	Thrips, scarring beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Corn	Corn borer, earworm	1-4.5 Tbsp 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	_	_	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	_	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	_	_	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Crucifers (Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	16 days after the last spray	As soon as spray solution has dried on the foliage
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	24 days after the last spray	As soon as spray solution has dried on the foliage
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	2-5 g/16L water	_	-	As soon as spray solution has dried on the foliage
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Potato	Early and Late blight	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cabbage	Downy mildew, *Alternaria* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cauliflower	Downy mildew, *Alternaria* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Broccoli	Downy mildew, *Alternaria* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Celery	Late blight	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cotton	Damping off	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Lettuce	Downy mildew	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Pepper	Anthracnose	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Chili	Anthracnose	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Banana	Sigatoka, black leaf streak	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Grapes	Downy mildew, black rot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Mango	Anthracnose and scab	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Papaya	Fruit rot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Rice	Blast, Sheath blight, *cercospora* leaf spot, *helminthosporium* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Peanut	*Cercospora* leaf spot	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Soybeans	Leaf rust	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp 16 L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
NORTHERN PRIME TRADING CORPORATION	BUTACHLOR+PROPANIL	FACE-OFF 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	728-238-5927	22-Apr-25	-	Rice (Direct-Seeded)	Annual grasses, sedges and broadleaves	8-12 tbsp/ 16L water	-	-	-
NORTHERN PRIME TRADING CORPORATION	BUTACHLOR+PROPANIL	FACE-OFF 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	728-238-5927	22-Apr-25	-	Rice (Transplanted)	Annual grasses, sedges and broadleaves	8-12 tbsp/ 16L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Mango	Anthracnose & stem-end rot	50-75 (g/100 liters water)	-	22 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Rice	Sheath blight	30-50 g/16 liters water	0.05ppm	55 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Celery	late blight	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
VERCA AGRO CHEM, INC.	(Z)-9-TETRADECENYL ACETATE	FALL ARMY-LURE	2 mg/Lure	-	INSECTICIDE	4	647-519-4926	03-Feb-24	-	Corn (as pheromone lure)	Fall armyworm	90 mg A.I./HA or Lures/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Corn	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Sorghum	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Sugarcane	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Grapes	Beetles, cut worm, leafhopper, mealybug, scale insects, spider mites	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pineapple	Mealybug	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Garlic	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Onion	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying

FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26		Sorghum	Web worm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Citrus	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Coffee	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Pineapple	Broadleaves and annual grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Non-crop land	Annual and perennial grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Cabbage/ Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26		Banana	Thrips, scarring beetle , Aphids	20-30 ml(2-3Tbsp) per 16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Sugarcane	White Grub	80-100 ml per 16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Pineapple	Mealy bugs , Ants	1-4 L per hectare using boom sprayer		-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.

PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/Kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Potato	Early and late blight	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Celery	Late blight	3-6 Tbsp/16L water		14 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Cotton	Damping off	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Chili	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Papaya	Fruit rot	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Soybeans	Leaf rust	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-24	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-24	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-24	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-24	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24		Onion (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm./16 L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24		Rice (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	50-60 gm./16 L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24		Rice (Dry-Seeded)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm./16 L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24		Rice (Direct Seeded Pre-Germinated)	Annual Grasses Sedges Broad-leaf Weeds	40-50 gm./16 L water			
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	PRETILACHLOR	FASCLEAN	300 g/L	EC	HERBICIDE	4	603-063-4720	19-Mar-22	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp./16 L water	0.05ppm	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	PYRACLOSTROBIN	FASCURE 25 EC	250 g/L	EC	FUNGICIDE	2	540-396-5828	29-Oct-23	-	Banana	Sigatoka and freckles	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Cabbage	Diamondback moth	3.0-3.5 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Eggplant	Shoot borer and fruit borer	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Bittergourd	Cutworm	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	String beans	Pod borer	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Rice	Leaffolder	2.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Tobacco	Cutworm and budworm	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Rice	Whorl maggots, stemborer, rice bug, leafhopper, brown planthopper, leaffolder	4-5mL/16 L water	2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Corn	Maggots, borer, earworm	2-3mL/16 L water	0.3 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Watermelon	Armyworm, leaffolder, leafroller, aphids, squash beetle	2-3mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Stringbeans	Podborer, aphids, cutworm	2-3mL/16 L water	0.7 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Eggplant	Leafhopper, mites, podborer	2-3mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying

BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Tomato	Fruitworm	2.5-3.5mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Tobacco	Budworm. Cutworm, aphids	2-3mL/16 L water	-	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
AGCHEM MANUFACTURING CORPORATION	PROPYLENE GLYCOL+POLYALKYLENE OXIDE BLOCK COPOLYMER	FASTER	3.0% w/v+1.5% w/v	-	OTHERS	4	001-542-5387	06-Apr-22	-	As surfactant intended for ZYTOX 10 SC	-	-	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Potato	Early and late blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cabbage	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cauliflower	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Broccoli	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Celery	Late blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cucumber	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Squash	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cotton	Damping off	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		lettuce	Downy mildew	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Beans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peas	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mungbeans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Pepper	Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Chili	Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Eggplant	Blight, Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Banana	Sigatoka, Black leaf streak	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Grape	Downy mildew, black rot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mango	Anthracnose and Scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Papaya	Fruit rot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Melon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Watermelon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Soybeans	Leaf rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Ornamentals	Black spot, blight anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	-	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXYFLUORFEN	FENFEN 240 EC	240 g/L	EC	HERBICIDE	4	539-123-5164	04-Aug-23	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	2-40 mL/ 16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1.5-3.0 Tbsp/16l water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application

RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-		Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-		Do not enter treated field 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Beans	Beanfly, fleabeetle, aphids, leaffolder, podborer	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Banana	Flower thrips	2.0 Tbsp/16L water			
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Eggplant	Tip borer and fruit borer	3-4 ml prod/16 L water	1.5 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tobacco	Budworm and cutworm	3-4 ml prod/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Cabbage	Diamond back moth	3-4 ml prod/16 L water	-	5 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-5 ml prod /16 L water	0.2 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Watermelon	Melon worm and cutworm	4-5 ml prod /16 L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Onion	Cutworm	4-5 ml prod /16 L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Ampalaya	Leafroller	4-5 ml prod /16 L water	0.3 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Stringbeans	Podborer, cutworm	3 ml prod/16 L water	0.5 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Rice (as seed treatment)	Stem borer & leaffolder	2.1-4.2 mL FP/Kg seed; 1.0-2.0g ai/kg seed	0.05 mg/kg	87-94 days after last application	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Eggplant	Tip borer and fruit borer	6-8 gm/16 L water	-	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tobacco	Budworm and cutworm	5-7.5 gm/16 L water		-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-6 gm/16 L water	0.2mg/kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Ampalaya	Leafroller, cutworm	4-6 gm/16 L water	0.3mg/kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Stringbeans	Podborer, cutworm, armyworm & semi-looper	2-4g prod/16L	0.5mg/Kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Watermelon	Leaffolder, fruitworm, cutworm, armyworm & rindworm	2-4 gm/16L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Onion	Cutworm & armyworm	2-4gm/16L water	0.5mg/Kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Rice	Stemborer, leaffolder	4-8 g/16 L water	0.05 mg/Kg	31 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Corn	Corn borer	4-8 g/16 L water	-	5 days	After spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	FENPROZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	539-325-4034	07-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Cucurbits	Squash beetle	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Tobacco	Aphids, budworm	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Cotton	Aphids, budworm	5-8 Tbsp/16L water			
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	FERTERRA 0.4 G	-	G	INSECTICIDE	-	598-393-5367	23-Mar-22		Rice	Leaffolde and stemborer	10-12.5 kg prod. / ha			
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Banana	Thrips	3.5-4.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Beans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Mungbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Soybeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Sitao	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Corn	Cornborer, earworm	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-

UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT		Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-		
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-		
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Potato	Late blight	5-10g/16L water	-	14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Tomato	Late blight	5-10g/16L water	-	7 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Pineapple	Root rot, heart rot	60, 30g/16L water	-	14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Papaya	Phytophora root and basal rot	4-8g/L	-	3 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds	-	-	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	CYHALOFOP-BUTYL	FINALE 10 EC	100 g/L	EC	HERBICIDE	4	233-257-3020	09-May-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest .	One day after application.
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
ANGELEX AGRITRADE CORPORATION	CYHALOFOP-BUTYL	FINISHER 100 EC	100 g/L	EC	HERBICIDE	4	491-257-5930	21-Oct-24		Rice (Direct-Seeded)	Grasses	7-9 tbsp per tank load	-	-	-
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application

TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	10 days	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	10 days	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA		Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./HA		Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	2.7-4.0, 3.5-5.0, 4.0-6.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	21-May-24	-	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	21-May-24	-	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	21-May-24	-	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	21-May-24	-	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	21-May-24	-	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	27-Feb-25		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	27-Feb-25		Mango	Mango hopper	25-40 mL (2-3 tbsp)/16L water	-	-	-
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL/16L water	-	-	-
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Mango	Mango hopper	25-40 mL/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds		0.2 mg/kg		
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5-6.5 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886	04-Nov-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886	04-Nov-23	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886	04-Nov-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	25-Nov-24	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			

FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Banana	Flower thrips	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Cabbage	Diamondbacked moth, aphids, and cabbage moth		-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Potato	Thrips	-	-	-	-
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or

WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
UPL PHILIPPINES, INC.	PYRIMETHANIL	FLEURUS 400 SC	400 g/L	SC	FUNGICIDE	4	562-345-4791	15-Jun-24		Cavendish Banana	Black sigatoka	750 mL/ha		Do not harvest for 8 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Tomato	Early blight, late blight, vine rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Beans	Rust, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Crucifers	Powdery mildew	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Melon	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Cucumber	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Squash	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Watermelon	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Celery	Early blight, late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Onion	Purple blotch, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Pepper	Early and late blight, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Asparagus	Stem and leaf blight	1.80 L/ha or 3.2-4.8 tbsp/16		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25		Banana	Black sigatoka	1.38 L/ha or 3.2-4.8 tbsp/16	2.0 mg/Kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Tomato	Early blight, late blight, vine rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Beans	Rust, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Carrot	Alternaria, cercospora, helminthosporium	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Crucifers	Powdery mildew	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Cucurbits (Cucumber, melon, squash, watermelon)	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Celery	Early blight, late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Onion	Purple blotch, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Pepper	Early and late blight, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Asparagus	Stem and leaf blight	1.80 L/ha or 3.2-4.8 tbsp/16		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24		Banana	Black sigatoka	1.38 L/ha or 3.2-4.8 tbsp/16		7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water		-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water		-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass,& cassava for the control of annual &	30-50ml/16 L water		-	-

RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water			
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/Kg	WG	HERBICIDE	4	097-500-4668	23-Jul-24	-	Rice (Direct-Seeded)	Grasses, Sedges & Broadleaf weeds	150-300 g prod. / ha. At 160-200 L / ha. Spray volume	0.1 ppm	71 days	-
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/Kg	WG	HERBICIDE	4	097-500-4668	23-Jul-24	-	Rice (transplanted)	Grasses, Sedges & Broadleaf weeds	100-300g product pre hectare; 7-28 days after transplanting	0.1 ppm	71 days	-
BAYER CROPSCIENCE, INC.	PROPINEB+TRIFLOXYSTROBIN	FLINT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	584-598-5866	22-Sep-25	-	Potato	Early blight	30-100 grams prod./ tankload 750-2500 grams prod./ ha	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BAYER CROPSCIENCE, INC.	PROPINEB+TRIFLOXYSTROBIN	FLINT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	584-598-5866	22-Sep-25	-	Cabbage	Alternaria leafspot	30-100 grams prod./ tankload 750-2500 grams prod./ ha	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BERRIS AGRICULTURAL CO., INC.	NICLOSAMIDE ETHANOLAMINE SALT	FLIP 70 WP	500 g/kg	WP	MOLLUSCICIDE	4	233-229-0987	16-Jun-26	CONTACT	Rice	Golden apple Snail	35 grams (1 sachet) prod/ load	-	-	48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Cabbage	Diamond backed moth	1.5-2.5, 2.5-3.75, 3.0-5.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	FLITE 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	FLITE 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	FLITE 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop	Weeds	160-215ml/16 L water	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	FLITE 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
LTC MORITA CORPORATION	BISPYRIBAC SODIUM	FLORHERB 10 SC	100 g/L	SC	HERBICIDE	2	679-276-5321	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	250-300 mL/ha	-	-	As soon as spray deposits dry up
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	NOVALURON	FLYCON 10 EC	100 g/L	EC	INSECTICIDE	4	645-349-5912	30-Jul-26	-	Cabbage	Diamond back moth	1-2 tbsp/16L	-	Do not spray FLYCON 10EC at least one week before harvest	Entry to field and crops treated with FLYCON 10 EC can be done one day after spraying
SULI AGROSCIENCE PHILIPPINES INC.	FLUAZINAM	FLYEE 500 SC	500 g/L	SC	FUNGICIDE	4	692-301-6101	30-Mar-26	-	Potato	Late blight	15-20 mL prod/ 16 L water	-	14 days before harvest fpr potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	FLUAZINAM	FLYEE 500 SC	500 g/L	SC	FUNGICIDE	4	692-301-6101	30-Mar-26		Onion	Purple blotch	15-20 mL prod/ 16 L water	-	14 days before harvest fpr potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
ENVIRO CROPVET PRODUCTS, INC.	CYPERMETHRIN+TETRAMETHRIN+PIPERONYL BUTOXIDE	FLYKILL 32 EC	120+40+160 g/L	EC	INSECTICIDE	3	282-532-5170	20-Sep-25	-	Swine and poultry farms	Adult flies	-	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Pineapple	Heart rot	2.5, 2.5-5 grams product/Liters; 55, 56-110 product (g/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Coconut	Wet-bud & nut rot	7 grams product/Liters; 160 product (g/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Rubber	Black strife	Preventive treatment 10, Curative treatment 20 grams product/ Liters;	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Cacao	Black pod	2.5 grams product/Liters; 55 product (g/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Orchids	Black rot	2.5 grams product/Liters; 55 product (g/16L)	-	-	-
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Crucifers	Powdey mildew	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24		Banana	Black sigatoka	1.0-2.0 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Mango	Anthracnose & stem-end rot	50-75 (g/100 liters water)		22 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Rice	Sheath Blight	30-50 g/16 liters water	0.05ppm	55 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Tobacco	Frog eye leaf spot	15-25 g/16 liters water	-	-	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	After spray deposits have dried
AGRO IRIS PHILIPPINES, INC.	METAMIFOP	FOPCARD 100 EC	100 g/L	EC	HERBICIDE	4	752-409-6010	29-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (*Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum*)	750 mL-1 liter product/ ha	-	-	-
ORACLE CHEM CORPORATION	BUTACHLOR+PROPANIL	FOR D-MO 700 EC	350+350 g/L	EC	HERBICIDE	3	417-238-5530	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
ORACLE CHEM CORPORATION	BUTACHLOR+PROPANIL	FOR D-MO 700 EC	350+350 g/L	EC	HERBICIDE	3	417-238-5530	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24		Cabbage	Diamond back moth	25-50 ml (2.5-5.0 tbsp per 16 L water)			Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24		Banana	Thrips	1.0-1.25ml per liter water			Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24		Eggplant	Fruit and shoot borer	60-65 ml per 16L water			Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24		Beans	pod borer	30-50ml per 16L water			Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24		Onion	Thrips, cutworm	40-100ml per 16L water			Immediately after spray deposit has dried up.
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application

BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Corn (as seed treatment)	Seedling maggot	–	–	–	–
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Rice	Green leafhopper,brown planthopper & whitebacked planthopper	–	–	–	–
TEXICON AGRI VENTURES CORPORATION	DIBROMO-3-NITROPROPIONAMIDE	FORMO	200 g/L	AS	OTHERS	2	242-415-2655	09-Sep-25	-	Banana	As tool desinfectant for the control of Fusarium wilt & bacterial wilt	10-60 ml/L	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	BROMACIL	FORPINE 80 WP	800 g/Kg	WP	HERBICIDE	4	539-169-4525	25-Sep-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
JOCANIMA CORPORATION	CYPERMETHRIN+TETRAMETHRIN+PIPERONYL BUTOXIDE	FORTEFLY 32 EC	-	EC	INSECTICIDE	2	241-532-6060	20-Sep-25	-	Swine and poultry farms	Adult files	-	-	-	48 hours after the last treatment
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Coffee	Berry borer	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Citrus	Rind borer	4-6 tbsp/16 L water		5 days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CYANTRANILIPROLE	FORTENZA 600 FS		FS	INSECTICIDE	4	001-485-5386	23-Mar-24		Corn	Fall armyworm	175-250 mL prod. / 100 kg seeds	0.01 mg/kg	-	-
SYNGENTA PHILIPPINES INC.	CYANTRANILIPROLE	FORTENZA 600 FS	-	FS	INSECTICIDE	-	011-485-5051	23-Mar-24	-	Corn	Fall armyworm	-	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
UPL PHILIPPINES, INC.	DODINE	FORTIS 400 SC	400 g/L	SC	FUNGICIDE	2	562-418-5061	15-Jun-24		Banana	Black Sigatoka	0.8-1.2 L product/ha	-	0 Day	No ground workers allowed during spraying operation. Workers can enter area only after 1-2 hours of application to avoid small droplet
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		

JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Potato	Early and late blight	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Celery	Late blight	3-6 Tbsp/16L water		14 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Cotton	Damping off	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Chili	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Papaya	Fruit rot	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Soybeans	Leaf rust	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA GOLD 430 OD	430g/L	OD	FUNGICIDE	4	233-053-4459	30-Jul-24		Banana	Black Sigatoka	2.5-3.5 L/ha		-	-
NS NORTHERN ORGANIC FERTILIZER INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FORTUNER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	470-504-5997	24-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, broadleaves and sedges	500 mL to 1 Liter Formulated Prod. Per hectare	-	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+PROPANIL	FORWARD 70 EC	350+350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GEM AGROLOGIC, INC.	BUTACHLOR+PROPANIL	FORWARD 70 EC	350+350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Pineapple	Heart rot	50.5 /g16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Coconut	Wet bud	160g/16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Orchids	Black rot	50.5g/16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Cacao	Black pod	50.5g/16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Rubber	Black stripe	220.5g/16L water	-	Do not harvest for 7 days after applciation	-
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Coconut	Wet-bud rot	6-12 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Rubber	Black strife	23 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Cacao	Black pod	6 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Orchids	Black rot	6 Tbsp/16L	-	90 days	12-24 hours
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cabbage	Diamond-back moth, Cabbage worm, aphids	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Coconut	Wet-bud rot, nut rot	16 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Rubber	Black strife	3-6 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L	-	90 days	12-24 hours
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried

AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Rice	Blast, Sheath blight, cercospora leaf spot; helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771	10-May-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLONICAMID	FRIENBEE 50 WG	500g/kg	WG	INSECTICIDE	4	539-442-5708	29-Apr-25	SYSTEMIC	Eggplant	Aphids and Leafhoppers	5.6-7.2 grams/16L water (based on spray volume of 400l/Ha)			
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed at last application of FRISK 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 day before harvest	Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-23	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as FRISK 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
PLANTCARE TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTAGE 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	495-504-6045	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 mL / 15L	-	-	As soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	25-Sep-21	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (*Echinochloa spp., Leptochloa chinensis, Ischaemum rugusum*, sedges (*C. iria, C. difformis*): broadleaves (*L. octovalvis, S.*-	500 mL to 1000 mL product per hectare	-	-	As soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	28-Sep-24	POST-EMERGENT	Rice	Grsses, sedges and broadleaves	500-1000 mL prod. / ha ; Spray volume 160-192 L / ha	-	-	As soon as spray dries up.
RADISSON AGROCHEMICAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTLINER 200 OD	150+50 g/L	OD	HERBICIDE	4	234-504-5700	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broad leaves and sedges	500- mL to 1-L prod. Ha.; 160-192 L/ha	-	-	Re-entry to the rice field can be done as soon as spray dries up.
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Potato	Late Blight	1.5-2.0 Tbsp/ 16L water	-	14 Days	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Onion	Purple Blotch	1.5-2.0 Tbsp/ 16L water	-	7 Days	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Rice	Sheath blight	2.0-4.0 Tbsp/ 16L water	-	50 Days	Enter the field as soon as the spray dries up
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Tomato	Fruitworm,Armyworm,cutworm	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Eggplant	Fruitborer, aphids, leafhopper, & thrips	15.0-30.0 ml/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Cabbage	Diamond Backmoth,cabbage worm,aphids	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage

THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Watermelon	Thrips	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Potato	Thrips,army worm,cutworm,tubermoth	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Soybeans	Corn earworm, leafminer	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Mungbeans	Corn earworm, leafminer	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Cotton	Thrips,bollworms,budworms	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Sitao	Beanfly,leaffolder,aphids	30.0-50.0 mL/16 L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Mango	Blossom Thrips	10.0-20.0 mL/ L water		5 days after the last spray	As soon as the spray solution has dried on the foliage
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24		Banana	Fungal crown mold/crown rot, anthracnose, pitmark and smoky fruit	2-4 mL/L water	-	0 day	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24		Pineapple	Butt and crown mold and fruit core rot	0.5-1.0 mL/L water;1.0-3.0L/ hectare;1.0-3.0L/hectare; 0.5-1.0 mL/L		0 day	After spray deposits have dried
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Vegetables	Annual & perrenial grasses, Broadleaf weeds & sedges				
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-23	POST-EMERGENT	Non-crop	Annual & perrenial grasses, Broadleaf weeds & sedges				
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUJI-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-24		Rice	Rice blast	4.0-6.0 Tbsp prod/16L water	10ppm	Do not spray 14 days before harvest	Do not enter the field within 48 hours after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUJI-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-24		Banana	Black Sigatoka	8.0-16.0 Tbsp prod/16L water		Do not spray 14 days before harvest	Do not enter the field within 48 hours after spraying
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm		
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS) 11Tbsp.(30 DAS)	0.1 ppm		
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
ACE CROP SOLUTIONS INC.	BUTACHLOR+PROPANIL	FULL HOUSE 70 EC	350+350 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried up
ACE CROP SOLUTIONS INC.	BUTACHLOR+PROPANIL	FULL HOUSE 70 EC	350+350 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried up
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries

FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	25-Jul-17	SYSTEMIC	Banana	Black sigatoka	400mL/ha			
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	25-Jul-17	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L			
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO POWDER	560 g/Kg	TAB	FUMIGANT	1	562-084-4654	13-Feb-25	CONTACT	-	As fumigant for the control of Stored product pest	1 bag/7.5m	-	-	-
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO TABLET	560 g/Kg	TAB	FUMIGANT	1	562-084-4631	17-Jan-25	CONTACT	-	As fumigant for the control of Stored product pest	2-5 tablets per 1000 kilos; 20 tablet per 30 m	-	-	-
GRAINTEC CHEMICAL CO., INC.	ALUMINUM PHOSPHIDE	FUMITOXIN	560 g/Kg	TAB	FUMIGANT	1	073-084-0483	31-Dec-23	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALDIZ INCORPORATED	IMAZALIL	FUNGAFLOR 50L	500 g/L	L	FUNGICIDE	2	002-203-0394	31-Dec-19	-	Banana	Black Sigatoka /black leaf streak	200-400 mL/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
ALDIZ INCORPORATED	IMAZALIL	FUNGAFLOR 75 SP	750 g/Kg	SP	FUNGICIDE	2	002-203-0395	31-Dec-25	POST-HARVEST	Banana	Crown rot pathogens	40-70 g/100L water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-

SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Legumes	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusariumwilt	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Beans	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusariumwilt	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Strawberry	Powdery mildew, gray molds, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Banana	Sigatoka	1.5-2.0 TBSP/16L Water; 0.7 g product/L water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Cotton	Damping off	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 412 F	412 g/Kg	F	FUNGICIDE	4	385-053-3548	10-Sep-21	-	Banana	Sigatoka	2-4 Liters	-	-	Do not enter the spray area with 2 days after spraying
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 600 OS	600 g/L	OS	FUNGICIDE	4	385-053-3547	10-Sep-21	-	Banana	Black sigatoka	0.5-0.8 L/Ha+ 10-15 L/Ha water+ 0.7 L/Ha Oil	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries

VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha		-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Potato	Early blight, late blight, vine rot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Tomato	Early blight, late blight, vine rot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Beans	Rust, anthracnose	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Crucifers	Powdery mildew	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Celery	Early blight, late blight	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Pepper	Early blight, cercospora leaf spot, anthracnose	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp/16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Asparagus	Stem and leaf blight	1.8 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Banana	Black sigatoka	1.8 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Banana	Sigatoka	-		Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Beans	Bacterial blight, rust	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Cabbage	Black rot, black leaf spot	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Cacao	Black pod	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Carrot	Carrot blight, alternaria	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Cauliflower	Downy mildew, alternaria leaf spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Celery	Early and late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Citrus	Black apot, scab. Melanose, canker, fruit rot and brown	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Coffee	Leaf rust, coffee berry disease	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Grapes	powdery mildew, black rot, downy	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Mango	Anthracnose	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Onion	Purple blotch, downy mildew	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Pepper	Bacterial spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Potato	Early blight, late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Rice	Rice blast, sheath blight, bacterial leaf streak, bacterial leaf blight	20-50 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Tomato	Early blight, fruity rot septoria, downy mildew, anthracnose	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-23		Watermelon	Anthracnose, fruit rot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Corn	Hemintho sphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252	17-Sep-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	24-Aug-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g prod./ 16 L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Eggplant	Hoppers, whiteflies, fruit borer	2.5-5.0 g prod./ 16 L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g prod./ 16 L water	1 ppm	24 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g prod./ 16 L water	0.5 ppm	16 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Mango	Hopper	1.0-2.0 g prod/ 16L water	-	7 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Coconut	Scale insects	-	-	-	As soon as the spray solution has dried on the foliage
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 10 G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4192	02-Nov-20	-	Banana	Nemotodes, corn weevil and scarring weevil	10-15 kg/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4194	02-Nov-20	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4193	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nemotodes, white grubs, crickets & root flies	20-40 kg/ha	-	0 day	
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	598-104-4193	02-Nov-20	-	Banana	Nemotodes, corn weevil and scarring weevil	25-30 kg/ha	-	0 day	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	295-104-2458	31-Oct-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598	04-Jan-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Field legumes	Grubs	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Sugarcane	Borer, leafhopper, mealybug, scale insects	33.3-66.7 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-		2 days
ORACLE CHEM CORPORATION	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269	31-Oct-24	SYSTEMIC	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 days
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Non-crop land	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALAB 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	30-Aug-24	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALAB 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	30-Aug-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			

FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	17-Sep-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray has dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	SYSTEMIC	Potato	Leafminer, thrips	6.0-12.0 mL/16L water	-	5 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leaffolder, Green leafhopper	15.0-25.0 mL/16L water	-	21 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	SYSTEMIC	Mango	Mango hoppers, thrips, and cecid fly	40-50 mL prod. / 100 L water	0.2 mg/kg	-	Is allowed as soon as spray deposits had dried up
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALILEO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4601	04-Jan-25	-	Mango	Anthracnose & stem-end rot	65-80ml/100 L water	-	Do not spray 14 days before harvest.	As soon as spray solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALILEO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4601	04-Jan-25	-	Rice	Sheath blight	25 mL/16 L	-	Do not spray 14 days before harvest.	As soon as spray solution dries up.
KEMISTAR CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GALING 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	239-504-5102	02-Dec-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	500-750 mL prod.per hec. At spray volume of 160-192L water per	-	-	As soon as spray dries up.
ARYSTA LIFESCIENCE PHILIPPINES INC.	HALOXYFOP-R-METHYL ESTER	GALLANT SUPER	108 g/L	EC	HERBICIDE	2	083-351-2310	24-Apr-17	SYSTEMIC (POST-EMERGENCE)	Onion	Annual and Perennial grasses	2.5-5.0 Tbsp/16L			
DOW AGRO SCIENCES B.V.	HALOXYFOP-R-METHYL ESTER	GALLANT SUPER	108 g/L	EC	HERBICIDE	2	013-351-1139	23-Oct-25	SYSTEMIC (POST-EMERGENCE)	Onion	Annual and Perennial grasses	2.5-5.0 Tbsp/16L	-	-	-
UPL PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	GALLEON 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	562-229-4874	16-Jun-24	CONTACT	Rice	Golden Apple Snail	1 sachet/tankload, 10 Tankload/ha	-	-	At least 48 hours after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIFENOCONAZOLE+PROPICONAZOLE	GALTERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	376-325-4203	04-Dec-23	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm		
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+2,4-D IBE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm		
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+2,4-D IBE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm		
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried

CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Asparagus	Stem and leaf blight	1.8L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24		Banana	Black sigatoka	1.38L/ha		0 day	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm		
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm		
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Corn	Hemintho sphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried

GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Carrot	Alternaria, cercospora, helminthosporium	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Melon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Cucumber	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Squash	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Watermelon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Banana	Black sigatoka	1.2 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
DOW AGRO SCIENCES B.V.	TRICLOPYR	GARLON 4E	480 g/L	E	HERBICIDE	2	013-483-4442	31-Dec-21	-	Non-crop areas	Broadleaf of weeds	-	-	-	-
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Mungo	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Soybeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24		Beans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Cabbage	Diamond back moth	20-50 mL (2.5-5.0 tbsp/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Banana	Flower thrips	1.0-1.25 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Beans	Podborer	30-50 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Onion	Thrips and cutworm	40-100 mL/ 16L water	-	-	Immediately after spray deposits has dried up
AGRI-SPROUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	21-Dec-23	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	21-Dec-23	-	Rice (Direct-seeded)	Golden apple snail	4.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	21-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	21-Dec-23	-	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	21-Dec-23	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
EDSEL AGRI AND CHEMICAL CORPORATION	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	13-Oct-23	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	284-240-2367	28-Dec-25		Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100ml. prod./18-20 kgs. seed	-		
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	284-240-2367	28-Dec-25		Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 ml.product/1 kg. seed	-		
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Corn (as seed treatment)	Seedling maggot, ants, fileds crickets and mole crickets	75-100 mL prod./ 18-20 kgs. Seed	-	-	-
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Rice (as seed treatment)	Rice whorl maggot and green leafhopper	5-10 mL prod./ 1 kg seed	-	-	-
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GAVEL 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	248-504-5289	02-Dec-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves			-	
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GAVEL PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	248-504-6078	24-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L formulated Product per hectare (using spray volumes of 160	-	-	Re-entry to the rice field can be done as soon as spray dries up
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application

GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/16L water	-	-	-
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/16l water	-	45 Days	
GENTRADEPHIL INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	GENPRO 8.5 EC	60+25 g/L	EC	HERBICIDE	3	660-453-5494	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits dry up
GENTRADEPHIL INC.	PYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-23	-	Corn	Leaf spot	0.4 L/Ha		4 days	As soon as spray deposits have dried or at 24 hours after spraying.
GENTRADEPHIL INC.	PYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-23	-	Banana	Sigatoka freckles	0.4 L/Ha		4 days	As soon as spray deposits have dried or at 24 hours after spraying.
TLV AGRO SALES ORP.	BENZALKONIUM CHLORIDE	GENTROL 400	400 g/L	SL	OTHERS	4	384-394-2210	10-Feb-24	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	As soon as spray solution has dried up
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Banana	Marker for use in plantations		-	-	-
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-
GENUFLECT CORPORATION	AZADIRACHTIN	GENUFLECT-NEEM OIL	400 ppm	-	INSECTICIDE/FUNGICIDE	4	732-513-5856	5-May-23	-	Banana	Scale insects, mealybugs, aphids, siagatoka		-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges				
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-23	POST-EMERGENT	Vegetables	Annual & perrenial grasses, Broadleaf weeds & sedges				
PLANTCARE TRADING CORPORATION	PYMETROZINE	GERCON 50 WG	500 g/Kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-23	-	Mango	Leafhopper	1 sachet*/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
AGREXPLORE CORPORATION	BENZALKONIUM CHLORIDE	GERMX 400 SL	400 g/L	SL	OTHERS	4	528-097-3608	25-Jan-25		Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	-
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Mango	Anthracnose	40-80 g prod /100 L water		30 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/16 L water	-	35 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leaf spot, & leaf anthracose	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Corn	Helminthosporium leaf spot, rust	4-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Potato	Early and late blight	4-8 g/16L water	-	3 days	As soon as spray deposits have dried
DOW AGRO SCIENCES B.V.	SPINOSAD	GF-120 NATURALYTE FRUITFLY BAIT	0.2 g/L	SC	INSECTICIDE	4	013-306-1653	15-Mar-23	-	Mango	Fruit flies		-	-	
DU PONT FAR EAST, INC.	SPINOSAD	GF-120 NATURALYTE FRUITFLY BAIT	0.2 g/L	-	INSECTICIDE	4	014-306-5389	15-Mar-23	-	Mango	Fruit flies	-	-	-	-
EDSEL AGRI AND CHEMICAL CORPORATION	PRETILACHLOR	GIGAFIT 300 EC	300 g/L	EC	HERBICIDE	4	597-063-5803	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15, 8.5-12.5,7.5-11 tbsp per tankload of 16 L capacity sprayer	-	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GILAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GILAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
GIRASOL AGRICHEM INC.	POTASSIUM SILICATE	GIRASIL FORTE	200+100 g/L		FUNGICIDE	4	665-492-5027	27-Jan-23	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot,anthracnose, pitmark and black sigatoka	-		-	-
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application

SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Banana	Flower thrips			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	26-Oct-23	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs			Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
PLANTCARE TRADING CORPORATION	PRETILACHLOR	GLC 30 EC	300 g/L	EC	HERBICIDE	4	495-063-4884	05-Sep-24	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Glyphosate tolerant corn	Itch grass, morning glory, dayflower, syndrella, button weed, spindle top, caloposonium, hairy beggarticks, tropic ageratum	2-3 L Prod./ha	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Coffee	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Cacao	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Rubber	Mutha	2.0 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Oil palm	Paragrass	2.0 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Citrus	Talahib	4.5 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Coconut	Fern (Shade Condition)	2.0 L Prod./ ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Sugarcane	Other annual weeds	2.0 L Prod./ ha	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Vegetables	Other annual weeds	2.0 L Prod./ ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tobacco	Aphids, katydidid	3.0-6.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	NICLOSAMIDE ETHANOLAMINE SALT	GLOBONO 70WP	700 g/kg	WP	MOLLUSCICIDE	4	658-229-6146	20-Jul-26	CONTACT	Rice	Golden apple snail	10 tankload/ha ; 1 sachet (35gm)/tankload (16L)	-	-	Re-enter fields at least 48 hours after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ ha; 4-13 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Mango	Leafhoppers, tip borers	20-30 mL/ 100L	-	3 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha; 10-16 mL/16L	-	3 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bug	100-200 mL/ ha; 10-30 mL/ 16L water	-	14 days	Do not enter treated field for at least 1 day after application
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spraying deposits have dried
RED BUFFALO AGRIVENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	501-182-4745	05-Apr-22	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	21.5, 27, 13.5 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
RED BUFFALO AGRIVENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	501-182-4745	05-Apr-22	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
RED BUFFALO AGRIVENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	501-182-4745	05-Apr-22	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	16-21.5 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
RED BUFFALO AGRIVENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	501-182-4745	05-Apr-22	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5-20 Tbsp/16L water	0.2 mg/kg	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds				
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds				
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Weeds				
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg		
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Grasses sedges and broadleaves		-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Grasses sedges and broadleaves	-	-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Grasses sedges and broadleaves		-	-	-

AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Non-agricultural crop areas	Grasses sedges and broadleaves		-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds				
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds				
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds				
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg		
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Rubber	Annual and perennial, grass and broad-leaved weeds	-		-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Oil palm	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Citrus	Annual and perennial, grass and broad-leaved weeds		-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Coffee	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Cacao	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-		-	Workers can re-enter the field after spray deposits have dried.
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum ore reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	GLYFORCE 160 SL	160 g/L	SL	HERBICIDE	4	445-151-2971	20-Mar-24	POST-EMERGENT	non-crop areas	common grassy fields				
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	GLYKIL 160 SL	160 g/L	SL	HERBICIDE	4	001-151-2055	09-Mar-25	NON-SELECTIVE	Non-crop areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha			

ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Non-crop	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	14-Aug-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-

TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	09-Mar-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, broadleaf weeds sedges				
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		-	
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	-	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water			
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water			
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water			
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water			
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water			
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg		
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	15-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			

RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
CROPKING CHEMICALS INC.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	065-123-0624	07-Oct-22	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water			Immediately after spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	499-123-5438	14-May-24	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Immediately after spray deposits have dried
S&P ENTERPRISES, INC.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	566-123-5697	14-May-24	SELECTIVE (PRE /POST EMERGENCE)	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Do not enter treated area until sparay deposits has dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Enter treated fields until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	-	-	7-14 days	Enter treated fields until spray deposit have dried
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682-B	15-Sep-24	SYSTEMIC	Rice	Rice black bug	500mL/ha	0.5 ppm	Pre-harvest interval must consider at least 6 and 10 weeks from application on ager bud basis for banana cv.	-
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682	15-Sep-24	SYSTEMIC	Banana	Aphids, mealy bugs, flower thrips	0.5-1.0 mL prod./ L of water	-	Pre-harvest interval must consider at least 6 and 10 weeks from application on ager bud basis for banana cv.	-
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682	14-Feb-24	SYSTEMIC	Mango	Cecid fly	50-200 mL prod./200 L	-	Pre-harvest interval must consider at least 6 and 10 weeks from application on ager bud basis for banana cv.	-
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1 1/2Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Mango	Hoppers	3/4-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Cotton	Bollworm	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Cocoa	Podborer	1-2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	_	_	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	_	_	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	_	_	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	_	_	24 hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
ENVIRO CROPVET PRODUCTS, INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS, INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS, INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS, INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS, INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	7 Days	Re-entry is allowed as soon as the spray deposits dry up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-247-5407	12-Feb-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-247-5407	12-Feb-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-247-5407	12-Feb-25	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-247-5407	12-Feb-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-247-5407	12-Feb-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GOLDEN KILL 70 WP	700g/kg	WP	MOLLUSCICIDE	4	603-229-4318	03-Apr-24	CONTACT	Rice	Golden apple snail	35 grams or 1 sachet	_	_	Do not enter the treated field within 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	_	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	_	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR+PROPANIL	GOLDEN BLADE 70 EC	350+350g/L	EC	HERBICIDE	3	603-238-4314	03-Apr-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR+PROPANIL	GOLDEN BLADE 70 EC	350+350g/L	EC	HERBICIDE	3	603-238-4314	03-Apr-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE	GOLDEN KILL 250 EC	250g/L	EC	MOLLUSCICIDE	4	603-229-4319	03-Apr-21	_	Rice	Golden apple snail	7-10/10-14Tbsp/16 L water	_	_	At least 48 hours after application
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cotton	Damping off	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries

GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	14 days		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_		As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katydidi	3.0-6.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
STOLLER PHILIPPINES, INC.	SOYBEAN OIL	GOLDEN NATURAL SPRAY OIL	-	-	OTHERS	4	347-376-1631	24-Mar-24	-	Papaya	Scale Insects	5-10mL/L water	-	-		-
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25		Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,		Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25		Banana	Banana ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,		Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	-	Mango	Mango ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,		Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	-	Coffee	Coffee ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,		Re-entry into treated areas may be done as soon as spray has dried
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ ha	-	-		Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs/ ha	-	-		Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kgs/ ha	-	-		Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Strawberry	Slug, snails	6-8 kgs/ ha	-	-		Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kgs/ ha	-	-		Do not enter treated field within 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare		-		Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare		-		Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare		-		Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BISPYRIBAC SODIUM	GOLDENCLEAN 10SC	100 g/L	SC	HERBICIDE	2	603-276-4484	20-Aug-21	-	Rice (Direct-seeded lowland)	Grasses, sedges & broadleaves	2.5-3.0 Tbsp/16 L water	0.1 ppm	-		-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GOLDENCLEAN PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	603-504-6093	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-		Re-entry to treated field is allowed as soon as spray deposits dry up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	_		-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	_	_		-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_		_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	03-Apr-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	_		-
AGRIBASE CHEMICALS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	GOLDEN-K 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	457-229-2586	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-		Do not enter the treated field within 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Do not spray 10 days before harvest		Do not enter treated field within 2 days before harvest
C.B. ANDREW ASIA, INC.	BIFENTHRIN+CLOTHIANIDIN	GOLDRUSH 370 SC	247 g/L+123 g/L	SC	INSECTICIDE	2	460-609-5951	1-Dec-23	SYSTEMIC	Rice	Green leaf hopper, brown plant hopper, white-backed plant hopper, rice black bug, rice leaf folder, rice semboer	250-750 mL prod./ hectare 160 L / hectare	-	-		
VETMATE FARMA CORP.	IMIDACLOPRID+BETA-CYFLUTHRIN	GOLIATH	-	-	INSECTICIDE	2	658-398-5168	10-Aug-22	-	Mango	Mango leafhopper	-	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	13-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	14-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	15-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	16-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	17-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	18-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	19-Oct-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Non-crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	0.2 mg/kg	–	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	07-Nov-23	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
CHEMREZ TECHNOLOGIES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	GRAINCARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	529-325-5421	25-Jan-25	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	GRAINCARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	529-325-5421	25-Jan-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1.0-2.0 Tbsp/16l water	-	-	-
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-23	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			Do not enter the field within five (5) days after spraying.
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	GRANDE CARBOFURAN 10G	100g/kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-5508	30-Jul-22	-	Banana	Nematodes, corn weevil, scaring weevil		-	Do not apply within thirty (30) days of harvest	Two (2) days
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm		
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray dries

GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Mango	leafhopper	1 Sachet/200L	-	-	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Corn	Leafhopper, planthopper & aphids	7-16 g prod/16L; 100-250 g/ha	-	5 days	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Rice	Leafhopper and green leafhopper	25 g/16 L	-	-	Enter the field when spray deposits have dried
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360+240 g/L	EC	HERBICIDE	3	668-152-5066	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360+240 g/L	EC	HERBICIDE	3	668-152-5066	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/16L		10-12 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Citrus	Rusetting, greasy spot, black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cucumber	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Mango	Anthracnose, scab	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Melon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Onion	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Ornamentals	Black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Potato	Early & Late blight	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Rice	Blast, Sheath blight, anthracnose	3.0-6.0 Tbsp/16L	0.02ppm	7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Tobacco	Blue mold, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Watermelon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-24	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-24	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-24	-	Crucifers	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GRANTICIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	596-229-5045	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	Re-enter fields at least 48 hours after application
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	03-Mar-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			

RAINBOW AGROSCIENCES PHILIPPINES INC.	CLETHODIM	GRASIDIM	240 g/L	EC	HERBICIDE	4	539-334-5739	06-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D. aegyptium and D. ciliaris)	0.5 L/Ha	-	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	13.5; 21.5; 27 Tbsp/16L water	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	13.5; 16 Tbsp/16L water	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-agricultural crop areas	Weeds	16-21.5 Tbsp/16 L water	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	16; 13.5-20 Tbsp/16L water	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	-	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	-	–
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	18-Jan-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-			
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		-
AGRIBASE CHEMICALS, INC.	BUTACHLOR+PROPANIL	GRASSCUTTER 70 EC	350+350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
AGRIBASE CHEMICALS, INC.	BUTACHLOR+PROPANIL	GRASSCUTTER 70 EC	350+350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–		–
BIOSTADT PHILIPPINES INC.	THIOBENCARB+2,4-D IBE	GRASSEDGE 800 EC	600+200 g/L	EC	HERBICIDE	2	097-194-0919	13-Nov-24	-	Rice (Transplanted)	Grasses, sedges & broadleaves	10,8.5,6.5,5 Tbsp/sprayload	-	-		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	12-Sep-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	GRASSOUT 160 SL	160 g/L	SL	HERBICIDE	4	075-151-1934	13-Jul-24	POST-EMERGENT	non-crop areas	(common grassy fields) for the control of weeds	3-6 Liters/ha				
VAST AGRO SOLUTIONS, INC.	BUTACHLOR+PROPANIL	GRASTOP 70 EC	350+350 g/L	EC	HERBICIDE	3	385-238-1975	03-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
VAST AGRO SOLUTIONS, INC.	BUTACHLOR+PROPANIL	GRASTOP 70 EC	350+350 g/L	EC	HERBICIDE	3	385-238-1975	03-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up

MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	_	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	_	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-		As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_	As soon as spray dries
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Corn	Hemintho sphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INDOFIL PHILIPPINES INC.	COPPER OXYCHLORIDE+COPPER HYDROXIDE	GRIFON SC	223 g/L+239 g/L	SC	FUNGICIDE	3	604-437-4515	18-Sep-24		Cavendish Banana	Diamond fruit spot, finger rot & freckle	10-11 mL/Liter water mixe with 0.7 thiophanate methyl 70 wp	-	7 days from last spray untill harvest	Do not enter treated area untill spray has dried
EDSEL AGRI AND CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	GRIND 700 EC	350+350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
EDSEL AGRI AND CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	GRIND 700 EC	350+350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	23-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT) 9Tbsp+7Tbsp	0.1 ppm	-	
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	23-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS) 11Tbsp.(30 DAS)	0.1 ppm	-	-
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 10 SC	100 g/L	SC	HERBICIDE	4	460-276-2756	21-May-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as the spray droplets have dried.
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 10 SC	100 g/L	SC	HERBICIDE	4	460-276-2756	21-May-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Transplanted)	Grasses, sedges & broadleaves		-	-	As soon as the spray droplets have dried.
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	08-Sep-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Banana	Black Sigatoka	0.3-0.4 L prod/ha		-	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha		-	-
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;4.0-6.0 mLprod./16L		7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Stringbean	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mLprod./16L		7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Eggplant	Whiteflies, gGreen leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mLprod./16L		7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400/ mL prod./ha;4.0-13.0 mL prod./16L		7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L		3 Days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL prod./ha;10.0-16.0 mL prod./16 L		3 Days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Banana	Flower thrips	1-3 mL/L		90 days	Do not enter treated fields for atleast 1 day after application

S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod./ 16 L		14 days	Do not enter treated fields for atleast 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Bitter gourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ ha 4-13 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ ha 10-16 mL/ 16L water		3 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ ha 10-30 mL/ 16L water	-	14 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borers	20-30 mL/ 100 L	-	3 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Beans	Beanflies, aphids		-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
HERMUSA AGRIVEN CORP.	CHLOROTHALONIL	HAC daconil 720 SC	-	SC	FUNGICIDE	4	743-118-5981	9-Jan-26	-	Banana	Black sigatoka				
HAILIR PHILIPPINES AGROSERVICE INC.	PYRACLOSTROBIN	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Banana	Black sigatoka and frekles	0.40 L prod.ha	-	4 days	After drying of spray or 24 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	PYRACLOSTROBIN	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Corn	Leafspot	0.40 L prod.ha	-	4 days	After drying of spray or 24 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	NICLOSAMIDE ETHANOLAMINE SALT	HAILUSCIDE 70 WP	700g/kg	WP	MOLLUSCICIDE	4	672-229-5324	26-Jan-24	CONTACT	Rice	Golden Apple Snail	35 grams (1 sachet)	-	-	At least 48 hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	20-Jan-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	20-Jan-24	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	45 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Rice	Stemborer, brown planthopper (BPH) leaffolder, rice bug	500-910 mL prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Cabbage	Diamondback moth (DBM)	500-1000 mL prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Watermelon	Thrips, leaf beetles	500-1000 iL pro,/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Onions	Cutworm	1000 mL prod/ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Eggplant	Fruit borer	750-1000 mL prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses & broadleaf weeds				After spray deposits have dried

HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses & broadleaf weeds				After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Mixed weeds, perennial grasses & broadleaf weeds				After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds				After spray deposits have dried
SYNGENTA PHILIPPINES INC.	MESOTRIONE, GLYPHOSATE, S-METACHLOR	HALEX GT 525 ZC	25g/L+250g/L+250 g/L	ZC	HERBICIDE	4	011-475-4321	04-Apr-24	POST-EMERGENCE	Glyphosate tolerant corn	Grass weeds, sedges and brodleaves	4L product/ha applied at about 20 days after planting (can be used with	0.01 ppm(Mesotrione)	-	-
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
AGSMART CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOBAC 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	680-504-6043	16-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses broadleaves and sedges	500-mL to 1-L Prod./ha (160-192 L/ ha	-	-	As soon as spray dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM	HALORICE 50 EC	50 g/L	EC	HERBICIDE	4	497-387-4640	01-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	5.0-6.0 Apply 8-16 DAT	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	HALORICE PLUS 85 EC	25+60g/L	EC	HERBICIDE	3	539-453-4688	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOSPYR 13 SE	80 g/L+50 g/L	SE	HERBICIDE	4	001-504-5072	26-May-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tank load/ ha 16L (2.5 tank load/ ha 16L	-	-	-
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOSPYR PRIME 200 OD	150g/L+50g/L	OD	HERBICIDE	4	001-504-5949	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500-mL to 1-L product/ ha (Using spray volume of 160-192 L water/ha.)	-	-	As soon as spray dries up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cabbage	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Pechay	Cutworm, Diamond back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cauliflower	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Mustard	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cotton	Bollworms	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Tomato	Tomato fruitworm,cutworm	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Tobacco	Tobacco budworm	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Asparagus	Asparagus worms	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Banana	Slug caterpillars	1.25-2.5 g prod./ L water (0.375 g prod./ mat)	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
LEB LEGACY AGRI CORP.	NICLOSAMIDE ETHANOLAMINE SALT	HAMMER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	666-229-5047	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-(075/590)	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	GLYPHOSATE IPA	HARDHIT 160 SL	160 g/L	SL	HERBICIDE	4	241-151-2833	08-Jul-20	POST-EMERGENT	non-crop areas	common grassy fields				
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet / 16L sprayer	-	-	-

MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Corn	Cornborer, earworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Sorghum	Cornborer, earworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-23	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-21	-	Mango	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Cocoa	Plant growth regulator	¼ tbsp./3-5 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
LICHEMPHIL INTERNATIONAL INC.	PYRACLOSTROBIN	HEADLINE 25 EC	250 g/L	EC	FUNGICIDE	2	590-396-5268	29-Oct-23	-	Banana	Sigatoka freckles	0.4 L/Ha		4 days	As soon as spray deposits have dried or at 24 hours after spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Citrus	Annual and perennial broadleaves and grasses	13.0-19.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Coffee	Annual and perennial broadleaves and grasses	13.0-19.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Cotton	Annual and perennial broadleaves and grasses	8 tbsp/ 16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Pineapple	Annual and perennial broadleaves and grasses	13 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Non-crop land	Annual and perennial broadleaves and grasses	20.0-28.0 tbsp/16 water	-	-	A day after application
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-23		Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water			1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-23		Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-23		Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			1 day
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400	400 g/L	SL	HERBICIDE	2	284-013-0015	28-Oct-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400	400 g/L	SL	HERBICIDE	2	284-013-0015	28-Oct-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400	400 g/L	SL	HERBICIDE	2	284-013-0015	28-Oct-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
TEXICON AGRI VENTURES CORPORATION	BROMACIL	HELIX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-169-4236	11-Jan-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water	–	–	–
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635	17-Mar-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CHLORPYRIFOS+CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26		Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL (2-3 tbsp)	-	-	-
S&P ENTERPRISES, INC.	CHLORPYRIFOS+CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.

LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-23		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	0.2 mg/kg	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Corn	Grasses	15-22.5 Tbsp/16L water	-	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Transplanted)	Grasses & Broadleaf weeds	7.5-22.5 Tbsp/16L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Direct-Seeded)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (lowland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Upland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Cotton	Grasses & Broadleaf weeds	15-30 Tbsp/16L water	-	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Onion (Transplanted)	Grasses & Broadleaf weeds	11.5-15.0 Tbsp/16L water	-	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Sugarcane	Grasses & Broadleaf weeds	22.5-30 Tbsp/16L water	-	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Tobacco	Grasses & Broadleaf weeds	5.0-10.0 Tbsp/16L water		-	Entry to treated fields and crops can be done one day after spraying
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR	HERBARIUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm		
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR	HERBARIUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm		
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges				
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Glyphosate tolerant corn	Itch grass, morning glory, synedrella, buttonweed, spindletop, caliopsonium, hairy beggarticks, tropic ageratum	2.0-4.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Mango	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Banana	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Coffee	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Cacao	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Rubber	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Oil palm	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Citrus	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Coconut	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Sugarcane	Other annual weeds	2.0 L/Ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	12-May-26	-	Vegetables	Other annual weeds	2.0 L/Ha	-	-	-
CROPKING CHEMICALS INC.	BUTACHLOR	HERBISTAR 60 EC	600 g/L	EC	HERBICIDE	4	065-150-1313	13-Jul-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm		
CROPKING CHEMICALS INC.	BUTACHLOR	HERBISTAR 60 EC	600 g/L	EC	HERBICIDE	4	065-150-1313	13-Jul-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm		
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	2.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying

JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Vegetables	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges		0.1 ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR+PROPANIL	HERO 70 EC	350+350 g/L	EC	HERBICIDE	3	668-238-5064	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR+PROPANIL	HERO 70 EC	350+350 g/L	EC	HERBICIDE	3	668-238-5064	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ZAGRO CORPORATION	HEXACONAZOLE	HEXACON 5 SC	50 g/L	SC	FUNGICIDE	4	043-243-1903	25-May-24	-	Rice	Sheath blight	8 Tbsp/16L water per 200 Spray Volume	0.02ppm	44 days	-
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Corn	Seedling maggot	200-500 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podbeer, thrips	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHIIJPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-

SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Banana	Sigatoka,finger rot,corn rot	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Beans	Rust,bacterial blight	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cacao	Black pod	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Carrot	Carrot blight,alternaria	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Celery	Early and late blight	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Citrus	Melanose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Mango	Anthracnose	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Garlic	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Pepper	Bacterial spot	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Potato	Early and late blight	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Rice	Bacterial blight,rice blast,sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Watermelon	Anthracnose, fruit rot	2.6-6.0 Tbsp/16L water		7 Days		Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Papaya	Baterial crown rot	4.5-7.0 kg/ha		7 Days		Do not enter treated area without protective clothing until spray dries
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1½ Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Mango	Hoppers	¾-1½Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest		-
JYNNSONS PHILIPPINES, INC.	CYHALOFOP-BUTYL	HIGH POINT 10 EC	100 g/L	EC	HERBICIDE	4	551-257-4661	15-Apr-25	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-		-
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	12-Sep-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Stop spraying 10 days before harvest		Do not enter the field within two days after spraying
CROPKING CHEMICALS INC.	NICLOSAMIDE	HIT 250 EC	250 g/L	EC	MOLLUSCICIDE	4	065-229-0866	13-Mar-24		Rice	Golden apple snail	7-10 Tbsp/16L water	-	-		Do not re-enter the field within 2 days after spraying. Do not re-enter fishpond within 24 hours
CROPKING CHEMICALS INC.	NICLOSAMIDE ETHANOLAMINE SALT	HIT 700 WP	700 g/Kg	WP	MOLLUSCICIDE	4	065-229-1085	13-Mar-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-		48 hours after spraying
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare				Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare				Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare				Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare				Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare				Do not enter treated field within 48 hours after last application
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16 L water, Open field: 13.5-2.0 Tbsp/16 L water	0.2 mg/kg	0 Day		After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	Shaded:21.5 Tbsp/16 L water, Open condition: 27 Tbsp/16 L water, Mixed	-	0 Day		After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16 L water, Open field: 13.5 Tbsp/16 L water		0 Day		After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual and perennial grasses, sedges and broadleaf weeds	Mixed weeds: 16-21.5 Tbsp/116 L water	-	0 Day		After spraying deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Glyphosate tolerant corn	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.0 Liters/Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Mango	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coconut	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/Ha	-	-		-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Vegetables under minimum or reduced tillage systerm	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-

HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
BAYER CROPSCIENCE, INC.	TRIBUTYLPENOL-POLYGLYCOTHER+NONYPENOL-POLYGLYCOTHER	HOESTICK	500 g/L	L	OTHERS	4	284-076-0622	28-Dec-25	-	-	Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100 L water; 5-10 mL/16 L (4	-	-	-
TAIPAN BRAND FARM INC.	TRIBUTYLPENOL-POLYGLYCOTHER+NONYPENOL-POLYGLYCOTHER	HOESTICK	500 g/L	L	OTHERS	4	529-076-5153	28-Dec-25	-		Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100 L water; 5-10 mL/16 L (4		-	
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	0.50 ppm	–	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	0.07 ppm	14 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	0.2 ppm	–	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	–	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	0.60 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	0.6 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	2.00 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	0.20 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	08-Jun-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	0.02 ppm	7 days	–
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PYMETROZINE	HOPBAN 50 WG	500 g/kg	WG	INSECTICIDE	4	667-307-5909	27-Jan-26		Mango	Leafhopper	1 Sachets / 200L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried.
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Mango	hopper & tip borer	3-3.5 Tbsp/16L water			
VAST AGRO SOLUTIONS, INC.	PYMETROZINE	HOPEST 500 WG	500 g/Kg	WG	INSECTICIDE	4	385-063-4523	25-Sep-21	-	Mango	Mango Leafhopper	1 sachet*/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUPROFEZIN	HOPOVER 250 SC	250g/L	SC	INSECTICIDE	3	539-224-3965	23-Dec-25	SYSTEMIC	Mango	Leafhopper	60-80mL/200 L water		15 days	Re-entry to field is as soon as spray dries.
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Mango	hopper & tip borer	3-3.5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	7 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L	-	15 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha or 26.7 g/16 L water	-	7 days	After spray deposits have dried up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23		Cabbage	Diamond-back moth	4.0 Grams/ 16L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Eggplant	shoot and fruit borer	4.0 Grams/ 16L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Corn	Cornborer and earworm	4.0 Grams/ 16L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Tobacco	Budworm and cutworm	4.0 Grams/ 16L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Stringbeans	Pod borer	4.0 Grams/ 16L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Bittergourd	Cutworm	4.0 Grams/ 16L			
ORACLE CHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HORNET 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	417-229-2190-A (548)	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 tankload/ha 1 sachet (35grms)/tankload (16L)	-	-	Re-enter fields at least 48 hours after application
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HOT SHOT 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	239-229-0999	23-Dec-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Crucifers (chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
RAINBOW AGROSCIENCES PHILIPPINES INC.	METAMIFOP	HUGRICE 100 EC	100 g/L	EC	HERBICIDE	4	539-409-5709	29-Apr-25	POST-EMERGENT	Rice (direct-seeded)	Grasses, echinochloa sp., Leptochloa chinesis, ischaemum rugosum	750 ml-1 liter product/Ha	-	-	
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	TERBUFOS	HUNTER 10 G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	1	099-181-1253	17-Mar-21		Banana	Burrowing nematodes, aphids & corn weevils	8 gram ai/mat/year	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
KEMISTAR CORPORATION	CYHALOFOP-BUTYL	HUSAY 100 EC	100 g/L	EC	HERBICIDE	4	239-257-5578	21-Oct-24		Rice (Direct-seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-

GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Celery	Early blight	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Celery	Early blight	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peas	Powdery mildew	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-			Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Papaya	Baterial crown rot	4.5-7.0 kg/ha	-			Do not enter without protective clothing until spray has dried.
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mungbeans	cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Beans	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields

AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILIPPINES, INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Pineapple	Plant growth regulator for flowering	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Banana	Ripener	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Mango	Ripener	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Coffee	Ripener	100-150ml/1000 trees	–	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
RADISSON AGROCHEMICAL CORPORATION	ALUMINUM PHOSPHIDE	HYPHOS FUMIGATION TABLETS	560 g/Kg	TAB	FUMIGANT	1	234-084-2929	17-Nov-23	CONTACT	-	Stored product pest	1 bag/7.5m			
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Rice	Leafhopper, planthopper, caseworm	1.5-3.5 Tbsp/16L water	0.5ppm	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Field Legumes	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cowpea	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Mungbeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Soybeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Tobacco	Budworm, aphids	1.5-4 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cotton	Leafhopper	4-7 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Melon	Diamond back moth, cutworm, aphids	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cabbage	Cabbage worm	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	BROMACIL	HYVAR X 80 WP	800 g/Kg	WP	HERBICIDE	4	075-169-3695	05-Jul-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
DU PONT FAR EAST, INC.	BROMACIL	HYVAR X WEEDKILLER	800 g/Kg	WP	HERBICIDE	4	014-169-0355	26-Mar-18	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tobacco	Aphids, katydidid	3.0-6.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER EC	490 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER EC	490 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER EC	490 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Cavendish banana	Weeds	16 tbsp/ 16L water; 13.5-20 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Rubber	Weeds	21.5 tbsp/ 16L water; 27 tbsp/ 16L water; 13.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Oil palm	Weeds	16 tbsp/ 16L water; 13.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Non-crop areas	Weeds	16-21.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries

INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
IAGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PARAFFINIC MINERAL OIL	IDEMITSU SPRAY AS	99 g/L	AS	OTHERS	4	088-282-4277	05-Mar-19	CONTACT	Banana	Black sigatoka	4-5 L/Ha	-	0 Day	-
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	21.5,27,13.5 Tbsp/16 L water	-	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5 Tbsp/16 L water	_	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Weeds	16-21.5 Tbsp/16 L water	_	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5-20.0Tbsp/16 L water	0.2 mg/kg	0 day	After spraying deposits have dried
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Mango	Hoppers	20-25ml/100 L water	-	20 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Banana	Flower thrips, aphids, mealy bugs	0.5ml.prod/liter water,0.5-1.5 ml prod/liter water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Watermelon	Thrips, aphids	3-4 ml/16 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Citrus	Rindborer, mealybug, scale insects	1.25-2.50ml/16 L water	-	14 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Cabbage	DBM, Flea beetle	2.0-2.5ml/16 L water	-	28 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Sugarcane	Termites	1.5-2.5ml/16 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Asparagus	Thrips	3 ml/16 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Okra	Leafhopper	0.62-1.25ml/16 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Pineapple	Mealybug	Dip planting materials (seed) in IMARON solution before planting a	-	30 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Banana	Blossom thrips	0.5/ L water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Cabbage	Diamond back moth	1000 mL prod/ha			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Pineapple	Mites	1000-4000mL prod/ha			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			

IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Papaya	Mites	0.5-1.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100 mL prod./ 18-20 kgs. Seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 mL prod./ 1 kg seed	-	-	-
BAYER CROPSCIENCE, INC.	SPIROXAMINE	IMPULSE EC 500	500 g/L	EC	FUNGICIDE	2	284-385-1851	28-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.64 L prod./ha	4 ppm	0 day	-
DETREX INDUSTRIES INC.	METHYL BROMIDE+CHLOROPICRIN	INBROM	980+20 g/L	-	FUMIGANT	1	525-111-3088	19-Dec-24	-	Soil and space fumigant	Weeds, nematodes, fungal & Insect pests	500 kg/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Eggplant	Whiteflies, aphids, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha; 4-13 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha; 10-16 mL/16L	-	3 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10.0-30.0 mL/16L	-	14 days	Do not enter treated fields at least 1 day after application.
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on folage
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 455 F	455g/L	F	FUNGICIDE	4	604-053-4240-A	05-Feb-24		Banana	Sigatoka/black leaf	4-5 Liters/ha		Do not spray within 7 days before harvest.	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 600 OS	600 g/L	OS	FUNGICIDE	4	604-053-4505	11-Sep-24		Banana	Black sigatoka		-	-	-
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Potato	Early and late blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Celery	Late Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Cucumber	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Squash	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Cotton	Damping off	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Lettuce	Downy Mildew	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Pepper	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Chili	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Banana	Sigatoka, Black leaf streak	2-3 kg/ha		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Grapes	Downy Mildew, Black rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Mango	Anthracnose, and scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Papaya	Fruit rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Corn (sweet and popcorn)	Helminthosphorium leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	3-6 Tbsp/16 L	0.02ppm	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Soybeans	Leaf rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-24		Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Potato	Early and late blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Celery	Late blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Cotton	Damping off	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		lettuce	Downy mildew	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying

INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Chili	Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	INDOFIL SULFENTRAZONE 480 SC	480 g/L	SC	HERBICIDE	3	604-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Sugarcane	Grasses , broadleaf weeds and sedges	1.0 L prod./ha; 400 L/ha	0.2 ppm	-	Do not enter treated area witin one day after treatment unless wearing protective clothing
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	INDOFIL SULFENTRAZONE 480 SC	480 g/L	SC	HERBICIDE	3	604-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Pineapple	Grasses , broadleaf weeds and sedges	1.0-2.08 L prod./ ha	-	-	Do not enter treated area witin one day after treatment unless wearing protective clothing
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Cabbage	Diamond back moth	3.0-3.5 grams prod./ 16L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Eggplant	Shoot/ fruit borer	4.0-5.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Bittergourd	Cutworm	4.0-5.0 g prod./ 16L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Stringbeans	Podborer	4.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Rice	Leaffolder	2.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Tobacco	Cutworm/budworm	4.0 g prod./ 16L sprayer	-	1 day	As soon as the spray has dried
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	10 days	
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	10 days	
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA			
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./HA			
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Banana	Flower thrips	Dilute 6.0 mL prod./L of water. Inject 70 mL suspension mix per bud.	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Corn	Seedling maggot	Dilute 10-12 mL prod./ kg of seed or 200-250 mL prod./ 20 kg of seeds	-	Do not apply 7 days before harvest	One day after application
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Watermelon	Downey mildew	1.2-1.6 Kg product per hectare at spray volume of 400 Liters per hectare	5 mg/kg Propamocarb HCl 0.5 mg/kg Fluopicolide	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Potato	Late blight	50-60 mL product per 16 Liters water at spray volume of 400 Liters per	0.05 mg/Kg Fluopicolide; 0.3 mg/Kg Propamocarb HCl	7 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Tomato	Late blight (*Phytophthora infestans*)	50-60 mL product per 16 L at spray volume of 400 L / hectare	1 mg/Kg Fluopicolide 2mg/Kg Propamocarb HCl	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
SYNGENTA PHILIPPINES INC.	FLUDIOXINIL+METALAXYL-M	INFLUX XL 035 FS	25+10g/L	FS	FUNGICIDE	4	011-454-3670	19-Oct-26		Corn	Damping-off (Pythium arrhenomanes) & seeding blight (Fusarium verticilliodes)	20-60ml/20 kg seed	-	-	-
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Banana	Thrips		-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Corn	Comborer, earworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Sorghum	Comborer,earworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application

PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.

SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cotton	Damping off	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE	Cavendish Banana	Annual grasses, perennial grassses and broadleaf weeds	160-135-200mL/L water		-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	rubber	Annual grasses, perennial grassses and broadleaf weeds	215-270mL/16L water		-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grassses and broadleaf weeds	160-135mL/16L water		-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grassses and broadleaf weeds	160-215mL/16 L water		-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Cavendish banana	Weeds	150 mL/16L water; 136-200 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Rubber	Weeds	215,270,135 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Oil palm	Weeds	160,135 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Non-agricultural crop areas	Weeds	160-215 ml/16L water	-	-	After spray deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	WHITE MINERAL OIL	INT BSO	-	-	OTHERS	4	540-468-4259	24-Jan-25	-	Banana	As adjuvant for the control of black sigatoka	Concentrate of 0.50-5%, i.e 4 to 50mL of product per liter water		-	
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 Tbsp/16L water	0.1 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leaffolders	3-5 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Coffee	Berrybores, leaffolder, mealybugs	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cacao	Aphids, caspid bugs	3.2-6.4 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cotton	Aphids, leaffolder, whiteflies, mites	2-3 Tbsp/16L water		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/L water. Inject 60-80 mL solution per bud		Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	02-Dec-25	SYSTEMIC	Potato	Late blight	4-6 tbsp. prod/16 L water	0.05 ppm	7 days	After spray deposits dried up
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	02-Dec-25	SYSTEMIC	Tomato	Late blight	4-6 tbsp. prod/16 L water	1.00 ppm	1 day	After spray deposits dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Potato	Late blight	4-6 tbsp. prod/16 L water	-	7 days	Do not enter treated fields until spray deposit have completely dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Tomato	Late blight	4-6 tbsp. prod/16 L water		1 day	Do not enter treated fields until spray deposit have completely dried.
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	INTENSE 160 SL	160 g/L	SL	HERBICIDE	4	668-151-5293	09-Mar-25	POST-EMERGENT	non-crop areas	Common grassy fields	24-48 Tbsp/16L water		-	-
INTERSORORA INC.	CLOTHIANIDIN	INTERCADORO 20 SC	200 mL/L	SC	INSECTICIDE	4	664-379-6191	16-Jun-26	-	Rice	Rice black bug	0.08-0.1 kg A.I./ ha 40-50 mL prod./16 L water	-	-	-
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	115, 145, 72mL/16 water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	86-115mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water		-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72-107mL/16L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.

CORTEVA AGRISCIENCE PHILIPPINES, INC.	Cry1F, Cry1Ab and CRY2AB2	INTRASECT (TC1507 x MON810 x NK603)	-	-	INSECTICIDE	-	PIP-04-05-11	25-Oct-24	-	Corn	Fall armyworm (PIP)		-		-	-
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Banana	Black sigatoka, diamond spot, finger rot & freckle	125-150ml/ha; 1-2 mL/L water	-		0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Tomato	Early blight, bacterial spots, bacterial specks & bacterial wilt	300-350, 250-350 ml/ha; 20-30 mL/L water	-		0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Corn	Ear rot	300-400ml /ha; 1.5-2 mL/L water	-		0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Pineapple	Bacterial heart rot	2.0-2.5ml/L water; 4.8-6.0 L/ha	-		0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Rice	Bacterial leaf blight	2-3 mL product/L water	-		0 day	As soon as spray droplets dry up
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare				
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare				
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare				
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare				
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare				
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	31-Dec-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–		–	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIODICARB	IVACARB 350 FS	350 g/L	FS	INSECTICIDE	4	088-117-2964	21-Feb-21	SYSTEMIC	Corn	Seed treatment	250ml IVACARB 350 FS 1 bag (18-20Kgs.) of hybrid seeds			-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Cavendish Banana (Post-harvest treatment)	Anthracnose,crown rot,crown mold	1500-400ppm	-		3-7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Banana	Black sigatoka and freckle		-		3-7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Pineapple	Butt mold	250-300ppm	-		3-7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIALKYL DIMETHYL AMMONIUM CHLORIDE+ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE	IVAGARD 800 SL	480+320 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	Cavendish banana	As toll disinfectant for the control of Moko disease caused by *Ralstonia solanacearum*	6-8 mL /1L water	-		-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIALKYL DIMETHYL AMMONIUM CHLORIDE+ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE	IVAGARD 800 SL	480+320 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	Banana	Fusarium oxysporum f.sp. Cubense (Panama disease)	8-40 mL Prod. / L	-		-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	IVASTAR 90 SC	69+21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-		-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	IVASTAR 90 SC	69+21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet-Sown)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-		-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIOPHANATE METHYL	IVATOP 550 SC	550 g/L	SC	FUNGICIDE	4	088-107-4167	25-Oct-23	SYSTEMIC	Banana	Anthracnose , pitmark & smoky fruit					
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Potato	Early and late blight	3-6 Tbsp/16 L water			-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Celery	Late blight	3-6 Tbsp/16 L water			14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cotton	Damping off	3-6 Tbsp/16 L water			-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		lettuce	Downy mildew	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Pepper	Anthracnose	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Chili	Anthracnose	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water			60 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Papaya	Fruit rot	3-6 Tbsp/16 L water			-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water			7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water			14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water			-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water			-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	JABBA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	459-229-2531	20-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-		-	At least 48 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Mango	Hoppers, tip borers, thrips, cecid fly, capsid bug	2.0-2.5 g prod./16L water			10 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, leaffolder, brown/white backed planthopper, stemborer, black bug, rice bug	3.0-3.5 g prod./16L water	0.5 ppm		28 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Eggplant	leafhopper, aphids	3.0 g prod/16L water			3 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 200 SC	200 g/L	SC	INSECTICIDE	4	088-379-6127	28-Apr-26	-	Rice	Rice black bug	40-50 mL prod/ 16L water 400-500 mL prod/ ha	-		-	-
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Non-crop and minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Sugarcane	whitegrubs	80-100 ml per 16L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Pineapple	Ants & Mealybugs	1-4 L per hectare			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Eggplant	Fruitborer	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha			
DOLE PHILS.,INC. (STANFILCO DIVISION)	KEROSENE	JET A-1	99.9	EC	OTHERS	4	369-474-4311	02-Apr-19	_	Cavendish banana as disinfectant	Moko and Panama disease	30-50ml product/sucker	_	_	_
SHELLHOMES CHEMICALS, INCORPORATED	NICLOSAMIDE	JETKILL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	481-229-2653	06-Sep-22		Rice	Golden apple snail	7-10 Tbsp/16L water			At least 48 hours after application
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of JEWEL 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		7 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		3 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as JEWEL 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2.0-4.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Direct-seeded)	Golden Apple Snail (Kuhol)	4.0-8.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Potted and driftwood	Bush snails, giant african snails and slugs	1.0-2.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	JM-CPA	250+450 mL/L	-	OTHERS	4	487-348-3638	04-Feb-25	SELECTIVE (POST-EMERGENT)	-	As a surfactant on lampas	20-30ml/16 L water		-	-
JOEPABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	JOEPABS BUTACHLOR PROPANIL	350+350 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
JOEPABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	JOEPABS BUTACHLOR PROPANIL	350+350 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries

JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-		As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-		As soon as spray dries
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Soybeans	Bean fly, grubs, nematodes, other soilinsects	16.7-33.3 kg prod/ha				2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Cowpea	Bean fly, grubs, neamatode, other soil insects	16.7-33.3 kg prod/ha	-			2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-			2 Days
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	10-May-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-		One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	10-May-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-		One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	10-May-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-		One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	551-049-4011	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest		Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	551-049-4011	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest		Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	551-049-4011	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest		Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-065-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	_	_		Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-065-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	_	_		Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-065-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	_		Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Rice	Rice blast, *helminthosporium* , cercospora leaf spot	50-60 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Cacao	Pod rot, brown bark rot, black pod	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Mango	Anthracnose, sooty mold	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Tomato	Early and late blight, fruit rot, *septoria* leaf spot	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Tobacco	Blue mold fusarium, *alternari* a leafspot, frogeye disease	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Banana	Sigatoka	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Pepper	Anthracnose, mildews, blight, fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Potato	Early and late blight	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Watermelon	Anthracnose, mildews, *alternaria* , fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Celery	Mildews, early and late blight	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Crucifers	Mildews, cercospora alternaria	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Carrot	Alternaria and cercospora	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Melon	Mildews, cercospora, alternaria, anthracnose	55-80 grams/ 16L water	-	24 hours after the last spray.		24 hours after each spray
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-	7 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-	7 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	7 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	-	7 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-	3 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Corn	Asiatic corn borer, cutworm, leahoppers, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-	3 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Banana	Flower thrips	1-3 ml/L	-	90 days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	14 Days		Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	23-Dec-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying		One (1) day after each spraying

GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	JUDO 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm		
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	JUDO 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS) 11Tbsp (30 DAS)	0.1 ppm		
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Citrus	Blanket application on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Coffee	Direct spray on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Pineapple	Blanket application on broadleaves and annual grasses	13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Non-crop land	Direct spray on broadleaves and annual grasses	20-28 Tbs.p/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		-	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Citrus	Blanket application on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Coffee	Direct spray on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp / 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Pineapple	Blanket application on broadleaves and annual grasses	13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	18-Feb-26	POST-EMERGENCE	Non-crop land	Direct spray on broadleaves and aanual grasses	20-28 Tbsp / 16 L water	-	-	Re-enter 1 day after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CLOTHIANIDIN	JUSTICE 20 SC	200 g/L	SC	INSECTICIDE	4	603-379-5757	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
EZERTECH CORPORATION	METAMIFOP	KABESA 100 EC	100 g/L	EC	HERBICIDE	4	648-409-6056	29-Apr-26	POST-EMERGENCE	Rice (Direct-seeded)	Grasses (*Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum*)	750 mL to 1L 7.5-10 tbsp/16L		-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Banana	Leafhopper, Tip borer	15-2 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Eggplant	Fruit borer	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Mango	Leafhopper, Tip borer	15-20 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Rice	Leafhopper, Tip borer	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Stringbeans	Aphids	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Tobacco	Budworm, Aphids	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Tomato	Fruitworm	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-23		Watermelon	Whorl maggot, Green leafhopper, Brown planthopper, Stemborer, Leaffolder, Rice bug	2-3 Tbsp/16L water		Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	KAINGIN 160	160 g/L	SL	HERBICIDE	4	487-151-2695	23-Jun-24	POST-EMERGENT	non-crop areas	common grassy fields	3-6 Liters/ha	-	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha; 30-50 mL prod./ 100L	-	14 days	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Tomato	Alternaria leaf spot, *cercospora* leaf mold, powdery mildew	0.20-0.30 L/ha	-	7 Days	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	7 days	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 Days	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha; 0.6/L	-	-	-

VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L/ha	-	-	-	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-		-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-		-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-		-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-		-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	–		-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–		–
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Sitao	Beanfly, leaffolder & aphids	3-5 Tbsp/16L water	-	14 days		Do not enter treated field one (1) day after application
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		-
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	099-397-3776	15-Jul-25	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L	-	Can be applied 1 day before harvest		-
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	099-397-3776	15-Jul-25	CONTACT	Beans	Bean rust	1.6-4.8 Tbsp/16L	-	Can be applied 1 day before harvest		-
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	499-397-5333	27-Oct-23	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L				
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	499-397-5333	27-Oct-23	CONTACT	Beans	Rust	1.6-4.8 Tbsp/16L				
HANEARL SCIENCE PHILIPPINES, INC.	BUPROFEZIN	K-ALJUR 25 SC	250 g/L	SC	INSECTICIDE	3	659-224-5393	20-Jan-26		Mango	Leafhoppers	60.80 ML/200 L water	-	Do not spray before harvest		Re-entry to treated fields is allowed as soon as spray dries.
BIOLIFE SCIENCES SOLUTIONS COMPANY	ALUMINUM POTASSIUM SULFATE	K-ALUM	990g/L	-	OTHERS	4	581-465-4098	23-Aug-26	-	Cavendish banana	Processed water coagulant and delatexing agent	0.08-1.50g/L water	-	-		-
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Munbean	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Banana	Blossom Thrips	0.5/L water		-		Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Cabbage	Diamond back moth	1000 mL prod/ha		7 days		Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Ornamentals	Mites	1.0-1.5 Tbsp/16 L water		-		Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Pineapple	Mites	1000-4000 mL prod./ha		-		Re-enter treated area only after spray has ddried.

HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Eggplant	Thrips,Leafhopper,Fruit and borer	2.0-5.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Onion	Leafminer,thrips	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Potato	Leafminer,thrips	2.0-3.0 Tbsp/16 L water		14 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Tomato	Leafminer,thrips,aphids	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Watermelon	Leafminer,thrips,melonworm	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Papaya	Mites	0.5-1.0 Tbsp/16 L water		14 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	24-Jul-24		Strawberry	Mites	2.0-4.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Corn	Comborer, earworm	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Sorghum	Comborer,earworm	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	12-Sep-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-		
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Corn	Comborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Sorghum	Comborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	3 Days	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-		Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-		Do not enter fields treated with KANABIS 40 SP within 12 hours after application
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LICHEMPHIL INTERNATIONAL INC.	ISOPROTHIOLANE	KARA-ONE 41.2 EC	412.0 g/L	EC	FUNGICIDE	4	590-248-5431	10-May-24	SYSTEMIC	Rice	Rice blast	4.0-6.0 Tbsp prod/16L water	10ppm	14 Days	Do not enter the field within 48 hours after sprauing.
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	01-Jul-21	SYSTEMIC	Bnana	Aphids	1-2 mL/ 150 mL solution/mat , 1.9-3.8 L prod./ha, 4.5 L/ ha		0 day	-
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs, leaffolder	16-32 mL/16 L water	0.90 ppm	28 days	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Mango	Hoppers, twig/tip borer	32-48 mL/16 L water	0.03 ppm	40 days	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Corn	Seedling maggot, corn borer, earworm	16-32 mL/16 L water	-	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Tomato	Fruitworm	32 mL/16 L water	2.00 ppm	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Eggplant	Shoot/fruit borer, leafhopper	16-32 mL/16 L water	0.50 ppm	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26		Mungbean	Pod borers, leafhopper	16-32 mL/16 L water	-	-	After spray deposits have dried up.
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-23	PRE/POST-EMERGENCE	Rice	Annual grasses, broadleaves and sedges	3-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-23	PRE/POST-EMERGENCE	Sugarcane	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-23	PRE/POST-EMERGENCE	Corn	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-23	PRE/POST-EMERGENCE	Lawns	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-23	PRE/POST-EMERGENCE	Grassland	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application

LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
KARPOS CHEMICALS SOLUTIONS CO.	PYMETROZINE	KARPOS-PYMETROZINE 25 SC	250 g/L	SC	INSECTICIDE	4	684-307-5950	29-Nov-23	-	Banana	Aphids, mealy bug scale insect	0.5-2.5 mL product/ L water	-	-	-
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
KARRAT MARKETING CORPORATION	BUTACHLOR+PROPANIL	KARRAT BUTACHLOR+PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-20	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
KARRAT MARKETING CORPORATION	BUTACHLOR+PROPANIL	KARRAT BUTACHLOR+PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-20	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Asparagus	Armyworm, cutworm	1 Tbsp/ 16 L water		-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Banana	Thrips	1.5-2 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Corn	Cornborer, earworm	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	18-Sep-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT)-9Tbsp+7Tbsp	0.1 ppm	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	18-Sep-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp.(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-

2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Pineapple	Mealy bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
JYNNSONS PHILIPPINES, INC.	PYMETROZINE	KAZAM 50 WG	500 g/Kg	WG	INSECTICIDE	4	551-307-4382	31-May-24	-	Mango	Mango Leafhopper	1 sachet*/200 L	–	–	Do not enter the treated fields for at least 24 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Rice	Sheath blight	250-350 mL product	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	250-500 mL product	-	45 days	-
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT	-	-	OTHERS	4	741-606-5914	25-Oct-25	-	Banana	Marker for use in plantations			-	-
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT	-	-	OTHERS	4	741-606-5914	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	400g/L	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Potato	Early and late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cabbage	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cauliflower	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Broccoli	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Celery	Late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cucumber	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Squash	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cotton	Damping off	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Beans	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Peas	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Mungbeans	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Tomato	Early and late blight,anthracnose,septoria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Onion	Purple blutch,downy mildew,Botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Garlic	Purple blutch,downy mildew,Botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Chili	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Grapes	Downy mildew,black rot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Melon	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Watermelon	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Ornamentals	Black spot,blight,anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-23		Banana	Thrips,scaring beetl,aphids	20-30 mL(2-3Tbsp)per 16 L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-23		Pineapple	Mealy bugs ant	1-4 L per hectare using boom sprayer	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-23		Sugarcane	White grub	80-100 mL per 16 L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Stringbeans	Leafspot	0.20-0.30 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold,powdery mildew	0.20-0.30 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha			
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972	22-Nov-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha			
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENPROPIMORPH	KEENOR 880 OL	880 g/L	OL	FUNGICIDE	2	450-511-5850	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L prod./ ha.	-	0 day	As soon as spray droplets dries
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			

SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR SUGARCANE RIPENER	-	-	OTHERS	-	239-151-1776	02-Feb-24		Sugarcane	Ripener	2-3 L prod./ 30 L water / ha.	-	-	-
KEMISTAR CORPORATION	TRIDEMORPH	KEMISTAR TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	239-097-2016	20-Dec-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	15-Jul-22	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 tbsp/ 16L water	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL/ 200L L drum	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Onion	Anthracnose	2.0-3.5 tbsp/ 16L water	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/16L water	-	-	-

S&P ENTERPRISES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Rice	Rice blast, sheath blighjt	4.0-5.0 tbsp/ 16L water 2.5-5.0 tbsp/ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-23		Cabbage	Diamondback moth	15-25, 25-25, 30-50 mL/16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-23		Eggplant	Shoot borer	30-40 mL-16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-23		Onion	Cutworm	53-30 mL/16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-23		Rice	Stemborer,brown planthopper,leaffolder,rice bug	27-40, 34-52, 40-63 mL/16 L water	0.01 ppm	10 days	
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-23		Watermelon	Thrips, leaf beetles	25-30 mL/16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload		-	
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977	09-Jan-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-B	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Cavendish bnana	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-B	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Rubber	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-B	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Oil palm	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-B	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Non-agricultural crop areas	Grasses sedges and broadleaves	-		-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Celery	Late Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cucumber	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Squash	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cotton	Damping off	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Lettuce	Downy Mildew	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Pepper	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Chili	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Grapes	Downy Mildew, Black rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mango	Anthracnose, and scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.

HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Papaya	Fruit rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Corn (sweet and popcorn)	Helminthosphorium leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Soybeans	Leaf rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24		Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTERSORORA INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	KIAMBA 247 SC	106 g/L+141 g/L	SC	INSECTICIDE	2	664-395-5019	25-Apr-26		Mango	Leafhopper and cecid fly	30 mL 100L water; 0.375/ha		3 Days	Do not enter treated fields for at least 1 day after application
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 after application
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	11-May-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Cucurbits	Squash beetle	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Tobacco	Aphids, budworm	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Cotton	Aphids, budworm	5-8 Tbsp/16L water			
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-23	SYSTEMIC/CONTACT	Potato	Late Blight	5 Tbsp/16 L water		-	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-23	SYSTEMIC/CONTACT	Tomato	Late Blight	5 Tbsp/16 L water		-	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-23	SYSTEMIC/CONTACT	Grapes	Downy Mildew	5 Tbsp/16 L water		-	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
UPL PHILIPPINES, INC.	CLETHODIM	KINETIK 24 EC	240 g/L	EC	HERBICIDE	4	562-334-4946	16-Jun-24	SYSTEMIC	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. ciliaris	35.00ml/16 L water	-	Do not spray on onion 14 days before harvest	Entry to crops and fields sprayed with KINETIK 24 EC may be done 1 day after spraying
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	03-Nov-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA) INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	KING DAVID 300 OD	210+90 g/L	OD	INSECTICIDE	2	088-393-5644	27-Aug-25	SYSTEMIC	Mango	Mango leafhopper	20-40mL product/100 liters water 50-80 mL prod/200L water	-	-	No re-entry within 48 hours after spray.Appropriate warning signs should be placed before and after spraying
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORPORATION	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	13-Oct-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Onion	Thrips	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-23	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
AGRO IRIS PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	KIPERINA 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Transplanted)	*Echinocloa crusgalli,E.glabrescens,C.difformis,I nuposum L.chinensis,M.vaginalis F.miliacea,C.iria S.zylanica and*	-	-	-	After spray deposit has dried up
AGRO IRIS PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	KIPERINA 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Direct-seeded)	*Echinocloa crusgalli,E.glabrescens,C.difformis,I nuposum L.chinensis,M.vaginalis F.miliacea,C.iria S.zylanica and*	-	-	-	After spray deposit has dried up
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Potato	Late blight	5-10g/16L water	0.10 ppm	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Tomato	Late blight	5-10g/16L water	2.00 ppm	7 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Pineapple	Root rot, heart rot	60, 30g/16L water	-	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Papaya	Phytophora root and basal rot	4-8g/L	-	3 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds	-	-	24 hours after application
GREAT HARVEST AGRICHEMICALS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KIX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	541-229-3299	01-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5110	10-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
INDOFIL PHILIPPINES INC.	ACETAMIPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	04-Jun-24		Mango	Mango Hopper	1.5-2.0 tbsp./16 L water	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	ACETAMIPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	04-Jun-24		Eggplant	leafhoppers & fruit /shoot borer	1.0-2.0 tbsp./16 L water	_	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 160 SL	160 g/L	SL	HERBICIDE	4	233-151-2007	20-Nov-24	POST-EMERGENT	non-crop areas	common grassy fields	3-6 L/ha, 24-48Tbsp/16 L water(200 L/ha),12-24 Tbsp/16 L water(400	-	-	-
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-23	SYSTEMIC(POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges & broadleaves					As soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-23	SYSTEMIC(POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges & broadleaves					As soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-23	SYSTEMIC(POST-EMERGENT)	Non-crop areas	Grasses, sedges & broadleaves					As soon as spray deposits on crops and weeds have dried.
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges					
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges					
SYNGENTA PHILIPPINES INC.	BRODIFACOUM	KLERAT WAX BLOCKS	0.05 g/kg	-	RODENTICIDE	2	011-228-0789	12-Jan-26	-	Pineapple and banana plantations	Rodents					
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KLIK 700 EC	350+350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm			
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KLIK 700 EC	350+350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm			
EZERTECH CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	648-300-5305	22-Dec-23	-	Banana	Fungal crown mold/crown rot					
EZERTECH CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	648-300-5305	22-Dec-23	-	Pineapple	Fungal crown mold/crown rot					
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25		Cabbage	Diamond back moth,aphids & cabbage moth	6.30-12.50,6.30-12.50,10.40-12.50 ml/16 L water				
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25		Potato	Thrips	2.10-6.30,6.30-12.50 ml/16 L water				
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25		Banana	Flower thrips	8.30-12.50 ml / 16 L water				
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries	

HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water	-	14 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water	-	3 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	K-NICLOSA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	659-229-4975-A (672)	20-Dec-24	CONTACT	Rice	Golden Apple Snail	35 gm/16 L water		-	48 hous after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.0-6.0 Tbsp/16L	-		

DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Mango	Anthracnose	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Rice (hybrid)	Bacterial leaf blight	4.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Cacao	Black pod	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Onion	Purple blotch, downy mildew	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Potato	Early and late blight	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Cabbage	Black rot, black leaf spot	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Carrot	Carrot blight, alternia	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Pepper	Bacterial spot	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Beans	Rust, bacterial blight	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Watermelon	Anthracnose, fruit rot	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Grapes	Black rot, downy and powdery mildew	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Celery	Early and late blight	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Banana	Sigatoka, bacterial fruit rot, finger rot, corn rot	2.0-6.0 Tbsp/16L	-		
DU PONT FAR EAST, INC.	COPPER HYDROXIDE	KOCIDE DF 2000	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-23	-	Cauliflower	Downy mildew, alternaria, leaf spot	2.0-6.0 Tbsp/16L	-		
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Rubber	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Oil palm	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Non-crop areas	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Cavendish Banana	Annual grasses,sedges and broadleaves	-	0.2 mg/kg	-	-
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Rice	Whorl maggots, stemborer, rice bug, leafhopper, brown planthopper, leaffolder	4-5mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Corn	Maggots, borer, earworm	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Watermelon	Armyworm, leaffolder, leafroller, aphids, squash beetle	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Stringbeans	Podborer, aphids, cutworm	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Eggplant	Leafhopper, mites, podborer	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Tomato	Fruitworm	2.5-.3.5mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Tobacco	Budworm. Cutworm, aphids	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Banana	Sigatoka, leaf freckles, rust	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Tomato	Early and late blight, Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Eggplant	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Pepper	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Corn	Helminthosporium leaf spot, rust, downy mildew	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Beans	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Peas	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Celery	Late blight	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Carrot	Alternaria leaf spot, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		lettuce	Downy mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Cabbage	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Broccoli	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Watermelon	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Melon	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Squash	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Peanut	Cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Citrus	Melanose, scab	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Ornamentals	Black spot, powdery mildew, black rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		-	-

PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	7 days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	7 Days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	7 Days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Celery	Early blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	04-May-24	-	Papaya	Baterial crown rot	4.5-7.0 kg/ha	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	BUTACHLOR+PROPANIL	KORVANCE 70 EC	350+350 g/L	EC	HERBICIDE	3	491-238-2928	18-Nov-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELEX AGRITRADE CORPORATION	BUTACHLOR+PROPANIL	KORVANCE 70 EC	350+350 g/L	EC	HERBICIDE	3	491-238-2928	18-Nov-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	15-30 mL/16 L water	0.2 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Potato	Thrips	5-15 mL/16 Lwater, 1.5-3.0 Tbsp/16L	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Banana	Flower thrips	2-3 ml/ 1 L water	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borers	60 mL/200 L	-	3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ ha.	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ ha.	-	3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Banana	Flower Thrips	1-3 mL/ L	-	90 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ ha	-	14 days	Do not enter treated field for at least 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-23	CONTACT	Sitao	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23	-	Lettuce	Early blight, neck rot	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23	-	Cucurbits	Downy mildew, late blight	50-65 g/16L water			Immediately after spray deposits have dried

HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Celery	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Beans	Rust	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Potato	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Tomato	Early and late blight	50-65 g/16L water		3 days	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Tobacco	Brown leaf spot	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Coffee	Brown eye spot	65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Citrus	Black spot	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Melon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Watermelon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Asparagus	Cercospora Leaf Blight	2.5-kgs/ha			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Ornamentals	Black spot, rust	35-50 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Mango	Anthracnose	50-65 g/16L water			Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000 g product/ha)	0.05 ppm	18 days	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-23		Banana	Sigatoka, freckle disease	2.5-kgs/ha	-	0 day	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	CARBENDAZIM+TEBUCONAZOLE	K-QURAL 250 SC	125+125 gL	SC	FUNGICIDE	4	659-405-4980	26-Jul-24		Mango	Anthracnose (Colletotrichum gloeosporioides	200mL-300mL/200L drum	-	55 Days after last application	When spray deposits have dried
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
BIOLIFE SCIENCES SOLUTIONS COMPANY	KRESOXIM-METHYL	KREMET 300 SC	-	SC	FUNGICIDE	4	581-573-5671	14-Feb-23	-	Banana	Black sigatoka	0.4-0.5 L/ ha.	-	0 day	After spray deposits have dried
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Banana	Thrips	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Corn	Comborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Mango	Anthracnose	40-80 grams prod./ 100 L water 2000 L/ ha	-	30 days	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	12-16 grams prod./ 16 L water 160 L/ ha	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Bittergourd	Powdery mildew, *cercospora* leaf spot and anthracnose	6-8 grams/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Eggplant	*Cercospora leaf spot, early blight*	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Onion	Purple blotch	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Corn	*Helminthosporium* leaf spot, corn rust	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Watermelon	Leafspot, powdery mildew	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-23	SYSTEMIC	Cabbage	Leaf spot	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Asparagus	Armyworm, cutworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Corn	Comborer, earworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Sorghum	Comborer, earworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-23	CONTACT	Banana	Thrips	1.5-2/ 16L sprayer	-	-	-

AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Tobacco	Budworm, aphids	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Eggplant	Fruitborer	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Stringbeans	Aphids	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Tomato	Fruitworm	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Banana	Leafhopper, Tipborer	1.5-2 Tbsp/16L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Watermelon	Aphids, thrips	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16 L water	0.02 ppm	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Mango	Leafhopper and tip borer	1.5-2 Tbsp/16L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Stringbean	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Eggplant	Whiteflies, gGreen leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400/ mL prod./ha;4.0-13.0 mL prod / 16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 Days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL prod./ha;10.0-16.0 mL prod / 16 L	-	3 Days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Bnana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod / 16 L	-	14 days	Do not enter treated fields for atleast 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613-A	22-Dec-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613-A	22-Dec-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613-A	22-Dec-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613-A	22-Dec-25	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613-A	22-Dec-25	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
RED BUFFALO AGRIVENTURES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KUHOLOXIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	501-229-3445	09-Jul-18	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application

ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
ENVIRO CROPVET PRODUCTS, INC.	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	282-164-1234	25-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Beans	Downy mildew, powdery mildew	3.5-7 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Citrus	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Cotton	Downy mildew, powdery mildew		-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Grapes	Powdery mildew	-	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Leafy Vegetables	Powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Ornamentals	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Papaya	Mites	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Pepper	Downy mildew, powdery mildew	6-7 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Solanaceous crops	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Pineapple	Mites, heart rot	8.4, 5.0 kg/ha	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Eggplant	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L prod/ha	-	14 days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	String beans	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L prod/ha	-	7 days	-
HANEARL SCIENCE PHILIPPINES, INC.	BISPYRIBAC SODIUM	K-UNINOR 10 SC	104.6 g/L	SC	HERBICIDE	2	659-276-5629	21-Sep-24	-	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as deposit on crops and weeds have dried
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Rice	Rice blast, neck rot, black spot	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Banana	Sigatoka	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Mango	Anthracnose	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tomato	Powdery mildew	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tobacco	Frog eye leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orange	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Calamansi	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Citrus	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wit	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wit	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Strawberry	Powdey mildew, gray molds, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Papaya	Powdey mildew	1.0-4 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orchids	Powdery mildew, black spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Ornamentals	Powdery mildew, black spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
KEMISTAR CORPORATION	GLYPHOSATE IPA	KUTTER 160 SL	160 g/L	SL	HERBICIDE	4	239-151-1767	02-Aug-18	POST-EMERGENT	non-crop areas	common grassy fields				
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Asparagus	Armyworm,cutworm	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Tobacco	Budworm,cutworm,aphids,hornworm	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Rice	Green leafhopper,armyworm,caseworm,leaffolder	2-3.5 Tbsp/ L water	0.0ppm	3 days	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Melon	Aphids,squash beetle,leaffolder	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Corn	Cornborer,earworm	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Sorghum	Cornborer,earworm	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Eggplant	Aphids,flea beetle,fruitworm,lady beetle	2-3.5 Tbsp/ L water			
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979	02-Dec-25		Banana	Thrips	2-3.5 Tbsp/ L water			
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried

CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-		Treated areas maybe re-entered immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-		Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Okra	Annual grasses, broadleaf weeds & sedges					Do not enter treated area until spray deposit has dried
CORTEVA AGRISCIENCE PHILIPPINES, INC.	FENPICOXAMID	KYVENTIQ 13 SC	130 g/L	SC	FUNGICIDE	4	737-611-5963	15-Dec-25	-	Banana	Sigatoka	0.385 L prod. / ha (50 g Fenpicoxamid / ha)		0 day		4 hours after appliciation
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21		Potato	Late Blight	5 tbsp,/16 L sprayer		7 Days		Do not enter fields treated within 24 Hours after application
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21		Tomato	Late Blight	5 tbsp,/16 L sprayer		7 Days		Do not enter fields treated within 24 Hours after application
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21		Grapes	Downy mildew	5 tbsp,/16 L sprayer		7 Days		Do not enter fields treated within 24 Hours after application
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Mango	Antracnose,scab, stem-end rot	6-8 tbsp /100L; 2-4 L product/ ha	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Watermelon	Damping off-, leaf spot, antracnose, downy mildew, powdery mildew	1-2 tbsp / 16L; 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Onion	Basal/bulb rot, purple blotch	1-2 tbsp / 16L; 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Tomato	Late/ early blight, powdery mildew	0.5-1 tbsp / 16L; 0.156-0.312 L prod/ ha	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Asparagus	Stem blight (*Phoma asparagi*) leaf blight (Cercospora asparagi), wilt (fusarium)	1-3 tbsp / 16 L (at spray volume of 400 L/ha)	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Banana	Black sigatoka, freckle disease	0.4 L product/ ha	-	Do not spray 3-7 days before harvest		Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Cavendish banana	In-field, shaded-condition: mixed weeds (grasses sedges and broadleaves)	2 L/ Ha and 160 mL/16L of water 1.67 - 10 L/Ha and 135 - 200 mL/16L	-	-		After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Rubber	Mature, shaded conditions: cogon; Immature, open conditions: Mixed weeds, paragrass and carabao grass	215 mL/16 L water; 270 mL/16 L water; 135 mL/16 L water	-	-		After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Oil palm	Mature, shaded conditions: mixed weeds (grasses, sedges, broadleaves); Immature, open conditions: mixed weeds (grasses,	160 mL/16 L water; 135 mL/16 L water	-	-		After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Non-crop areas	Mixed weeds (grasses, sedges and broadleaves)	160 - 215 mL/16 L water	-	-		After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Itch grass, morning glory, dayflower, syndrella, button weed, spindle top, caloogoonium, hairy beggarticks, tropic ageratum	2-3 L Prod./ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Coffee	Cogon (Open Condition)	4.5 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Cacao	Cogon (Open Condition)	4.5 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Rubber	Mutha	2.0 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Oil palm	Paragrass	2.0 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Citrus	Talahib	4.5 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Coconut	Fern (Shade Condition)	2.0 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Sugarcane	Other annual weeds	2.0 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Vegetables	Other annual weeds	2.0 L Prod./ ha	-	-		-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	NICLOSAMIDE ETHANOLAMINE SALT	LA NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	735-229-6026	13-Feb-26	-	Rice	Golden apple snails	35 gms or 1 sachet 10 tank load/ hectare	-	-		At least 48 hours after application
TAIPAN BRAND FARM INC.	BUTACHLOR+2,4-D IBE	LA2 EC	360+240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
TAIPAN BRAND FARM INC.	BUTACHLOR+2,4-D IBE	LA2 EC	360+240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters /Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				

CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges				
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LADC-DACONIL 720 SC	-	SC	FUNGICIDE	4	748-118-5992	16-Jan-26	-	Banana	Black sigatoka		-	-	-
LAPANDAY AGRICULTURAL & DEVELOPMENT CORPORATION	CHLOROTHALONIL	LADC-DACONIL 720SC	-	SC	FUNGICIDE	4	748-118-5992	16-Jan-26	-	Banana	Black sigatoka	1.00 kg A.I./ ha or 1.38 L prod./ ha	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+PROPANIL	LAGARAW 70 EC	350+350 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+PROPANIL	LAGARAW 70 EC	350+350 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mango	Hoppers	0.75-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Onion	Thrips, cutworm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mungbeans	Bean fly, flea beetle, leafhopper, aphids, mites, pod borer	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Corn	Corn borer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	28-Jun-24	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.

SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mango	Hoppers	0.75-1.5 Tbsp / L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tomato	Fruitworm, cutworm, aphids	1-5.5 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Onion	Thrips, cutworm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Corn	Cornborer, aphids, seedling maggots	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tobacco	Budworm, Cutworm, Aphids,katydids	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cotton	Bollworm	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cocoa	Pod borer	1-2 Tbsp/16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Watermelon	Squash beetle, melon worm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L		3 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L		3 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L		90 days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L		14 Days	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	100 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/hectare	0.1 ppm	-	As soon as spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	100 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/hectare	0.1 ppm	-	As soon as spray deposits have dried
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LAN8 PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Tobacco	Budworm, aphids	2-3 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Eggplant	Fruitborer	2-3 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Stringbeans	Aphids	2-3 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Tomato	Fruitworm	2-3 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Banana	Thrips	1.5-2 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Watermelon	Aphids, thrips	2-3 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried

UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water		Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Tobacco	Budworm, aphids	2-3 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Eggplant	Fruitborer	2-3 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Stringbeans	Aphids	2-3 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Tomato	Fruitworm	2-3 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Banana	Thrips	1.5-2 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Watermelon	Aphids, thrips	2-3 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water		Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE+IMIDACLOPRID	LANCER GOLD 55 WG	500 g/Kg+50 g/kg	WG	INSECTICIDE	3	562-589-5750	30-Jun-25	-	Mango	Leafhopper	0.50-1.00 kg/ ha 500 L/ ha spray volume	-	-	Entry to fields and crops treated with LANCER GOLD 55 WG can be done as soon as spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L spray	0.01ppm	3 Days	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Glyphosate-tolerant corn	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perrenial grasses, Broadleaf weeds & sedges				
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	--		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-		
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-		

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-		
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Asparagus	Armyworm, cutworm	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Tobacco	Budworm, cutworm, aphids, hornworm	20-35 gram prod./16L	-	-	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Melon	Aphids, Squash beetle , leaffolder	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Tomato	Tomato fruitworm, aphids	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Corn	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Sorghum	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
CP SCIONTEK AGDEV INC.	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	30-Jan-26	-	Banana	Thrips	35-45 gram prod./16L	-	0 day	Twelve (12) hours after spraying
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Sorghum	Cornborer,earworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-23	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Asparagus	Armyworm, cutworm	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Corn	Cornborer, earworm	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Sorghum	Cornborer,earworm	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1.Sachet/16Li Sprayer	0.01ppm	3 Days	
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1.Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Tomato	Tomato fruitworm, aphids	1.Sachet/16Li Sprayer			
CROP PROTECTION AGRIVENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	LAPWA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	616-229-5189	17-Nov-23	-	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-
LTC MORITA CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LARA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	679-229-5319	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	Re-enter fields at least 48 hours after application
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
P&D MEDIVET DISTRIBUTION INC.	CYROMAZINE	LARVA-GONE	-	-	INSECTICIDE	-	709-331-5665	9-Feb-24		Housing facilities	Housefly (*Musca domestica*) larvae in animal	1 kg prod. / 49 kg lime applied at 10 grams mixture/ square meter	-	-	-
BAYER CROPSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	284-117-0658	18-May-23	SYSTEMIC	Corn	Seed treatment	250ml LARVIN FS 1 bag (18-20Kgs.) of hybrid seeds	-	-	-
BAYER CROPSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	284-117-0658	18-May-23	SYSTEMIC	Corn	Fall armyworm	50-70 mL product per 16 Liters at spray volume of 500 Liters/hectare		18 days	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	NICLOSAMIDE ETHANOLAMINE SALT	LASER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	376-229-2045	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL	LASTCARD 10 EC	100 g/L	EC	HERBICIDE	4	248-257-5174	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm		
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water			
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Mungbeans	Beanflies, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOW AGRO SCIENCES B.V.	PTHALIC GLYCEROL ALKYD	LATRON B-1956	77.0 g/L	L	OTHERS	4	013-360-0237	31-Jul-24	-	-	As spreader-sticker surfactant	10.5-21, 21-42, 42-84 mL/100 Liters	-	-	-
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	LAUDA 250 SC	250g/L	SC	INSECTICIDE	3	075-224-4419	05-Jul-24	SYSTEMIC	Mango	Leafhopper	60-80mL/200 L water	-	Do not spray 15 days before harvest	Re-entry into treated field is allowed as soon as spray dries up
KCCT AGRO CHEM. CORPORATION	LAURYL ALCOHOL POLYGLYCOL ETHER	LAURYL E08	90 g/L	-	OTHERS	4	448-471-4289	16-Jun-26	-	Cavendish banana	Black sigatoka (as an emulsifier in combination with an FPA registered fungicide)	-	-	-	-
ONEGRAIN MARKETING CORPORATION	CLOTHIANIDIN	LAZERKILL 20 SC	200 g/L	SC	INSECTICIDE	4	723-379-5787	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941	14-Apr-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Cucurbits	Squash beetle	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Tobacco	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Cotton	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	13-20, 20-30, 27-40 mL./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	15-25, 25-37.5, 30-50 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	25-30 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Onion	Cutworm	53.3 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Eggplant	Shoot borer	30-40 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24		Sugarcane	White Grubs	80-100 ml per 16L water		30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24		Banana	Thrips,Aphids,Scaring Beetles	20-30 ml per 16L water		30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24		Pineapple	Ants and mealybugs			30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	07-Apr-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	07-Apr-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	07-Apr-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709	18-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709	18-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709	18-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Mango	Anthracnose	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-		24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-		24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-		24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-		24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-		24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-		24 hours after application
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	ZINC PHOSPHIDE	LEADS EH ZINCPHOS 80 P	-	P	RODENTICIDE	2	645-173-5300	27-Jun-25	-	Agricultural field	Rodents	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CANOLA OIL METHYL ESTER	LEADS EXIT	819 g/L	-	OTHERS	4	099-411-2654	27-Feb-25	-	Banana (an adjuvant for use in spreading & wetting	Sigatoka	250ml. to 1.0/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	ZINC PHOSPHIDE	LEADS ZINC PHOSPHIDE	800 g/kg	P	RODENTICIDE	2	099-173-2426	19-Dec-23	-	Field	Rats and mice	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24		Pineapple	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24		Banana	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24		Mango	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24		Coffee	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	As soon as spray dries up.

VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	As soon as spray dries up.
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-23	POST-EMERGENT	Rice (Transplanted)	Sedges & Broadleaf weeds	3.5-6.5Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-23	POST-EMERGENT	Sugarcane	Sedges & Broadleaf weeds	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-23	POST-EMERGENT	Corn	Sedges & Broadleaf weeds	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tobacco	Aphids, katydidi	3.0-6.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	LEBRON 160 SL	160 g/L	SL	HERBICIDE	4	238-151-1536	14-Jul-22	POST-EMERGENT	non-crop areas	common grassy fields	3-6Li/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	24-Oct-23	CONTACT	Rice	Stemborer, black bug, rice bug, whorl maggots, leafhopper brown plant hopper	1.5-2.0 Tbsp/16L water	2.00 ppm	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	24-Oct-23	CONTACT	Mango	Mango hopper, twig borer, tip borer	1.5-2.0 Tbsp/16L water	1.00 ppm	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	24-Oct-23	CONTACT	Corn	Corn borer	1.5-2.0 Tbsp/16L water	-	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	24-Oct-23	CONTACT	Stringbeans	Podborer, aphids	1.5-2.0 Tbsp/16L water	-	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	24-Oct-23	CONTACT	Eggplant	Shoot/fruit borer, leafhopper	1.5-2.0 Tbsp/16L water	1.00 ppm	7 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	CLOTHIANIDIN	LEGIT 20SC	200 g/L	SC	INSECTICIDE	4	274-379-6172	31-May-25	-	Rice	Black bug	4-5 tbsp/ 16L	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
LEADS AGRICULTURAL PRODUCTS CORPORATION	QUIZALOFOP-P-ETHYL	LEOPARD 10 EC	100 g/L	EC	HERBICIDE	4	099-317-2790	30-Jul-23	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water		-	0-1 day
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	4.0-6.0 Tbsp/16L		7 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 Tbsp/16L		7 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	4.0-6.0 Tbsp/16L		7 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4.0-13.0 Tbsp/16L		7 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	4.0-6.0 Tbsp/16L		3 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	10.16 Tbsp/16L		3 Days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L		90 days	
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	21-Dec-23	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L		14 Days	
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	PYRIBENZOXIM+CYHALOFOP-BUTYL	LEXOR ULTRA 8.5 EC	25+60 g/L	EC	HERBICIDE	3	075-453-4780	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves			-	As soon as spray deposits dry up.
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LFC-DACONIL 720 SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	-	-	-	
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LFC-DACONIL 720SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	1.00 kg A.I./ ha or 1.38 L prod./ ha	-	-	-
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
TAIPAN BRAND FARM INC.	CYHALOFOP-BUTYL	LIBERTY 100 EC	100 g/L	EC	HERBICIDE	4	529-257-4354	11-May-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	12,15,10 tankload/ha	_	_	_
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-24	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	1 Day
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-24	-	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	1 Day
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-24	-	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	1 Day
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	0.1 ppm	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	_	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves & sedges	5.0-6.5Tbsp/16 L water	_	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Banana	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Coffee	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Cacao	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Oil palm	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Citrus	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Pineapple	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Corn	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Sugarcane	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*	-	-	Do not enter trated fields within 5 days after application

LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*)	-	-	Do not enter trated fields within 5 days after application
LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*)	-	-	Do not enter trated fields within 5 days after application
LICHEMPHIL INTERNATIONAL INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LICHEM BISPIRO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	590-504-5893	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves, sedges	500mL-1 L prod./ ha.	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Rice	Leafhopper, planthopper, bugs, stemborer	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Tobacco	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Mango	Leafhoppers	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Beans	Aphids, thrips, beanflies, leafolder	3-5 tbsp/ 16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Eggplant	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cucurbits	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Pineapple	Mealybugs	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Coffee	Berry borers, leaffolders, mealybugs	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cacao	Aphids, capsid bugs	3.0-6.4 tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cotton	Aphids, leaffolders, white flies, mites	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Banana	Flower thrips	3 mL/L water inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	CLOTHIANIDIN	LICHEM LINIDIN 200 SC	200 g/L	SC	INSECTICIDE	4	590-379-6156	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Mango	Anthracnose, scab, stem-end rot	60-80 mL/ 100 L 2-4 L prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Watermelon	Damping-off, leaf spot, anthracnose, downy mildew, powdery mildew	10-20 mL/ 16L 0.2-0.4 L prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Onion	Basal/bulb rot	10-20 BR/ 16L 0.2-0.4 R prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Tomato	Late/early blight, powdery mildew	5-10 mL/ 16L	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Asparagus	Stem blijght (*Phoma asparagi*), leaf blight (*Cercospora asparagi*), wilt (*fusarium*)	10-30 mL/ 16L (at spray volume of 400 L/ha)	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Corn	*Rhizoctania* sheath blight, helminthosporium leaf spot, leaf rust, ear rot	20-40 mL prod./ L water	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	TRIDEMORPH	LICHEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	590-097-4478	13-Aug-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Pepper	Early & Late blight, Bulb rot, Neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	135-270 ml/16 L	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop land	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135-200 ml/16 L (open)	0.2 mg/kg	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
LICHEMPHIL INTERNATIONAL INC.	BISPYRIBAC SODIUM	LIMINEE 10 SC	100 g/L	SC	HERBICIDE	2	590-276-4556	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
LICHEMPHIL INTERNATIONAL INC.	PYRIBENZOXIM	LINCHOR 5 EC	50 g/L	EC	HERBICIDE	4	497-387-4637	31-Jan-25	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	5-6 Tbsp/16L	-	-	As soon as spray deposit have dried.
LICHEMPHIL INTERNATIONAL INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	LINCHOR ULTRA 8.5 EC	25+60g/L	EC	HERBICIDE	3	590-453-4676	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	1.0-1.5L product/ha	-	-	As soon as spray deposit have dried.
CROP PROTECTION AGRIVENTURES INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LIPYA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	616-504-6055	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 mL / 15L	-	-	As soon as spray dries up.
HAILIR PHILIPPINES AGROSERVICE INC.	PROPICONAZOLE	LIRAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Banana	Black Sigatoka	0.4 L product/ ha	-	0 day	Do not enter treated fields until spray has completely dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPICONAZOLE	LIRAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Pineapple	Butt rot	Dip seed in 8-mL/ 100-L water solution	-	No PHI as applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Citrus	Annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Coffee	Annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Cotton	Annual and perennial broadleaf weeds	8.0 Tbsp/16 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Sugarcane	Annual and perennial broadleaf weeds	6.5-13.0 tbsp/16L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Pineapple	Annual and perennial broadleaf weeds	13.0 tbsp/16L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds	20.0-28.0 tbsp/16L water	-	-	24 hours after application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.

LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Non-crop agricultural land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water	-	-	24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water	-	-	24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/ 16L Water	-	-	24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/ 16L Water	-	-	24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/ 16L water	-	-	24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	-	-	-	24 hours, After application
ALBERT JOSEPH AGRO TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LLAMADO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	456-229-2491	03-Nov-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ONEGRAIN MARKETING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LOCKDOWN 13 SE	80g/L+50g/L	SE	HERBICIDE	4	723-504-5812	26-May-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges, and broadleaves	10.0 tank load/ ha 16L 12.25 tank load/ ha 16L	-	-	-
CYBERTH PHILIPPINES, INC.	BISPYRIBAC SODIUM	LOCK-OUT 100 SC	100 g/L	SC	HERBICIDE	2	216-276-4113	12-Sep-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, Sedges, & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		Re-entry to the treated fields is allowed as soon as spray deposits have dried.
DU PONT FAR EAST, INC.	BENSULFURON METHYL	LONDAX 10 WP	100 g/Kg	WP	HERBICIDE	4	014-179-0373	31-Dec-24	-	Rice	Weeds	500-700 grams/ha	0.1 ppm	-	-
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	non-crop	Annual grasses, broadleaf weeds & sedges				
BASF PHILIPPINES, INC.	FLUXAPYROXAD	LONSELOR 300 SC	-	SC	FUNGICIDE	-	005-523-4992	15-Dec-23	-	Banana	Black sigatoka	0.4-0.5 L per cropping period	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm, rice bug	2.5-3.5 tbsp/16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	–	–	–
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	–	-
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	–	–	–
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water	–	–	–
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Banana	Thrips,scarring beetle & aphids	20-30 ml(2-3 Tbsp) per 16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Sugarcane	whitegrubs	80-100 ml(8-10 Tbsp) per 16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Pineapple	Ants & Mealybugs	1-4 L per hectare using boom sprayer	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Sugarcane	whitegrubs	80-100 ml per 16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Pineapple	Ants & Mealybugs	1-4 L per hectare			
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	–	–	–
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Sugarcane	whitegrubs	80-100 ml per 16L water	–	–	–
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Pineapple	Ants & Mealybugs	1-4 L per hectare	–	–	–
R & A AGROFARM PRODUCTS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	LOSCIN 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	450-229-2545	04-Feb-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	35gm (1sachet) product /Load	-	-	At least 48 hours after application
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-23	-	Asparagus	Armyworm, cutworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-23	-	Tobacco	Budworm, cutworm, aphids, hornworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-23	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 sachet per 16L sprayer		-	-