```
Computer-Network-Lab-CS-1311/1 on ⌥ master
→ ./client
Message to sent:
Hello
[5/09/19 1:43:45]
Computer-Network-Lab-CS-1311/1 on ⌥ master
→ █
```

```
Computer-Network-Lab-CS-1311/1 on ⌥ master
→ ./client
Message Received: Hello
 [5/09/19 1:44:03]
Computer-Network-Lab-CS-1311/1 on ⌥ master
→ █
```

```
[5/09/19 1:35:35]
Computer-Network-Lab-CS-1311/2 on ⌥ master
→ ./client

Enter data to be send to server: abcd
Message got from server is : 1234

Enter data to be send to server: █
```

```
[5/09/19 1:35:37]
Computer-Network-Lab-CS-1311/2 on ⌥ master
→ ./server
Message got from client is : abcd

Enter data to be send to client: 1234
█
```

```
[5/09/19 1:40:42]
Computer-Network-Lab-CS-1311/3 on ⌥ master
→ ./client


→ Client : Hello from client
Hello message sent.

[5/09/19 1:40:58]
Computer-Network-Lab-CS-1311/3 on ⌥ master
→ █
```

```
[5/09/19 1:40:28]
Computer-Network-Lab-CS-1311/3 on ⌥ master
→ ./server


→ Hello message sent.
Server : Hello from server

[5/09/19 1:40:35]
Computer-Network-Lab-CS-1311/3 on ⌥ master
→ █
```