Custom Field Wrapper Markup

- Introduce demo prototype
- Apply markup from prototype to fields in Views
- Use custom field wrapper selectors and CSS classes
- Utilize rewrite results and replacement tokens




Introducing the Demo Prototype

- Using Pattern Lab, responsive prototyping framework
- Templates use Mustache format, similar to Twig
- Focusing on file that produces a media list



Latest Posts



Lorem ipsum dolor sit (37 characters)

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore el magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Lorem ipsum dolor sit (37 characters)

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore el magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea

Latest posts prototype as displayed in a web browser



```
03-sections > ••• 00-latest-posts.mustache
        00-media-block.mustache ×
🗪 00-latest-posts.mustache 🗴 📗
   <section class="section latest-posts">
        <h2 class="section-title">Latest Posts</h2>
        class="post-list">
            {| molecules-media-block | } 
            {\langle molecules-media-block }}
            {\li>{\left\{ molecules-media-block \}}
 6
            {\langle molecules-media-block }}
            {{> molecules-media-block }}
        <a href="#" class="text-btn">View more posts</a>
10
   </section>
```

Markup from prototype in a Pattern Lab .mustache template file for a list of latest posts



```
02-blocks ) 🗪 00-media-block.mustache
00-latest-posts.mustache × 00-media-block.mustache ×
                         blocks.scss x
    <div class="block block-thumb">
        <div class="b-inner">
             <div class="b-thumb">
                 <a href="{{ url }}">{{> atoms-square }}</a> <!-- Field: Image -->
             </div>
             <div class="b-text">
 6
                 <!-- Content: Title -->
                 <h2 class="b-title"><a href="{{ url }}">{{ headline.short }}</a></h2>
                 <!-- Body: Summary, trimmed to 200 chars, HTML stripped -->
                 <a href="{{ url }}">{{ excerpt.medium }}</a>
10
             </div>
12
        </div>
    </div>
```



Field Wrapper Markup

- How can I change field wrapper markup for a field in Views?
- How can I add a class to field wrapper markup?
- How can I turn on/off Views default classes for a field?



```
02-blocks ) 🗪 00-media-block.mustache
00-latest-posts.mustache × 00-media-block.mustache ×
                         blocks.scss x
    <div class="block block-thumb">
        <div class="b-inner">
             <div class="b-thumb">
                 <a href="{{ url }}">{{> atoms-square }}</a> <!-- Field: Image -->
             </div>
             <div class="b-text">
 6
                 <!-- Content: Title -->
                 <h2 class="b-title"><a href="{{ url }}">{{ headline.short }}</a></h2>
                 <!-- Body: Summary, trimmed to 200 chars, HTML stripped -->
                 <a href="{{ url }}">{{ excerpt.medium }}</a>
10
             </div>
12
        </div>
    </div>
```



```
02-blocks ) 🗪 00-media-block.mustache
00-latest-posts.mustache × 00-media-block.mustache ×
                         blocks.scss x
    <div class="block block-thumb">
        <div class="b-inner">
             <div class="b-thumb">
                 <a href="{{ url }}">{{> atoms-square }}</a> <!-- Field: Image -->
             </div>
             <div class="b-text">
 6
                 <!-- Content: Title -->
                 <h2 class="b-title"><a href="{{ url }}">{{ headline.short }}</a></h2>
                 <!-- Body: Summary, trimmed to 200 chars, HTML stripped -->
                 <a href="{{ url }}">{{ excerpt.medium }}</a>
10
             </div>
12
        </div>
    </div>
```



```
02-blocks ) 🗪 00-media-block.mustache
00-latest-posts.mustache × 00-media-block.mustache ×
                         blocks.scss x
    <div class="block block-thumb">
        <div class="b-inner">
             <div class="b-thumb">
                 <a href="{{ url }}">{{> atoms-square }}</a> <!-- Field: Image -->
             </div>
             <div class="b-text">
 6
                 <!-- Content: Title -->
                 <h2 class="b-title"><a href="{{ url }}">{{ headline.short }}</a></h2>
                 <!-- Body: Summary, trimmed to 200 chars, HTML stripped -->
                 <a href="{{ url }}">{{ excerpt.medium }}</a>
10
             </div>
12
        </div>
    </div>
```



Recap

- Introduced demo prototype
- Applied markup from prototype to fields in Views
- Used custom field wrapper selectors and CSS classes
- Utilized rewrite results and replacement tokens

