

inkwell-key-0031 / Overview

Overview

3.7k Lines of Code • Version not provided • Last analysis 13 minutes ago

 [Set as homepage](#)






Quality gate ⓘ
Passed 

New Code

Overall Code



⚠ Limited security analysis

SonarQube Community Build does not scan for critical injection vulnerabilities (SQL injection, XSS, and more).

[Explore other editions](#) 

Activity

Graph type Issues 

There isn't enough data to generate an activity graph.

Sep 04, 2026, 4:56 PM

Quality gate:  Passed

not provided

First analysis: 37 Issues • 0.0% Coverage • 0.8% Duplications

[See full history of analyses](#)

⚠ Embedded database should be used for evaluation purposes only. It doesn't support scaling, upgrading to a new SonarQube Server version, or migration to another database engine. [Learn more](#)

Inkwell-key-0031 / Issues

Issues

Issues in new code

▾ Software Quality ⓘ 1 ×

Security 1

Reliability 13

Maintainability 32

Add to selection **Ctrl** + **click**

▾ Severity ⓘ

🛑 Blocker 0

🔴 High 0

🟡 Medium 0

🟢 Low 1

☐ Bulk Change

1 issues 5min effort Sort by Priority ▾

backend/src/server.js

☐ This framework implicitly discloses version information by default. Make sure it is safe here.

Responsibility

Security ▾ Low ▾

cwe express.js ... +

Open ▾ Not assigned ▾

L14 • 5min effort • 27 days ago

1 of 1 shown

inkwell-key-0031 / Issues

Issues

▼ Software Quality ⓘ 1 ×

Security 1

Reliability 13

Maintainability 32

Add to selection **Ctrl** + **click**

▼ Severity ⓘ

⊖ Blocker 0

⊖ High 0

⬆ Medium 1

⬇ Low 12

☐ Bulk Change

13 issues 1h 10min effort Sort by Priority ▾

frontend/src/pages/NoteEditorPage.jsx

☐ A form label must be associated with a control.

Intentionality

Reliability ⬆ Medium ▾

accessibility react +

Open ▾ Not assigned ▾

L219 • 5min effort • 5 hours ago

frontend/src/components/ConfirmDialog.jsx

☐ Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability ⬇ Low ▾ Maintainability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L87 • 5min effort • 2 days ago

☐ Visible, non-interactive elements with click handlers must have at least one keyboard listener.

Intentionality

Reliability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L87 • 5min effort • 2 days ago

☐ Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

Reliability ⬇ Low ▾ Maintainability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L88 • 5min effort • 2 days ago

☐ Visible, non-interactive elements with click handlers must have at least one keyboard listener.

Intentionality

Reliability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L88 • 5min effort • 2 days ago

frontend/src/components/NoteCard.jsx

☐ Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

Reliability ⬇ Low ▾ Maintainability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L48 • 5min effort • 2 days ago

☐ Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability ⬇ Low ▾ Maintainability ⬇ Low ▾

accessibility react +

Open ▾ Not assigned ▾

L65 • 5min effort • 2 days ago

frontend/src/pages/DashboardPage.jsx

☐ Provide a compare function to avoid sorting elements alphabetically.

Intentionality

Reliability ⬇ Low ▾

type-dependent bad-practice +

Open ▾ Not assigned ▾

L36 • 10min effort • 5 hours ago

frontend/src/pages/NoteEditorPage.jsx

☐ Prefer `'String#replaceAll()' over 'String#replace()'.`

Reliability

Low

Maintainability

Low

Intentionality

readability

editable-source

...

+

Open

Not assigned

🔍

L124

• 5min effort

• 4 hours ago

☐ Prefer `'String#replaceAll()' over 'String#replace()'.`

Reliability

Low

Maintainability

Low

Intentionality

readability

editable-source

...

+

Open

Not assigned

🔍

L125

• 5min effort

• 4 hours ago

☐ Prefer `'String#replaceAll()' over 'String#replace()'.`

Reliability

Low

Maintainability

Low

Intentionality

readability

editable-source

...

+

Open

Not assigned

🔍

L126

• 5min effort

• 4 hours ago

☐ Prefer `'String#replaceAll()' over 'String#replace()'.`

Reliability

Low

Maintainability

Low

Intentionality

readability

editable-source

...

+

Open

Not assigned

🔍

L127

• 5min effort

• 4 hours ago

☐ Prefer `'String#replaceAll()' over 'String#replace()'.`

Reliability

Low

Maintainability

Low

Intentionality

readability

editable-source

...

+

Open

Not assigned

🔍

L128

• 5min effort

• 4 hours ago

13 of 13 shown

My Issues

All

Filters

Clear all filters

Issues in new code

Software Quality

1

×

Security

1

Reliability

13

Maintainability

32

Add to selection

Ctrl + click

Severity

0

Blocker

0

Bulk Change

32 issues2h 28min effortSort byPriority

frontend/src/components/ConfirmDialog.jsx

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

Open

Not assigned

L87 • 5min effort • 2 days ago

frontend/src/components/NoteCard.jsx

Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

Open

Not assigned

L88 • 5min effort • 2 days ago

frontend/src/components/NoteCard.jsx

Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

Open

Not assigned

L48 • 5min effort • 2 days ago

frontend/src/components/NoteCard.jsx

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

Open

Not assigned

L65 • 5min effort • 2 days ago

frontend/src/pages/NoteEditorPage.jsx

Prefer `String#replaceAll()` over `String#replace()`.

Intentionality

Reliability

Low

Maintainability

Low

readability

editable-source

Open

Not assigned

L124 • 5min effort • 4 hours ago

frontend/src/pages/NoteEditorPage.jsx

Prefer `String#replaceAll()` over `String#replace()`.

Intentionality

Reliability

Low

Maintainability

Low

readability

editable-source

Open

Not assigned

L125 • 5min effort • 4 hours ago

frontend/src/pages/NoteEditorPage.jsx

Prefer `String#replaceAll()` over `String#replace()`.

Intentionality

Reliability

Low

Maintainability

Low

readability

editable-source

Open

Not assigned

L126 • 5min effort • 4 hours ago

frontend/src/pages/NoteEditorPage.jsx

Prefer `String#replaceAll()` over `String#replace()`.

Intentionality

Reliability

Low

Maintainability

Low

readability

editable-source

Open

Not assigned

L127 • 5min effort • 4 hours ago

frontend/src/pages/NoteEditorPage.jsx

Prefer `String#replaceAll()` over `String#replace()`.

Intentionality

Reliability

Low

Maintainability

Low

readability

editable-source

Open

Not assigned

L128 • 5min effort • 4 hours ago

frontend/src/components/FormField.jsx

Refactor this function to reduce its Cognitive Complexity from 18 to the 15 allowed.

Adaptability

Maintainability

Medium

brain-overload

editable-source

Open Not assigned

L24 • 8min effort • 2 days ago

frontend/src/context/AuthContext.jsx

☐ The 'value' object passed as the value prop to the Context provider changes every render. To fix this consider wrapping it in a useMemo hook.

Intentionality

Maintainability Medium

performance react ... +

Open Not assigned

L95 • 5min effort • 3 days ago

frontend/src/pages/DashboardPage.jsx

☐ Use <details>, <fieldset>, <optgroup>, or <address> instead of the "group" role to ensure accessibility across all devices.

Consistency

Maintainability Medium

accessibility react +

Open Not assigned

L146 • 5min effort • 5 hours ago

frontend/src/pages/NoteEditorPage.jsx

☐ Prefer `childNode.remove()` over `parentNode.removeChild(childNode)`.

Intentionality

Maintainability Medium

dom editable-source ... +

Open Not assigned

L159 • 2min effort • 5 hours ago

backend/src/controllers/authController.js

☐ Prefer `node:crypto` over `crypto`.

Consistency

Maintainability Low

convention import ... +

Open Not assigned

L1 • 5min effort • 23 days ago

☐ Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability Low

editable-source type-dependent ... +

Open Not assigned

L109 • 5min effort • 23 days ago

backend/src/middleware/authMiddleware.js

☐ Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability Low

editable-source type-dependent ... +

Open Not assigned

L5 • 5min effort • 23 days ago

frontend/src/api/axios.js

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L39 • 5min effort • 3 days ago

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L76 • 5min effort • 7 days ago

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L80 • 5min effort • 7 days ago

frontend/src/components/ConfirmDialog.jsx

☐ Prefer `.at(...)` over `[...length - index]`.

Consistency

Maintainability Low

readability performance ... +

Open Not assigned

L58 • 5min effort • 2 days ago

☐ 'if' statement should not be the only statement in 'else' block

Consistency

Maintainability

Low

editable-source

+

Open

Not assigned

⌕ • L66 • 5min effort • 2 days ago

☐

Use <dialog> instead of the "dialog" role to ensure accessibility across all devices.

Consistency

Maintainability

Low

accessibility

react

+

Open

Not assigned

L88 • 5min effort • 2 days ago

frontend/src/components/FormField.jsx

☐

Extract this nested ternary operation into an independent statement.

Intentionality

Maintainability

Low

editable-source

confusing

+

Open

Not assigned

L41 • 5min effort • 2 days ago

frontend/src/components/Loader.jsx

☐

Use <output> instead of the "status" role to ensure accessibility across all devices.

Consistency

Maintainability

Low

accessibility

react

+

Open

Not assigned

L5 • 5min effort • 5 hours ago

frontend/src/components/NoteCard.jsx

☐

Use <input type="button">, <input type="image">, <input type="reset">, <input type="submit">, or <button> instead of the "button" role to ensure accessibility across all devices.

Consistency

Maintainability

Low

accessibility

react

+

Open

Not assigned

L48 • 5min effort • 2 days ago

frontend/src/pages/DashboardPage.jsx

☐

Remove this unused import of 'Link'.

Intentionality

Maintainability

Low

es2015

type-dependent

...

+

Open

Not assigned

⌕ • L2 • 1min effort • 5 hours ago

☐

Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability

Low

editable-source

type-dependent

...

+

Open

Not assigned

⌕ • L32 • 5min effort • 5 hours ago

☐

Extract this nested ternary operation into an independent statement.

Intentionality

Maintainability

Low

editable-source

confusing

+

Open

Not assigned

L166 • 5min effort • 5 hours ago

frontend/src/pages/ProfilePage.jsx

☐

Remove this unused import of 'useState'.

Intentionality

Maintainability

Low

es2015

type-dependent

...

+

Open

Not assigned

⌕ • L1 • 1min effort • 3 days ago

☐

Remove this unused import of 'Loader'.

Intentionality

Maintainability

Low

es2015

type-dependent

...

+

Open

Not assigned

⌕ • L6 • 1min effort • 3 days ago

frontend/src/pages/TrashPage.jsx

☐

Extract this nested ternary operation into an independent statement.

Intentionality

Maintainability

Low

editable-source

confusing

+

Open

Not assigned

L59 • 5min effort • 5 hours ago

frontend/src/routes/ProtectedRoute.jsx

☐ Unnecessary use of conditional expression for default assignment.

Intentionality

Maintainability

Low

editable-source +

Open

Not assigned

• L16 • 5min effort • 5 hours ago

32 of 32 shown

☐ Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability Low Maintainability Low

accessibility react +

Open

Not assigned

L87 • 5min effort • 2 days ago

☐

Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

☐

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

+

Open

Not assigned

L87 • 5min effort • 2 days ago

☐

Non-interactive elements should not be assigned mouse or keyboard event listeners.

Consistency

Reliability

Low

Maintainability

Low

accessibility

react

+

Open

Not assigned

L88 • 5min effort • 2 days ago

frontend/src/components/NoteCard.jsx

Open Not assigned

L95 • 5min effort • 3 days ago

frontend/src/pages/NoteEditorPage.jsx

☐ Prefer `childNode.remove()` over `parentNode.removeChild(childNode)`.

Intentionality

Maintainability Medium

dom editable-source ... +

Open Not assigned

L159 • 2min effort • 5 hours ago

backend/src/controllers/authController.js

☐ Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability Low

editable-source type-dependent ... +

Open Not assigned

L109 • 5min effort • 23 days ago

backend/src/middleware/authMiddleware.js

☐ Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability Low

editable-source type-dependent ... +

Open Not assigned

L5 • 5min effort • 23 days ago

frontend/src/api/axios.js

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L39 • 5min effort • 3 days ago

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L76 • 5min effort • 7 days ago

☐ Prefer `throw error` over `return Promise.reject(error)`.

Intentionality

Maintainability Low

async editable-source ... +

Open Not assigned

L80 • 5min effort • 7 days ago

frontend/src/components/FormField.jsx

☐ Extract this nested ternary operation into an independent statement.

Intentionality

Maintainability Low

editable-source confusing +

Open Not assigned

L41 • 5min effort • 2 days ago

frontend/src/pages/DashboardPage.jsx

☐ Remove this unused import of 'Link'.

Intentionality

Maintainability Low

es2015 type-dependent ... +

Open Not assigned

L2 • 1min effort • 5 hours ago

☐ Prefer using an optional chain expression instead, as it's more concise and easier to read.

Intentionality

Maintainability Low

editable-source type-dependent ... +

Open Not assigned

L32 • 5min effort • 5 hours ago

☐ Extract this nested ternary operation into an independent statement.

Intentionality

Maintainability Low

editable-source confusing +

Open Not assigned

L166 • 5min effort • 5 hours ago

frontend/src/pages/ProfilePage.jsx

☐ Remove this unused import of 'useState'.

Intentionality

Maintainability

Low

es2015type-dependent...

Open

Not assigned

L1 • 1min effort • 3 days ago

☐ Remove this unused import of 'Loader'.

Maintainability

Low

es2015type-dependent...

Open

Not assigned

L6 • 1min effort • 3 days ago

Intentionality

frontend/src/pages/TrashPage.jsx

☐ Extract this nested ternary operation into an independent statement.

Maintainability

Low

editable-sourceconfusing

Open

Not assigned

L59 • 5min effort • 5 hours ago

Intentionality

frontend/src/routes/ProtectedRoute.jsx

☐ Unnecessary use of conditional expression for default assignment.

Maintainability

Low

editable-source

Open

Not assigned

L16 • 5min effort • 5 hours ago

Intentionality

24 of 24 shown



inkwell-key-0031 / [Issues](#)

Issues

- High 0
- Medium 1
- Low 0
- Info 0

Code attribute ⓘ 1 X

Consistency 11

Intentionality 24

Adaptability 1

Responsibility 1

Add to selection **Ctrl + click**

> Scope

> Status ⓘ



Bulk Change

1 issues

8min effort

Sort by

Priority ▾

frontend/src/components/FormField.jsx



Refactor this function to reduce its Cognitive Complexity from 18 to the 15 allowed.

Adaptability

Maintainability

Medium ▾

brain-overload

editable-source +

Open ▾

Not assigned ▾

L24 • 8min effort • 2 days ago

1 of 1 shown

⚠ Embedded database should be used for evaluation purposes only. It doesn't support scaling, upgrading to a new SonarQube Server version, or migration to another database engine. [Learn more](#)

inkwell-key-0031 / Issues

Issues

Info 0 ▲

Code attribute ⓘ 1 X

Consistency 11

Intentionality 24

Adaptability 1

Responsibility 1

Add to selection Ctrl + click

> Scope

> Status ⓘ

> Compliance Category

> Creation Date

☐ Bulk Change

1 issues 5min effort Sort by Priority ▾

backend/src/server.js

☐ This framework implicitly discloses version information by default. Make sure it is safe here.

Responsibility

Security Low ▾

cwe express.js ... +

Open ▾ Not assigned ▾

L14 • 5min effort • 27 days ago

1 of 1 shown