



Marketing Intelligence in Marketing Cloud Next



CONTENTS

- Marketing Intelligence in Marketing Cloud Next 1
- Get Started With Marketing Intelligence in Marketing Cloud Next 4
- Connect Your Data to Marketing Intelligence with Data Pipelines. 15
- Harmonize Your Data. 28
- Anchor Your Campaign Data in Marketing Intelligence. 33
- Attribution in Marketing Intelligence 34
- View Insights on the Marketing Intelligence Home Page 42
- Measure Performance with Marketing Intelligence Goals (Beta). 43
- Optimize Marketing Strategies with Marketing Intelligence Analytics. 44
- Track Segment Performance with the Segment Intelligence Dashboard 45
- Improve Marketing Strategies with Agentforce in Marketing Intelligence 45

Marketing Intelligence in Marketing Cloud Next

Marketing Intelligence in Marketing Cloud Next empowers marketers to improve customer experiences across multiple channels and at scale. Marketing Intelligence simplifies data management by providing automated connectors, a unified data model, and data enrichment. Maximize conversions and improve campaign performance with AI-generated campaign summaries and cross-channel attribution.

 Get Started Webpage: Introducing Marketing Intelligence Get Started With Marketing Intelligence Set Up Marketing Intelligence Trailhead: Marketing Intelligence in Marketing Cloud Next	 Run Your Business Get the Latest Release Notes Trailhead: AI-Powered Analytics with Marketing Intelligence	 Connect Your Data Connect Your Data to Marketing Intelligence With Data Pipelines Developers: Marketing Intelligence Connectors and Integrations
 Enhance Your Data Enrich Your Data in Marketing Intelligence Patterns in Marketing Intelligence (Beta)	 Analyze and Visualize Your Data Measure Performance with Marketing Intelligence Goals Optimize Marketing Strategies with Marketing Intelligence Analytics Analyze Conversions with Marketing Intelligence Attribution Improve Marketing Strategies with Agentforce in Marketing Intelligence	

	Video: How Slack Uses Agentforce Marketing to Optimize Paid Search	
--	--	--

 **Note** For more information on which services are included in each Marketing Intelligence edition, see our [pricing docs](#).

[Get Started With Marketing Intelligence in Marketing Cloud Next](#)

Marketing Intelligence in Marketing Cloud Next helps you analyze marketing performance using the power of Data 360 and Tableau. To get started, make sure you have the required roles, and permissions. Admins can enable Data 360, deploy the semantic model, and install the app to unlock insights and optimize campaigns.

[Connect Your Data to Marketing Intelligence with Data Pipelines](#)

Data pipelines automate the collection, transformation, and organization of marketing data to prepare it for analysis in Marketing Intelligence in Marketing Cloud Next. By using a predefined API connector or TotalConnect, pipelines structure data with entities like data streams and transforms. This process ensures accuracy, consistency, and alignment with the Marketing Intelligence data model, delivering faster insights and more reliable campaign optimization.

[Harmonize Your Data](#)

Make your marketing data consistent, structured, and easy to analyze. Use patterns and data enrichment to standardize naming, extract key attributes, and add business context to reduce errors, save time, and generate more accurate insights.

[Anchor Your Campaign Data in Marketing Intelligence](#)

An Anchor Campaign groups related marketing campaigns into a single performance view. By consolidating cross-channel efforts like email, social, and search, you can track how an entire initiative performs as a whole rather than managing fragmented reports.

[Attribution in Marketing Intelligence](#)

Attribution in Marketing Intelligence is the practice of identifying which marketing activities, channels, and touchpoints contribute to a desired business outcome—such as a lead conversion, pipeline creation, or closed deal. By understanding attribution, marketing teams can make smarter investment decisions, optimize campaign performance, and demonstrate the business impact of their work.

[View Insights on the Marketing Intelligence Home Page](#)

The Marketing Intelligence in Marketing Cloud Next home page provides an interactive overview of your marketing strategies, data health, and goals. It helps you navigate the marketing landscape and make informed decisions by providing a clear picture of your overall performance and trends.

[Measure Performance with Marketing Intelligence Goals \(Beta\)](#)

Goals are essential for developing and executing an effective marketing strategy. Marketing goals are specific, measurable objectives that align with broader business goals, guiding teams toward success. With Goals from Marketing Intelligence in Marketing Cloud Next, you can create, manage, track, and visualize goals to enhance advertising campaign performance, optimize return on investment (ROI), and achieve your marketing KPIs.

[Optimize Marketing Strategies with Marketing Intelligence Analytics](#)

Marketing Analytics provides out-of-the-box dashboards in a centralized location, helping you navigate between them easily. After you connect a data pipeline, Marketing Intelligence in Marketing Cloud Next automatically generates dashboards to help you analyze campaign performance and make data-driven decisions.

Track Segment Performance with the Segment Intelligence Dashboard

Segment Intelligence is a dashboard for Marketing Intelligence in Marketing Cloud Next that helps you evaluate how your audience segments—created in Data 360 and activated to third-party platforms like Google Ads and Meta Ads—perform across channels. The dashboard presents your engagement data in a single view, making it easier to identify which segments are performing well and which need adjustment. The Segment Summary provides performance highlights and benchmarks, offering clear insights to help you optimize your campaigns.

Improve Marketing Strategies with Agentforce in Marketing Intelligence

Agentforce brings generative AI to Marketing Intelligence in Marketing Cloud Next, enabling agents to analyze your data and recommend actions to improve performance.

Get Started With Marketing Intelligence in Marketing Cloud Next

Marketing Intelligence in Marketing Cloud Next helps you analyze marketing performance using the power of Data 360 and Tableau. To get started, make sure you have the required roles, and permissions. Admins can enable Data 360, deploy the semantic model, and install the app to unlock insights and optimize campaigns.

Required Roles and Permissions for Marketing Intelligence

Before you set up Marketing Intelligence in Marketing Cloud Next, confirm that you have the necessary roles and permissions to access the data and features. Choose from three standard permission sets for these roles: Admin, Data Specialist, and Marketing Manager. A Salesforce admin can assign permission sets to users.

Set Up Marketing Intelligence

Set up Marketing Intelligence in Marketing Cloud Next to centralize your marketing data and generate AI-powered insights. Setup includes activating Data 360 and Tableau Next, deploying your semantic model, and installing the app.

Create Users and Assign Permissions

Create users and provide access to Marketing Intelligence features by assigning them the appropriate permission set.

Required Roles and Permissions for Marketing Intelligence

Before you set up Marketing Intelligence in Marketing Cloud Next, confirm that you have the necessary roles and permissions to access the data and features. Choose from three standard permission sets for these roles: Admin, Data Specialist, and Marketing Manager. A Salesforce admin can assign permission sets to users.

Marketing Intelligence is available in Lightning Experience for these standard Salesforce editions:

- Developer
- Enterprise
- Performance
- Unlimited

To access Marketing Intelligence, make sure you have:

- Salesforce account
- Data 360 license with the Semantic Layer enabled
- Tableau Next license
- Marketing Intelligence permission set

Role	description	Additional Required permissions
Admin	The Admin has full access to configure all Marketing Intelligence features, including setting up and installing the semantic model and application.	- Marketing Intelligence Admin - Data Cloud Architect - Agentforce Default Admin - Tableau Next Admin
Data Specialist	The Data Specialist has full access to Marketing Intelligence entities and can configure data management with targeted permissions access to the Data Management tab.	- Marketing Intelligence Marketing Data Specialist - Data Cloud Architect - Tableau Next Analyst
Marketing Manager	The Marketing Manager can view marketing performance dashboards and access Marketing Intelligence to view and create marketing goals.	- Marketing Intelligence Manager - Data Cloud User - Tableau Next Business User

Set Up Marketing Intelligence

Set up Marketing Intelligence in Marketing Cloud Next to centralize your marketing data and generate AI-powered insights. Setup includes activating Data 360 and Tableau Next, deploying your semantic model, and installing the app.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions

USER PERMISSIONS NEEDED

To set up Marketing Intelligence: Marketing Intelligence Admin

1. From Setup, in the Quick Find box, enter and select *Marketing Intelligence*.
2. On the Prerequisites tab complete these steps.
 - a. Turn on Data 360 to unify and connect your data.
 - b. Confirm Data Governance settings and define policies that allow access to all objects for accurate data queries.
 - c. Turn on Tableau Next for visual analytics and access pre-built dashboards .
3. On the Installation Requirements tab complete these steps.
 - a. Set up the Semantic Data Model. Select a data space to deploy your semantic model. Each data space supports one semantic model. To deploy to a different data space, click + **Deploy to a New**

Data Space and select the target space.

The data space table displays the deployed Marketing Intelligence semantic models.

- b. Turn on Marketing Intelligence to access all features and data-driven insights.

The app installs in the background and can take a few minutes to complete.

4. (Optional) Apply advanced settings.
 - a. Go to the Advanced Settings tab.
 - b. Select a business type and industry to tailor reports and summaries to industry benchmarks.
 - c. Turn on Einstein LLM Gateway to generate campaign performance summaries.
 - d. Turn on Creative Assets to download and store assets for use across dashboards and reports.
 - e. Set up Segment Intelligence. Select a Salesforce org and then click **Install**. If no organization is connected, see [Salesforce CRM Connector](#).
 - f. Turn on **Automate Data Retrieval with Email** to retrieve and process data files sent via email. Enter an email address for error alerts. Select **Advanced Email Security Settings** to increase data protection.
5. Review the beta features.
 - a. Go to the Feature Manager tab.
 - b. Enable the features that you want to add to Marketing Intelligence.
 - c. Accept the beta terms and conditions.
6. From the App Launcher, enter and select **Marketing Intelligence** and start adding data to your app.

[Enable Marketing Intelligence Features](#)

You can enable Marketing Intelligence features using the Feature Manager. This screen is visible only when there are one or more features to enable or disable.

[Enable Data Governance Permissions for Objects in Marketing Intelligence](#)

To use Data 360 Data Governance features for Marketing Intelligence, grant access to objects according to an access policy.

[Enable Multicurrency Support for Marketing Intelligence](#)

Configure the currency settings in Salesforce so that dashboards display data accurately in Marketing Intelligence. If a dashboard uses a currency without a defined conversion rate, the system can't aggregate data, which causes errors. For orgs working with multiple currencies, first enable Multiple Currencies within your Company Information settings.

Enable Marketing Intelligence Features

You can enable Marketing Intelligence features using the Feature Manager. This screen is visible only when there are one or more features to enable or disable.

REQUIRED EDITIONS

Available in: **Enterprise, Performance, Unlimited** and **Developer** Editions.

USER PERMISSIONS NEEDED

To access Marketing Intelligence Setup

Marketing Intelligence Admin

1. From setup, in the Quick Find box, enter and select *Marketing Intelligence*.
2. Click **Feature Manager**.
3. To enable a feature, click **Enable** next to the feature name.
4. Agree to the terms and service, and then confirm that you want to enable it.
Certain beta features can't be disabled.

Enable Data Governance Permissions for Objects in Marketing Intelligence

To use Data 360 Data Governance features for Marketing Intelligence, grant access to objects according to an access policy.

Marketing Intelligence continues to evolve after setup. Each time a data source is connected or a pipeline is deployed, new Data 360 objects automatically generate in the background. As new objects are created and existing ones become relevant to new use cases, permissions must be continuously managed to ensure that users have the appropriate access.

You can manage access using either attribute-based access control (ABAC) or role-based access control (RBAC).

- **Attribute-Based Access Control (ABAC):** Allows or denies access based on attributes of the user, data, or environment.
- **Role-Based Access Control (RBAC):** Defined as part of a permission set and controls which data spaces, objects, and fields within those data spaces users can access.

These options provide granular control over user access to data. Follow the steps in [Grant Access to Data 360 Objects](#) to assign objects to an available policy.

Associated Data 360 Objects

Object Type	Category	Name	Additional Information
Data Lake Object (DLO)	Engagement	Engagement	Marketing Intelligence engagement data
	Profile	Profile	Profile category data
	Other	Other	Other category data
	Engagement	SecondaryEngagement	Secondary engagement data
	Profile	SecondaryProfile	Secondary profile data
	Other	SecondaryOther	Secondary other

Object Type	Category	Name	Additional Information
			category data
Data Model Objects (DMOs)	Core Marketing Objects	Campaign	Campaign information and metadata
		Ad	Advertisement details
		MediaBuy	Media buying information
		MediaBuyPackage	Media buy package details
		MarketingChannel	Marketing channel definitions
		MarketSegment	Market segmentation data
	Ad-Related Objects	AdConversionTag	Conversion tracking tags
		AdExchange	Ad exchange information
		AdKeyword	Keyword targeting data
		AdStrategy	Ad strategy definitions
		AdSite	Site placement information
	Engagement Summary Objects	ConversionEngagementSummary	Conversion engagement metrics
		DeliveryEngagementSummary	Delivery engagement metrics
		DeliveryVerificationEngmtSummary	Delivery verification metrics
		WebEventEngagementSummary	Web event engagement data
		WebPageEngagementSummary	Web page engagement metrics
	Audience & Targeting Objects	MarketingChannelEngagedAudience	Engaged audience data
		MarketingChannelTargetedSegment	Targeted segment information

Object Type	Category	Name	Additional Information
	Web & Digital Objects	DeviceTypeConfiguration	Device targeting configuration
		Website	Website information
		Webpage	Individual webpage data
		WebsiteEvent	Website event tracking
		WebsiteSource	Website traffic sources
	Social Media Objects	SocialMessage	Social media message data
		SocialPage	Social media page information
	Product Object	Product	Product information details
Calculated Insights (CIOs)	Performance Metrics	CPA	Cost Per Acquisition
		CPC	Cost Per Click
		CPM	Cost Per Mille
		CPV	Cost Per View
		CPCV	Cost Per Completed View
		CTR	Click Through Rate
		ConversionRate	Conversion rate calculation
		InteractionRate	Interaction rate metrics
		ViewRate	View rate calculations
	Social Media Metrics	CostPerEngagement	Cost per social engagement
		CostPerFollow	Cost per follower
		CostPerLike	Cost per like/reaction acquisition
		SocialEngagementRate	Social engagement rate
	Video Metrics	VideoCompletions25Ra	25% video completion

Object Type	Category	Name	Additional Information
		te	rate
		VideoCompletions50Rate	50% video completion rate
		VideoCompletions75Rate	75% video completion rate
		VideoFullyPlayedRate	100% video completion rate
		VideoViewRate	Video view rate
	Financial Metrics	ROAS	Return on Ad Spend
		ROI	Return on Investment
		CampaignBudget	Budget calculations
	Website Analytics	AverageTimeOnWebsite	Average time spent on website
		WebsiteVisitBounceRate	Website bounce rate
	Aggregation Metrics	WeightedPositions	Weighted position calculations
		UniqueCampaigns	Unique campaign counts
		UniqueMarketSegments	Unique market segment counts
Data Pipeline Objects	Supported Data Sources	Campaign, MediaBuy, Ad, MarketingChannel, Delivery, Conversion, ConversionTag, Site	Object types created for supported data sources
	Object Type Categories	OTHER: Campaign, MediaBuy, Ad, MarketingChannel, ConversionTag, Site	Object Types
		ENGAGEMENT: Delivery, Conversion	Object Types
	Campaign Attribution Objects	campaign-attribution	Main attribution object
		campaign-attribution-logical-view	Attribution logical view

Object Type	Category	Name	Additional Information
		campaign-attribution-semantic-relationship	Attribution relationships
	Segment Intelligence Objects	market-segment	Market segment intelligence data
Marketing Performance Objects	Performance Dimensions	UnifiedChannelDateTim e	Unified channel date/ time dimension
		UnifiedChannelMarketS egmentName	Unified channel market segment dimension
		UnifiedChannelType	Unified channel type dimension
		UnifiedChannelName	Unified channel name dimension
		UnifiedChannelNameFr omDataSource	Unified channel name from data source
	Performance Measurements	TotalMarketingClicks	Total marketing clicks measurement
		TotalMarketingCommen ts	Total marketing comments measurement
		TotalMarketingCTR	Total marketing CTR measurement
		TotalMarketingImpressi ons	Total marketing impressions measurement
		TotalMarketingShares	Total marketing shares measurement
		TotalMarketingVisits	Total marketing visits measurement
Schema Objects	Advertisement	Ad	N/A
	Campaign	Campaign	
	Conversion	Conversion	
	Conversion Tracking	ConversionTag	
	Delivery	Delivery	

Object Type	Category	Name	Additional Information
	Verification	DeliveryVerification	
	Device	Device	
	Audience	EngagedAudience	
	Ad Exchange	Exchange	
	Keyword	Keyword	
	Channel	MarketingChannel	
	Media Buy	MediaBuy	
	Media Package	MediaBuyPackage	
	Product	Product	
	Site	Site	
	Strategy	Strategy	
	Targeting	TargetedSegment	
	Web Analytics	WebAnalyticsEvent	
	Web Analytics	WebAnalyticsPage	
	Website	Website	
	Website Event	WebsiteEvent	
	Website Page	WebsitePage	
	Website Source	WebsiteSource	

If you have more than one data space, grant access to objects in each data space. Object names in non-default data spaces follow the convention of <DataSpace Prefix>_<Object Name>.

Enable Multicurrency Support for Marketing Intelligence

Configure the currency settings in Salesforce so that dashboards display data accurately in Marketing Intelligence. If a dashboard uses a currency without a defined conversion rate, the system can't aggregate data, which causes errors. For orgs working with multiple currencies, first enable Multiple Currencies within your Company Information settings.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions

USER PERMISSIONS NEEDED

To set and edit currencies and conversions: Admin

1. Identify Missing Currencies.

Before configuring settings, test your semantic model to identify which currencies are present in your data. This process helps you cross-reference your source data against your existing currency settings to identify what needs to be added.

- a. From Setup, in the Quick Find box enter and select *Semantic Layer*.
- b. Select the semantic model associated with the dashboard displaying the error.
- c. Select **Test**.
- d. Under Dimensions, select these dimensions.
 - Marketing Intelligence Currency
 - Unified Data Source—This field shows you exactly where the currency values originate.
- e. Preview the data and identify all active currencies. For example USD, EUR, and GBP.
- f. Compare this list with your existing currency setup to identify missing currencies.

2. Configure Currency Settings.

Use the currencies identified in the previous step to verify or update the configuration for your org. Begin with checking existing currency support.

- a. From Setup, in the Quick Find box enter and select *Currency Connections*.
- b. Review the currencies currently set for your org and determine your next steps.
 - Currency already listed: Update the conversion rate if needed. You're done.
 - Currency not listed: Continue to "Enable Multiple Currencies" to add it.

3. Enable Multiple Currencies.



Warning Turning on multiple currencies introduces permanent changes to your org that can't be undone. Review the [Implications of Enabling Multiple Currencies](#) before proceeding.

- a. From Setup, in the Quick Find box enter and select *Company Information*.
- b. Under Organization Detail, check if **Activate Multiple Currencies** is selected.
- c. If not, click **Edit**, and under Currency Settings, select **Activate Multiple Currencies**.

4. Enable Advanced Currency Management.

- a. Click **Currency Setup** at the top of the page.
- b. Select **Enable Advanced Currency Management**.
- c. Select **Yes, I want to enable Advanced Currency Management**, and then click **Enable**.

5. Add and Define Currencies.

- a. In Currency Setup, click **New**.
- b. Select the currency type. Currencies are alphabetized using their ISO currency code.
- c. Enter the conversion rate relative to your corporate currency.
- d. Specify the number of decimal places to display for amounts in this currency.
- e. Save your work.
- f. Processing takes time. To verify completion, in setup in the Quick Find box, enter and select *Currency Connections*. Confirm the currency status is Active.

Create Users and Assign Permissions

Create users and provide access to Marketing Intelligence features by assigning them the appropriate permission set.

REQUIRED EDITIONS

Before you install Marketing Intelligence, admins must assign themselves the required permissions. Installation won't proceed without them.



Note When Data 360 is enabled, standard permission sets apply only to the default data space. To grant access to other data spaces, update the associated data space. All permission sets—including standard and custom ones—must be manually associated with non-default data spaces. See [Associate a Permission Set with a Data Space](#).

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.


USER PERMISSIONS NEEDED

To create users and assign permissions: Marketing Intelligence Admin

Required Permission Sets

User Type	Required Permission Sets
Admin User	- Marketing Intelligence Admin - Agentforce Default Admin - Data Cloud Admin - Tableau Next Admin
Data Specialist User	- Marketing Intelligence Marketing Data Specialist - Tableau Next Analyst - Data Cloud Data Aware Specialist
Marketing Manager User	- Marketing Intelligence Manager - Tableau Next Business User - Data Cloud User

1. In Setup, find and select **Users**.



2. Under User Management, click **Users**.
3. Click **New User** to create a new user, or select an existing user to assign permissions.
4. Click **Permission Set Assignments** and then click **Edit Assignments**.



5. Select the appropriate permission set and click **Add**.
6. Save your work.

Repeat these steps for each user that needs access to Marketing Intelligence.

Connect Your Data to Marketing Intelligence with Data Pipelines

Data pipelines automate the collection, transformation, and organization of marketing data to prepare it for analysis in Marketing Intelligence in Marketing Cloud Next. By using a predefined API connector or TotalConnect, pipelines structure data with entities like data streams and transforms. This process ensures accuracy, consistency, and alignment with the Marketing Intelligence data model, delivering faster insights and more reliable campaign optimization.

API connectors provide predefined mappings for common marketing channels and allow more custom mappings, so users can extend the integration for unique business needs.

TotalConnect supports custom sources, new objects, custom fields, and calculated fields. Users can upload files directly or select a Data Lake Object (DLO) as the source. A DLO is a managed data source in Data Cloud—such as an enterprise data warehouse or a synced connector—that enables automatic data ingestion without manual uploads.

Using DLOs broadens connectivity to enterprise sources and supports a zero-copy architecture, keeping a

single source of truth while reducing Extract, Transform, Load (ETL) complexity. Pipelines also automate mapping and integration, streamlining workflows and ensuring consistent, error-free data for dashboards, reports, and campaign analysis.

Understand Named Credentials, Connections, and Pipelines

When you create a data pipeline in Marketing Intelligence, three components work together to ingest data: Named Credential, Connection, and a Pipeline. This architecture separates authentication, connectivity, and data processing so you can reuse credentials and configure pipelines efficiently.

Connection Management in Marketing Intelligence

Monitor and manage your Marketing Intelligence data source connections from a single, centralized location.

Create a Data Pipeline With Custom Data in TotalConnect

Use TotalConnect to upload data from files or pull data directly from Data Lake Object (DLO) into Marketing Intelligence enabling flexible integration of custom datasets without an API connector.

Third-Party API Connectors for Marketing Intelligence

Marketing Intelligence provides third-party API connectors that help you bring data from ad networks, analytics tools, and social media platforms into a unified view. By connecting these sources, you can analyze performance across channels and see how fields are mapped.

Understand Named Credentials, Connections, and Pipelines

When you create a data pipeline in Marketing Intelligence, three components work together to ingest data: Named Credential, Connection, and a Pipeline. This architecture separates authentication, connectivity, and data processing so you can reuse credentials and configure pipelines efficiently.

Named Credentials

A Named Credential specifies the authentication details and the endpoint for an external system. It acts as a centralized configuration that services reference so you don't have to define authentication details every time you create a connection.

A Named Credential typically includes:

- The external system endpoint URL
- The authentication method, such as OAuth or basic authentication
- Required credentials, such as tokens, usernames, or passwords

Connections

A Connection links Data Cloud to an external data source. It defines how Data Cloud interacts with the source system and prepares the data for ingestion.

A Connection typically includes:

- Connector configuration for the source system
- Authentication using a Named Credential

Pipelines

A Pipeline manages the end-to-end data ingestion and processing workflow. It retrieves data from the Connection and prepares it for use in Data Cloud.

A Pipeline handles:

- Data ingestion from the source system
- Data transformation
- Data harmonization
- Loading processed data into Data Cloud objects

Component Relationships

Relationship	Description
Named Credential → Connection	One Named Credential can be used by multiple Connections.
Named Credential → Pipeline	One Named Credential can support multiple Pipelines.
Connection → Pipeline	Each Connection is associated with one Pipeline.

How the Components Work Together

When a pipeline runs:

1. The Named Credential provides the authentication and endpoint to access the external system.
2. The Connection uses that credential to establish the link between Data Cloud and the external data source.
3. The Pipeline retrieves data through the connection and performs ingestion, transformation, and loading into Data Cloud.



Note Separating these responsibilities allows you to reuse authentication settings and makes pipeline configuration modular and easier to manage.

Example: Connecting Multiple Google Ads Accounts

Suppose you want to ingest data from three different Google Ads accounts for your organization. Instead of configuring authentication three times, you can:

1. Create one Named Credential called "Google Ads Auth" that contains your OAuth token and the

Google Ads API endpoint.

2. Create three separate Connections—one for each account—that all reference "Google Ads Auth" for authentication.
3. Create three Pipelines—one per Connection—to ingest, transform, and load account data into Data Cloud.

If your Google Ads authentication token expires, you only need to update it in one place: the Named Credential. All three Connections and Pipelines automatically use the updated credential without requiring individual reconfiguration.

Connection Management in Marketing Intelligence

Monitor and manage your Marketing Intelligence data source connections from a single, centralized location.

Access Connection Management from the Data Management tab. This screen gives you a unified view of all your data source connections, their health status, and the pipelines they support. This centralized visibility helps you quickly identify and resolve issues before they disrupt your reporting pipelines.

Connection Statuses

Connection Management uses statuses to help you evaluate connection state and urgency.

- Active – The connection is available and ready for scheduled processing.
- Processing – The connection is currently running or being processed.
- Expired – Authentication is no longer valid and user action is needed.
- Error – The connection encountered a problem and requires investigation.

What You Can Do with Connection Management

- View all connections in one place instead of checking individual pipeline settings
- Monitor connection health at a glance with status indicators
- See which pipelines each connection supports
- Create a new data source connection
- Edit existing connection configurations
- Re-authenticate expired connections without rebuilding them
- Remove connections that are no longer needed
- Identify and prioritize issues faster when connections need attention

Create a Data Pipeline With Custom Data in TotalConnect

Use TotalConnect to upload data from files or pull data directly from Data Lake Object (DLO) into Marketing Intelligence enabling flexible integration of custom datasets without an API connector.

REQUIRED EDITIONS


Before you begin, make sure that your file is in CSV format and the size is 100 MB or less.

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To create a TotalConnect pipeline: Marketing Intelligence Admin


1. From the App Launcher, find and select *Marketing Intelligence*.
2. On the Data Management tab, under Data Pipelines, click **Create New**.
3. Select TotalConnect and then click **Next**.




4. Select the data space.
5. Select the data source.
 - a. To upload a custom file, click **Upload File**, upload your file, and then click **Next**.
 - a. To pull data from an existing source, click Data Lake Object, select the object and fields, and then click **Next**.
6. Preview the data and confirm the data type for each column—text, number, or date. Adjust data types as needed using the dropdown menu.
7. Click **Map Data**.

Automapping matches your data to the appropriate data model template and fields using names, synonyms, and data types.

8. Confirm the mappings.
 - a. Check that the data model template is correct, or click **Switch Model** to change it.



- b. To remove a mapping, click the arrow and select **Delete**.
- c. To check for errors, click **Validate** and address errors before proceeding.



- d. Click **Save** and confirm the mappings in the mapping preview screen.
9. Add a new data object. The field is added to the object and is available for mapping.
 - a. Click **+ New Object**. Enter a name and description, and then click **Add**.
The object is created with three default fields: ID, Currency, and Name. Map the fields as needed.
 - b. To add additional fields to the data object, click the **+** icon next to the object.
 - c. Enter a field name and description, select a data type and then click **Add**.
The field is added to the object and is available for mapping.

 **Note** The source and target data types must match to complete the mapping.

Your data appears in the data pipeline table where you can verify data integration and run reports. Pipeline creation can take a few minutes. Check the status column for updates.

Automate Data Retrieval in Marketing Intelligence

Configure automated data retrieval for TotalConnect data pipelines to regularly import data from Amazon S3 or email sources into Marketing Intelligence.

Field Automapping in Marketing Intelligence

Automapping streamlines data integration by automatically mapping source file or Data Lake Object (DLO) fields to the Marketing Intelligence data model. TotalConnect automatically creates the data transforms necessary align input with the Marketing Intelligence semantic data model.

Troubleshooting Mapping Errors in Marketing Intelligence

TotalConnect automatically validates your data mapping to meet system requirements during ingestion. These validations detect errors like missing templates, mismatched data types, or unmapped primary keys and provide guidance for resolution. Improving data accuracy enhances analysis and reporting quality.

Automate Data Retrieval in Marketing Intelligence

Configure automated data retrieval for TotalConnect data pipelines to regularly import data from Amazon S3 or email sources into Marketing Intelligence.

REQUIRED EDITIONS

Before you begin:

- To automate data retrieval using Amazon S3, ensure you have an existing S3 connection configured.
- To automate data retrieval using Email, an administrator must enable Automate Data Retrieval with Email on the Advanced Settings tab in Setup.

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions

USER PERMISSIONS NEEDED

To automate data retrieval in Marketing Intelligence:	Marketing Intelligence Admin
---	------------------------------

1. From Marketing Intelligence, go to the Data Management tab.
2. Under Data Pipelines, click the dropdown arrow and select **Automate Retrieval**.
3. Select a source and then click **Next**.
4. Configure your selected source.

If you selected Amazon S3:

- a. Select a connection.
- b. Select the file type.
- c. (Optional) To import files from a specific folder in your S3 bucket, enter the folder path under Import from Directory.
- d. Click **Deploy**.

If you selected Email:

- a. To restrict who can send data, define authorized senders and domains. Leave blank to accept data from any source.

b. Click **Deploy**.

After deployment, a unique email address is generated for receiving data files.

c. To view the email address, in the pipeline list click the dropdown arrow and select **View Email Address**, or open the pipeline record page and view the Email field.

Field Automapping in Marketing Intelligence

Automapping streamlines data integration by automatically mapping source file or Data Lake Object (DLO) fields to the Marketing Intelligence data model. TotalConnect automatically creates the data transforms necessary align input with the Marketing Intelligence semantic data model.

Review the suggested mappings and make adjustments as needed before deploying the pipeline. Marketing Intelligence selects the appropriate data model template based on uploaded data and suggests mappings based on these considerations.

- **Field name matching**—aligns DLO and data model object (DMO) fields using exact match, standardized match, and fuzzy match to account for minor spelling or formatting differences.
- **Synonyms**—includes common synonyms in comparisons to improve mapping accuracy. For example, a DLO field named "Spend" likely maps to "Media Spend."
- **Template selection rules**—Marketing Intelligence selects one of these data model templates.
 - **Delivery Template**—tracks marketing content delivery and channel performance. For example, impressions, clicks, media buy, ads, and campaign.
 - **Conversion Tag Template**—measures customer actions resulting from marketing interactions. For example, purchases or customer actions.
 - **Web Analytics Events Template**—captures visitor interactions at the event level on a website, such as form fills or button clicks.
 - **Web Analytics Pages Template**—captures interactions at the individual page level, such as views, exits, and visitor engagement.

Troubleshooting Mapping Errors in Marketing Intelligence

TotalConnect automatically validates your data mapping to meet system requirements during ingestion. These validations detect errors like missing templates, mismatched data types, or unmapped primary keys and provide guidance for resolution. Improving data accuracy enhances analysis and reporting quality.

Mapping Validation Errors and Resolutions

Validation	Description	Resolution
Template Not Found	The system couldn't locate the selected Data Model Template for mapping fields. This error typically occurs if the template doesn't exist or was deleted	Select an existing template or create a new one to continue.

Validation	Description	Resolution
Missing Date Field	A date field isn't mapped. Date fields are essential for time-based analysis and reporting.	Map a date-type field in your data to the Date field to continue.
Invalid Field Mapping	Some of the fields in your data don't correspond to valid schema fields in the selected template.	Review and adjust the field mappings to make sure all the fields match the template's schema.
Data Type Mismatch	The data type of a mapped field doesn't match the expected type in the schema. For example, a text field might be mapped to a numeric field.	Update the mappings or adjust the data type in the preview so that each field aligns with the correct data type.
Primary Key Not Mapped	If you map an attribute, such as <i>Campaign Details</i> , you must also include its associated primary key, <i>campaignId</i> , to ensure data integrity.	Make sure the primary key for any mapped attributes is included in the mapping.
Field Length Exceeds Limit	A field exceeds the maximum allowed length in the schema.	Shorten the field or adjust the mapping to comply with the limit.
Missing Media Buy ID	<i>MediaBuyId</i> must be mapped when fields like <i>campaignId</i> , <i>channelId</i> , <i>productId</i> , or <i>deviceId</i> are included for proper linking.	Map the <i>mediaBuyId</i> field to continue.

Third-Party API Connectors for Marketing Intelligence

Marketing Intelligence provides third-party API connectors that help you bring data from ad networks, analytics tools, and social media platforms into a unified view. By connecting these sources, you can analyze performance across channels and see how fields are mapped.

Marketing Intelligence offers both standard and custom connector options for third-party platforms. Standard connectors provide predefined field mappings for quick setup. Custom connectors let you select specific dimensions and metrics for your unique business needs.

Supported Custom Connectors

- [Adobe Analytics Custom](#)

- [Google Ads Custom](#)
- [Google Analytics Custom](#)
- [Meta Ads Custom](#)

Supported Connectors

- [Amazon Ads](#)
- [Amazon Demand-Side Platform \(DSP\)](#)
- [Criteo Marketing](#)
- [Criteo Retail](#)
- [Facebook Page Insights](#)
- [Facebook Post Insights](#)
- [Google Ads](#)
- [Google Ad Manager](#)
- [Google Analytics](#)
- [Google Campaign Manager 360](#)
- [Google Display & Video 360](#)
- [Google Search Ads 360](#)
- [Google Search Console](#)
- [Instagram](#)
- [Kakao Ads](#)
- [LINE Ads](#)
- [LinkedIn Ads](#)
- [LinkedIn Company](#)
- [Meta Ads](#)
- [Microsoft Advertising](#)
- [Outbrain](#)
- [Pinterest Ads](#)
- [Reddit Ads](#)
- [Snapchat Ads](#)
- [Taboola](#)
- [The Trade Desk](#)
- [TikTok Ads](#)
- [X Ads](#)
- [X Social](#)
- [YouTube Ads](#)
- [YouTube Insights](#)

Create Data Pipelines With Third-Party Vendors

Connect to a marketing data source by setting up a data pipeline. After creating a data pipeline, DLOs, DMOs, and transforms are generated and automatically connect your data to the data model. You can monitor the pipeline's performance and health through the Pipeline Record Page.

Custom Connectors for Marketing Intelligence

Marketing Intelligence includes a prebuilt connector library for popular ad platforms and analytics tools. Custom connectors extend this library to ingest data from sources with specific reporting

requirements, custom configurations, or fields that aren't available in standard connectors. Configure a custom connector to define exactly what data to extract, including specific dimensions and metrics. Map fields manually to align data with the Marketing Intelligence semantic data model.

Setting Up a Custom Connector

Use Marketing Intelligence's prebuilt API connectors to connect to paid media and analytics platforms and automatically generate the data pipelines you need.

Create Data Pipelines With Third-Party Vendors

Connect to a marketing data source by setting up a data pipeline. After creating a data pipeline, DLOs, DMOs, and transforms are generated and automatically connect your data to the data model. You can monitor the pipeline's performance and health through the Pipeline Record Page.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To create a data pipeline with an API connector	Marketing Intelligence Data Specialist
To create a new connection	Marketing Intelligence Data Specialist

1. From the app launcher, find and select **Marketing Intelligence**.
2. On the Data Pipeline tab, click **New Pipeline**.
3. Select a connector and then click **Next**.
4. Select a connection and then click **Next**.
5. Create a new connection.
 - a. Click **New Connection**
 - b. Enter a connection name.
 - c. Select a named credential. If required, click **Authenticate** and complete the authentication process.
 - d. To add a new named credential, click **+ New Named Credential**, and complete the connection process with the provider.
 - e. Enter the remaining required fields. Required fields vary by provider.
6. Select the data space.
7. To view the data sets and how they are mapped in Marketing Intelligence select the Data Sets tab (1).
8. To customize data fields and refine segmentation, select the Extended Attributes tab (2).
9. To schedule when the data pipeline runs, select the **Run Schedule** tab (3) and set the start date. The time zone is determined by the data space.

10. Customize field mapping.
 - a. Under Mapping select **Custom**, and then click **Custom Mapping**.
 - b. Map the fields as needed.
11. Add a new data object.
 - a. Click **+ New Object**.
 - b. Enter a name and description, and then click **Add**.
The object is created with three default fields: ID, Currency, and Name. Map the fields as needed.
 - c. To add additional fields to the data object, click the **+** icon next to the object.
 - d. Enter a field name and description, select a data type and then click **Add**.
The field is added to the object and is available for mapping.

 **Note** The source and target data types must match to complete the mapping.
12. To validate the mapping, click **Validate**.
13. Click **Save and Deploy** and then review the mappings.
14. Click **Deploy**

The pipeline appears in the table, where you can monitor performance and health from the Pipeline Record Page.

Custom Connectors for Marketing Intelligence

Marketing Intelligence includes a prebuilt connector library for popular ad platforms and analytics tools. Custom connectors extend this library to ingest data from sources with specific reporting requirements, custom configurations, or fields that aren't available in standard connectors. Configure a custom connector to define exactly what data to extract, including specific dimensions and metrics. Map fields manually to align data with the Marketing Intelligence semantic data model.

When to Use a Custom Connector

Use a custom connector in these scenarios.

- Standard connectors don't expose required fields, such as custom events or platform-specific parameters.
- Standard connectors return more data than required, and you want to retrieve specific fields only.

When Not to Use a Custom Connector

Avoid a custom connector when the standard connector supports the data source and includes the required fields. Use a prebuilt connector instead.

Available Custom Connectors

Marketing Intelligence offers custom connector options for the following platforms:

- Adobe Analytics Custom
- Google Ads Custom
- Google Analytics Custom
- Meta Ads Custom

When creating a data pipeline, select the **Custom** tab to access these custom configuration options.

Setting Up a Custom Connector

Use Marketing Intelligence's prebuilt API connectors to connect to paid media and analytics platforms and automatically generate the data pipelines you need.

Before You Start

Review connector-specific documentation for API limits, field compatibility, and historical data availability.

1. From the app launcher, find and select Marketing Intelligence.
2. On the **Data Pipeline** tab, click **New Pipeline**.
3. On the **Custom** tab, select a connector and then click **Next**.
4. Select a connection and click **Next**.
If you don't have a connection create a new connection.
 - a. Click **New Connection**.
 - b. Enter a connection name.
 - c. Select a named credential.
 - d. If your named credential isn't authenticated, click **Authenticate** and complete the authentication process.
 - e. To add a new named credential, click **+ New Named Credential**, and complete the connection

process with the provider.

- f. Enter the remaining required fields. Required fields vary by provider.
5. Select a data space.
6. Select the data object and fields.
Only one data object can be selected per connection. To customize data fields and refine segmentation, select the **Extended Attributes** tab.
7. To schedule when the pipeline runs, select the **Run Schedule** tab and set the start date.
8. Set the span days and the sliding window.
 - **Span Days** – The maximum number of days a single processing statistic can cover. For example, a 30-day retrieval with a 10-day span creates 3 statistics.
 - **Sliding Window** – The number of days to retrieve for a scheduled run, ending with yesterday's data.
9. Click **Next** and map the fields.
10. Customize your mapping.

Add a new data object by clicking **+ New Object**. Enter a name and description, and then click **Add**. The object is created with three default fields: ID, Currency, and Name. Map the fields as needed.

To add additional fields to the data object, click the **+** icon next to the object. Enter a field name and description, select a data type and then click **Add**. The field is added to the object and is available for mapping.

The source and target data types must match to complete the mapping.

11. To validate the mappings, click **Validate** and address any errors.
12. Click **Save and Deploy**, review the mappings and then click **Deploy**.

After setup, the stream ingests data into Data Cloud. Data Cloud maps the data to the Marketing Intelligence Semantic Data Model and makes it available for analysis, dashboards, and AI-powered insights.

Harmonize Your Data

Make your marketing data consistent, structured, and easy to analyze. Use patterns and data enrichment to standardize naming, extract key attributes, and add business context to reduce errors, save time, and generate more accurate insights.

Enrich Your Data in Marketing Intelligence

Data enrichment enhances the quality and usability of your marketing data by adding business context, providing consistency, and improving categorization. You can generate more accurate insights and make better-informed decisions. With Marketing Intelligence in Marketing Cloud Next, you can use a preexisting Data 360 data model object (DMO), upload an enrichment file, or apply Einstein Data Enrichment to refine and structure your data.

Patterns in Marketing Intelligence (Beta)

Make data more structured and easier to analyze by creating naming conventions in fields like campaign names, ad names, and ad group names. By defining these patterns, you can extract key

attributes, such as a product type, region, or business unit, from lengthy text strings. Using patterns improves data consistency, reduces errors, saves time, and ensures uniform classification across marketing campaigns.

Enrich Your Data in Marketing Intelligence

Data enrichment enhances the quality and usability of your marketing data by adding business context, providing consistency, and improving categorization. You can generate more accurate insights and make better-informed decisions. With Marketing Intelligence in Marketing Cloud Next, you can use a preexisting Data 360 data model object (DMO), upload an enrichment file, or apply Einstein Data Enrichment to refine and structure your data.

Create a Data Enrichment With Data 360 Objects

You can enhance your data in Marketing Intelligence using multiple methods. Use Data 360 Data Model Objects (DMO) to normalize your data for better consistency and insights.

Create a Data Enrichment With a File

You can enhance your data in Marketing Intelligence using multiple methods. Use a data enrichment file to normalize your data for better consistency and insights.

Create a Data Enrichment with Einstein

Use Einstein to draft and refine enrichments to standardize and harmonize data for consistency and improved segmentation. Einstein Data Enrichment unifies variations, fills in missing details, and categorizes data. For example, it normalizes entries like facebook, FACEBOOK, and FaceBook into a consistent format, improving data accuracy and organization.

Create a Data Enrichment With Data 360 Objects

You can enhance your data in Marketing Intelligence using multiple methods. Use Data 360 Data Model Objects (DMO) to normalize your data for better consistency and insights.

REQUIRED EDITIONS


Available in: **Developer, Enterprise, Performance, and Unlimited** editions.

USER PERMISSIONS NEEDED

To enrich your data using Data 360 objects:	Marketing Intelligence Admin
---	------------------------------

1. From the App Launcher, find and select **Marketing Intelligence**.
2. On the Data Management tab, select **Data Enrichment**.
3. Click **New Enrichment**, and select **Enrichment Source**.
4. Select a data space, name the enrichment, select the dimension, add an optional description, and then click **Next**.
5. On the Data Objects tab, select a data object, and click **Next**.

When you select an object, its associated dimensions are listed on the right.



- 6. Preview the enrichment. You can edit the column names or set a dimension as a key. The key determines how enrichment data joins the data model object (DMO). By selecting a key, each enrichment row maps correctly to the corresponding DMO records, allowing new fields to be added and used for analysis.
- 7. To specify how a raw value appears in your data, expand Enrichment Properties and edit the values.
- 8. Preview your data, and click **Create**.

Your enriched data is available on the Data Enrichment tab for reporting, dashboard visualization, and analysis.

Create a Data Enrichment With a File

You can enhance your data in Marketing Intelligence using multiple methods. Use a data enrichment file to normalize your data for better consistency and insights.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To enrich your data using an enrichment file: Marketing Intelligence Admin

- 1. From the App Launcher, find and select **Marketing Intelligence**.
- 2. On the Data Management tab, select **Data Enrichment**.
- 3. Click **New Enrichment**, and select **Enrichment Source**.
- 4. Select a data space, name the enrichment, select the dimension, add an optional description, and

then click **Next**.

5. On the Upload File tab, click **Upload file**, select a file and click **Next**.

6. Preview the enrichment. You can edit the column names or set a dimension as a key.
The key determines how enrichment data joins the data model object (DMO). By selecting a key, each enrichment row maps correctly to the corresponding DMO records, allowing new fields to be added and used for analysis.
7. To specify how a raw value appears in your data, expand Enrichment Properties and edit the values.
8. Preview your data, and click **Create**.

Your enriched data is available on the Data Enrichment tab for reporting, dashboard visualization, and analysis.

Create a Data Enrichment with Einstein

Use Einstein to draft and refine enrichments to standardize and harmonize data for consistency and improved segmentation. Einstein Data Enrichment unifies variations, fills in missing details, and categorizes data. For example, it normalizes entries like facebook, FACEBOOK, and FaceBook into a consistent format, improving data accuracy and organization.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To draft data enrichments with Einstein:	Marketing Intelligence Admin
--	------------------------------

1. From the App Launcher, find and select **Marketing Intelligence**.
2. On the Data Management tab, select **Data Enrichment**.
3. Click **New Enrichment** and then select **Enrich with Einstein**.
4. Select a data space, name the enrichment, select the dimension, add an optional description, and

then click **Next**.

5. Select the relevant Einstein use case and click **Next**.
 - **Data Normalization**—Standardizes formats and values across datasets to reduce redundancy and improve integrity.
 - **Grouping**—Organizes data into categories or clusters for easier analysis and identifying patterns.
6. To edit the enrichment or add instructions, enter them in the canvas and click **Refine**.
7. To specify how a raw value appears in your data, expand Enrichment Properties and edit the values.
8. Preview your data, and click **Create**.

Enriched data is available in the Data Enrichment tab for reporting and visualizations in dashboards

Patterns in Marketing Intelligence (Beta)

Make data more structured and easier to analyze by creating naming conventions in fields like campaign names, ad names, and ad group names. By defining these patterns, you can extract key attributes, such as a product type, region, or business unit, from lengthy text strings. Using patterns improves data consistency, reduces errors, saves time, and ensures uniform classification across marketing campaigns.

Create a Pattern for Marketing Intelligence Data (Beta)

Apply consistency to your data by creating a naming convention (pattern). Using patterns makes data more structured and easier to analyze.

Create a Pattern for Marketing Intelligence Data (Beta)

Apply consistency to your data by creating a naming convention (pattern). Using patterns makes data more structured and easier to analyze.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To create a pattern:	Marketing Intelligence Admin
----------------------	------------------------------



Note Patterns is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and applicable terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

1. From the App Launcher, search and select **Marketing Intelligence**.
2. On the Data Management tab, select **Patterns**.
3. Click **New Pattern**.
4. Select a data space, name your pattern, select the dimension, add an optional description, and then click **Next**.
5. Select a naming convention to base the pattern on from the left side panel.

6. Select a dimension or create one for each position in your pattern.
7. To change the applied delimiter, select an option from the dropdown
8. To extract a position, select **Extract**.

Only extracted positions are added to the data model and are reflected in reporting.

9. Click **Publish**.

Your pattern is added to the pattern list, where you can monitor, activate and deactivate it.

Anchor Your Campaign Data in Marketing Intelligence

An Anchor Campaign groups related marketing campaigns into a single performance view. By consolidating cross-channel efforts like email, social, and search, you can track how an entire initiative performs as a whole rather than managing fragmented reports.

For example, group Q4 email, social, and paid search campaigns under “Q4 Product Launch” to see how the initiative performs overall.

Anchor Campaigns reduce errors from siloed or inconsistently named campaigns and help you quickly identify areas that need optimization.

Create an Anchor Campaign in Marketing Intelligence

Group related campaigns to track performance as a single strategic initiative.

Create an Anchor Campaign in Marketing Intelligence

Group related campaigns to track performance as a single strategic initiative.

REQUIRED EDITIONS

Available in: **Enterprise, Performance, Unlimited** and **Developer** Editions.

USER PERMISSIONS NEEDED

To create an anchor campaign	Marketing Intelligence Admin
------------------------------	------------------------------

1. In Marketing Intelligence, from the Data Management tab, click **Anchor Campaigns**.
2. Click **New Anchor Campaign**.
3. Select the data space, name your anchor campaign, add a description, and then click **Next**.
4. Select the method for including campaigns.
 - Filters automatically include campaigns based on defined rules.
 -  **Note** Filters help refine your selection. However, anchors are created at the campaign level, and queries include all data tied to the parent Campaign ID.

- Use Manual mode to select specific campaigns from a list. Set the date range.
5. Set the date range.
 6. Add your campaigns.
 - To create a filter, select a dimension, select an operator, enter a value, and then click **Apply**. For example, create a filter to include campaigns automatically based on strategy. Select the Strategy Name dimension, set Contains as the operator, and enter a value of Lead Nurturing. This objective targets campaigns that engage and educate prospects over time to drive conversions.
 - In Manual mode, select the campaigns you want to include from the list.
 7. Customize the table columns. Click the  icon, search for the fields you want to view, and add them to the table.
 8. Save your changes.

The Anchor Campaign appears in the Anchor Campaign table.

Attribution in Marketing Intelligence

Attribution in Marketing Intelligence is the practice of identifying which marketing activities, channels, and touchpoints contribute to a desired business outcome—such as a lead conversion, pipeline creation, or closed deal. By understanding attribution, marketing teams can make smarter investment decisions, optimize campaign performance, and demonstrate the business impact of their work.

Marketing attribution sits at the intersection of data, buyer behavior, and business strategy. It answers the fundamental question: What is driving results, and how much credit should each effort receive?

Key Attribution Concepts

Before diving into specific attribution models, it's important to understand the foundational concepts that apply across all approaches:

Engagement Signal / Touchpoint

A tracked interaction such as an email open, SMS reply, website visit, or ad click, that a user has with your brand before you convert them.

Conversion Event

The single, defined outcome in the customer journey that attribution evaluates. For example, completing a checkout, submitting a contact form, or subscribing to a newsletter.

Conversion Metric

The metric that represents or quantifies the conversion event for reporting and analysis. For example, total purchases, leads generated, or newsletter sign-ups.

Lookback Window

The time period in which touchpoints are considered eligible for credit. For example, a 90-day

window means touchpoints expire after 3 months. If a lead attends a webinar in January but converts in April, that webinar receives zero credit and won't appear in your revenue reporting.

Revenue Attribution

Connecting marketing activity directly to pipeline or bookings. For example, proving a LinkedIn campaign generated \$2.4M in pipeline and 12 closed deals allows a team to justify their budget with a clear ROI figure.

Multi-touch vs. Single-touch

Whether credit is distributed across multiple interactions or assigned to one. For example, a lead clicks an ad, attends a webinar, and then responds to a sales email before converting. Single-touch gives 100% of the credit to just one of those interactions. Multi-touch splits credit across all three interactions.

First-party Data

Data that your organization owns and collects directly. For example, CRM records, form submissions, and email engagement. Unlike third-party data, it reflects your actual customer interactions, making it a more accurate and reliable foundation for attribution reporting.

Supported Attribution Types in Marketing Intelligence

Marketing Intelligence supports two primary attribution model families, each designed for different analytical needs.

Touch-Based Attribution

Assign credit based on the individual interactions (touches) a prospect has with marketing content and campaigns across their buyer journey. Best for understanding which campaigns and channels influence pipeline.

Key Characteristic: Credit is distributed across individual marketing interactions regardless of order. Evaluating the full breadth of touchpoints a prospect encounters across channels and campaigns, without requiring a predefined sequence.

Focus: Breadth—the "What".

Funnel-Based Attribution

Assign credit based on the stage transitions a prospect moves through in the revenue funnel. For example, Lead → Marketing Qualified Lead (MQL) → Opportunity. Best suited for understanding which activities accelerate progression through the buyer journey.

Key Characteristic: The order of engagement signals matters. Users are tracked through predefined checkpoints in a sequence, whereas Touch-Based Attribution evaluates interactions globally without requiring a specific progression.

Focus: Momentum—the "When".

Choosing the Right Attribution Model

	Touch-Based Attribution	Funnel-Based Attribution
Primary Goal	Measure touchpoint influence	Track pipeline progression and conversion
Focus	Marketing interactions across the journey	Lifecycle stage transitions
Best Use Case	Budget allocation and media mix optimization	Sales and marketing velocity and alignment
Supported Models	First Touch, Last Touch, Linear, Time decay, U shape	First touch , Last touch
Salesforce Object	Campaign Members, Leads, Custom Touch Objects	Opportunities, Lead History, Account Stages

Multi-Touch Attribution in Marketing Intelligence

Multi-Touch Attribution (MTA) in Marketing Intelligence shows how each engagement contributes to conversions across your marketing efforts. MTA connects first-party and third-party interactions across email, SMS, social, search, and other channels to help you understand the true impact of your campaigns.

Funnel-Based Attribution in Marketing Intelligence

Funnel-Based Attribution in Marketing Intelligence tracks how prospects move through the defined stages of your revenue funnel—such as Email Send → Click → Add to Cart → Order Placed. Unlike Touch-Based Attribution, which evaluates interactions globally, Funnel-Based Attribution is ordered: the sequence of engagement signals matters, and users are tracked through predefined checkpoints in progression.

Multi-Touch Attribution in Marketing Intelligence

Multi-Touch Attribution (MTA) in Marketing Intelligence shows how each engagement contributes to conversions across your marketing efforts. MTA connects first-party and third-party interactions across email, SMS, social, search, and other channels to help you understand the true impact of your campaigns.

Unlike single-touch models that assign all credit to one interaction, MTA evaluates the entire customer journey by using a global attribution approach. You define a single conversion event, and MTA distributes credit across a wide range of engagement signals without requiring a strict or sequential funnel. Use attribution dashboards to identify high-impact paths, compare channel performance, and make informed budget decisions.

Attribution Terms and Definitions in Marketing Intelligence

Engagement Signal

A tracked interaction such as an email open, SMS reply, website visit, or ad click, that a user has with your brand before you convert them.

Conversion Metric

The metric that represents or quantifies the conversion event for reporting and analysis. For example, total purchases, leads generated, or newsletter sign-ups.

Conversion Event

The single, defined outcome in the customer journey that attribution evaluates. For example, completing a checkout, submitting a contact form, or subscribing to a newsletter.

Attribution Model

The logic used to distribute conversion credit across engagement signals. For example, Linear or Time decay.

Lookback Window

The period before a conversion that counts toward attribution. For example, with a 30-day sales cycle, only interactions from the prior 30 days count.

Anchor Campaign

A parent campaign that aggregates engagement signals across channels for campaign-level attribution analysis.

How Attribution Tracks the Customer Journey

Signals and metrics determine which interactions along the customer journey qualify for attribution and which of those events counts as a successful outcome.

For example, a user clicks a Meta ad, visits your website, and then buys a product. The ad click and website visit are engagement signals. The purchase event is the conversion signal, and associated values such as revenue are conversion metrics.



Note MTA only tracks engagement signals when they occur within your configured lookback window and resulted in a conversion.

Supported Multi-Touch Attribution Models

Multi-Touch Attribution (MTA) offers several default models that analyze channel contribution. Select a model based on your specific business strategy.

Configure a Multi-Touch Attribution

Configure how engagement signals distribute conversion credit to evaluate the customer journey.

Supported Multi-Touch Attribution Models

Multi-Touch Attribution (MTA) offers several default models that analyze channel contribution. Select a model based on your specific business strategy.

Model Name	Best For	How It Works	Example
First Touch	Analyzing top-of-funnel brand awareness drivers	Assigns 100% credit to the first interaction in the lookback window	Journey: Email → Google Ads → Conversion Credit: Email = 100%.
Last Touch	Optimizing bottom-of-funnel performance and immediate conversion drivers	Assigns 100% credit to the final interaction before conversion	Journey: Email → Google Ads → Conversion Credit: Google Ads = 100%
Linear Regression	Weighting every interaction in the customer lifecycle evenly	Distributes credit equally across every touchpoint in the journey	Journey: Email → Google Ads → Instagram → Conversion Credit: Each touchpoint ≈ 33%
Time Decay	Strategies that give more weight to recent interactions when attributing a sale	Assigns credit based on recency. Touchpoints closer to the conversion get more weight	Journey (Time-decay 7 days): Email (3 days before) → Google Ads (1 day before) → Conversion Credit: Google Ads receives more credit than the email, because it's closer to the conversion
U-Shaped	Emphasizing both the initial discovery and the final close, while acknowledging mid-funnel nurturing	Allocates 40% to the first touch and 40% to the last touch. Splitting the remaining 20% equally among middle	Journey: Email → Meta Ads → LinkedIn Ads → Google Ads → Conversion

Model Name	Best For	How It Works	Example
		interactions	Conversion Credit: Email: 40% Meta Ads: 10% LinkedIn Ads: 10% Google Ads: 40%

Configure a Multi-Touch Attribution

Configure how engagement signals distribute conversion credit to evaluate the customer journey.

REQUIRED EDITIONS

Available in: **Developer**, **Enterprise**, **Performance**, and **Unlimited** editions.

USER PERMISSIONS NEEDED

To configure a multi-touch attribution	Marketing Intelligence Admin
--	------------------------------

1. In Marketing Intelligence, from the Data Management tab, click **Touch-Based Attribution**.
2. Click **New Attribution**.
3. Select the data space, name your attribution, add a description, and then click **Next**.
4. Set the Lookback Window—defines how far back to consider touchpoints before a conversion.
5. Set the Identity Resolution Rule—defines how customer interactions across devices or channels are linked to a single identity.
6. Select the attribution models.
7. Save your work.
8. Add a signal.
 - a. Click **+ Engagement Signal** and then select the signals you want to add.
 - b. Click **Apply**.

Signals marked as **suggested** are preconfigured templates. Selecting a suggested signal automatically creates the signal without extra configuration.

9. Create a new signal.
 - a. Click **New Signal**.
 - b. Select the data space and engagement DMO, and then click **Next**.
 - c. Select the user identifier, timestamp identifier, and the event identifier and then click **Next**.
 - d. Determine the event count definition and then click **Next**.
 - e. (Optional) Add filters to help define the specific engagement signal.
 - f. Click **Next**.
 - g. Name the signal and then click **Save**.
The system creates the signal and adds it to the signal list for selection.

10. Add a conversion metric.
 - a. Click + **Conversion Metric**.
 - b. Select the metric and then click **Apply**.
11. Create a new conversion metric.
 - a. Click + **Conversion Metric**.
 - b. Select a signal and then click **Next**.
 - c. Name the metric.
 - d. Set the aggregate function—how the system calculates the selected field values.

For example, use SUM to total a value like revenue, or COUNT to tally the number of occurrences like orders.

- e. Save your work.

The conversion metric is created and can be selected from the metric list.

12. Click **Deploy**.

The attribution deploys in the background, and results become available for analysis in dashboards after deployment completes.

Funnel-Based Attribution in Marketing Intelligence

Funnel-Based Attribution in Marketing Intelligence tracks how prospects move through the defined stages of your revenue funnel—such as Email Send → Click → Add to Cart → Order Placed. Unlike Touch-Based Attribution, which evaluates interactions globally, Funnel-Based Attribution is ordered: the sequence of engagement signals matters, and users are tracked through predefined checkpoints in progression.

Use Funnel-Based Attribution to understand which activities accelerate pipeline velocity, align sales and marketing on lifecycle stage transitions, and identify where prospects stall or drop off in the buyer journey.

You can define up to 5 custom funnel stages, tie specific engagement signals and metrics to each stage, and reorder stages at any time while the attribution is in draft status.

How Funnel-Based Attribution Tracks the Customer Journey

Funnel stages and metrics determine which transitions along the buyer journey qualify for attribution and which outcome counts as a successful conversion.

For example, a prospect receives an email, clicks through to a product page, and then completes a purchase. Each of these events maps to a predefined funnel stage—Email Send, Click, and Order Placed. Attribution credit is assigned based on how the prospect progresses through those stages in sequence.



Note Funnel-Based Attribution only tracks stage transitions when they occur within your configured lookback window, in the defined order, and resulted in a conversion.

Configure a Funnel-Based Attribution

Configure how conversion credit is distributed across funnel stage transitions to track prospect progression through the buyer journey.

Configure a Funnel-Based Attribution

Configure how conversion credit is distributed across funnel stage transitions to track prospect progression through the buyer journey.

REQUIRED EDITIONS

Available in: **Enterprise, Performance, Unlimited** and **Developer** Editions.

USER PERMISSIONS NEEDED

To configure Funnel-Based Attribution	Marketing Intelligence Admin
---------------------------------------	------------------------------

1. In Marketing Intelligence, from the Data Management tab, click **Funnel-Based Attribution**.
2. Click **New Attribution**.
3. Select the data space, name your attribution, add a description, and then click **Next**.
4. Set the Lookback window.
The lookback window defines how far back to consider stage transitions before a conversion.
5. Set the Identity Resolution Rule.
The identity resolution rule defines how customer interactions across devices or channels are linked to a single identity.
6. Select the attribution models.
Choose one or more models such as First Touch or Last Touch. Each model distributes credit differently. For more information, see [Attribution in Marketing Intelligence](#).
7. Click **Save**.
8. Add funnel stages.
 -  **Note** You can edit or add stages at any time while the attribution is in draft status. After you click Deploy you can no longer edit or add.
 - a. Click **Add Stage** and define up to 5 stages.
For example, Email Send → Click → Add to Cart → Order Placed.
 - b. Drag and drop to reorder stages as needed.
9. Add a signal to each stage.
 - a. In a stage, search and select the signal you want to add.
Repeat this step for each funnel stage.
10. Add the conversion metric.
Only one metric can be selected. If no metric is selected, the stage defaults to a count-based metric.
 - a. Click + **Change Metric**.
 - b. Search and select the metric.
 - c. Click **Save**.
11. Review the configuration and then click **Deploy**.

12. When deployment is complete, go to the Marketing Analytics tab to view attribution insights and analyze funnel performance.

View Insights on the Marketing Intelligence Home Page

The Marketing Intelligence in Marketing Cloud Next home page provides an interactive overview of your marketing strategies, data health, and goals. It helps you navigate the marketing landscape and make informed decisions by providing a clear picture of your overall performance and trends.

The home page includes a campaign summary so that you can quickly assess the performance of your advertising campaigns. To start the Paid Media Optimization Agent, click **Optimize Campaigns**. This agent helps you improve ad performance by identifying underperforming ads based on industry benchmarks. See [Pause Underperforming Ads with the Paid Media Optimization Agent \(Beta\)](#).

To view data on the home page, connect at least one data pipeline to Marketing Intelligence. See [Data Pipelines in MI](#).

Customize the Campaign Summary in Marketing Intelligence

The campaign summary helps you quickly understand how your campaigns are performing. In the Home tab, you see an overall summary of all campaign objectives. In the Marketing Analytics dashboards, you see summaries grouped by objective and tailored to each dashboard. Select objectives, define the metrics that measure success, and take action directly from the summary.

Customize the Campaign Summary in Marketing Intelligence

The campaign summary helps you quickly understand how your campaigns are performing. In the Home tab, you see an overall summary of all campaign objectives. In the Marketing Analytics dashboards, you see summaries grouped by objective and tailored to each dashboard. Select objectives, define the metrics that measure success, and take action directly from the summary.

REQUIRED EDITIONS

Available in: **Enterprise, Performance, Unlimited** and **Developer** Editions.

USER PERMISSIONS NEEDED

To customize a campaign summary:	Marketing Intelligence Admin
----------------------------------	------------------------------

You can customize the campaign summary in both the Home tab and the Marketing Analytics dashboards.

In the Home tab, select up to 6 metrics to include in the campaign summary. Default thresholds reflect the lowest and highest values across all channels, and you can adjust them to align with your campaign goals.

In the Marketing Analytics dashboards, summaries are grouped by objective. Select up to 4 objectives, and for each objective choose up to 4 metrics and adjust thresholds to define performance. In Performance Overview and Segment Intelligence, thresholds use the lowest and highest values across connected channels. In Channel Summaries, thresholds follow industry benchmarks

Changes you make in one dashboard don't affect others.

1. Open the summary that you want to customize.
2. Open the campaign summary menu, and then click **Customize**.
3. To customize from the Home tab
 - a. Search or select up to 6 metrics to include in the campaign summary.
 - b. Hover over a metric to adjust its thresholds. Default thresholds reflect the lowest and highest values across all channels.
4. To customize from Marketing Analytics dashboards:
 - a. Search or select up to 4 objectives to include in the dashboard campaign summary.
 - b. To change the related metrics for an objective, click the objective and select the metrics you want (up to 4 per objective).
 - c. Hover over a metric to adjust its thresholds.
5. Click **Save** to apply your changes.
6. (Optional) Click **Optimize** on an objective to open the Paid Media Agent and take action.

Customizations apply only to the dashboard you edited. Other dashboards and the Home tab aren't affected. To reset all defaults, open the campaign summary menu and click **Restore Defaults**.

Measure Performance with Marketing Intelligence Goals (Beta)

Goals are essential for developing and executing an effective marketing strategy. Marketing goals are specific, measurable objectives that align with broader business goals, guiding teams toward success. With Goals from Marketing Intelligence in Marketing Cloud Next, you can create, manage, track, and visualize goals to enhance advertising campaign performance, optimize return on investment (ROI), and achieve your marketing KPIs.



Note Marketing Intelligence Goals is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](https://www.salesforce.com/agreements) or a written Unified Pilot Agreement if executed by Customer, and applicable terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

Create a Marketing Intelligence Goal (Beta)

Create a goal to make informed decisions that drive success. Goals help you set clear KPIs, track, and measure key metrics, experiment with different marketing channels, and understand the customer journey.

Create a Marketing Intelligence Goal (Beta)

Create a goal to make informed decisions that drive success. Goals help you set clear KPIs, track, and measure key metrics, experiment with different marketing channels, and understand the customer journey.

REQUIRED EDITIONS

Available in: **Enterprise, Performance, Unlimited** and **Developer** Editions.

USER PERMISSIONS NEEDED

To create a Marketing Intelligence Goal	Marketing Intelligence Admin
---	------------------------------



Note Marketing Intelligence Goals is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and applicable terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

Use Marketing Intelligence Feature Manager to turn on Goals, or ask your admin to do it for you.

1. In Marketing Intelligence, on the Goals tab, click **Create a Goal**.
2. Select the metric that you want to target.
3. Select the channel you want to base the goal on. You can select multiple channels.
4. Add additional filters.
5. Define the goal's target value.
6. Select the goal type you want to use.
7. Enter the goal's start and end dates.
8. Preview your goal in the preview window.
9. Review the goal and its settings, then click **Save**.

The new goal appears in the Goals Overview list and can be modified as needed.

Optimize Marketing Strategies with Marketing Intelligence Analytics

Marketing Analytics provides out-of-the-box dashboards in a centralized location, helping you navigate between them easily. After you connect a data pipeline, Marketing Intelligence in Marketing Cloud Next automatically generates dashboards to help you analyze campaign performance and make data-driven decisions.

For a comprehensive view of cross-channel performance, explore the Performance Overview dashboard, which consolidates data from multiple sources into a single, unified report. With a campaign summary

providing key insights, you can quickly assess advertising performance and optimize your strategy. Customize the Campaign Summary to focus on the metrics and benchmarks that matter most to your goals and channels. See [Customize the Campaign Summary](#).

View all available out-of-the-box dashboards under Channel Analytics to gain insights that help you evaluate campaign performance. Optimize channels such as Facebook Ads, Google Ads, and YouTube Ads by analyzing key metrics such as click-through rate (CTR), cost per click (CPC), and cost per acquisition (CPA). Use analytic graphs to illustrate trends such as conversions over time, CPA over time, and conversions by campaign.

Use Collections in the Marketing Analytics tab to organize dashboards in one place. Group standard and custom dashboards into collections to make them easier to find, access, and manage. Collections streamline workflows and help you keep related dashboards together for quicker analysis.

Campaign Attribution links your campaigns to conversions, providing a full view of the sales funnel—from the initial touchpoint to the final sale. The Attribution Dashboard offers an overview and key metrics for the first and last touchpoints, helping you to analyze attribution data using different models. Customize your view by selecting the start time and choosing the first or last touch.

Track Segment Performance with the Segment Intelligence Dashboard

Segment Intelligence is a dashboard for Marketing Intelligence in Marketing Cloud Next that helps you evaluate how your audience segments—created in Data 360 and activated to third-party platforms like Google Ads and Meta Ads—perform across channels. The dashboard presents your engagement data in a single view, making it easier to identify which segments are performing well and which need adjustment. The Segment Summary provides performance highlights and benchmarks, offering clear insights to help you optimize your campaigns.

After setup is complete, the dashboard automatically updates with performance data and summaries—giving you the insights you need to fine-tune your campaigns and improve results.

Improve Marketing Strategies with Agentforce in Marketing Intelligence

Agentforce brings generative AI to Marketing Intelligence in Marketing Cloud Next, enabling agents to analyze your data and recommend actions to improve performance.

[Pause Underperforming Ads with the Paid Media Optimization Agent \(Beta\)](#)

The Paid Media Optimization Agent analyzes ad performance, recommends which ads to pause, and lets you take action directly in Marketing Intelligence for supported channels. It helps you optimize campaigns and manage budgets without switching between reports or dashboards.

Pause Underperforming Ads with the Paid Media Optimization Agent (Beta)

The Paid Media Optimization Agent analyzes ad performance, recommends which ads to pause, and lets you take action directly in Marketing Intelligence for supported channels. It helps you optimize campaigns and manage budgets without switching between reports or dashboards.

Configure Agentforce with Marketing Intelligence: Paid Media Agent (Beta)

Use Marketing Intelligence with Agentforce to improve ad performance by identifying underperforming ads based on industry benchmarks. Manage budget distribution effectively and optimize campaigns without manually tracking multiple reports and dashboards. The agent recommends which ads to pause and can automatically pause them in certain channels.

Set Up the Paid Media Optimization Agent (Beta)

Use the The Paid Media Optimization Agent to review underperforming ads, see pause recommendations, and pause ads directly from Marketing Intelligence in supported channels. The agent helps you optimize campaigns and manage budgets without switching between reports or dashboards.

Considerations for Paid Media Optimization in Marketing Intelligence (Beta)

To use Paid Media Optimization in Marketing Intelligence, consider supported functionality, usage, limitations and allowances, limits, and other issues.

Agents and Data Usage in Marketing Intelligence (Beta)

When using Agentforce along with Marketing Intelligence, review this table to understand the type of data used by agents.

Configure Agentforce with Marketing Intelligence: Paid Media Agent (Beta)

Use Marketing Intelligence with Agentforce to improve ad performance by identifying underperforming ads based on industry benchmarks. Manage budget distribution effectively and optimize campaigns without manually tracking multiple reports and dashboards. The agent recommends which ads to pause and can automatically pause them in certain channels.

REQUIRED EDITIONS



Note Paid Media Optimization Agent is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and the Non-GA Credit Consumption, Non-GA Gen AI, and the Non-GA Open AI LLM Provider terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

Available in: Lightning Experience

Available in: **Enterprise**, **Performance**, and **Unlimited** Editions with the Einstein for Sales, Einstein for Service, or Einstein Platform add-ons, and in **Enterprise** and **Unlimited** Editions with Marketing Cloud

Next.

USER PERMISSIONS NEEDED

To create Agentforce (Default):

Manage AI Agents AND Manage Agentforce
Default Agent

OR

Customize Application

To set up Paid Media Optimization agent:

Marketing Intelligence Admin permission set

Meet these prerequisites before configuring the agent to optimize and pause your campaigns.

- [Set Up Marketing Intelligence.](#)
- [Set Up Einstein Generative AI.](#)
- [Set Up the Paid Media Optimization Agent.](#)

Set Up the Paid Media Optimization Agent (Beta)

Use the The Paid Media Optimization Agent to review underperforming ads, see pause recommendations, and pause ads directly from Marketing Intelligence in supported channels. The agent helps you optimize campaigns and manage budgets without switching between reports or dashboards.

REQUIRED EDITIONS

 **Note** Paid Media Optimization Agent is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and the Non-GA Credit Consumption, Non-GA Gen AI, and the Non-GA Open AI LLM Provider terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

Available in: Lightning Experience

Available in: **Enterprise**, **Performance**, and **Unlimited** Editions with the Einstein for Sales, Einstein for Service, or Einstein Platform add-ons, and in **Enterprise** and **Unlimited** Editions with Marketing Cloud Next.

USER PERMISSIONS NEEDED

To create an AI Agent:

Manage AI Agents and Manage Agentforce
Employee Agents

USER PERMISSIONS NEEDED

OR

Customize Application

To set up Paid Media Optimization agent:

Marketing Intelligence Admin permission set

1. Enable Agentforce in Marketing Intelligence.
 - a. From Setup, in the Quick Find box, enter and select **Marketing Intelligence**.
 - b. On the Feature Manager tab, enable Agentforce.
2. Turn on Agentforce Agents.
 - a. From Setup, in the Quick Find box, enter and select **Agentforce Agents**.
 - b. Click **New Agent**.
 - c. Select **Paid Media Optimization Agent**, and then click **Next**.
 - d. Click **Next**.
 - e. Enter your company details.
 - f. Click **Next**.
 - g. Select the language and tone of your agent's responses.
 - h. Click **Create**.
3. To turn on the Paid Media Optimization Agent, click **Activate**.
4. [Manage Agentforce Employee Agent \(AEA\) access](#).

Considerations for Paid Media Optimization in Marketing Intelligence (Beta)

To use Paid Media Optimization in Marketing Intelligence, consider supported functionality, usage, limitations and allowances, limits, and other issues.

REQUIRED EDITIONS



Note Paid Media Optimization Agent is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and the Non-GA Credit Consumption, Non-GA Gen AI, and the Non-GA Open AI LLM Provider terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

Available in: Lightning Experience

Available in: **Enterprise**, **Performance**, and **Unlimited** Editions with the Einstein for Sales, Einstein for Service, or Einstein Platform add-ons, and in **Enterprise** and **Unlimited** Editions with Marketing Cloud Next.

USER PERMISSIONS NEEDED

To create an AI Agent:

Manage AI Agents and Manage Agentforce
Employee Agents

OR

Customize Application

To set up Paid Media Optimization agent:

Marketing Intelligence Admin permission set

Language and Locale Support

Language	locale	culture code
English	English (United States)	en_US

Large Language Model Support

Paid Media Optimization supports this model.

Model

OpenAI GPT-4o

Einstein Trust Layer Service Support

Paid Media Optimization supports these Trust Layer services.

Service	Description
Dynamic Grounding with Secure Data Retrieval	Yes
Prompt Defense (System policies and prompt injection detection)	Yes
Data Masking	No
Toxicity Detection	Yes
Audit and Feedback	Yes

Region Support

Paid media optimization does not support geo-aware LLM request routing, as described in [Geo-Aware LLM Request Routing on the Einstein Generative AI Platform](#).

Generative AI Usage

Agentforce Usage Types (for Agentforce conversations) and Einstein Requests are metrics for generative AI. The use of generative AI capabilities, in either a production or sandbox environment, consumes Einstein Requests and possibly Data 360 credits. To learn more, see [Generative AI Billable Usage Types](#).

Paid media optimization stores and processes data using Data 360. Paid media optimization consumes credits used for billing based on your usage of the feature.

Data Cloud One Support

Paid media optimization is supported in Data Cloud One companion orgs. For more information, see [Salesforce CRM Orgs to Data 360](#).

Agents and Data Usage in Marketing Intelligence (Beta)

When using Agentforce along with Marketing Intelligence, review this table to understand the type of data used by agents.

REQUIRED EDITIONS

Available in: Lightning Experience in **Enterprise, Unlimited, Professional, and Developer** editions with Data 360.



Note Paid Media Optimization Agent is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and the Non-GA Credit Consumption, Non-GA Gen AI, and the Non-GA Open AI LLM Provider terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

The table lists both the Customer Data that is used, which is data submitted by the Customer to our services as defined in our Main Services Agreement (MSA), and the usage data that is used, which is data relating to users' interactions with Salesforce. Data submitted to an agent may be used to train AI models, to improve your services and features, or to develop new features that you can access without additional cost.

feature	Customer data and salesforce objects used	generative ai model used	global model used	deep learning model used
Marketing Intelligence: Get Channel Types	User engagement data from DMOs	Yes	No	No
Marketing Intelligence: Get Campaign Objectives	User engagement data from DMOs	Yes	No	No
Marketing Intelligence: Get Metrics	User engagement data from DMOs	Yes	No	No
Marketing Intelligence: Get Low Performing Ads	User engagement data from DMOs	Yes	No	No