



Unified Messaging



CONTENTS

Unified Messaging	1
What's Unified Messaging?	3
Unified Messaging Setup	4
Unified Messaging Consent	250
Inactive Unified Messaging Channels and Deprovisioning	250
Billing Considerations for Unified Messaging	251

Unified Messaging

Connect Marketing Cloud and Service Cloud Digital Engagement to messaging capabilities across email, SMS, and third-party messaging apps such as WhatsApp. Configure these channels with your own addresses and accounts, and then send marketing and service messages. Depending on your business needs, you may decide to implement all channel types or just one.

REQUIRED EDITIONS

Available in: Lightning Experience

Unified Messaging for Email and SMS is available in: Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next **Growth** and **Advanced** Editions

Unified Messaging for WhatsApp is available in: **Enterprise** and **Unlimited** Editions for Marketing Cloud Engagement **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus



 Get Started with Unified Messaging What's Unified Messaging? Unified Messaging Setup Connect to Data 360 for Unified Messaging <i>Community:</i> Digital Engagement Trailblazer Community <i>Community:</i> Marketing Cloud Engagement Trailblazer Community	 Prepare for Unified WhatsApp WhatsApp Unified Messaging Channel Capabilities Number Reuse and Migration in WhatsApp Unified Messaging How Conversation Transitions Work in WhatsApp Unified Messaging	 Set Up Unified WhatsApp Connect Your WhatsApp Business Account Add a Cloud to a WhatsApp Unified Messaging Channel Set the Default Connection to Receive Incoming WhatsApp Messages WhatsApp Engagement Data Pause Traffic in a WhatsApp Unified Messaging Channel
---	--	---

		
Set Up Unified Email	Set Up Unified SMS	Extend Unified Messaging
Authenticate a Domain for Unified Messaging	Request a Brand for a US 10-Digit Code	Manage SMS Consent in Unified Messaging
Turn On Einstein Metrics Guard for Unified Messaging	Request a Campaign for a US 10-Digit Long Code	Manage WhatsApp Consent in Unified Messaging
Email Engagement Data	Request a US 10-Digit Long Code	Create a WhatsApp Session Transfer Activity
	Short Codes for SMS Unified Messaging	Inactive Unified Messaging Channels and Deprovisioning
	Activate Your SMS Code	Build Analytics Assets with Analytics Studio
	Sample SMS Message Information	<i>Developer Guide:</i> MessagingChannelUsage
	SMS Engagement Data	
	Create a Branded Domain	

What's Unified Messaging?

Learn how Unified Messaging makes it easier to message with current and potential customers from Salesforce.

Available in: Lightning Experience
Unified Messaging for Email and SMS is available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Not supported in Government Cloud Plus

WhatsApp Unified Messaging: Service and Marketing in One Channel

Provide your company's service and marketing interactions in one channel built on the Unified Conversation Platform. This unified experience makes it easy to shift between one-way marketing promotions and two-way customer support interactions, with Data 360 powering every message. Unified Messaging also lets you deliver personalized interactions throughout a customer's journey using one WhatsApp number.



Note To use an existing WhatsApp number or WhatsApp Business account in Unified Messaging, see [Number Reuse and Migration](#).

Email and SMS Unified Messaging: Marketing with Data 360

Unified Messaging provides the framework you need to connect your marketing activities to information contained in Data 360. This functionality lets you store subscriber demographic and consent information in Data 360. When the time comes to send messages or perform other marketing activities, you can use this framework to segment and target your subscribers for meaningful interactions. This framework also helps you maintain resources associated with your marketing activities, such as authenticated domains for email channels and brand, campaign, and code requests for SMS channels.

SMS Unified Messaging: Service and Marketing in One Channel

Manage your company's service and marketing interactions in one SMS channel built on the Unified Conversation Platform. This unified experience makes it easy to shift between one-way marketing promotions and two-way customer support interactions. Unified Messaging enables you to provide personalized interactions throughout a customer's journey by using one phone number.

In SMS Unified Messaging channels, Omni-Channel determines the routing of service conversations, and Flow handles the marketing messages. If a customer interaction is service-related, Omni-Channel routes the message to a bot or service agent. If the interaction is marketing-related, Flow determines how to handle the interaction. You can customize the keywords and responses associated with each use case. SMS Unified Messaging supports text-only messages.

 **Important** You can't upgrade a Service Cloud Messaging channel or Marketing Cloud Engagement channel to a Unified Messaging channel. When you set up a Unified Messaging SMS channel, use a new phone number.

See Also

[How Conversation Transitions Work in WhatsApp Unified Messaging](#)
[Set Up an SMS Unified Messaging Channel](#)

Unified Messaging Setup

Configure each channel in the Unified Messaging section of Salesforce Setup. All channels include required setup steps as well as optional configuration steps specific to that channel. For example, you can enable WhatsApp for Digital Engagement and Marketing Cloud Engagement. To fully enable a WhatsApp channel for these apps, you must both create the connection and deploy data kits and streams for each channel in Data 360. These streams establish the relationships required to target subscriber segments and capture data on how subscribers engage with your messages.

Available in: Lightning Experience
Unified Messaging for Email and SMS is available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions

[Connect to Data 360 for Unified Messaging](#)

Before you can send messages, connect to Data 360 and deploy the required data kits. A data kit is similar to a managed package, and it contains everything that you need to get started. Use a data kit to create data streams, which establish the relationships that are required to track engagement and honor consent. Create a Data 360 connection for each channel that you plan to use.

[Create a Branded Domain for Unified Messaging](#)

Use a branded domain to shorten URLs to personalized links. You can then use shortened text in your messages and use the links to track interactions. A branded domain requires a valid CA-signed HTTPS certificate.

[Create a Unified WhatsApp Messaging Channel](#)

Create a WhatsApp channel that supports both marketing and service interactions. Give reps access to a full customer profile that includes both marketing and support interaction history.

Set Up an Email Unified Messaging Channel

Configure these settings to send email messages with Unified Messaging.

Set Up an SMS Unified Messaging Channel

Create an SMS channel that supports both marketing and service interactions. To set up an SMS channel requires requesting the code to send your SMS messages, including any brands or campaigns used as part of your sends.

Connect to Data 360 for Unified Messaging

Before you can send messages, connect to Data 360 and deploy the required data kits. A data kit is similar to a managed package, and it contains everything that you need to get started. Use a data kit to create data streams, which establish the relationships that are required to track engagement and honor consent. Create a Data 360 connection for each channel that you plan to use.

REQUIRED EDITIONS

To process data correctly, preserve field visibility for the Data Cloud Salesforce Connector permission set. Visibility can change when you delete a field, change the permissions on a field, or change the API name for a custom field.

For best performance in Unified WhatsApp, [keep your data kits up to date](#).

Before connecting, choose how to [track and store data privacy preferences](#).

Available in: Lightning Experience
Unified Messaging for Email and SMS is available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Not supported in Government Cloud Plus

USER PERMISSIONS NEEDED

To install the Consent Data Cloud package:	Read and View All Records on Communication Subscriptions, Communication Subscription Channel Types, and Engagement Channel Types
--	--

Each unified channel type requires two data kits. One package relates to consent settings, and the other relates to channel engagement data. You can install both at the same time, or you can install each one separately.

1. From Setup, in the Quick Find box, enter *Unified Messaging*, and then select the channel that you want to configure.

2. Locate the Channel Setup section for your channel, and then click **Install**.
 - For the Email channel, install the data kits as part of the Marketing Cloud Next setup process.
 - For the SMS channel, find the data kits at SMS Codes in the SMS section of Unified Messaging.
 - For the WhatsApp channel, find the data kits at Your Numbers in the WhatsApp section of Unified Messaging.
3. After the installation completes, click **Done**.

The required data streams are now connected in Data 360.

Create a Branded Domain for Unified Messaging

Use a branded domain to shorten URLs to personalized links. You can then use shortened text in your messages and use the links to track interactions. A branded domain requires a valid CA-signed HTTPS certificate.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, search for the appropriate domain page.
 - a. For SMS domains, enter *URL Shortening Domain*, and then select **URL Shortening Domain**.
 - b. For email domains, enter *Links*, and then select **Links** in the Email section of Unified Messaging.
2. Click **New Domain**.
3. Enter the name of your domain, and select the [CA-signed HTTPS certificate](#) to use. This process automatically adds the prefix https:// to your URL. We recommend using a subdomain for this branded domain.
4. Save your domain.
5. Click the dropdown next to the domain record that you created and select **Details**.
6. Configure the required DNS CNAME record with your domain registrar. Work with your IT team to update your DNS settings and [authenticate the domain](#).
7. After the DNS information propagates, click **Status** to activate the domain.

After you activate the domain, you can select it for use when sending your messages. Shortened links expire in 90 days and after the links expire, subscribers receive a page not found error.

See Also

[Generate a Certificate Signed by a Certificate Authority](#)

Create a Unified WhatsApp Messaging Channel

Create a WhatsApp channel that supports both marketing and service interactions. Give reps access to a full customer profile that includes both marketing and support interaction history.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Prepare for Unified WhatsApp Messaging

Before setting up a WhatsApp channel in Unified Messaging, get to know how it works. Compare Unified Messaging channels side by side with Marketing Cloud Engagement and Service Cloud Digital Engagement, and learn about number reuse and conversation transitions that can occur within a WhatsApp Unified Messaging channel.

Set Up Unified WhatsApp

Unified WhatsApp setup takes place in Data Cloud, Marketing Cloud, Service Cloud and Meta. The help docs for Unified WhatsApp setup are listed in a recommended order.

Unified WhatsApp Migration

To migrate a WhatsApp Business Account or phone number to Unified WhatsApp, follow these setup steps.

Configure Messaging During a Support Session for Unified WhatsApp

Specify whether a message is sent to customers while they work with Service Cloud support. You can prevent customers from receiving promotional or other low-priority content during conversations with an agent or bot. This feature is available for only Unified WhatsApp numbers.

Unified WhatsApp Engagement Data

Use Journey Builder to transfer a WhatsApp conversation with a customer from a marketing interaction to a service bot to give the customer additional assistance.

Pause Traffic in a WhatsApp Unified Messaging Channel

If you need to pause traffic in a Unified Messaging WhatsApp channel, temporarily disconnect the Service Cloud Digital Engagement and Marketing Cloud Engagement apps in Setup.

Re-Register a WhatsApp Phone Number

If your WhatsApp display name is updated, a business account lock is lifted, or a channel is in an unexpected broken state, you can re-register your WhatsApp phone number with Meta to fix it. When you click Refresh Connection, Salesforce calls the Meta API on the already-registered number. We also ensure that the channel is aligned and correct any missing information.

Prepare for Unified WhatsApp Messaging

Before setting up a WhatsApp channel in Unified Messaging, get to know how it works. Compare Unified Messaging channels side by side with Marketing Cloud Engagement and Service Cloud Digital Engagement, and learn about number reuse and conversation transitions that can occur within a WhatsApp Unified Messaging channel.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Unified WhatsApp Functionality

Explore the functionality of Unified WhatsApp, and compare it with WhatsApp channels in Service Cloud Digital Engagement and Marketing Cloud Engagement.

Number Migration in Unified WhatsApp Messaging

If you don't plan to create a new WhatsApp Business Account or number for Unified WhatsApp, you can migrate an existing one. We accept WABA or number migration from another business service provider, Marketing Cloud Engagement, or Service Cloud. Review these considerations about reusing or migrating phone numbers.

How Conversation Transitions Work in WhatsApp Unified Messaging

With Unified Messaging, a marketing interaction and a service interaction can occur in the same WhatsApp conversation between a customer and your business.

Considerations for WhatsApp Unified Messaging

Review these important considerations before setting up WhatsApp Unified Messaging.

Unified WhatsApp Functionality

Explore the functionality of Unified WhatsApp, and compare it with WhatsApp channels in Service Cloud Digital Engagement and Marketing Cloud Engagement.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

If a functionality is listed as “not applicable” in a particular type of channel, that's because it doesn't fit the channel's purpose or limits. For example, service rep functionality doesn't apply to Marketing Cloud Engagement because marketing interactions typically involve only automated responses from a company.

Setup and Routing

Functionality	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Automated channel setup (no case required)	Yes	Yes	Yes
Message routing method	Journey Builder for Marketing Cloud Engagement interactions, marketing flows for Marketing Cloud Next interactions, and Omni-Channel flows for service interactions	Omni-Channel	Journey Builder
Tab-based capacity	Yes, during service interactions	Yes	Not applicable
Status-based capacity	Yes, during service interactions	Yes	Not applicable

Messaging Session Start and End

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Customer can start session	Yes	Yes	Yes
Agent can start session	Yes, via the Send Message global action	Yes, via the Send Message global action	No
Automated outbound messages	Yes	Yes, via the Send Conversation Messages invocable action	Yes, via Journey Builder
Agent can end session	Yes	Yes	Not applicable
Agent can mark session inactive	Yes	Yes	Not applicable
Available session statuses	Yes	New, Consent, Waiting, Active, Inactive, Ended, Error	Not applicable

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Send and receive messages via an API	No	No	Yes, via the Marketing Cloud LLTS WhatsApp API (send and receive)

Customer Experience

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Typing indicator: customer side	Yes	Yes	Not applicable
Typing indicator: agent side	No	No	Not applicable
Read receipts: customer side	Yes	Yes	Not applicable
Read receipts: agent side	No	No	Not applicable
Delivered receipts: customer side	No	No	Not applicable
Delivered receipts: agent side	Yes	Yes	Not applicable
Desktop application support	Yes	Yes	Not applicable

Agent Experience

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Quick text	Yes	Yes	Not applicable
Message templates	Yes	Yes	Not applicable
Einstein recommended replies	Yes	Yes	Not applicable
Agent-to-agent transfer	Yes	Yes	Not applicable
Agent-to-flow transfer	Yes	Yes	Not applicable

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Agent-to-queue transfer	Yes	Yes	Not applicable
Flag raise	Yes	Yes	Not applicable
Supervisor whisper to agents	Yes	Yes	Not applicable
Conversation transcripts	Yes	Yes	Not applicable
After-conversation work timer	Yes	Yes	Not applicable
Einstein Bots integration	Yes	Yes	Not applicable
Individual-object linking	Yes	Yes	Not applicable
Channel menu	Yes	Yes	Not applicable

Content Sharing

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
File sharing	Yes	Yes	Yes
Text	Yes, up to 1,024 characters for template messages and up to 4,096 characters for session messages	Yes, up to 4,096 characters. Inbound text-only messages over 9 MB are sent as an attachment.	Yes, up to 1,024 characters for template messages and up to 4,096 characters for session messages
Emoji	Yes	Yes	No
Images	Yes; file types and size limits vary by the type of interaction (service versus marketing).	Yes, up to 5 MB inbound and 25 MB outbound: .jpeg, .png. Images must be 8-bit, RGB, or RGBA. Outbound images that are 5 to 25 MB are sent as a link.	Yes, up to 5 MB: .jpg, .png

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Documents	Yes; file types and size limits vary by the type of interaction (service versus marketing).	Yes, up to 30 MB inbound and 25 MB outbound: .pdf, .txt, .ppt, .pptx, .pps, .ppsx, .doc, .docx, .xls, .xlsx, .csv. Supported for inbound only: .zip, .tiff. Outbound documents that are 16 to 25 MB or of type .pdf, .txt, .json, .xml, .csv, .ppsx, and .rtf are sent as a link.	Yes, up to 100 MB via a public URL or 5 MB via Content Builder: .pdf
Audio files	Yes; file types and size limits vary by the type of interaction (service versus marketing).	Yes, up to 16 MB inbound and 25 MB outbound: .aac, .amr. Supported for inbound only: .mp3, .ogg. Only opus codecs are supported. Base audio/ogg isn't supported. Outbound audio files that are 16 to 25 MB are sent as a link.	Yes, up to 16 MB via a public URL or 5 MB via Content Builder: .mp4
Video files	Yes; file types and size limits vary by the type of interaction (service versus marketing).	Yes, up to 16 MB inbound and 25 MB outbound: .mp4, .3gp. Only H.264 video codec and AAC audio codec is supported. Videos with one audio stream or no audio stream are supported. Outbound video files that are 16–25 MB or of type	Yes, up to 16 MB via a public URL or 5 MB via Content Builder: .mp4

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
		.3gp are sent as a link.	
GIFs	Yes, during service interactions (inbound only)	Yes (inbound only)	No
Enhanced links	Yes	Yes, via messaging components (plain text only)	Yes
Questions with options	Yes	Yes, via messaging components	Yes, via templates in Journey Builder
Time selectors	Yes, during service interactions	Yes, via messaging components	No
Forms	Yes, during service interactions	Yes, via messaging components (plain text only)	No
Automated notifications	Yes	Yes, via messaging components and flows	Yes, via Journey Builder
Payment requests	Yes, during service interactions	Yes, via messaging components (plain text only)	No
Authentication requests	Yes	Yes, via messaging components (plain text only)	Yes, via templates in Journey Builder
Right-to-left languages	Yes	Yes	No

Automated Responses

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Auto-responses	Yes, configured in Service channel settings and Journey Builder	Yes, after user sends an initial message, agent accepts a session, or session ends	Yes, via default responses after user sends a non-keyword message
Keyword-based auto-responses	Yes, configured in Service channel settings	Yes	Yes

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
	and Journey Builder		

Security and Consent Management

Capability	Unified Messaging	Service Cloud	Marketing Cloud Engagement
Sensitive data rules	Yes, during service interactions	Yes	No
Encryption at rest	Yes	Yes	Yes
Channel consent levels	Implicit opt-in, explicit opt-in	Implicit opt-in, explicit opt-in, double opt-in	Explicit opt-in
Customers can opt out	Yes	Yes	Yes
Edit Data Residency	Yes	No	No

Number Migration in Unified WhatsApp Messaging

If you don't plan to create a new WhatsApp Business Account or number for Unified WhatsApp, you can migrate an existing one. We accept WABA or number migration from another business service provider, Marketing Cloud Engagement, or Service Cloud. Review these considerations about reusing or migrating phone numbers.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Phone Number Type	Supported for Unified Messaging?
Numbers already in use in WhatsApp with another business service provider (BSP)	Yes. See Migrate to Unified WhatsApp .
Numbers already in use in a Marketing Cloud Engagement WhatsApp channel, or numbers whose WABA is linked to a Marketing Cloud Engagement WhatsApp channel	Yes. See Migrate to Unified WhatsApp .

Phone Number Type	Supported for Unified Messaging?
Numbers already activated in an enhanced WhatsApp channel in Service Cloud (Digital Engagement), or numbers whose WABA is linked to a Service Cloud enhanced WhatsApp channel	Yes. However, the number's WABA can't be associated with multiple phone numbers. See Migrate to Unified WhatsApp .

How Conversation Transitions Work in WhatsApp Unified Messaging

With Unified Messaging, a marketing interaction and a service interaction can occur in the same WhatsApp conversation between a customer and your business.

Available in: Lightning Experience
Available in: • Enterprise and Unlimited Editions for Service Cloud • Growth or Advanced Editions Marketing Cloud Next • Pro+, Corporate+, and Enterprise+ Editions for Marketing Cloud Engagement

Marketing-to-Service Transitions

Unified WhatsApp often follows a workflow in which an outbound marketing campaign is sent to a customer. When the customer replies with anything other than a pre-defined marketing keyword that would keep them in the campaign journey or if your org doesn't have Marketing Cloud Next set up, their response is routed to Service Cloud for support.

What Determines a Conversation's Default Context

You control the default cloud that receives an inbound, customer-initiated Unified WhatsApp message. We recommend using Service Cloud as the default, even if you've also connected Marketing Cloud Engagement or Marketing Cloud Next to your Unified WhatsApp channel. Typically, an inbound, customer-initiated message requires agent or service rep support, as opposed to being routed through a marketing campaign. You can view your default app setting by clicking a number on the Your Numbers page in Setup and finding the Configure Incoming Message Settings section.

Process Incoming Messages

Decide how to route incoming messages that are unrelated to ongoing conversations, keyword matches, or consent requests. Choose an application to receive these messages by default, or log and delete all incoming messages. [Learn More in Help](#)

Forward all incoming messages to this application.

Default App for Incoming Messages

Digital Engagement (recommended) ▼

☐ Allow Marketing Cloud Engagement Reserved Keywords ⓘ

Alternatively, you can select Marketing as your default app to treat all incoming interactions as marketing first. Incoming interactions are then routed by a marketing flow (Marketing Cloud Next) or a journey (Marketing Cloud Engagement) if the user isn't involved in an open Service Cloud messaging session. Learn more at [Set Your Default Cloud and Routing Options for Unified WhatsApp](#).

Considerations for WhatsApp Unified Messaging

Review these important considerations before setting up WhatsApp Unified Messaging.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
 - **Growth** or **Advanced** Editions Marketing Cloud Next
 - **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement
- Unified Messaging is supported in a sandbox that's created after May 9, 2025.
 - Meta doesn't support business-to-business messaging.
 - We don't support associating a single WABA with more than one Salesforce org. For optimal performance, don't reuse a WABA across multiple Salesforce orgs. A sandbox and a production org are considered two separate orgs.
 - Due to Meta's rules and regulations, some messages that you send might not be delivered to your customers. For example, a message isn't delivered if the customer blocked your phone number, hasn't been online for 30 days, or is in a restricted or sanctioned country. In certain situations, Meta doesn't disclose the reason for non-delivery due to privacy and policy reasons. For more information and potential workarounds, see [WhatsApp Cloud API Support](#).
 - Salesforce ensures system integrity by moving messages that cannot be processed after maximum retry attempts to a secure Dead Letter Queue (DLQ) for manual intervention and root-cause analysis. To maintain conversational relevance and performance, any message exceeding a 24-hour processing window will be automatically expired and purged from the queue.

Set Up Unified WhatsApp

Unified WhatsApp setup takes place in Data Cloud, Marketing Cloud, Service Cloud and Meta. The help

docs for Unified WhatsApp setup are listed in a recommended order.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Here are the recommended building blocks, in order, for setting up Unified WhatsApp:

1. Data 360 lets you unify data from marketing and service clouds. Configure your Data Cloud settings first.
2. Tell Salesforce which WhatsApp Business Account and phone number to reference in your Unified WhatsApp workflow.
3. Compliance keywords.
4. Tell Salesforce what type of Salesforce marketing system you use (Marketing Cloud Engagement or Marketing Cloud Next), and whether you also include Service Cloud in your Unified WhatsApp setup. Let Salesforce know which cloud's workflow to default to.
5. Set up routing for Marketing Cloud Engagement or Marketing Cloud Next. Routing tells Salesforce when to keep a customer in a marketing campaign or when to send them to customer support.
6. Set up routing for Service Cloud. Choose whether to route to a user, a queue, or an Omni-Flow that routes to a combination of agents, bots and/or users.

Configure Data Cloud for Unified WhatsApp

Data Cloud helps you store consent and engagement data for Unified WhatsApp conversations.

Connect Your WhatsApp Business Account to Salesforce for Unified WhatsApp

To use WhatsApp in Unified Messaging, connect your WhatsApp Business Account (WABA) and number to your Salesforce account. If you don't have a WABA, we walk you through creating one.

Establish the Cross-Cloud Relationship in Unified WhatsApp

Unified WhatsApp allows outbound marketing campaigns through Marketing Cloud Next (MCN), Marketing Cloud Engagement (MCE), or both. Unified WhatsApp allows AI agents, bots, or service reps to field inbound messages with Service Cloud's Digital Engagement (DE). Set capabilities and a default cloud to choose where outbound conversations originate from and how inbound conversations are handled.

Set Your Default Cloud and Routing Options for Unified WhatsApp

Determine how incoming customer messages are directed across Marketing Cloud Engagement (MCE), Marketing Cloud Next (MCN), and Digital Engagement (DE). We recommend that you establish your Unified WhatsApp default app first, and then determine if custom routing logic via a marketing journey (MCN), marketing flow (MCE), or Omni flow (DE) is necessary.

Choose Your Unified WhatsApp Data Residency

Ensure industry and regulatory compliance by selecting the country where your Unified WhatsApp data is stored at rest. While you make your selection in Salesforce Setup, your data storage is managed

by Meta. This step is required for companies that comply with GDPR regulations.

Configure Marketing Cloud Next for Unified WhatsApp

Use a flow to route a customer's response to a marketing campaign. These instructions assume that you've already activated Marketing Cloud Next and Service Cloud in your org.

Configure Marketing Cloud Engagement for Unified WhatsApp

Use a journey to route a customer's response to a marketing campaign. These instructions assume that you've already activated Marketing Cloud Engagement and Service Cloud in your org. To enjoy the latest marketing advancements in Salesforce, we recommend upgrading from Marketing Cloud Engagement to Marketing Cloud Next.

Configure Service Cloud for Unified WhatsApp

Set up the Service Cloud side of Unified WhatsApp.

Configure Data Cloud for Unified WhatsApp

Data Cloud helps you store consent and engagement data for Unified WhatsApp conversations.

REQUIRED EDITIONS

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To set up Data Cloud

Data Cloud Architect Permission Set



Note WhatsApp in Unified Messaging requires the Salesforce Standard Data Model package version 1.69 or later and the UnifiedMessagingConsent package version 1.3 or later. If your account uses earlier versions, you can upgrade them without losing your existing consent data.

Activate Data Cloud

Turn on Data Cloud if you haven't already.

1. On the app launcher, select **Data Cloud**.
2. Make sure that Data Cloud is activated. If not, click **Get Started**, and wait for setup to complete, which takes about 30 minutes.

Install Your Data Kits

Complete this one-click installation of data kits, which allow you to manage the required data streams for Unified WhatsApp.

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Under Channel Setup, click **Install**. This process installs your required data kits for Unified WhatsApp, and it takes 5-10 minutes to complete.

Install Your Data Streams

A data stream brings raw data from various sources into Salesforce Data Cloud, transforms it into a standardized format, and keeps it updated for immediate use. Install the four data streams that inform Unified WhatsApp.

1. Return to the Data Cloud app in the app launcher, and select the **Data Streams** tab.
2. Click **New**.
3. Click **Installed Data Kits & Packages**, and click **Next**.
4. Deploy the UnifiedWhatsAppPackage Data Stream.
 - a. On the Installed Packages tab, select **UnifiedWhatsAppPackage**.
 - b. In the list of packages, select **WhatsappEngagement**, and click **Next**.
 - c. Deploy the data stream.
5. Deploy the Consent Audit Trail Data Stream.
 - a. Back on the Data Streams tab, click **New**.
 - b. Under Other Sources, select **Installed Data Kits & Packages**, and click **Next**.
 - c. On the Installed Packages tab, select **UnifiedMessagingConsent**.
 - d. In the list of packages, select the item containing the text *ConsentAuditTrail*, and click **Next**.
 - e. Deploy the data stream.
6. Deploy the Messaging Consent Data Stream.
 - a. Back on the Data Streams tab, click **New**.
 - b. Under Other Sources, select **Installed Data Kits & Packages**, and click **Next**.
 - c. On the Installed Packages tab, select **UnifiedMessagingConsent**.
 - d. In the list of packages, select the item containing the text *MessagingConsent*, and click **Next**.
 - e. Deploy the data stream.
7. Deploy the Unified Messaging Consent Data Stream.
 - a. Back on the Data Streams tab, click **New**.
 - b. Under Connected Sources, select **Salesforce CRM**, and click **Next**.
 - c. Under Custom Data Bundles, select **UnifiedMessagingConsent**, and click **Next**.
 - d. Review the list of objects and fields in the bundle, and then click **Next**.
 - e. If a message warns you about conflicts, click **Proceed**.
 - f. Deploy the data stream.
8. On the Data Streams tab, verify that the value in the Data Stream Status column is **Active** for each data stream.

Prepare Your Users for Data 360

To let marketing or service reps access Unified WhatsApp data, consider giving them one of the [user permission sets for Data 360](#).

Connect Your WhatsApp Business Account to Salesforce for Unified WhatsApp

To use WhatsApp in Unified Messaging, connect your WhatsApp Business Account (WABA) and number to your Salesforce account. If you don't have a WABA, we walk you through creating one.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

It can take up to 24 hours to migrate templates from one WhatsApp Business Account to another. For help migrating templates before you've registered a phone number in the receiving account, open a support case for assistance. To minimize downtime that can occur during a migration, we recommend migrating your channel during a low-traffic time.

Create a WhatsApp Business Account for Unified WhatsApp

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Click **Add Number**.
3. Select **Create a WhatsApp Business Account, new account** and click **Next**.
4. Click **Create Account**, and click **Next**.
5. Enter the Meta credentials for your WABA, and click **Next**.
6. Click **Continue as [your name]**.
7. Click **Get Started**.
8. Select your Business Portfolio, and click **Next**.
9. Click **Next**.
10. Enter your WhatsApp Business account name, WhatsApp Business display name, and Category, and click **Next**.
11. Enter your number, select **Phone Call**, and click **Next**.
12. Enter your verification code, and click **Next**.
13. Click **Finish**.
14. You should be redirected back to Salesforce, where you enter your WhatsApp Business account and phone number. Then click **Finish**.

Establish the Cross-Cloud Relationship in Unified WhatsApp

Unified WhatsApp allows outbound marketing campaigns through Marketing Cloud Next (MCN), Marketing Cloud Engagement (MCE), or both. Unified WhatsApp allows AI agents, bots, or service reps to field inbound messages with Service Cloud's Digital Engagement (DE). Set capabilities and a default cloud to choose where outbound conversations originate from and how inbound conversations are handled.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement



Note Marketing Cloud Next is Salesforce's new marketing product. We recommend upgrading from Marketing Cloud Engagement to Marketing Cloud Next to enjoy the latest features and enhancements to marketing at Salesforce.

Enable Business-Initiated Outbound for MCN and DE

Configure the Customer Conversation Engagement capability to allow business-initiated outbound conversations from MCN or DE.

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Under the Messaging Platform Key, select the number associated with your WhatsApp Business Account.
3. Click the **Consent** tab.
4. Enter Opt-In Keywords and an Opt-In Confirmation Message, and save your changes.
5. Under the Details tab for your number, in the Capabilities section, click **Configure** next to **Customer Conversation Engagement**. To send a business-initiated outbound message, you must have the end-user's explicit opt-in consent.

Connect to MCE

MCE is Salesforce's legacy marketing product. We recommend upgrading from MCE to MCN to enjoy the latest features and enhancements to marketing at Salesforce.

Before activating the capability for MCE, [connect Data Cloud to MCE](#).

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Under Messaging Platform Key, select the number associated with your WhatsApp Business Account.
3. Click the **Consent** tab.

4. Enter Opt-In Keywords and an Opt-In Confirmation Message, and save your changes.
5. Under the Details tab for your number, in the Capabilities section, click **Configure** next to **Marketing Cloud Engagement Messages**. This allows business-initiated outbound and customer-initiated inbound with MCE.
6. Select an Enterprise ID and Business Unit, then click **Save**.
7. Click **Activate**.

Enable User-Initiated Inbound Messages in DE

Connect Unified WhatsApp customers to Service Cloud agents, bots, reps, or a combination. The Agent and Bot Conversational Support capability enables user-initiated inbound messages in DE.

Before you take this step, we recommend [completing Service Cloud Setup for Unified WhatsApp](#). This establishes your routing type as Omni-Queue, Omni-Flow, or User, and helps you create the queue, flow, or user that you'll select in these steps.

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Under Messaging Platform Key, select the number associated with your WhatsApp Business Account.
3. Under Capabilities, locate **Agent and Bot Conversational Support**, and click the corresponding **Configure** option.
4. To offer business-initiated outbound, click the configuration option for the **Customer Conversation Engagement** capability.
5. You're taken to the Messaging Channel for Unified WhatsApp, where you should locate the Omni-Channel Routing section.
6. Choose a Routing Type: **Omni-Queue**, **Omni-Flow**, or **User**. Select the corresponding queue, flow, or user in the field that your selection generates.
7. Save your changes.
8. Repeat steps 2 and 3 to return to the Capabilities section, and click **Activate** on **Agent and Bot Conversational Support**.

If **Activate** isn't available or doesn't work, return to the Messaging Settings landing page in Setup, and toggle Messaging off, and then on.

Set Your Default Cloud and Routing Options for Unified WhatsApp

Determine how incoming customer messages are directed across Marketing Cloud Engagement (MCE), Marketing Cloud Next (MCN), and Digital Engagement (DE). We recommend that you establish your Unified WhatsApp default app first, and then determine if custom routing logic via a marketing journey (MCN), marketing flow (MCE), or Omni flow (DE) is necessary.

Available in: **Lightning Experience**

Available in:


- **Enterprise** and **Unlimited** Editions for Service Cloud

- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Your inbound routing settings consist of two main options: Setting a default app (MCE, MCN, or DE) to receive messages, and a checkbox to prioritize marketing keywords. If Marketing Cloud Engagement is not enabled in your org, Digital Engagement will be the only default option available, and the marketing keyword checkbox is hidden.

Understand the Default Inbound Message Flow

When a customer sends an inbound message, the system relies on a specific hierarchy to process it, prioritizing compliance and active conversations over default settings. Fully configured marketing flows (MCN), marketing journeys (MCE), or Omni flows (DE) kick in after the default flow leads the customer there.



1. **Compliance Check:** The system first checks for opt-out compliance keywords. These are processed immediately, closing out the flow. If the message contains an opt-in or help keyword, the system checks for an active ongoing Digital Engagement conversation before processing the compliance action. These keywords are defined in the Consent tab of the settings page for your Unified WhatsApp number.
2. **Active Service Conversations:** If the system detects an active Digital Engagement conversation, the message routes to an agent or Service rep.
3. **Marketing Keywords:** If there isn't an active service conversation, the system checks if the **Allow Marketing Cloud Engagement Reserved Keywords** setting is enabled. If it is enabled and the inbound message matches a reserved keyword set up in MCE or an active journey that applies to the user, the response is sent to Marketing Cloud, which then handles it via a journey.
4. **Active Marketing Flows:** The system then checks if MCN has an available marketing flow to resume.
5. **Default Application:** If MCN isn't enabled or lacks an applicable flow, and you have MCE or DE enabled, the message is routed to the default application you set in your configuration. The default

setting acts as the final decision point when the system cannot find an exact action to take for a message. If Digital Engagement is your default, an agent or Service rep conversation may start based on your DE routing logic, and all subsequent messages enter the active conversation Omni-flow.

Set Your Default Cloud

Choose whether inbound conversations route to Service or Marketing Cloud by default. The Default App for Incoming Messages dropdown options are based on the capability or capabilities that you configured previously. We recommend selecting Digital Engagement as the default because inbound conversations typically require the attention of an agent or Service rep. If MCE is enabled, additionally choose whether marketing keywords can send customers to Marketing Cloud automatically.

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Under Messaging Platform Key, select the number associated with your WhatsApp Business Account.
3. Under Process Incoming Messages, select **Digital Engagement (recommended)** from the **Default App for Incoming Messages** dropdown field.
4. To automatically send a conversation from Omni-Channel to Journey Builder when a marketing keyword is sent, select **Allow Marketing Cloud Engagement Reserved Keywords**.

Routing Recipes for Common Customer Scenarios

Depending on your business needs and cost-sensitivity, you can configure your routing logic to support different scenarios. These might include a scenario where marketing broadcasts outbound messages and relies on digital engagement to handle all inbound responses. Or a scenario where you're concurrently running MCE and MCN campaigns, and you clearly define your MCE keywords so that the system knows how to operate. The marketing journeys, marketing flows, or Omni flows that you create beyond the default settings help guide your unique use case.

Choose Your Unified WhatsApp Data Residency

Ensure industry and regulatory compliance by selecting the country where your Unified WhatsApp data is stored at rest. While you make your selection in Salesforce Setup, your data storage is managed by Meta. This step is required for companies that comply with GDPR regulations.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Check Your Verification Requirement with Meta

Ensure that the phone number associated with your WhatsApp Business Account is verified.

1. Open WhatsApp Manager, and select your WhatsApp Business Account.
2. Select a phone number.
3. Select **Profile**, and look for a notification saying, **Phone number verification required**.
4. If the notification is present, select **Send verification code**, and proceed through verification of the number.

Select a Data Region in Salesforce

1. In Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
2. Select the Messaging Platform Key associated with the number you'd like to edit data residency for.
3. Deactivate any active capabilities.
4. In the **Data Residency Region (Meta)** dropdown, select a region.
5. When you see the green success message indicating that your region preference was saved, reactivate your capabilities.

Learn more in [Meta's documentation about local storage](#).

Configure Marketing Cloud Next for Unified WhatsApp

Use a flow to route a customer's response to a marketing campaign. These instructions assume that you've already activated Marketing Cloud Next and Service Cloud in your org.

REQUIRED EDITIONS

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To set up Marketing Cloud Next

Marketing Cloud Admin Permission Set

Create a Flow to Route Marketing Campaigns

If a customer requests support after receiving an outbound marketing message from Unified WhatsApp, use a segment-triggered or event-triggered flow to route them from Marketing Cloud Next to Service

Cloud. Here's an example segment-triggered flow that connects the customer with a Service Agent.

1. Complete the pre-work for a segment-triggered flow in Marketing Cloud Next.
 - a. Establish your audience for the outbound message by [creating a segment](#).
 - b. Manage consent settings for your Unified WhatsApp channel with a [communication subscription](#).
 - c. Send a structured, pre-defined message by [creating a WhatsApp template in Meta](#). Your templates automatically sync to Salesforce after you connect your WABA to Salesforce.
 - d. To connect the template to Salesforce, [create a WhatsApp Template Message of Type: Flow Template Message](#).
 - e. [Create a Data Graph](#) to map out and store the relationship between important marketing data points.
2. In the App Launcher, open **Marketing**.
3. Select the **Flows** tab.
4. Click **New**.
5. Search for and [select Segment-Triggered Flow](#).
6. In the **Data Graph** field, select the graph that you created in step 1e, and click **Next**.
7. In the Segment-Triggered Flow box, select **+ Select Segment**.
 - a. In the **Segment** drop-down menu, select the segment that you created in step 1a.
 - b. Under **When do you want to republish this segment?**, select **Immediately before running this flow**.
8. Click **+** to open the Add Element box, and [select the Send WhatsApp Message flow element](#).
 - a. Give it a name and API name.
 - b. Click **Select Message**.
 - c. Select your WhatsApp Template Message from step 1d, and click **Add**.
 - d. Back on the editor panel for the element, under **Select Communication Subscription**, select the subscription that you created in step 1b.
 - e. Under **Set Messaging Window**, select **Any Time**.
9. Click **+** to open the Add Element box, and [select the Wait Until Event flow element](#).
10. In the Event Library list in the right panel, select the **WhatsApp Response** event.
 - a. Give it a name and API name.
 - b. Under **Flow Action to Monitor**, select your WhatsApp Template Message from step 1d.
11. Under **Event Occurs**, click **+** to open the Add Element box, and select **Forward Conversation to Bot or Agent**.
 - a. Give it a name and API name.
 - b. Under **Channel**, select **WhatsApp**.
 - c. Under **Associated Wait Configuration**, select the WhatsApp Response Event that you named in step 17.
12. Save the flow.
13. Test and then activate the flow.
14. If you haven't already, connect your WhatsApp number to Service Cloud. When you set your Omni-Channel Routing settings on the Messaging Channel, this Marketing Cloud Next flow passes the messaging session to your preferred Service Cloud WhatsApp routing method.

Prepare Your Users for Marketing Cloud Next

To give users access to Marketing Cloud Next, [assign one or more of the Marketing Cloud Next permissions](#).

Configure Marketing Cloud Engagement for Unified WhatsApp

Use a journey to route a customer's response to a marketing campaign. These instructions assume that you've already activated Marketing Cloud Engagement and Service Cloud in your org. To enjoy the latest marketing advancements in Salesforce, we recommend upgrading from Marketing Cloud Engagement to Marketing Cloud Next.

REQUIRED EDITIONS

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To set up Marketing Cloud Engagement

Marketing Cloud Administrator Permission Set

Create a Journey to Route Marketing Campaigns

If a customer requests support after receiving an outbound marketing message from Unified WhatsApp, use a journey to route them from Marketing Cloud Engagement to Service Cloud. Here's an example journey that connects the customer with a Service Agent.

1. Complete the pre-work for this journey.
 - a. Create a data extension.
2. [Log into Marketing Cloud Engagement](#).
3. Click the **Journey Builder** dropdown menu, and select **Journey Builder**.
4. Click **Create New Journey**.
5. [Select Multi-Step Journey](#), and click **Create**.
6. [Select Data Extension](#) as your Entry Source, and drag it onto the canvas.
 - a. Click **Select Data Extension**.
 - b. Select your data extension, and click **Summary**.
 - c. Click **Done**.
7. Under Messages, select **WhatsApp**, and drag it onto the canvas.
8. Under Flow Control, select **Wait Until Chat Response**, and drag it onto the canvas.

- a. Click **Wait Until Chat Response**.
 - b. [Configure the activity](#) to stay in Marketing Cloud if certain keywords are met.
 - c. Click **Done**.
9. Under Messages, select **WhatsApp Session Transfer**, and drag it onto the canvas in the Invalid Response path for Wait Until Chat Response.
 - a. Click **WhatsApp Session Transfer**.
 - b. Under **Sending Enterprise Unified WhatsApp Channel**, select your Service Cloud messaging channel for Unified WhatsApp.
 - c. Click **Summary**.
 - d. Click **Done**.
 10. Configure the rest of your journey activities for other outcomes besides an invalid response.
 11. Click **Save**.
 12. Click **Validate**.
 13. If applicable, correct any errors that occur.
 14. Click **Test**.
 15. Click **Activate**.

Prepare Your Users for Marketing Cloud Engagement

To give users access to Marketing Cloud Engagement, [assign one or more of the Marketing Cloud Engagement permissions](#).

Configure Service Cloud for Unified WhatsApp

Set up the Service Cloud side of Unified WhatsApp.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

[Prepare Your Service Reps for Unified WhatsApp Messaging](#)

Before you launch Unified WhatsApp in your org, give marketing and service reps the right permissions to assist customers.

[Set Up a Messaging Console](#)

Create a page where reps message with customers. If you already have voice or other messaging channels set up in Service Cloud, you likely have this page set up already.

[Route Unified WhatsApp Sessions in Service Cloud](#)

When you set up your Messaging Channel Routing Type for Unified WhatsApp, you chose to route Unified WhatsApp sessions to an Omni-Flow, a queue, or a user. If you selected Omni-Flow, you can

route work between service agents, bots, or service reps.

Prepare Your Service Reps for Unified WhatsApp Messaging

Before you launch Unified WhatsApp in your org, give marketing and service reps the right permissions to assist customers.

REQUIRED EDITIONS

Available in: Lightning Experience
Available in:
• Enterprise and Unlimited Editions for Service Cloud • Growth or Advanced Editions Marketing Cloud Next • Pro+, Corporate+, and Enterprise+ Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To assign permission set licenses	Manage Users
To create permission sets	Manage Profiles and Permission Sets
To edit users	Manage Internal Users
To assign permission sets	Assign Permission Sets

Assign the Messaging User Permission Set License to Reps

Give reps access to the App Permissions that they'll need to message in Unified WhatsApp.

1. From Setup, in the Quick Find box, enter *Users*, and select **Users**.
2. Select a user from the Full Name column.
3. Hover over **Permission Set License Assignments**, and click **Edit Assignments**.
4. Select the **Messaging User** permission set license with the description "Gives Service Cloud users access to Messaging Setup and to Messaging chat functionality and message session records."
5. Save your changes.

Create a Unified WhatsApp User Permission Set

Establish the user permission set that lets reps message with Unified WhatsApp.

1. From Setup, in the Quick Find box, enter *Permission Sets*, and select **Permission Sets**.
2. Click **New**.
3. Name the permission set, and save it.

4. Select **App Permissions**.
5. Click **Edit**.
6. Select **Agent Initiated Outbound Messaging, Configure Messaging, and Messaging Agent**.
7. Save your changes.

Create a Presence Status for Unified WhatsApp

Create an Omni-Widget menu option that users can select to make themselves available to accept and send Unified WhatsApp messages. Assign that presence status to your custom user permission set.

1. [Enable Omni-Channel](#).
2. [Create a presence status for Unified WhatsApp](#).
3. From Setup, in the Quick Find box, enter *Permission Sets*, and select **Permission Sets**.
4. Click the name of your custom permission set for Unified WhatsApp.

Assign Licenses and Permissions to Your Reps

Assign the Service Cloud User license, the user permission set that you just created, and the Marketing Cloud Manager permission set to your reps.

1. From Setup, in the Quick Find box, enter *Users*, and select **Users**.
2. Select a user from the Full Name column.
3. Click **Edit**.
4. Select **Service Cloud User**.
5. Save your changes.
6. Hover over **Permission Set Assignments**, and click **Edit Assignments**.
7. Under Available Permission Sets, select the permission set that you created in the previous section.
8. Click the arrow pointing towards the Enabled Permission Sets box.
9. Save your changes.

Set Up a Messaging Console

Create a page where reps message with customers. If you already have voice or other messaging channels set up in Service Cloud, you likely have this page set up already.

REQUIRED EDITIONS

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To create or edit a console app	Customize Application AND View Setup and Configuration
To create and save Lightning pages in the Lightning App Builder	Customize Application

1. From Setup, in the Quick Find box, enter *App Manager*, and select **App Manager**.
2. Click **New Lightning App**.
3. Name your app, and click **Next**.
4. On the next screen, select:
 - **Console Navigation** as the Navigation Style.
 - **Desktop and phone** as Supported Form Factors.
 - **Setup (full set of Setup options)** as the Setup Experience.
5. Click **Next**.
6. Click **Add Utility Item**, and select **Omni-Channel**.
7. Click **Next**.
8. Under Available Items, select **Accounts**, and click the arrow pointing to the Selected Items section. Repeat this step to move **Contacts**, **Messaging Sessions**, and **Messaging Users** to the Selected Items section.
9. Click **Next**.
10. On the Navigation Rules screen, click **Next**.
11. Under Available Profiles, select the user profile that should have access to this console, and click the arrow pointing to the Selected Profiles box. Repeat this step for each profile that you want to give access to.
12. Click **Save & Finish**.
13. From the App Launcher, search for and select your app.
14. In the tab to the right of the App Launcher, select **Messaging Session**.

Route Unified WhatsApp Sessions in Service Cloud

When you set up your Messaging Channel Routing Type for Unified WhatsApp, you chose to route Unified WhatsApp sessions to an Omni-Flow, a queue, or a user. If you selected Omni-Flow, you can route work between service agents, bots, or service reps.

REQUIRED EDITIONS

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next

- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

USER PERMISSIONS NEEDED

To set up an Omni-Channel Flow

Customize Application

Here's an example of an Omni-flow that routes to a Service Agent. These instructions assume that you've [enabled Omni-Channel](#) and [created a Service Agent](#).

Create a Service Channel for Messaging

Create a service channel for your Messaging channels. The service channel links your routing logic to the Messaging Session object.

1. In Setup, go to the Service Channels page.
2. Click **New**.
3. Enter a name for your service channel, such as *All Messaging*.
4. Select **Messaging Session** as the Salesforce object.
5. Configure the other options, and save your service channel.

Create an Omni-Channel Flow

Use Omni-Channel flow to route Unified WhatsApp messaging sessions to service agents, bots, or service reps. In this example, the flow routes a messaging session to a service agent.

1. In the Quick Find box, enter *Flows*, and then select **Flows**.
2. Click **New Flow**.
3. Search for and select **Omni-Channel Flow**, and click **Create**.
4. In the layout dropdown, select **Free-Form**.
5. Under Manager, in the left-side panel, click **New Resource**.

New Resource

* Resource Type
Variable

* API Name ⓘ
recordId

Description

* Data Type
Text ☐ Allow multiple values (collection) ⓘ

Default Value
Enter value or search resources... 🔍

Availability Outside the Flow
☒ Available for input
☐ Available for output

Cancel Done

- a. Under Resource Type, select **Variable**.
 - b. Under API Name, enter *recordId*.
 - c. Under Data Type, select **Text**.
 - d. Under Availability Outside the Flow, select **Available for Input**.
 - e. Click **Done**.
6. Back on the left-side panel, select the **Elements** tab.
 7. Drag and drop the **Route work** element onto the flow canvas.

New Route Work

Label

Unified WhatsApp Agent Routing

API Name ⓘ

Unified_WhatsApp_Agent_Routing

Description

Set Input Values

How Many Work Records to Route? ⓘ

☒ Single

☐ Multiple

Record ID Variable

{recordId}

Service Channel

 Messaging

×

Route To

Agent ▾

Agent

☒ Select Agent

☐ Use Variable

Agent ID

 ServiceAgent Agentforce

×

☐ Required Agent ⓘ

Backup Queue

☒ Select Queue

☐ Use Variable

Queue ID

 General

×

Acceptance Due Date ⓘ

Accept By Variable

M/d/yyyy, h:mm a

🔍

Cancel

Done

- Under How Many Records to Route?, select **Single**.
- In Record ID Variable, select **{recordId}**.
- Under Service Channel, select the service channel that you created in the previous section.
- Under Route To, select **Agent**.
- Under Agent, select **Select Agent**.

- f. Under Agent ID, select your service agent.
 - g. Under Backup Queue, select **Select Queue**.
 - h. Under Queue ID, select a queue.
 - i. Click **Done**.
8. Save and activate your flow.

Unified WhatsApp Migration

To migrate a WhatsApp Business Account or phone number to Unified WhatsApp, follow these setup steps.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Guidelines for Transferring a WhatsApp Number

To comply with Meta's requirements and ensure a smooth migration of your WhatsApp number, follow these guidelines.

Considerations and Limitations for Migrating a WhatsApp Business Account or Number

Before migrating your WhatsApp Business Account (WABA) or number, review these considerations and limitations.

Migrate to Unified WhatsApp

Migrate from a business service provider, Marketing Cloud Engagement WhatsApp, or Service Cloud WhatsApp. After migration, your existing message templates are available in Unified WhatsApp.

Add a Phone Number After WhatsApp Business Account Migration

To reduce the downtime associated with migrating a WhatsApp Business Account (WABA) and a phone number at the same time, migrate just the WABA first. When you choose to add a phone number later, template migration can begin within a few hours of WABA migration. If you migrate a phone number with your WABA, template migration can take 1-2 days.

Guidelines for Transferring a WhatsApp Number

To comply with Meta's requirements and ensure a smooth migration of your WhatsApp number, follow these guidelines.

General Guidelines

- To transfer your number, make sure that your account meets the [customer requirements for migrating](#)

[phone numbers between WhatsApp Business accounts \(Meta\)](#). You can view the settings for your WhatsApp Business account (WABA) in Meta Business Manager or ask your business service provider.

- To set up a new WABA, you must have an admin account with one of these marketing permission sets: Admin, Marketing Cloud Admin, MC Security Admin, or MC Channel Manager.

Guidelines for Migrating Numbers from Marketing Cloud Engagement, Service Cloud, or a Service Provider

- When you create a messaging channel in Unified Messaging, use a new WABA.
- To transfer a WhatsApp number from Marketing Cloud Engagement or an external service provider, create a WABA for the number. Don't delete the number in your existing WABA. If you delete a number, your existing message templates aren't migrated.
- Before you transfer a WhatsApp number from an external service provider, make sure that your account meets Meta's requirements for a transfer. For more information, see *WhatsApp Business Platform: [Migrate numbers among partners via Embedded Signup](#)*.
- If you transfer a WhatsApp number from Service Cloud, you can use your existing WABA. Only WABAs that have a history of consistently using the same phone number are eligible for migration. Before beginning a transfer, we check to make sure that the WABA meets this requirement.
- When you transfer a WABA from Marketing Cloud Engagement, it must have a status of Approved and a valid payment method attached in Meta Business Manager. When you transfer a WABA, complete these steps:
 - Turn off two-step verification for the phone number.
 - Use the same Meta Business Manager account that you used to set up the number.
 - Use the same Meta Business Manager account that was used to set up the number. You can use the same Business Profile Display Name for the number that you're migrating, but specify a different WABA name so that you can tell the accounts apart. The display name is visible to customers, but the WABA name isn't. You can change the display name for a phone number after the migration is complete.
 - Use a unique WABA for each Marketing Cloud Engagement business unit. Don't share or combine WABAs.

Considerations and Limitations for Migrating a WhatsApp Business Account or Number

Before migrating your WhatsApp Business Account (WABA) or number, review these considerations and limitations.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

- To be eligible for migration, a WABA can only have one phone number associated with it, past or present. If a second phone number was previously associated with the WABA but later deleted, the WABA is ineligible for migration.
- You can only migrate a WABA or phone number once. After a WABA or phone number has been migrated from a business service provider, Marketing Cloud Engagement or Service Cloud WhatsApp integration to Unified Messaging, it can't be used in a different Salesforce WhatsApp integration. It also can't be migrated back to its original channel.
- [It can take up to 24 hours to migrate templates from one WhatsApp Business Account to another.](#) For help migrating templates before you've registered a phone number in the receiving account, open a support case for assistance.
- To minimize downtime that can occur during a migration, we recommend migrating your channel during a low-traffic time.
- When you migrate to a unified WhatsApp channel from an enhanced WhatsApp channel or WhatsApp-First channel, your messaging history and channel settings from the previous channel are preserved. Customers don't see any changes in their WhatsApp chat with you. If a customer messaged with you both before and after the migration, they see all messages in the same chat.
- If you're migrating your number from another business service provider (BSP) and can't access your original WhatsApp Business account, ask the BSP to turn off two-step verification for your number. Contact WhatsApp if you're not sure who your previous BSP was. If you do have access to your original account, do it yourself.
 - Log in to Meta Business Manager as an admin.
 - Select your WABA and enter WhatsApp Business Manager.
 - In the settings of the phone number that you're migrating, turn off two-step verification.
 - Click the link in the email verification sent by WhatsApp.

Migrate to Unified WhatsApp

Migrate from a business service provider, Marketing Cloud Engagement WhatsApp, or Service Cloud WhatsApp. After migration, your existing message templates are available in Unified WhatsApp.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Migrate From A Business Service Provider or Marketing Cloud Engagement WhatsApp Channel

When migrating from a BSP or Marketing Cloud Engagement WhatsApp channel, you'll create a new WABA and phone number.

1. Contact your account executive to discuss moving to Unified Messaging. They can verify that you have the right number of entitlements to support your messaging activity.
2. In Setup, enter *WhatsApp* in the Quick Find box and select **Your Numbers** under WhatsApp.
3. Click **Add Number**.
4. Select the migration source, and click **Next**.
 - To migrate from another business service provider, select **Bring a number from somewhere else**.
 - To migrate from Marketing Cloud Engagement, select **Use a Marketing Cloud Engagement number**.
5. Review the setup steps you can expect, and click **Next**.
6. Sign into Meta.
7. [Ensure that your WABA migration requirements are met](#).
 - a. In the **WhatsApp Business Account** field, create a new WABA, and click **Next**.
 - b. Fill in the details of your new WABA, and click **Next**.
 - c. Select **Add a new number**, fill in the details, and click **Next**.
8. Back in Salesforce, select the WABA and phone number that you just created in Meta, and click **Finish**.
9. You'll land in the Number Details page for your Unified WhatsApp channel. From here, [complete Unified WhatsApp setup](#).

Migrate From A Service Cloud WhatsApp Channel

When migrating from a Service Cloud WhatsApp channel, you'll use the existing WABA and phone number from that Service Cloud WhatsApp channel in Unified WhatsApp.

1. Contact your account executive to discuss moving to Unified Messaging. They can verify that you have the right number of entitlements to support your messaging activity.
2. In Setup, enter *WhatsApp* in the Quick Find box and select **Your Numbers** under WhatsApp.
3. Click **Add Number**.
4. To migrate from Service Cloud WhatsApp, select **Use a Digital Engagement number**.
5. Review the setup steps you can expect, and click **Next**.
6. Select the WABA and phone number that you just created in Meta, and click **Finish**.
7. You'll land in the Number Details page for your Unified WhatsApp channel. From here, complete Unified WhatsApp setup.

Migrate from a Marketing Cloud Next WhatsApp Channel

Marketing Cloud Next isn't a separate platform from Unified WhatsApp. It's a feature. As a result, we don't require full migration steps to move from Next to Unified.

Add a Phone Number After WhatsApp Business Account Migration

To reduce the downtime associated with migrating a WhatsApp Business Account (WABA) and a phone number at the same time, migrate just the WABA first. When you choose to add a phone number later, template migration can begin within a few hours of WABA migration. If you migrate a phone number with your WABA, template migration can take 1-2 days.

REQUIRED EDITIONS

Available in: **Enterprise** and **Unlimited** Editions for Service Cloud

Available in: **Growth** or **Advanced** Editions Marketing Cloud Next

Available in: **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Migrate a WABA without a Phone Number

Take the steps to migrate just your WABA.

1. From Setup, in the Quick Find box, enter Your Numbers, and select **Your Numbers**.
2. Click **Add Number**.
3. Select **Create a WhatsApp Business Account**.
4. Review the next steps, and click **Next**.
5. Sign into Meta, and click **Continue**.
 - a. Click **Continue**.
 - b. Select your Business Portfolio, choose whether to create a WABA or select an existing one, and click **Next**.
 - c. Select **Add a phone number later**, and click **Next**.
 - d. Click **Confirm**.
 - e. On Meta's confirmation screen, click **Finish**.
 - f. On the Salesforce success notification that appears, click **Finish**.

Migrate Your WhatsApp Templates

You have two options for template migration if you don't add a phone number right away.

You can [Use the API to migrate your WhatsApp templates](#). Or, you can ask Salesforce Customer Support to migrate your templates.

To confirm that your templates completed migration, check your WABA in Meta.

Migrate a Phone Number to an Existing WABA in Salesforce

After confirming that your templates have migrated successfully, migrate your phone number.

1. Ensure that the phone number you wish to migrate is [verified in Meta](#).
2. From Setup, in the Quick Find box, enter *Your Numbers*, and select **Your Numbers**.
3. Click **Add Number**.
4. Select **Create a WhatsApp Business Account**.
5. Review the next steps, and click **Next**.
6. Sign into Meta, and click **Continue**.
 - a. Click **Continue**.
 - b. Select your Business Portfolio, select the existing WABA that you migrated in the previous set of

- steps, and click **Next**.
- c. Select Use a new or existing WhatsApp number. Under Phone Number, select **Add a New WhatsApp Number** and enter the number.
- d. Enter the verification code that was sent to you, and click **Next**.
- e. Click **Confirm**.
- f. On Meta's confirmation screen, click **Finish**.
7. Back in Salesforce, in the setup modal, select your WABA from the WhatsApp Business Account field and select the phone number that you just migrated. Click **Finish**.

Configure Messaging During a Support Session for Unified WhatsApp

Specify whether a message is sent to customers while they work with Service Cloud support. You can prevent customers from receiving promotional or other low-priority content during conversations with an agent or bot. This feature is available for only Unified WhatsApp numbers.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

1. In Journey Builder, in a running journey, click the WhatsApp activity to edit.
2. Click **Edit**.
3. On the Message Configuration tab, select a value from the Message Timing dropdown list.
 - **Not During Active Session**—If the messaging user is actively engaged with an agent or bot, the message isn't sent. This option is the default setting.
 - **Not During Open Session**—If the messaging user has an open session with an agent or bot, the message doesn't send.
 - **Anytime**—The message is sent regardless of session status.
4. Click **Summary**, and then click **Done**.

Unified WhatsApp Engagement Data

Use Journey Builder to transfer a WhatsApp conversation with a customer from a marketing interaction to a service bot to give the customer additional assistance.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

For example, a customer wants more information on when they can redeem an offer or request additional product information. You can use SQL queries in your development environment or Analytics Studio to retrieve information on how and when those transfers take place. These queries use information contained in data model objects (DMO) stored in Data 360. Enter timestamp values in ISO 8601 format, such as *2024-04-01T23:01:01Z*.

These fields are available for queries.

Field	Description	Values
ssot__EngagementDateTm__c	The date and time when the event occurred.	
ssot__EngagementChannelActionId__c	The type of engagement event that occurred.	SENT, NOT_SENT, DELIVERED, READ
ssot__Id__c	A unique identifier for the event.	
Source	A static value that indicates that the message was sent using Unified Messaging.	e360-engagement
ssot__EngagementNotesTxt__c	The name of the application that invoked the Unified Messaging APIs.	• DIGITAL_MARKETING • MARKETING_CLOUD_ENGAGEMENT • EINSTEIN1_MARKETING • OTHERS
ssot__MessagingErrorCode__c	The numeric code associated with an error message.	Error code is a combination of numbers with either a WA (WhatsApp) or SF (Salesforce) prefix.
ssot__ErrorMessageText__c	An explanation for why an Individual associated with a Unified Individual wasn't contacted.	Example of a Salesforce error: The message wasn't sent because a contact record wasn't found. Example of a WhatsApp error: Message Template Limit

Field	Description	Values
		Exceeded
ssot__BulkMessageId__c	An ID that references the Send Object record.	
ssot__RecipientMessageId__c	A unique instance of the originating send to a recipient.	
ssot__EngagementChannelTypeId__c	The channel type.	
ssot__MessageRecipientSendStatus__c	The status of the sent message.	
ssot__MessageText__c	The content that's sent to the WhatsApp API. For templates, this field includes the template ID and variables.	
ssot__IndividualId__c	The unique individual ID of the recipient.	
ssot__SendTimePhoneNumber__c	The phone number that the message was sent to or received from.	
ssot__SendClassificationId__c	The purpose of the message.	
ssot__EngagementActionReasonText__c	The error message from the messaging service.	
ssot__SenderCode__c	The phone number that was used to send the message.	
ssot__SenderDisplayName__c	The WhatsApp phone display name.	
ssot__ExternalSourceId__c	The unique message identifier of a sent or received message. This value is returned by the WhatsApp API.	



Note Due to Meta's rules and regulations, some messages that you send might not be delivered to your customers. For example, a message isn't delivered if the customer blocked your phone number, hasn't been online for 30 days, or is in a restricted or sanctioned country. In certain situations, Meta doesn't disclose the reason for non-delivery due to privacy and policy reasons. For more information and potential workarounds, see [WhatsApp Cloud API Support](#).

Agent or Bot Transfer Report Sample Queries

Use these sample queries to monitor WhatsApp engagement by tracking how many conversations were sent to agents or bots for resolution.

Message Content and Keyword Insight Sample Queries

Use these queries to better understand the messages and keywords that your customers send through the WhatsApp channel. For example, you can identify the keywords that occur most frequently, or the keywords that most often result in transfers.

Cross-Cloud Conversation and Messaging Sample Queries

Use these sample queries to identify situations in which a conversation or message was transferred from one cloud to another.

Agent or Bot Transfer Report Sample Queries

Use these sample queries to monitor WhatsApp engagement by tracking how many conversations were sent to agents or bots for resolution.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Number of Conversations That Required an Agent or Bot Transfer

This query groups information by journey and activity details. Information returned includes a conversation count and applicable channels. You can filter using a specified time period.

```
SELECT
    ssot__WorkflowId__c,
    COUNT(*) AS COUNT

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c = 'ROUTE' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')
```

```
GROUP BY
    ssot__WorkflowId__c
```

Number of Conversations That Required an Agent or Bot Transfer with Average Transfer Time

This query groups information by journey and activity details. Information returned includes a conversation count, journey name, activity name, and applicable channels. You can filter using a specified time period.

```
SELECT
    e.ssot__SendTimePhoneNumber__c AS contact,
    e.ssot__EngagementDateTm__c AS transferred_event_time,
    MAX(p.ssot__EngagementDateTm__c) AS transfer_event_time,
    e.ssot__EngagementDateTm__c AS message_after_transfer_time,
    date_diff(
        'second',
        MAX(p.ssot__EngagementDateTm__c),
        e.ssot__EngagementDateTm__c
    ) AS time_difference_seconds,
    e.ssot__SenderCode__c AS senderCode

FROM
    ssot__MessageEngagement__dml p

INNER JOIN ssot__MessageEngagement__dml e ON
    e.ssot__EngagementChannelActionId__c = 'ROUTE' AND
    e.ssot__EngagementDateTm__c > p.ssot__EngagementDateTm__c AND
    e.ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    D
    e.ssot__SendTimePhoneNumber__c = p.ssot__SendTimePhoneNumber__c AND
    e.ssot__SenderCode__c = p.ssot__SenderCode__c

GROUP BY
    e.ssot__SendTimePhoneNumber__c,
    e.ssot__EngagementDateTm__c,
    e.ssot__SenderCode__c
```

Number of Conversations That Required an Agent or Bot Transfer with Average Number of Messages Before Transfer

This query groups information by journey and activity details. Information returned includes a

conversation count, average number of messages before the transfer, journey name, and applicable channels. You can filter using a specified time period.

```
SELECT
    COUNT(*) AS numberOfMessagesSendBeforeTransfer,
    e.ssot__SendTimePhoneNumber__c,
    e.ssot__SenderCode__c

FROM
    ssot__MessageEngagement__dml e

LEFT JOIN ssot__MessageEngagement__dml p ON
    p.ssot__EngagementChannelActionId__c = e.ssot__EngagementChannelActionId__c AND
    p.ssot__EngagementNotesTxt__c = 'MARKETING_CLOUD_ENGAGEMENT' AND
    e.ssot__SendTimePhoneNumber__c = p.ssot__SendTimePhoneNumber__c AND
    e.ssot__SenderCode__c = p.ssot__SenderCode__c AND
    (
        p.ssot__EngagementChannelActionId__c = 'SEND_STATUS' OR
        p.ssot__EngagementChannelActionId__c = 'INBOUND'
    )

WHERE
    e.ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    e.ssot__EngagementChannelActionId__c = 'ROUTE'

GROUP BY
    e.ssot__SendTimePhoneNumber__c,
    e.ssot__SenderCode__c
```

Percentage of Conversations That Transferred and Failed to Transfer

This query groups information by error reason code. Information returned includes the transfer count, error count, error code, and the reason for failures. You can filter using the journey name and a specified time period.

```
SELECT
    ssot__WorkflowId__c,
    (
        COUNT (
            CASE
                WHEN ssot__MessageRecipientSendStatus__c is NOT NULL THEN 1
```

```

        END
    ) / COUNT(*)
) * 100 AS percentageOfError

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c = 'ROUTE' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

GROUP BY
    ssot__WorkflowId__c

```

Time Elapsed Between Transfer and First Bot or Agent Contact

This query groups information by error reason code. You can return information at an individual level or aggregated by channel identifier. Information returned includes the transfer count, average wait time, number or channel, error code, and the reason for failures. You can filter using the journey name and a specified time period.

```

SELECT
    e.ssot__SendTimePhoneNumber__c AS contact,
    e.ssot__EngagementDateTm__c AS transfer_event_time,
    MIN(e.ssot__EngagementDateTm__c) AS message_after_transfer_time,
    date_diff(
        'second',
        e.ssot__EngagementDateTm__c,
        MIN(p.ssot__EngagementDateTm__c)
    ) AS time_difference_seconds,
    e.ssot__SenderCode__c AS senderCode

FROM
    ssot__MessageEngagement__dml p

INNER JOIN
    ssot__MessageEngagement__dml e ON
    p.ssot__EngagementChannelActionId__c = 'ROUTE' AND
    e.ssot__EngagementDateTm__c = p.ssot__EngagementDateTm__c AND
    e.ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AN
D

```

```

e.ssot__SendTimePhoneNumber__c = p.ssot__SendTimePhoneNumber__c AND
e.ssot__SenderCode__c = p.ssot__SenderCode__c

WHERE
    p.ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING')

GROUP BY
    e.ssot__SendTimePhoneNumber__c,
    e.ssot__EngagementDateTm__c,
    e.ssot__SenderCode__c

```

Time Spent in Transferred Conversations

Information returned includes the transfer count, average time spent in the chat before case resolution in Service Cloud, and number or channel. You can filter using the journey name and a specified time period.

```

SELECT
    e.ssot__sendtimephonenumber__c AS contact,
    e.ssot__engagementdatetm__c AS transfer_event_time,
    Min(e.ssot__engagementdatetm__c) AS message_after_transfer_time,
    date_diff(
        'second',
        Min(p.ssot__engagementdatetm__c),
        Max(p.ssot__engagementdatetm__c)
    ) AS time_spend_agent,
    e.ssot__sendercode__c AS senderCode

FROM
    ssot__messageengagement__dml p

INNER JOIN ssot__messageengagement__dml e ON
    p.ssot__engagementchannelactionid__c = 'ROUTE' AND
    e.ssot__engagementdatetm__c = p.ssot__engagementdatetm__c AND
    e.ssot__engagementnotestxt__c = 'ENGAGEMENT_SERVICE' AND
    e.ssot__sendtimephonenumber__c = p.ssot__sendtimephonenumber__c AND
    e.ssot__sendercode__c = p.ssot__sendercode__c

WHERE
    p.ssot__engagementnotestxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING')

GROUP BY
    e.ssot__sendtimephonenumber__c,

```

```
e.ssot__engagementdate__c,  
e.ssot__sendercode__c
```

Message Content and Keyword Insight Sample Queries

Use these queries to better understand the messages and keywords that your customers send through the WhatsApp channel. For example, you can identify the keywords that occur most frequently, or the keywords that most often result in transfers.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Transfer Prompt

This query groups information by the keyword or message phrase sent before transfer. Information returned includes the transfer count, keyword or message phrase, journey name, and associated channel or number. You can filter using a specified time period.

```
SELECT  
    ssot__MessageText__c AS keyword  
  
FROM  
    ssot__MessageEngagement__dml  
  
WHERE  
    ssot__EngagementChannelActionId__c = 'ROUTE' AND  
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND  
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND  
    from_iso8601_timestamp('END_DATE')  
  
GROUP BY  
    ssot__MessageText__c
```

Transfer Prompt by Frequency

This query groups information by the keyword or message phrase sent before transfer. The results appear

in order of the number of times that the keyword or phrase occurred. Information returned includes the transfer count, keyword or message phrase, journey name, and associated channel or number. You can filter using a specified time period.

```
SELECT
    ssot__MessageText__c as keyword,
    count(*) as count

FROM
    ssot__MessageEngagement__dlm

WHERE ssot__EngagementChannelActionId__c = 'TRANSFER' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

GROUP BY
    ssot__MessageText__c
```

Transfer Prompt by Journey and Activity

This query groups information by journey or activity. Information returned includes the transfer count, keyword or message phrase, journey name, and associated channel or number. You can filter using a specified time period.

```
SELECT
    ssot__MessageText__c as keyword,
    count(*) as count

FROM
    ssot__MessageEngagement__dlm

WHERE
    ssot__EngagementChannelActionId__c = 'TRANSFER' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

GROUP BY
    ssot__MessageText__c
```

All Transfer Prompts

This query orders the results by the number of times that the keyword or phrase has occurred. The information returned includes the keyword or message phrase, journey name, associated channel or number, and event timestamp. You can filter using a specified time period.

```
SELECT
    ssot__MessageText__c as keyword,
    ssot__EngagementDateTm__c,
    ssot__Id__c

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c = 'TRANSFER' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')
```

All Opt-In, Opt-Out, and Help Requests

This query orders the results by the number of times that the keyword or phrase has occurred. The information returned includes the keyword, journey name, associated channel or number, and event timestamp. You can filter using a specified time period.

```
SELECT
    ssot__EngagementChannelActionId__c AS eventType,
    COUNT(*) AS totalRequest

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c IN ('SUBSCRIBE', 'HELP', 'UNSUBSCRIBE')
AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

GROUP BY
    ssot__EngagementChannelActionId__c
```

Cross-Cloud Conversation and Messaging Sample Queries

Use these sample queries to identify situations in which a conversation or message was transferred from one cloud to another.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Inbound Conversation Trigger Results

This query groups information by the associated number or channel. Information returned includes the number of bot user messaging sessions, number of user messaging sessions, and total number of transferred messaging sessions. You can filter using a specified time period.

```
SELECT
    COUNT (*)

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c = 'INBOUND_MO' AND
    ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')
```

Inbound Conversation History

Information returned includes a specified phrase, cross-cloud list of previous messages in the session, journey, associated number or channel, and event timestamp. You can filter using a specified time period.

```
SELECT
    COUNT (*)

FROM
```

```

    ssot__MessageEngagement__dml

WHERE ssot__EngagementChannelActionId__c = 'INBOUND_MO' AND
    ssot__MessageText__c = 'HELP' AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

```

Message Interaction Statistics

This query groups results by cloud. You can also group results by channel or source. Information returned includes the number of sent messages, number of delivered messages, number of read messages, and associated number or channel. You can filter using a specified time period.

```

SELECT
    ssot__WorkflowId__c,
    COUNT(*)

FROM
    ssot__MessageEngagement__dml

WHERE
    ssot__EngagementChannelActionId__c = 'DR' AND
    ssot__MessageRecipientSendStatus__c = 'DELIVERED' AND
    ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
    from_iso8601_timestamp('END_DATE')

GROUP BY
    ssot__WorkflowId__c

```

New Conversation Messages versus Session Messages

This query groups results by WhatsApp template type and by cloud. Information returned includes the total number of sent messages, number of delivered messages, number of read messages, and associated number or channel. You can filter using a specified time period.

```

SELECT
    COUNT(*)

FROM
    ssot__MessageEngagement__dml

WHERE

```



```
ssot__EngagementChannelActionId__c = 'INBOUND_MO' AND
ssot__EngagementNotesTxt__c IN ('SERVICE_CLOUD', 'DIGITAL_MARKETING') AND
ssot__EngagementDateTm__c BETWEEN from_iso8601_timestamp('START_DATE') AND
from_iso8601_timestamp('END_DATE')
```

Pause Traffic in a WhatsApp Unified Messaging Channel

If you need to pause traffic in a Unified Messaging WhatsApp channel, temporarily disconnect the Service Cloud Digital Engagement and Marketing Cloud Engagement apps in Setup.

Available in: **Lightning Experience**

Available in:

- **Enterprise** and **Unlimited** Editions for Service Cloud
- **Growth** or **Advanced** Editions Marketing Cloud Next
- **Pro+**, **Corporate+**, and **Enterprise+** Editions for Marketing Cloud Engagement

Pausing traffic can give you a chance to troubleshoot your channel configurations. You can pause all traffic to the channel, or pause only Digital Engagement (service) or Marketing Cloud Engagement traffic.

1. In Setup, go to the **Your Numbers** page under WhatsApp.
2. Click the WhatsApp number whose traffic you want to pause.
3. Click **Disconnect** next to one or both applications.
4. Save your changes.

When traffic is paused, messages can't be sent from or to the number in question. Agents and bots receive errors if they try to send messages, and automated outbound messages aren't delivered. Agents can mark open messaging sessions inactive if you intend to resume traffic within 48 hours. The number is still associated with your channel in Salesforce and it isn't available for use in another channel or with a different business service provider.

When you're ready to resume traffic, reconnect the application or applications on the same page in Setup. After 48 hours of traffic being paused, all open sessions are ended. If traffic is resumed before 48 hours pass, agents and bots can continue to handle their open sessions.

Re-Register a WhatsApp Phone Number

If your WhatsApp display name is updated, a business account lock is lifted, or a channel is in an unexpected broken state, you can re-register your WhatsApp phone number with Meta to fix it. When you click Refresh Connection, Salesforce calls the Meta API on the already-registered number. We also ensure that the channel is aligned and correct any missing information.

When to Re-Register Your Phone Number

Use this feature in the following scenarios:

- Your WhatsApp display name is approved and you need the change to take effect on the channel.
- Your WhatsApp Business account is locked and has since been unlocked by Meta.
- Your channel is in an unexpected or broken state and standard troubleshooting has not resolved it.

Considerations for Re-Registering Your Phone Number

- Meta enforces a limit of 10 calls per phone number within any 72-hour window. If this limit is exceeded, Meta blocks further registration attempts for that number until the window resets. Avoid clicking Refresh Connection repeatedly in a short period of time.
- A verification code is not required. Unlike initial registration, re-registration does not require a new phone verification code, as long as the number is in a connected state.
- Clicking **Refresh Connection** does not interrupt or drop any conversations that are currently in progress on the channel.
- If you recently updated your WhatsApp display name and it has been approved by Meta, use Refresh Connection to apply the change to your channel. The register call is only made if the new name status is Approved and the channel is active.

Re-Register Your Phone Number

Use the Refresh Connection button to re-register your Unified WhatsApp phone number.

1. In Setup, in the Quick Find box, enter *Numbers*, and then select **Your Numbers**.
2. Select the Messaging Platform Key for the number that you want to re-register.
3. Click **Refresh Connection**.
4. In the confirmation dialog, review the message and click **Refresh Connection**.
5. A success message confirms that the connection has been refreshed. The process takes a few minutes.

Set Up an Email Unified Messaging Channel

Configure these settings to send email messages with Unified Messaging.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

[Authenticate and Configure Domains in Unified Messaging](#)

To send authenticated emails, you must set up and verify your sending domains in Unified Messaging. Authenticating your sending domains helps Internet Service Providers (ISPs) and enterprise mail

servers recognize emails sent through Salesforce originate from your organization, not Salesforce itself. This authentication builds trust with Email Service Providers (ESPs), improves email deliverability, and strengthens your sender reputation.

Authenticate a From Address for Unified Messaging

Add an authenticated From address using an authenticated domain when sending messages from a Unified Messaging email channel. This address appears in the From section of all emails sent from this channel.

Configure Reply Mail Management for a Unified Messaging Domain

Automatically reply to incoming email messages, delete unwanted responses, and forward messages to a specific inbox to review later.

Implement Conversational Email

Conversational Email enables two-way engagement in Marketing Cloud Next. You can configure outbound messages to accept replies. The system evaluates replies to determine intent and triggers automated actions or routes conversations to AI agents or human reps within the same email thread.

Set Up Email Carbon Copy in Unified Messaging

Set up email carbon copy (CC) for your marketers to send copies of emails to external and internal recipients. Both the primary recipients and the CC recipients can see who's copied on the message. Each email sent to a CC recipient consumes a Salesforce Message Credit, in addition to credits for the primary recipient.

Set Up Email Archiving in Unified Messaging

Save copies of all sent emails for regulatory, legal, and auditing compliance. Email archives are stored in the standard *Email Message* object. To minimize Salesforce storage costs and export archived emails, use the Archive app.

Turn On Einstein Metrics Guard for Unified Messaging

Einstein Metrics Guard identifies and filters clicks and opens that likely come from bots, security scanners, or automatic opens. This process helps you better understand actual recipient engagement.

Email Engagement Data in Unified Messaging

Unified Messaging captures email engagement data in two data model objects (DMOs) in Data 360. Every send or interaction with your email messaging activities generates this information. You can use these fields to segment audiences or populate reports on your messaging activities.

Email Send Validations in Unified Messaging

Unified Messaging automatically performs several validation checks during the email send process. These checks help protect sender reputation, ensure compliance, and reduce the likelihood of sends with rendering errors.

Managed Dedicated IP Addresses

Managed dedicated IP addresses help reduce the time required to start sending email. Whether sending your first message or scaling to larger audiences, they provide easier access to sending infrastructure that aligns with your business needs as they grow.

Authenticate and Configure Domains in Unified Messaging

To send authenticated emails, you must set up and verify your sending domains in Unified Messaging.

Authenticating your sending domains helps Internet Service Providers (ISPs) and enterprise mail servers recognize emails sent through Salesforce originate from your organization, not Salesforce itself. This authentication builds trust with Email Service Providers (ESPs), improves email deliverability, and strengthens your sender reputation.

Set up your domain and DNS records in Unified Messaging to verify sender identity and ensure compliance with DKIM, SPF, and DMARC.



Note DNS changes can take up to 48 hours to take effect across systems.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Understand Root Domains and Subdomains

A domain can include a root domain and subdomains that serve different purposes.

The root domain represents your organization's main domain, while a sending subdomain is specifically for sending or tracking emails. Using subdomains helps you build a sending reputation separate from your corporate or transactional mail streams.

For example, if your From address is `noreply@marketing.yourcompany.com`,

- Root domain: `yourcompany.com`
- Sending subdomain: `marketing.yourcompany.com`

The subdomain appears in the From address of your emails and helps ESPs or mailbox providers associate your messages with your brand.

Set Up and Authenticate a Sending Domain

Set up and verify your sending domains in Unified Messaging to authenticate that emails originate from your organization and not from Salesforce itself.

Functional Subdomains in Unified Messaging

After you send an email, Email Service Providers (ESPs) and subscribers communicate back to the sender for scenarios, such as bounces, replies, or unsubscribes. To manage these inbound communications, Unified Messaging uses functional subdomains.

CNAME Records for Functional Subdomains

To route inbound email responses correctly, each functional subdomain must have a corresponding CNAME record in your DNS provider.

Configure CNAME Records with Your DNS Provider

To simplify setup, Unified Messaging provides the complete CNAME record names and values. You can copy the values directly into your DNS provider's interface.

DNS Provider Behavior

DNS providers differ in how they handle domain naming conventions. Understanding these differences helps prevent configuration errors.

Verify and Activate Your Domain

After you add all DNS records, verify your configuration in Unified Messaging to confirm that Salesforce recognizes and authenticates your domain. Salesforce checks the correctness of all records before activating the domain for authenticated sending in Unified Messaging.

See Also

[Knowledge Article:](#)

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

Set Up and Authenticate a Sending Domain

Set up and verify your sending domains in Unified Messaging to authenticate that emails originate from your organization and not from Salesforce itself.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before configuring an authenticated domain, make sure that:

- You have administrative access to your organization's DNS provider or domain registrar.
- You coordinate with your IT or network team to make DNS changes.
- You understand that DNS updates can take up to 48 hours to propagate. To verify the propagation status for DNS records, you can use a third-party DNS checker.

To set up and authenticate a sending domain:

1. From **Setup**, in the **Quick Find** box, enter Authenticated Domains, and then select **Authenticated Domains**.
2. Click **Add Domain**.
3. Review the prerequisites and click **Continue**.
4. Enter your sending subdomain (for example, `marketing.yourcompany.com`) and click **Submit**.
5. Unified Messaging generates the required DNS entries for your domain, including CNAME and DKIM records.
6. [Copy these DNS entries and add them to your DNS provider's console.](#)
7. After you add all the records, click **Verify Domain**.

After Salesforce verifies your domain, the status changes to Active, and the domain is ready for use.

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

Functional Subdomains in Unified Messaging

After you send an email, Email Service Providers (ESPs) and subscribers communicate back to the sender for scenarios, such as bounces, replies, or unsubscribes. To manage these inbound communications, Unified Messaging uses functional subdomains.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

A functional subdomain is a prefix added to your authenticated sending domain that routes specific inbound mail types to the correct Salesforce-managed infrastructure.

Inbound Use Case	Functional Subdomain (Prefix)	Purpose
Reply handling	<code>reply</code>	Routes recipient replies to Salesforce's reply-handling servers
Bounce handling	<code>bounce</code>	Receives asynchronous bounce notifications from Internet Service Providers (ISPs)
Unsubscribe handling	<code>leave</code>	Processes unsubscribe requests from recipients

If your authenticated sending domain is `marketing.yourcompany.com`, Unified Messaging automatically handles these subdomains:

- `reply.marketing.yourcompany.com`
- `bounce.marketing.yourcompany.com`
- `leave.marketing.yourcompany.com`

To ensure these subdomains route correctly, create CNAME records in your DNS provider that map each functional subdomain to Salesforce-managed inbound mail servers.

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

CNAME Records for Functional Subdomains

To route inbound email responses correctly, each functional subdomain must have a corresponding CNAME record in your DNS provider.

A CNAME record creates an alias that points your subdomain to a Salesforce-managed inbound mail server.

For example, for `marketing.yourcompany.com`, you add these records to your DNS provider to route inbound email functions, such as replies, bounces, unsubscribes, and complaints.

 **Note** In the CNAME values, [tenant] represents the unique tenant identifier assigned to your Marketing Cloud account. Replace [tenant] with the value shown in your Authenticated Domains page.

Purpose	Record Type	Name	Value
Reply	CNAME	<code>reply.marketing.yourcompany.com</code>	<code>reply.marketing.yourcompany.com.inbound.[tenant].mx.salesforce.com</code>
Bounce	CNAME	<code>bounce.marketing.yourcompany.com</code>	<code>bounce.marketing.yourcompany.com.inbound.[tenant].mx.salesforce.com</code>
Unsubscribe	CNAME	<code>leave.marketing.yourcompany.com</code>	<code>leave.marketing.yourcompany.com.inbound.[tenant].mx.salesforce.com</code>

Message Security

Email Service Providers (ESPs) or mailbox providers require authenticated email. Unified Messaging provides the DNS entries that you must implement SPF, DKIM, and DMARC. These standards work together to verify your sender identity, prevent spoofing, and improve deliverability.

DKIM CNAME Records

DomainKeys Identified Mail (DKIM) lets ESPs or mailbox providers verify that your messages are authentic and aren't modified during delivery.

Here are Salesforce generated DKIM CNAME entries that you add to your DNS provider.

record type	Name	Value
CNAME	<code>s1-e360-[DKIM Key]_domainkey.marketing.yourcompany.com</code>	<code>s1-e360-[DKIM Key].marketing.yourcompany.com.dkim.[tenant].mx.salesforce.com</code>

record type	Name	Value
		lesforce.com
CNAME	s2-e360-[DKIM Key]._domainkey.marketing.yourcompany.com	s2-e360-[DKIM Key].marketing.yourcompany.com.dkim.[tenant].mx.salesforce.com
CNAME	s3-e360-[DKIM Key]._domainkey.marketing.yourcompany.com	s3-e360-[DKIM Key].marketing.yourcompany.com.dkim.[tenant].mx.salesforce.com

DMARC Record

DMARC (Domain-based Message Authentication, Reporting & Conformance) tells ESPs or mailbox providers how to handle email that fails SPF or DKIM checks. Add the DMARC TXT record generated for your domain to your DNS provider.



Note Applying a DMARC policy such as **p=reject** at your organizational (root) domain can affect all corporate email sent from that domain. Misconfigured DMARC policies can cause legitimate mail to fail. Review the configuration carefully and coordinate with your IT or network team before enforcing a DMARC policy on your root domain.

record type	Name	Value
TXT	_dmarc	v=DMARC1; p=reject; adkim=r; aspf=r; pct=100;

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

Configure CNAME Records with Your DNS Provider

To simplify setup, Unified Messaging provides the complete CNAME record names and values. You can copy the values directly into your DNS provider's interface.

1. From **Setup**, in the **Quick Find** box, enter Authenticated Domains, and then select **Authenticated Domains**.
2. From the menu next to your domain, click **Show Details**.
3. Under **Set Up Your DNS Records**, copy the CNAME details from the **Name** and **Value** columns.
4. Paste the entries into your DNS provider's console.

Your DNS provider's user interface may differ in how it handles subdomain entries. For guidance, see [DNS Provider Behavior](#).

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

DNS Provider Behavior

DNS providers differ in how they handle domain naming conventions. Understanding these differences helps prevent configuration errors.

- **DNS providers with guided experience** automatically append your root domain to the CNAME Name field. When you paste the CNAME Name, the provider may show a warning or automatically remove your root domain from the input field. Confirm that the final saved record matches the full CNAME Name provided by Unified Messaging.
- **Providers with verified experiences** require you to enter the full name for the CNAME record but validate it to prevent conflicts. You must enter the complete CNAME Name as provided, including all subdomains and the root domain.
- **WYSIWYG (What You See Is What You Get)** Experience providers allow any structurally correct DNS entries. Copy and paste the full CNAME Name and Value exactly as they appear in Unified Messaging.

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

Verify and Activate Your Domain

After you add all DNS records, verify your configuration in Unified Messaging to confirm that Salesforce recognizes and authenticates your domain. Salesforce checks the correctness of all records before activating the domain for authenticated sending in Unified Messaging.

1. Go to **Setup > Unified Messaging > Email > Authenticated Domains**.
2. Select your domain and click **Verify Domain**.

See Also

[Knowledge Article: Marketing Cloud Next Email Authenticated Domains Setup and DNS Tips](#)

Authenticate a From Address for Unified Messaging

Add an authenticated From address using an authenticated domain when sending messages from a Unified Messaging email channel. This address appears in the From section of all emails sent from this channel.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. From Setup, in the Quick Find box, enter *Authenticated From Addresses*, and then select **Authenticated From Addresses**.
2. Click **Add From Addresses**.
3. Enter a Display Name value.
The Display Name is who the email appears to be sent from.
4. Enter the username portion of the address, and then select an authenticated domain.
The username is the part of the email address that comes before the @, such as username@example.com.
5. Save your changes.

After the process is complete, your From address is ready for use.

Configure Reply Mail Management for a Unified Messaging Domain

Automatically reply to incoming email messages, delete unwanted responses, and forward messages to a specific inbox to review later.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. From Setup, in the Quick Find box, enter *Authenticated Domains*, and then select **Authenticated Domains**.
2. Click the dropdown next to the domain you want to use and select **See Details**.
3. Select **Reply Mail Management**.
4. Choose whether to delete automatic replies and out-of-office messages automatically.
5. Choose whether to forward other responses to a specific inbox, then choose the email address to receive the messages.
If you don't specify an email address, incoming messages are logged and deleted.
6. Save your changes.

After you enable this feature, RMM evaluates all manual replies. If a reply includes any of these terms in the first 200 characters of the email body, the email address that sent the reply is unsubscribed.

- unsub
- unsubscribe
- opt-out
- remove
- stop

Implement Conversational Email

Conversational Email enables two-way engagement in Marketing Cloud Next. You can configure

outbound messages to accept replies. The system evaluates replies to determine intent and triggers automated actions or routes conversations to AI agents or human reps within the same email thread.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

For more information about Conversational Email and the related use cases, see [Conversational Email in Marketing Cloud Next](#).

To implement Conversational Email, you must configure Marketing Cloud Next, Agentforce, and Service Cloud to ensure that inbound replies are received, processed, and routed correctly.

Here's a table that lists the tasks you complete to implement Conversational Email.

Task	Details
Configure the human rep escalation experience	Set up the Service Cloud workspace and Omni-Channel routing rules so human reps can take over conversations when escalation occurs.
Set up Service Agents for Conversational Email	Define the Agentforce Service agent that handles inbound replies, including supported subagents, response guidelines, and approved templates.
Set up Conversational Email in Unified Messaging	Activate conversational capabilities for sender addresses and configure filtering rules for auto-replies, out-of-office responses, and unsubscribe requests.
Create a Conversational Email campaign	Build the customer journey in Marketing Cloud Next by using Flow Builder to send outbound emails, listen for replies, and initiate routing logic.
Monitor engagement and routing outcomes	Use Analytics and Data 360 reports to review response rates, resolutions, and agent escalations.

Configure the Human Rep Escalation Experience

You must configure the human escalation experience before enabling conversational email.

Configuring the human escalation experience ensures that end-users or customers can reach a human representative when the Agentforce agent can't resolve an inquiry. Escalated emails are ongoing conversations that transfer from an Agentforce agent to a human rep's queue. Escalation occurs when a user needs complex support, requests human assistance, or meets specific routing criteria.

Set Up Service Agents for Conversational Email

The Agentforce agent powers your automated conversations. Before routing email replies, configure an Agentforce Service agent that supports email conversations. This setup ensures responses follow

approved templates and comply with legal and brand guidelines. The agent uses these templates to generate consistent, compliant email responses.

Set Up Conversational Email

After defining your Agentforce Service agent, enable conversational capabilities on the specific From Address used in your marketing campaigns. You must enable each From Address you want to use for conversational email.

Set Up Conversational Email Campaigns

Marketers use Flow to design conversational journeys that respond dynamically to customer replies. Before creating a campaign, ensure that an Agentforce agent is available to handle replies.

Monitor Conversational Engagement

After your conversational campaigns are active, use real-time monitoring and historical reporting to track the health of your interactions. You can use the Command Center to monitor active and completed conversational engagements, review escalation activity, and track agent performance.

Trust and Compliance in Conversational Email

Conversational Email includes controls to support user consent management and AI disclosure requirements.

Configure the Human Rep Escalation Experience

You must configure the human escalation experience before enabling conversational email. Configuring the human escalation experience ensures that end-users or customers can reach a human representative when the Agentforce agent can't resolve an inquiry. Escalated emails are ongoing conversations that transfer from an Agentforce agent to a human rep's queue. Escalation occurs when a user needs complex support, requests human assistance, or meets specific routing criteria.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

Use Service Cloud Omni-Channel to define routing rules, rep permissions, and service queues for these escalated conversations.

Human Rep Experience

Agentforce agents respond within the original email thread using the same From Address and From Name as the marketing email. They have access to the full conversation history and use plain-text response templates when replying.

Step 1: Assign Messaging Permissions to Service Reps

Service reps who handle escalated emails must have the required messaging permissions.

1. From **Setup**, enter Permission Sets in the Quick Find box, then select **Permission Sets**.
2. Click **New** and create a permission set.

3. Open the permission set and select **App Permissions**.
4. Click **Edit**, and select these permissions:
 - Agent Initiated Outbound Messaging
 - Configure Messaging
 - Messaging Agent
5. Save your changes.
6. Assign this new permission set and the standard Messaging User permission set to users who handle escalated emails.

For more information, see [Permission Sets](#).

Step 2: Enable Core Service Features

Enable Messaging and Omni-Channel to support conversational routing.

1. From **Setup**, enter Messaging Settings in the Quick Find box, then select **Messaging Settings**.
2. Turn on **Messaging** and save your changes.

Enabling Messaging allows your org to process conversational messaging sessions.

3. From **Setup**, enter Omni-Channel Settings in the Quick Find box, then select **Omni-Channel Settings**.
4. Select **Enable Omni-Channel**, then save your changes.

Omni-Channel is the routing engine that automatically pushes incoming work items (like escalated emails) to the right available rep.

For more information, see [Messaging in Service Cloud](#) and [Omni-Channel Routing](#).

Step 3: Manage Routing Configurations and Queues

Define how escalated email sessions are prioritized and assigned.

1. From **Setup**, enter Routing Configurations in the Quick Find box, then select **Routing Configurations**.
2. Click **New**.
3. Select a routing model (for example, Least Active).

A routing configuration determines the priority and size of work items and how they're routed to reps.

4. Save your changes.
5. From **Setup**, enter Queues in the Quick Find box, then select **Queues**.
6. Click **New**.

Queues hold incoming work items, such as escalated email sessions, until an rep is available to accept them.

7. Associate the queue with your new routing configuration.
8. Under **Supported Objects**, add a **Messaging Session**.

9. Save your changes.

For more information, see [Routing Configuration Settings](#) and [Set Up Queues](#).

Step 4: Configure Rep Presence and Capacity

To receive escalated email cases, your reps need a designated presence status to indicate they're online and available for work.

1. From **Setup**, enter Presence Configurations in the Quick Find box, then select **Presence Configurations**.
2. Edit the **Default Presence Configuration** (or create one) to set appropriate rep capacity and work item limits.
3. From **Setup**, enter Presence Statuses in the Quick Find box, then select **Presence Statuses**.
4. Click **New**.
5. Enter a status name, such as Available for Escalations.
6. Under **Status Options**, select **Online**.
7. Under Selected Channels, add the **Case** service channel to the Selected Channels list, and click **Save**.
8. From **Setup**, enter Profiles in the Quick Find box, then select **Profiles** (or enter Permission Sets to use permission sets).
9. Select the profile (or permission set) used by your reps.
10. Click **Enabled Service Presence Status Access** (or **Service Presence Statuses**).
11. Click Edit, move your new presence status to the Enabled Service Presence Statuses list, and click **Save**.

For more information, see [Set Up Service Rep Statuses and Capacity](#).

Step 5: Create an Escalation Flow Through Omni Routing

Create the flow that routes escalated email sessions to the appropriate queue.

1. From **Setup**, enter Flows in the Quick Find box, then select Flows.
2. Click **New Flow**.
3. Select **Omni-Channel Flow**.
4. Add a **Route Work** action to the canvas.

Configure it to route the incoming Messaging Session record to the queue you created in the previous step.

5. Save and activate the flow.

For more information, see [How Omni-Channel Flow Works](#) and [Creating an Omni-Channel Flow](#).

Step 6: Configure the Service Representative Console

Give your service representatives the interface that they use accept and reply to escalated emails.

1. From **Setup**, enter App Manager in the Quick Find box, then select **App Manager**.
2. Locate your Service Console app, click the dropdown arrow next to it, and select **Edit**.
3. Select **Navigation Items**. Select **Cases** and add it to the Selected Items list so reps can access their escalated email queues.
4. Select **Utility Items (Desktop Only)**.
5. Click **Add Utility Item** and select **Omni-Channel**.
6. Select **User Profiles** and add the profiles of the reps responsible for handling escalated emails to the Selected Profiles list.
7. Click **Save**.

This adds the Omni-Channel widget to the bottom utility bar, allowing reps to log in, change their status, and accept incoming escalated email conversations.

For more information, see [Add the Omni-Channel Widget](#).

Human Rep Experience

Agentforce agents respond within the original email thread using the same From Address and From Name as the marketing email. They have access to the full conversation history and use plain-text response templates when replying.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

When the system escalates a conversation to a human rep, they can view the complete conversation history. Reps reply within the same email thread.

Recipient replies received within 30 days of the most recent outbound email continue to route to the assigned representative according to your configured routing rules.

Currently, reps can't initiate new outbound conversations. They can reply only to existing conversations that are routed or escalated to them.

Set Up Service Agents for Conversational Email

The Agentforce agent powers your automated conversations. Before routing email replies, configure an Agentforce Service agent that supports email conversations. This setup ensures responses follow approved templates and comply with legal and brand guidelines. The agent uses these templates to generate consistent, compliant email responses.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced**

Edition

To set up agents for conversational email:

1. From the App Launcher, enter Agentforce and select the **Agentforce Studio** app.
2. Click **New Agent**.
3. Select the **Agentforce Service Agent**.
4. Provide a name to the agent (for example, Email Service Agent) and complete the remaining fields.
5. Select or create an **Agent's User Record** for this agent.

To securely access data and perform actions, Service agents operate as an agent user. For more information, see [Best Practices for Agent User Permissions](#).

6. Add subagents and actions that align with the common questions or tasks your agent handles.

Subagents and actions define the specific subjects that your agent understands and the tasks it can execute. For more information, see [Subagents](#) and [Actions](#).

7. Within the **Agent Builder**, go to **Agent Definition > Connections**.
8. Click the + button and then click **Add Connection**.
9. Select the **Marketing Email** connection, and click **Add to Agent**.

A connection determines which communication channels the agent can monitor and respond to. If you don't add the Marketing Email connection, incoming email replies aren't routed to this agent. For more information, see [Agent Connections](#).



Note Currently, the agent only supports Plain Text response formats. Ensure your agent instructions account for a text-only output.

10. Select your **Escalation Flow**, enter an **Escalation Message**, and click **Save**.

Email is an asynchronous channel and this escalation message is used for system transition logging and routing context. It isn't sent as a visible email reply to the end-user.

11. Follow the on-screen instructions and click **Create**.
12. Within the **Agent Builder**, go to **Agent Definition > Settings > System**.
13. Remove the **Welcome Message** and click **Save**.



Important Due to a current product limitation, remove the welcome message. If the welcome message remains active, end users must reply to the email thread twice before receiving the agent's first response.

14. Click **Commit**.
15. After the commit is successful, click **Activate** to make the agent available for routing.

Set Up Conversational Email

After defining your Agentforce Service agent, enable conversational capabilities on the specific From

Address used in your marketing campaigns. You must enable each From Address you want to use for conversational email.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

1. From **Setup**, enter Authenticated Domains in the Quick Find box, then select **Authenticated Domains** under Unified Messaging.
For information, see [Authenticated Domains in Unified Messaging](#).
2. Add your email domain and follow the prompts to update your Domain Name System (DNS) records to ensure deliverability and security.



Note If you've already set up an authenticated domain, you can use it.

3. After the domain status is Active, click **Show Details** next to the domain.
4. Click the **Reply Mail Management** tab.
5. Configure your **Reply Filters** and select the appropriate options.
6. Under **Responses > Resolve Remaining Incoming Messages**, configure your inbound routing rules:

Messaging Action	Select how the system handles the replies.
Email Address	If you select Forward to Inbox, enter the appropriate destination email address.
Default Response	Set to Active to send a pre-configured auto-acknowledgement email to inbound replies.

7. From **Setup**, enter Authenticated From Addresses in the Quick Find box, then select **Authenticated From Addresses** under Unified Messaging.
8. Select the From Address used for outbound campaigns. If one doesn't exist, create a From Address. The From Display Name and From Address you configure here are used for the entire conversation. The Reply Display Name matches the From Display Name, and the Reply Address is automatically generated.
9. Click **Configure** and set up the **Agent Conversational Messaging** capability.
10. Select your **Routing Type** to determine how to route inbound messages:

Agentforce Service Agent	Routes the conversation directly to the specific Service agent you configured.
Omni-Flow	Uses a flow to route the message based on complex business logic. For more information, see Omni-Channel Flow
Omni-Queue	Routes the conversation directly to a specific human queue. For more information, see Omni-

	Channel Routing .

11. Based on the selected routing type, select the active agent, flow, or queue.
12. Select a **Fallback Queue** to handle any messages the agent or flow can't process, and save your changes.
Queues hold incoming work items until an agent is available. For more information, see [Set Up Queues](#).
13. Click **Activate**.
14. Under the **Message Action**, select how to handle inbound replies that aren't part of an ongoing conversation or active campaigns. For example, a user replied to a seven-day campaign after 14 days.

Use Default Domain Settings	Applies the existing domain-level Reply Mail Management settings.
Use Custom Settings	Overrides domain settings and specifies a route-to-inbox address or auto-response for this From Address.
Use Agent Conversational Settings	Route replies using the Agent Conversational Messaging routing logic configured earlier in this procedure.

[Routing Scenarios: Examples](#)

These examples show how the system evaluates and routes inbound replies based on campaign state, routing type, and Reply Mail Management (RMM) settings.

Routing Scenarios: Examples

These examples show how the system evaluates and routes inbound replies based on campaign state, routing type, and Reply Mail Management (RMM) settings.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

Scenario and Context	Admin Configuration	System Result
Action: User replies to the initial marketing email (promotional or transactional). Campaign State: Active	RMM: Any Setting Routing Type: Omni-Flow (routes to Service agent) or Agentforce Service Agent	Flow Triggered: A flow is active and waiting for the user's response to the campaign email. The reply is routed to the flow, which then routes it to the Service agent according to the configured Omni-Flow routing

Scenario and Context	Admin Configuration	System Result
(waiting for response) • Active Conversation Thread: No • Conversational Capabilities Enabled: Yes		type.
• Action: User sends a follow-up reply to an ongoing email thread. • Campaign State: Any • Active Conversation Thread: Yes • Conversational Capabilities Enabled: Yes	• RMM: Any Setting • Routing Type: Omni-Flow (routes to Service agent) or Agentforce Service Agent	Added to Thread: An active threaded conversation exists with the user. The reply is routed to that active conversation thread with the Agentforce Service agent.
• Action: User replies to a standard promotional or transactional email with a question (within 30 days for promotional email). • Campaign State: Expired • Active Conversation Thread: No • Conversational Capabilities Enabled: Yes	• RMM: Use Agent Conversational Settings • Routing Type: Agentforce Service Agent	New Agent Conversation: No active flow or open conversation exists. The Use Agent Conversational Settings option is configured to resolve remaining messages. The reply is routed directly to the configured agent, creating a conversation.
• Action: Email client sends an automated out-of-office (OOO) reply. • Campaign State: Any • Active Conversation Thread: Any • Conversational Capabilities Enabled: Any	• RMM: Default or Custom RMM (Delete Auto-Replies = Yes) Routing Type: Any	Message Deleted: RMM detects an out-of-office (OOO) auto-reply and deletes the message.
• Action: User replies with Stop or Unsubscribe.	• RMM: Any setting • Routing Type: Any	Opt-Out Processed: The system detects an opt-out keyword in the reply, unsubscribes the user (if a communication subscription

Scenario and Context	Admin Configuration	System Result
• Campaign State: Any • Active Conversation Thread: Any • Conversational Capabilities Enabled: any		is associated), and ends the conversation if one is active.
• Action: User replies to a standard promotional or transactional email. • Campaign State: Any • Active Conversation Thread: No • Conversational Capabilities Enabled: No	• RMM: Custom RMM (Forward to Inbox = Yes) OR Default RMM (Forward to Inbox = Yes) • Routing Type: Not Applicable	Forwarded to Inbox: A Reply Mail Management rule intercepts the reply and forwards it to the designated external email address.

Set Up Conversational Email Campaigns

Marketers use Flow to design conversational journeys that respond dynamically to customer replies. Before creating a campaign, ensure that an Agentforce agent is available to handle replies.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

For detailed information on setting up conversational email campaigns, see [Agentforce in Marketing Cloud Next](#).

Monitor Conversational Engagement

After your conversational campaigns are active, use real-time monitoring and historical reporting to track the health of your interactions. You can use the Command Center to monitor active and completed conversational engagements, review escalation activity, and track agent performance.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition



Note Recipients can reply to outbound campaign emails within 30 days of receipt. Conversations

expire after 30 days of inactivity.

To understand customer engagement and the impact of your Agentforce agents, focus on these two key metrics:

- **Reply Rate:** The percentage of recipients who reply to your outbound campaign emails. Use this metric to evaluate how effectively your campaign prompts responses.
- **Number of Conversation Forwards:** The total number of conversational email threads, including active and completed conversations. Use this metric to understand the volume of interactions handled by your agents.

To monitor conversational engagement:

1. From the App Launcher, enter Command and select **Command Center for Service**.
2. Click the **Agentforce** tab.
3. Next to the agent you want to review, click **Monitor**.

Trust and Compliance in Conversational Email

Conversational Email includes controls to support user consent management and AI disclosure requirements.

REQUIRED EDITIONS

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

Unsubscribe Management

Conversational Email respects subscriber communication preferences and automatically processes unsubscribe requests.

- **Supported unsubscribe methods:** All existing unsubscribe methods continue to work. Subscribers can unsubscribe by using one-click unsubscribe links, list-header unsubscribe options, or a custom preference center.
- **Reply-based unsubscribe:** The system monitors incoming email replies for unsubscribe intent. If a subscriber replies with an unsubscribe keyword, such as Stop or Unsubscribe, the system automatically detects the request.
- **Impact on active conversations:** When a subscriber unsubscribes through a link, preference center, or email reply, the system removes them from the conversational flow. It then ends any active AI or human rep conversation..
- **Communication subscriptions:** When a subscriber unsubscribes, the system removes them from the communication subscription associated with the email campaign.
- **Promotional and transactional emails:** Standard unsubscribe rules apply to promotional emails. If a transactional email has conversational capabilities enabled, a reply with an unsubscribe keyword still

immediately ends the active conversation thread.

AI Disclosure Requirements

When an Agentforce agent generates a response, the message must include a disclosure indicating that AI was used.

Templates that Agentforce agents use include:

- A legal disclosure statement (for example, This message was generated using AI.)
- An AI-specific signature identifying the agent (for example, AI Marketing Agent)

Grounded Responses

Agentforce responses are generated using approved company content, brand guidelines, and campaign context to help ensure relevance and policy alignment.

For more information about Salesforce AI trust and data protection practices, see the [Agentforce Trust documentation](#).

Set Up Email Carbon Copy in Unified Messaging

Set up email carbon copy (CC) for your marketers to send copies of emails to external and internal recipients. Both the primary recipients and the CC recipients can see who's copied on the message. Each email sent to a CC recipient consumes a Salesforce Message Credit, in addition to credits for the primary recipient.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** Edition or **Advanced** Edition

Not supported in Government Cloud Plus

For internal employees to receive CC emails, make sure that their email addresses are added to an authorized email domain for your organization. If authorized domains aren't set, then all recipients are considered as external recipients.

You can send CC emails to these recipients.

- External recipients: Copy stakeholders from the customer's organization, such as an executive assistant or other staff. In this case, the primary recipient and CC recipients are from the same organization.
- Internal recipients: Copy team members in emails to your customers. In this case, the primary recipient and CC recipients are from different organizations.

1. From Setup, in the Quick Find box, enter *Unified Messaging*, and then select **Send Settings**.
2. Configure CC for external recipients:
 - a. Turn on email CC.
 - b. Set the maximum number of CC recipients from 1 through 10.
The default value is 5.
3. Configure CC for internal recipients:
 - a. Turn on internal recipients.
 - b. Select whether to check consent for internal employees.

In Flow Builder, marketers can add CC addresses in the **Send Email Message** invocable action. See [Send Email Message Marketing Flow Element](#).



Note If the email to the primary recipient isn't sent, for example if the primary address has a hard bounce or lacks required consent, the CC recipients aren't sent that message. However, if there's a failure while sending emails to the primary recipient at run time, CC emails are sent.

Set Up Email Archiving in Unified Messaging

Save copies of all sent emails for regulatory, legal, and auditing compliance. Email archives are stored in the standard *Email Message* object. To minimize Salesforce storage costs and export archived emails, use the Archive app.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** Edition or **Advanced** Edition

Not supported in Government Cloud Plus

Set Up Salesforce Archive App

Before you turn on archiving, set up the Salesforce Archive app and create an archive policy for email archiving. For more information, contact your account executive.

For more information, see [Archive App](#).

Considerations for Email Archiving

Review these limits and considerations for archiving emails.

- You can archive up to 100,000 emails per day.
- Email files over 131 KB get truncated.
- Email attachments aren't supported. The HTML body is stored, but attachment IDs aren't included in

the **Email Message** object.

Verify Custom Fields in the Email Message Object

Email archiving doesn't support the option to include metadata for required custom fields. Before you turn on archiving, make sure that the Email Message object doesn't have any custom fields set as required.

1. From Setup, in the Quick Find box, enter *Object Manager*, and then select **Object Manager**. Next, click **Email Message**, and then scroll to the Fields & Relationships section.
2. If the object has a custom field, click the field's name, then click **Edit**.
3. Verify that the **Always require a value in this field in order to save a record** checkbox isn't selected. If custom fields are set as required, you can't use email archiving.

Turn On Email Archiving

1. From Setup, in the Quick Find box, enter *Email Archiving*, and then select **Email Archiving**.
2. Confirm that you've verified all requirements for email archiving.
3. Turn on **Email Archiving**.
4. Select whether users can select which emails require archiving.
After you turn on email archiving, the **Archive Emails** option is enabled by default in the **Send Email Message** flow element.

If you turn on user control for archiving for specific sends, marketers can turn off archiving in the flow for specific sends. However, after it's turned off, marketers can't archive the emails from the related campaign later. See [Send Email Message Marketing Flow Element](#).

To view and export archived emails, set up an archive policy in the Archive app.

Turn On Einstein Metrics Guard for Unified Messaging

Einstein Metrics Guard identifies and filters clicks and opens that likely come from bots, security scanners, or automatic opens. This process helps you better understand actual recipient engagement.

Available in: Lightning Experience
Available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, go to Unified Messaging > Email > Settings.
2. On the Email Feature Settings Screen, turn on Einstein Metrics Guard.

Email Engagement Data in Unified Messaging

Unified Messaging captures email engagement data in two data model objects (DMOs) in Data 360. Every send or interaction with your email messaging activities generates this information. You can use these fields to segment audiences or populate reports on your messaging activities.

EmailEngagement DMO

This DMO contains information on these email engagement event types.

- **SendStatus**—the final status of a message's delivery attempt to each recipient
- **Bounce**—a sent email message couldn't be delivered to an inbox
- **Open**—an email message is opened
- **Click**—a link in an email message is clicked
- **Unsubscribe**—a recipient opts out of further messaging as a result of a send
- **Complaint**—a recipient registers a complaint about a message with their service provider
- **Reply** - recipient replies to an email message
- **Reply_conversation** - recipient replies to an email message in active two way conversation

All send types include this information.

Fields	Description
EventID	A unique identifier for the specific event
EventType	The type of event that occurred
EventDateTime	A timestamp indicating when the event occurred
IndividualID	A unique individual associated with the event
ContactPointEmailAddress	The recipient email address used in the send
ContactPointID	An identifier of the contact point record that was used for the send
BulkEmailMessageID	A unique identifier for the send entity associated with the engagement event. Each BulkEmailMessage in Data 360 is associated with a ListEmail object. Context information about a Flow Send Email action is captured to a unique ListEmail object when the Flow is activated.
RecipientMessageID	An identifier for the unique instance of a send to a specific recipient
Component_Id	An identifier for the related email component within a dynamic content block. This value contains the clicked link.

Fields	Description
Personalization_Content_ID	An identifier for the related personalization decision. This value contains the link used by the personalization service to determine the content displayed as dynamic content.

Some fields in the EmailEngagement DMO are specific to only certain event types.

EventType	Field Name	Description	Values
Bounce	BounceType	The type of bounce the email message experienced	• BOUNCE_TYPE_NON E • BOUNCE_TYPE_HAR D • BOUNCE_TYPE_SOFT
	BounceReason	Text that describes why the email couldn't be delivered	
Click	LinkURL	The URL that was clicked, not including tracking parameters	
	RecipientIP	The IP address of the recipient that clicked the link	
	ResolvedURL	The URL that was clicked, including tracking parameters	
	UserAgent	Information about the device, operating system, browser, and mail client used when the message was clicked. This information is provided by the client's web browser. Salesforce doesn't guarantee the accuracy or completeness of this data. Use as reference	

EventType	Field Name	Description	Values
		only.	
Open	RecipientIP	The IP address of the recipient that opened the message	
	UserAgent	Information about the device, operating system, browser, and mail client used when the message was opened. This information is provided by the client's browser. Salesforce doesn't guarantee the accuracy or completeness of this data. Use as reference only.	
SendStatus	SendStatus	The status of the delivery attempt for a message to a specific recipient. We generate one SendStatus event result per recipient attempted for each send.	• SENT • NOT_SENT • TEST_SENT • TEST_NOT_SENT • CC_SENT • CC_NOT_SENT
	NotSentReason	The reason that the send didn't occur.	• BEST_CONSENTED_G RPC_ERROR • CC_PRIMARY_RECIPIENT_FAILED • CONSENT_GENERIC_ERROR • CONSENT_NOT_GIVEN • CONSENT_SERVICE_ERROR • CONSENT_SERVICE_RETRYABLE_ERROR • CONSENT_SERVICE_CONNECTIVITY_ERR

EventType	Field Name	Description	Values
			OR • ENTITLEMENT_EXCEEDED • ERROR_RETRIEVING_DATA_GRAPH_BLOB • INVALID_FROM_EMAIL_ADDRESS • INVALID_NUMBER_OF_DATA_GRAPHS • INVALID_ORG_ADDRESS • INVALID_RECIPIENT_DATA_TYPE • MISSING_CSCT_ID • MISSING_FIELD_IN_DATA_GRAPH • MISSING_PROFILE_ID • MISSING_TO_ADDRESS • NO_PREFERENCE_CENTER_PERM • NO_PROFILE_ATTRIBUTES_FOUND • RENDERING_EXCEPTION • RECIPIENT_HARD_BOUNCED • RECIPIENT_HAS_NO_NON-EMPTY_IDENTIFIER_FIELDS • SEND_STEP_EXCEPTION • SYNTHETIC_CC_SUPPRESS_INTERNAL_DOMAINS • TTL_EXPIRED • UMS_VALIDATION_ERROR For more information,

EventType	Field Name	Description	Values
			see Email Send Validations in Unified Messaging .
Unsubscribe	UnsubscribeSource	The location where the unsubscribe request took place	• Preference Center • Client Header • Keyword Reply • Spam Complaint
Complaint	ComplaintSource	The location where the complaint occurred	

NotSentReason Values

This table lists the possible values for the NotSentReason field, and the steps that you can take to resolve each issue.

The NotSentReason field maps to the Engagement Action Reason field of the Email Engagement DMO. To identify recent reasons, open that object in the Data Explorer. If the field doesn't appear, click **Edit Columns** to add it.

Value	Resolution
Message didn't send because internal error occurred while trying to send message	Try again later.
Can't verify recipient consent	Make sure the recipient provided consent to receive your email messages and try again.
Tried to send promotional email to recipient without opt-in	Try the send again after the recipient provides opt-in consent.
Reached or exceeded sending allowance	Work with your Salesforce account executive to purchase more entitlements and try the send again.

Value	Resolution
Data graph doesn't contain valid personalization information	Review your data and try again.
From address not authorized to send email	Make sure the From address is valid, then try the send again.
Invalid number of data graphs	Review the data graphs and try again.
Message was missing a recipient email address.	Add at least one recipient email address to your send and try again.
Message wasn't sent because it included an unsupported preference center merge field	We can't send a message with an unsupported preference center merge field. Review the merge field and try again.
Can't retrieve profile attributes	We can't retrieve profile attributes for this send.
Recipient address returned hard bounce in previous send attempt	Removed address from send and try again
Failed to render because of syntax errors	Make sure you're using a valid message, then try the send again.
Message wasn't sent because the time-to-live (TTL) value was exceeded	Try again later.
Sending failed for primary recipient, skipping CC addresses	Resolve the primary recipient send issue and try again.
Synthetic CC enabled. Skipping CC send for internal CC addresses	Remove internal addresses from CC, or turn off synthetic CC for this send.

BulkEmailMessage DMO

This DMO contains contextual information on the send itself.

Field	Description
BulkEmailMessageID	A unique identifier for the send entity associated with the engagement event
SendName	A user-provided name associated with the send, as indicated by the Send Email action's Label in Flow
FromName	From name associated with the send
FromAddress	From address associated with the send
MessagePurpose	Purpose of email message
Subject	String contained in email subject line
ManagedContentID	A unique identifier for the email content used for the send
MarketSegmentID	The unique identifier of the target segment associated with the email send
FlowElementRunID	A unique identifier for the specific run of the flow that sent the email message
CampaignID	Unique identifier for campaign associated with the send

Sample Use Case

After the events take place, you can use the data captured to create segments for use in sending targeted messages. For example, you can create a segment of unified individuals based on who clicked links from your messages at least three times in the past month. Segment on the EventDateTime value associated with the Open event types, and then collect the IndividualID values to determine who receives further messages.

Email Send Validations in Unified Messaging

Unified Messaging automatically performs several validation checks during the email send process. These checks help protect sender reputation, ensure compliance, and reduce the likelihood of sends with rendering errors.



Note These validations occur only after send initiation. Sends that don't pass validation are reported with a Not_Sent Send_Status event in the EmailEngagement DMO, along with a corresponding engagement action reason. For more information, see [Email Engagement Data in Unified Messaging](#).

To make sure your sends pass the validation checks, review these recommendations.

Platform-Managed Validations

These validations are automatically enforced on every send, regardless of the makeup of the email content. They make sure that your email send meets system and compliance requirements.

Send validation	Details
From Address Authorization	Unified Messaging verifies that the sending email address is authorized for use. Sends from unapproved addresses are blocked. Not_Sent Engagement Action reason From address not authorized to send email. How to pass validation Set up and verify authenticated From Addresses to use for your messages.
Sending Allowance Limits	Unified Messaging tracks your contractual send allowance and stops sends that exceed your limit. <i>(Applicable only in Starter, Pro Suite, and Foundations editions)</i> Not_Sent Engagement Action reason Reached or exceeded sending allowance. How to pass validation Before executing a campaign, check Usage-Based Entitlements in Setup (Company Information page) for remaining available Marketing Email Sends per Day/Month resources. For more information, see Marketing Considerations for Salesforce Starter and Pro Suite
Recipient Consent Status	For promotional messages, Unified Messaging automatically suppresses sends to recipients who haven't provided opt-in consent to the Communication Subscription applied to the send. If the email isn't sent to the primary recipient, it

Send validation	Details
	won't be sent to CC recipients. Not_Sent Engagement Action reason <code>Tried to send promotional email to recipient without opt-in.</code> How to pass validation Ensure recipients have an explicit OptIn consent value before sending For more information, see • Marketing Considerations for Salesforce Starter and Pro Suite • Understanding Consent Concepts in Marketing Cloud Next
Hard Bounce Suppression	Unified Messaging prevents sends to email addresses that previously resulted in a hard bounce. If the email isn't sent to the primary recipient, it won't be sent to CC recipients. Not_Sent Engagement Action reason <code>Recipient address returned hard bounce in previous send attempt.</code> How to pass validation Update or remove invalid email addresses from your subscriber list For more information, see Marketing Cloud Email Bounce Management
Recipient Address Validation	Unified Messaging validates that the recipient includes an email address before attempting a send. Not_Sent Engagement Action reason

Send validation	Details
	Message was missing a recipient email address. How to pass validation Ensure targeted individuals have a Contact Point Email For more information, see Customer 360 Data Model: Individual and Contact Points.
Preference Center Configuration	If your transactional messages include merge fields for a preference center (such as PCToken or UnsubUrl), Unified Messaging requires that this feature be enabled for your account. If it isn't, the send will fail. Not_Sent Engagement Action reason Message wasn't sent because it included an unsupported preference center merge field. How to pass validation Make sure you have a published preference center page. For more information, see Edit a Default Preference Page in Marketing Cloud Next.

CC Recipient Validations

These validations apply when CC recipients are included in a Send Email Message action.

Send validation	Details
Primary Recipient Send Gate	If the primary recipient isn't sent, CC recipients aren't sent for that message attempt. This behavior applies to validation failures such as missing consent or hard bounce suppression.

Send validation	Details
	Not_Sent Engagement Action reason Sending failed for primary recipient, skipping CC addresses. How to pass validation Resolve the primary recipient send issue and try again.
Synthetic CC Internal Domain Suppression	When synthetic CC behavior is enabled for replies only, internal CC addresses are skipped for the outbound CC send. Not_Sent Engagement Action reason Synthetic CC enabled. Skipping CC send for internal CC addresses. How to pass validation Remove internal addresses from CC, or turn off synthetic CC for this send.

Content-Dependent Validations

Unified Messaging also checks for email content and data validity at send time. The success of these validations depends on the accuracy and completeness of your content and data.

Send validation	Details
Content and Personalization Rendering	Unified Messaging must be able to successfully render the final email content for each recipient. To optimize for recipient experience, messages with rendering errors aren't sent. Not_Sent Engagement Action reason Failed to render due to syntax errors. How to pass validation Ensure that all personalization code is free of

Send validation	Details
	syntax errors. A rendering failure will suppress the send for the specific recipient.
Data Accuracy for Personalization	Unified Messaging checks that data used for personalization is accessible and complete. Errors can occur if required profile attributes are missing or if there are data source issues. Not_Sent Engagement Action reason • Can't retrieve profile attributes. • Invalid data graph links to specified individual. • Data graph doesn't contain valid personalization information. How to pass validation Ensure data graphs, profile attributes, or data sources used for personalization are correctly set up, and include the required, accurate data for your intended audience.

Managed Dedicated IP Addresses

Managed dedicated IP addresses help reduce the time required to start sending email. Whether sending your first message or scaling to larger audiences, they provide easier access to sending infrastructure that aligns with your business needs as they grow.

As sending volume reaches predefined thresholds, Salesforce transitions your account to a dedicated sending pool of IP addresses. This transition ensures that your infrastructure is right-sized for your current needs and provides a dedicated route to mailbox providers.

Key benefits of managed infrastructure include:

- **Elastic resource management:** The platform dynamically provisions or recovers IP addresses based on your 30-day sending history pattern. Your infrastructure remains optimally provisioned and reduces the need for additional purchases or manual requests.
- **Automated rebalancing:** When dedicated sending is enabled, the system rebalances traffic to the new address over a 30-day period. It incrementally shifts sending your email from the shared pool to your dedicated pool until the transition is completed. When additional addresses are required, the system adds them using this same process.

Monitor Your Sending IP Addresses

You can monitor the allocation and status of your IP addresses in Marketing Cloud Next Setup.

1. From **Setup**, enter Unified Messaging in the Quick Find box, then select **Unified Messaging**.
2. Click **Email > Settings > Sending IP Addresses** and create a permission set.
3. Review the Sending IP Addresses table to see your current configuration, pool types, and assigned addresses.

Email Sending IP Addresses

Here are the various IP statuses that explain the current state of your sending infrastructure:

IP Management Type

Type	Description
General	Default state. Emails are sent using Salesforce shared IP pools.
Transition	A dedicated pool is created and assigned. Email traffic is gradually shifted to the new IP addresses.
Dedicated	All outbound email is sent through the dedicated IP pool linked to your account.

Pool Type

Type	Description
General	Shared pool of IP addresses used across all accounts within a deployment region.
Dedicated	Isolated pool of one or more IP addresses assigned to a single customer.

IP Status

Type	Description
In Progress	A transition period where traffic is being rebalanced from the shared pool to a newly assigned dedicated pool.
Active	The IP address is fully provisioned and actively processing your outbound email traffic.

Set Up an SMS Unified Messaging Channel

Create an SMS channel that supports both marketing and service interactions. To set up an SMS channel requires requesting the code to send your SMS messages, including any brands or campaigns used as

part of your sends.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Manage SMS Consent in Unified Messaging

We manage consent to the SMS channel in Unified Messaging via communication subscriptions. Each SMS code is mapped to one or more communication subscriptions. When a recipient opts in to an SMS channel, they opt in to the communication subscriptions mapped to the SMS channel and code. If a recipient opts out of an SMS channel, they opt out of all communication subscriptions mapped to that SMS channel and code. Manage SMS consent and keywords for each connected number.

Set Up SMS Requirements by Country

To activate SMS sending, follow the self-service procurement process based on your country.

Request an International One-way Sending Code

Use an international one-way sending code to directly contact SMS recipients in several different countries at the same time. Follow these instructions to request a code for use in this sending activity. You can use the same code to send to many different countries, but each country has its own rules and limits. Make sure that each send follows these rules.

Request a Location-Specific Sending Code

Salesforce supports SMS messaging in many countries. After you review the rules and limits for each country that you're sending from and sending to, you can request a sender code.

Messaging Considerations and Compliance

To improve your chances of receiving approval for your brand, campaign, and code requests, follow these guidelines. Requests that don't meet these guidelines are likely to be rejected and could delay your marketing efforts.

Activate Your SMS Code

After your SMS code request is approved, your code appears in the SMS Codes section of Setup with an Inactive status. You must activate your SMS code to use it.

Sample SMS Message and Related Information for Unified Messaging

Use this information to create your opt-in, opt-out, and help messages for your SMS campaigns. All keywords are case-insensitive.

SMS Engagement Data in Unified Messaging

Unified Messaging captures SMS engagement data in a data model object (DMO) in Data 360. Every send or interaction with your SMS messaging activities generates this data. You can use these fields to segment audiences or populate reports on your messaging activities.

Pause Traffic in a Unified SMS Channel

To troubleshoot your channel configurations, pause your messaging traffic. You can pause all traffic to the channel, or just pause sent or received messages via Flow and access to bots and human agents.

Activate and Deactivate SMS Channels

You can activate or deactivate Short Message Service (SMS) channels in your sandbox and production

orgs. However, the same SMS channel can't be activated in both orgs at the same time. SMS usage in the sandbox or production org will deduct from your SMS credits. Before activating the SMS code in a sandbox org, make sure that the code isn't being used in a production org.

Set Up an SMS Conversation in Unified Messaging

When you set up Conversational SMS, recipients can reply to your marketing and service messages. Then, you can route those replies to people or bots that can address them. To set up a conversation, enable settings and create a flow.

Configure a Blockout Window for SMS and WhatsApp in Unified Messaging

To increase the chances that your messages are well-received by your customers, set a blockout window for when not to send SMS and WhatsApp messages.

Manage SMS Consent in Unified Messaging

We manage consent to the SMS channel in Unified Messaging via communication subscriptions. Each SMS code is mapped to one or more communication subscriptions. When a recipient opts in to an SMS channel, they opt in to the communication subscriptions mapped to the SMS channel and code. If a recipient opts out of an SMS channel, they opt out of all communication subscriptions mapped to that SMS channel and code. Manage SMS consent and keywords for each connected number.

Available in: Lightning Experience
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Click **Request Code**.
3. In the Consent tab, set your consent opt-in status to **Explicit** or **Double Opt-in**.
If you selected Double Opt-in, optionally modify the **Double Opt-in Prompt**. Subscribers receive this message to confirm their opt-in before they can receive messages from the selected number.
4. For Consent Keyword Settings, enter the keywords and messages that enable opt-in, opt-out, and help conversations with your subscribers.
All languages default to the keywords that you enter here.
5. To include language-specific keywords and messages, click **Add Language-Specific Consent Keywords** and enter the text for the additional languages.
6. Click **Save**.

See Also

[Salesforce Help: Understanding Consent Concepts in Marketing Cloud](#)
[Sample SMS Message and Related Information for Unified Messaging](#)

Set Up SMS Requirements by Country

To activate SMS sending, follow the self-service procurement process based on your country.

Available in: Lightning Experience
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Not supported in Government Cloud Plus

Set Up SMS for India

To send SMS messages in India and comply with Telecom Regulatory Authority of India (TRAI) regulations, upload your registered brand headers and templates in Salesforce Setup. This process verifies the SMS traffic through the Distributed Ledger Technology (DLT).

Set Up SMS for the United States and Canada

Learn how to request a brand, campaign, and SMS codes for sending SMS in the United States and Canada.

Set Up SMS for India

To send SMS messages in India and comply with Telecom Regulatory Authority of India (TRAI) regulations, upload your registered brand headers and templates in Salesforce Setup. This process verifies the SMS traffic through the Distributed Ledger Technology (DLT).

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before you set up SMS sending in India, review the [Guide for Sending SMS in India](#).

Upload India DLT Headers and Templates

Before you begin, complete these requirements.

- Register your brand and obtain a 19-digit PEID from a DLT operator, such as Vodafone, Jio, or Airtel.
 - Verify that your PEID is correctly associated with your account.
 - Download your approved headers and templates from the DLT portal.
 - Prepare a .csv file that contains these exact column headers: `Template ID`, `Template Name`, `Type`, `Header`, `Template Message`, `Approval Status`, and `Status`.
 - Format the .csv filename to start with your 19-digit PEID. For example, `1107161234500010_templates.csv`.
1. From Setup, use the Quick Find box to find and select **India DLT Headers & Templates**.
 2. Click **Upload DLT Templates**.
 3. Select the appropriate business unit, workspace, and CMS folder where you want to store your template.

4. To upload the DLT template, click **Upload Files** or drag the file.
5. When the progress shows 100%, click **Done**.
6. Verify that your DLT templates appear in the selected CMS folder.
7. To activate your headers, go to the **SMS Codes** page and click **Request Code**.
8. Select **India** as the country and select **Headers** as the code type.
9. Review the list of headers automatically detected for your PEID, and then click **Finish**.

Your headers appear in the SMS Codes page as **Active**. You can now select these headers when you draft an India SMS campaign. See [Create an SMS Message from a DLT Template](#) for more details.

Set Up SMS for the United States and Canada

Learn how to request a brand, campaign, and SMS codes for sending SMS in the United States and Canada.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before you start sending messages in the United States and Canada, review [Guide for Sending SMS Messages to the United States](#) and [Guide for Sending SMS Messages to Canada](#).

Supported Code Types

To select the best code type for your messaging strategy, review the operational differences.

Code Types		
	10-Digit Long Code (10DLC)	Dedicated Short Code
Format	Standard local area codes. For example, 212 or 416.	Recognizable 5-digit or 6-digit sequences. For example, 36001.
Provisioning Time	5–12 business days	8–12 weeks
Cost Structure	Low monthly registry fees	Premium monthly registry leasing fees billed immediately upon reservation. \$500 for random; \$1,000 for vanity.
Throughput	Carriers set your volume limits based on your brand's trust rating	Instantly handles 100–500+ messages every second
Trust Score	High trust via a recognizable	High trust via an official verified

	10-Digit Long Code (10DLC)	Dedicated Short Code
	local identity	brand identity
Two-way support	Yes	Yes

Request a 10DLC Brand for the United States or Canada

You can request one brand per purchased 10-digit long code. Processing your brand request can take up to 5 business days, depending on the third-party SMS vetting partner to provide approval.

Request a Short Code Brand the United States and Canada

Procuring a US short code is a regulated process that ensures messaging security and compliance. Use the self-service registration flow to register your brand and secure a 5 or 6-digit short code.

Vet Your SMS Brand in Unified Messaging

Improve and maintain your sending reputation by validating your identity when you complete SMS channel setup. When you vet your brand, you can send moreSMS messages from newly approved long and short codes.

Request a Campaign for a United States or Canada 10-Digit Long Code

Before you can request a campaign, obtain a brand. You can request one campaign per purchased 10-digit long code. Although you can use up to 49 codes for a single campaign, we recommend you to use only one code per campaign. Processing your campaign request can take up to 10 business days, depending on the time needed for carriers and aggregators to provide approval.

Request a 10-Digit Long Code for the United States or Canada

You can request a 10-digit long code for sending SMS messages in the United States. Processing your code request can take up to 2 business days, depending on how long it takes for carriers and aggregators to provide approval.

Request a Short Code for the United States and Canada

You can request a short code for sending SMS messages in the United States. Processing your short code request can take 10–12 weeks depending on how long it takes for carriers and aggregators to provide approval.

Request a 10DLC Brand for the United States or Canada

You can request one brand per purchased 10-digit long code. Processing your brand request can take up to 5 business days, depending on the third-party SMS vetting partner to provide approval.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before you start your request, [collect this information](#).

1. In Setup, in the Quick Find box, enter *Regulatory Compliance*, and select **Regulatory Compliance**.

2. On the 10DLC and Short Code Brands tab, click **Register Brand**.
3. If you're registering a standard local 10-digit phone number, select **10 DLC** and then click **Next**.
4. Enter your company details.
 - a. Enter your company name exactly as it appears in your IRS documentation.
 - b. Enter your 9-digit Employer Identification Number (EIN) or the equivalent official tax ID.
 - c. Enter the public-facing brand name that your customers recognize.
 - d. Select the country that issued your business tax ID.
 - e. Select the **Country of Registration** where your business is legally incorporated.
 - f. Select the industry that best describes your line of business.
For example, Information Technology Services.
 - g. Select the organization type such as private, public, or non-profit company.
 - h. Enter the website address of your company. Make sure that the website is active and includes a privacy policy.
5. Enter the address and authorized contact details.
 - a. Enter your business address details such as street address, city, state, ZIP code, and country. PO box address isn't permitted for street address.
 - a. Enter the name, email address, and phone number of the authorized support person managing the SMS account. Phone number must include the international country prefix code.
For example, +1 or +61.
 - b. Select your company's relationship status with the brand.
For example, no business history or existing relationship.
6. Submit your request.

You can review the progress of your request via status messages on the Regulatory Compliance page.

- **New:** Your request was submitted and is awaiting review.
- **Pending Under Verification:** Your brand purchase request is under review against government records.
- **Waiting for Customer:** Take action as required. The registration failed due to a name and tax ID mismatch, or your corporate website failed the privacy audit.
- **Completed:** Your brand is verified. You can now request for campaigns.

You can save a draft of your request and return to it later. Save up to 10 drafts of each type of request, including brands, campaigns, and codes.

You can also review the reasons for rejection. If the review process requires corrections, you can edit the request by clicking the arrow next to the request and selecting **Edit and Resubmit Request**.

If the request is rejected twice, Salesforce emails your support contact to address the issue.

See Also

[Sample SMS Message and Related Information for Unified Messaging](#)

Request a Short Code Brand the United States and Canada

Procuring a US short code is a regulated process that ensures messaging security and compliance. Use the self-service registration flow to register your brand and secure a 5 or 6-digit short code.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before you begin, [collect this information](#).

- Locate your IRS Form SS-4. Your Legal Company Name and EIN should match this document to avoid instant rejection.
 - Make sure that your website is live and includes a compliant privacy policy and terms of service.
 - Identify an authorized support person who can access company email to complete the PIN verification.
1. In Setup, in the Quick Find box, enter Regulatory Compliance, and select **Regulatory Compliance**.
 2. On the Brands tab, click **Register Brand**.
 3. Select **US Short Code** for the brand type and then click **Next**.
 4. Enter your company details.
 - a. Enter your brand name and the Legal Company Name exactly as mentioned in your IRS documentation.
 - b. For the **Doing Business As** field, enter an alternate brand name if it differs from your legal name.
 - c. Select the [Entity Type](#). Entity type is the legal structure that matches your tax registration.
 - d. Select the [Program Type](#) that best describes your campaign.
 - e. Enter your Stock Market Symbol if you're a public company. For example, OO.
 - f. Enter the website URL that includes a privacy policy, and then click **Next**.
 5. To increase your brand trust score, enter your business details.
 - a. Enter your 9-digit Federal Tax ID. To avoid rejection, make sure that your tax ID matches your legal name.
 - b. Enter an optional 9-digit identifier for **Dun and Bradstreet (DUNS)**.
 - c. Enter the Global Intermediary Identification Number (GIIN) number consisting of 19 characters.
 - d. Enter the Legal Entity Identifier (LEI) consisting of 20 characters, and then click **Next**.
 6. Enter the authorized support person's full name, job title, phone number, email address, and then click **Next**.
 7. Select the [Short Code Type](#) and then click **Submit**.

After you submit these details, the authorized person receives an email from verify@usshortcodes.com. Click the link in your email and enter the PIN on the Short Code Registry or Aegis Mobile verification page. You must complete this process within 7 days of receiving the email. If the PIN expires, you must request for another PIN manually.

You can review the progress of your request via status messages on the Regulatory Compliance page.

- **New:** Your request was submitted and is awaiting review.
- **Pending Under Verification:** Your brand purchase request is under review against government records.
- **Waiting for Customer:** Take action as required. The registration failed due to a name and tax ID mismatch, or your corporate website failed the privacy audit.

- **Pending:** The request requires manual intervention due to an edge case, such as vendor technical issues, legal questions, or unique campaign details.
- **Canceled:** A user or internal stakeholder canceled the request.
- **Completed:** Your brand is verified. You can now request for campaigns.

You can save a draft of your request and return to it later. Save up to 10 drafts of each type of request, including brands, campaigns, and codes.

You can also review the reasons for rejection. If the review process requires corrections, you can edit the request by clicking the arrow next to the request and selecting **Edit and Resubmit Request**.

If the request is rejected twice, Salesforce emails your support contact to address the issue.

Short Code Brand Requirements

Learn about the different entity, program, and short code types required for requesting the US and Canada short code brand.

Short Code Brand Requirements

Learn about the different entity, program, and short code types required for requesting the US and Canada short code brand.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Entity Types

Select the legal entity type that matches your official government tax.

Short Code Entity Types

Type	Description
Corporation	A standard "Inc." or "Corp." entity that operates as a legal person separate from its owners.
Government	Any federal, state, local, or tribal government organization.
Limited Liability Corporation (LLC)	A hybrid structure that combines limited liability protection with the tax flexibility of a partnership.
Non-Profit	An organization that operates for collective or social benefit, such as a 501(c)(3) charity.

Type	Description
Partnership	A business that two or more people own and operate together to share profits and liabilities.
S-Corporation	A specialized corporation that passes corporate income, losses, deductions, and credits through to shareholders for federal tax purposes.
Sole Proprietorship	A business that one individual owns and runs with no legal distinction between the owner and the entity.

Program Types

Select the category that best describes the intent and purpose of your messaging traffic.

Short Code Program Types

Type	Description
Standard	For-profit marketing, informational alerts, or transactional traffic, providing optimal carrier delivery speeds for commercial messaging.
Charitable Organization	Registered 501(c)(3) non-profit entities, which unlock reduced carrier pass-through fees for donation campaigns.
Government	Public service or emergency safety broadcasts, which receive the highest tier of carrier prioritization during high-traffic windows.
Political	Use for political parties or Political Action Committees (PACs). Requires a Campaign Verification (CV) token and 527 tax-exempt details of your political organization.

Short Code Types

Select your preferred format for your 5-to-6-digit short code.

Short Code Types

Type	Description
Random	A 5–6 digit number assigned by the Registry. Best for standard messaging that doesn't require a specific number.

Type	Description
Vanity	A number that you select for brand recall. For example, 56678. You can provide several options. Only codes with 2–9 as the first digit are publicly available. If your preferred code is taken, the registry offers 5667X, where "X" represents any available number.

Vet Your SMS Brand in Unified Messaging

Improve and maintain your sending reputation by validating your identity when you complete SMS channel setup. When you vet your brand, you can send more SMS messages from newly approved long and short codes.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Click **Request Brand Vetting**.
3. Import an existing brand vetting record or request a new vetting.
4. Select the brand you want to vet.
5. Select the type of vetting and which partner this process uses, then click **Next**.
6. To receive notification of the brand vetting result, enter an email address. This process can take from 10 to 30 days.
7. Submit your request.

Request a Campaign for a United States or Canada 10-Digit Long Code

Before you can request a campaign, obtain a brand. You can request one campaign per purchased 10-digit long code. Although you can use up to 49 codes for a single campaign, we recommend you to use only one code per campaign. Processing your campaign request can take up to 10 business days, depending on the time needed for carriers and aggregators to provide approval.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before you start your request, [collect this information](#).

- Brand for campaign registration
 - Campaign description
 - Type of use case
 - Account notifications
 - Customer care
 - Delivery notifications
 - Fraud alerts
 - Higher education
 - Low-volume mixed (small volume of combined use cases, such as testing or demo accounts)
 - Marketing
 - Mixed
 - Multi-factor authentication, verification, or one-time passcodes
 - Polling or voting
 - Public service announcements
 - Security alerts
 - Sample SMS message
 - All opt-in keywords and confirmation messages
 - All opt-out keywords and confirmation messages
 - All help keywords and confirmation messages
 - Shared Terms, Conditions, and Privacy Policy URL
 - Canadian campaigns must include the French keywords ARRET and AIDE. The INFO keyword must also include information in English and French.
1. In Setup, in the Quick Find box, enter *Regulatory Compliance*, and select **Regulatory Compliance**.
 2. On the **10DLC Campaigns** tab, click **Register Campaign**.
 3. Enter the information for the campaign.
 - a. Select your verified brand.
 - b. Enter a detailed summary of the campaign's business goals.
For example, this campaign sends weekly promotional offers, flash sale alerts, and new product announcements to our retail customers.
 - c. Select the category that best matches your traffic pattern, such as Fraud Alert Messaging, Marketing, or 2FA.
 - d. Enter an example of an outbound message. Include your brand name and opt-out information within the text body.
 4. If your campaign includes rich media files like images, videos, or audio, provide sample MMS message details for carrier review.
 - a. Select **Include MMS Sample**.
 - b. Select your media type for **Content Category**.
 - c. Upload a sample media file, such as a JPG, PNG, or GIF under 500 KB.
 - d. To confirm that your terms and conditions include the phrase *Message and Data rates may apply*, select the **DRMF Check**.
 5. Configure the technical and compliance attributes for your messaging traffic.
 - a. To confirm that your platform native handlers process mandatory carrier keywords, select **Yes** for **Opt-In/Out/Help**.
 - b. If your outbound message templates contain URLs, landing page links, or call-back numbers, select

Yes for Embedded Links/Phone Numbers.

- c. Confirm that the campaign content doesn't contain affiliate marketing elements.
- d. If your content requires carrier age-verification controls, select **Yes for Age-Gated Content**.
6. Define opt-in methods that your business uses to gather phone numbers and explicit consent.
 - a. Select how your customers opt in by choosing one of these options: **Keyword, Web, POS, IVR, or Other**.
 - b. Enter the web address to your live corporate privacy policy and click **Next**.
7. Enter the attributes, including keywords and regulatory content, and click **Next**.
 - a. For **Opt-In Flow Details**, describe where consumers locate your opt-in keyword.
For example, customers view a physical sign showed in our retail store window.
 - b. Enter the specific opt-in keywords, such as JOIN or DEALS.
 - c. Enter the call-to-action text that prompts the user.
For example, "Text JOIN to [number] for 10% off."
 - d. Enter the automated opt-in success response for confirmation message.
For example, "Welcome to [Brand Name] alerts. Reply STOP to quit."
 - e. Repeat these steps for **POS, IVR, Web, and Other** opt-in methods you've selected.
8. Enter the mandatory keyword responses. These keywords define how subscribers can stop receiving marketing SMS messages or get assistance.
 - a. Enter your opt-out keywords. The system defaults to standard keywords including STOP, QUIT, END, CANCEL, and UNSUBSCRIBE.
 - b. Enter the opt-out message.
For example, "You've been unsubscribed from [Brand Name] alerts. You receive no further messages. Reply START to resubscribe."
 - c. Enter the help keywords, such as Help.
 - d. Enter the help message.
For example, "For help with [Brand Name] alerts, visit [Website] or call [Phone]. Reply STOP to unsubscribe. Message & data rates apply."
9. To submit the campaign request, click **Submit**.

You can save a draft of your request and return to it later. Save up to 10 drafts of each type of request, including brands, campaigns, and codes.

You can review the progress of your request via status messages on the Regulatory Compliance page.

- **New:** Your request was submitted and is awaiting review
- **Pending Under Verification:** Your request is being reviewed
- **Waiting for Customer:** Action is required. The registry rejected your campaign due to registration errors. Review your submission for a vague opt-in flow description, sample text missing mandatory "STOP" instructions, or a broken or non-compliant privacy policy link. Make the necessary corrections and resubmit the campaign for approval.
- **Completed:** Your campaign request is approved.

You can also review the reasons for rejection. If the review process requires corrections, you can edit the request by clicking the arrow next to the request and selecting **Edit and Resubmit Request**.

If the request is rejected two times, Salesforce emails your support contact to address the issue.

For inquiries about traffic enablement, email messagingregistration@salesforce.com with the case number you received after submitting the registration form.

 **Note** Traffic enablement case numbers are different from standard support case numbers and aren't visible on the Help site. Always include your traffic enablement case number when following up via email.

See Also

[Sample SMS Message and Related Information for Unified Messaging](#)

Request a 10-Digit Long Code for the United States or Canada

You can request a 10-digit long code for sending SMS messages in the United States. Processing your code request can take up to 2 business days, depending on how long it takes for carriers and aggregators to provide approval.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

 **Important** SMS Messaging in the United States and Canada is highly regulated by US and CA carriers and applicable laws. Salesforce supports the use of sanctioned, carrier-approved sender codes only for US and CA SMS messaging. Review these guidelines and restrictions for using sender codes for SMS sending in the United States and Canada. The information provided doesn't, and isn't intended to, constitute legal advice. All information is only for general informational purposes. Consult your own legal counsel for guidance on use cases and applicable legal and industry requirements. The overall registration process can take several weeks, so make sure to plan ahead.

1. Before you start, verify that you have a [registered brand](#) and submitted your [campaign request](#).
2. From Setup, in the Quick Find box, enter *SMS*, and then select **SMS Codes**.
3. Click **Request Code**.
4. Select **United States** or **Canada** as the country.
5. Select **10-digit Long Code** for the code type, and then click **Next**.
10DLC numbers are restricted to domestic messaging. You can only exchange messages with numbers within the same country.
6. Enter the total number of unique phone numbers that you want to purchase.
7. Select a registered brand and campaign.
8. For **Selection Preference**, select **Any** to automatically provision the fastest available numbers, or filter by a specific **Location**, **Number** prefix, or **Zip Code**.
9. Review the regulatory compliance notices, and then click **Next**.
10. If you're requesting 10 or more code, provide a business justification.
For example, "We're requesting multiple codes to validate message routing across different regions."
11. Submit the request.

You can save up to 10 drafts of your requests for brands, campaigns, and codes. Track your progress on the Open Requests tab of the SMS Codes page, where these statuses appear.

- **Inactive:** A code is available but you must provide more information before it can be activated. These codes can't be used to send SMS messages.
- **Active:** The code is available and ready to use for sending SMS messages.
- **Blocked:** The code is blocked due to an expired contract or compliance violations. These codes can't be used to send SMS messages.
- **Disabled:** The code is no longer available. You can't renew this code or use it to send SMS messages.

See Also

[Sample SMS Message and Related Information for Unified Messaging](#)

Request a Short Code for the United States and Canada

You can request a short code for sending SMS messages in the United States. Processing your short code request can take 10–12 weeks depending on how long it takes for carriers and aggregators to provide approval.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Before submitting the code request, you must meet these carrier audit standards to prevent multi-week approval delays.

- Your customer support email must use your official corporate brand domain. Don't use generic webmail addresses like Gmail or Yahoo.
- SMS enrollment checkbox on your web forms must not be selected by default. Pre-checked consent boxes result in automatic carrier rejection.
- Web sign-up forms must explicitly include the opt-out keyword disclaimer, such as: *"Reply STOP to unsubscribe."*
- Don't use "test," "TBD," or "Toll-free" in your campaign summaries or sample copy.

1. Before you start, verify that you have a [registered brand](#)
2. From Setup, in the Quick Find box, enter *SMS*, and then select **SMS Codes**.
3. Click **Request Code**.
4. Select **United States** or **Canada** as the country.
5. Select **Short Code** for the code type, and then click **Next**.
6. To make sure that your new code is mapped to the correct app, select **Marketing Cloud Edition - Advanced/Growth** or **Marketing Cloud Next**.
7. Enter the brand and code and customization details.
 - a. Select your approved brand.
 - b. Enter the number of dedicated codes that you want to lease.

- c. Select the Search Type to find your code by a specific **Number**, a **State**, or a **Zip code**, or select **Random Short Code** so the registry automatically assigns a sequence.
8. Enter the basic campaign details.
 - a. Verify that **Registered Brand ID** is auto-populated based on the selected brand.
 - b. For **Program Name**, enter your public campaign name. This name must match your official trademark or corporate DBA.
 - c. Select the **Short Code Type: Vanity** or **Random**.
 - d. For **Message Cost Model**, select **FREE_TO_END_USER (FTEU)** so subscribers aren't charged, or select **STANDARD** to apply standard carrier message and data rates.
 - e. Enter the phone number and email address for customer support contact.
9. Define opt-in methods that your business uses to gather phone numbers and explicit consent.
 - a. Select how your customers opt in by selecting one of these options: **Keyword**, **Web**, **POS**, **IVR**, or **Other**.
 - b. Enter the web address to your live corporate privacy policy and click **Next**.
10. Configure the Web Opt-In details.
 - a. For **Opt-In Flow Details**, describe exactly where and how a user signs up on your site. For example, state that users opt in to receive messages through your official landing page while expressing interest in course registration.
 - b. Specify the opt-in keywords users can text to sign up, such as JOIN or MUSIC.
 - c. Enter the call-to-action text that prompts the user.
 - d. Enter the automated opt-in success response for confirmation message.
For example, "You have successfully subscribed to updates. Messages include course reminders and offers. Reply STOP to opt out."
11. Enter the mandatory keyword responses. These keywords define how subscribers can stop receiving marketing SMS messages or get assistance.
 - a. Enter your opt-out keywords. The system defaults to standard keywords including STOP, QUIT, END, CANCEL, and UNSUBSCRIBE.
 - b. Enter the opt-out message.
For example, "You've been unsubscribed from [Brand Name] alerts. You receive no further messages. Reply START to resubscribe."
 - c. Enter the help keywords, such as Help.
 - d. Enter the help message.
For example, "For help with [Brand Name] alerts, visit [Website] or call [Phone]. Reply STOP to unsubscribe. Message & data rates apply."
12. Enter compliance information.
 - a. Enter a URL for Terms & Conditions.
 - b. Enter a Privacy Policy URL.
 - c. Enter your program description summary detailing transactional alerts, onboarding assistance, or promotional updates.
 - d. To upload supporting files such as a program syllabus, trademark certifications, or website sign up form mockups, click **Attachments**.
 - e. Enter internal notes or comments detailing your consent gathering methods and opt-out placement.
 - f. Enter a comma-separated list of collaborator email addresses to receive carrier vetting status updates.

13. Select the confirmation checkbox: **I'm ready to submit this request.**
14. Submit your request.

You can save up to 10 drafts of your requests for brands, campaigns, and codes. Track your progress on the Open Requests tab of the SMS Codes page, where these statuses appear.

- **Inactive:** A code is available but you must provide more information before it can be activated. These codes can't be used to send SMS messages.
- **Active:** The code is available and ready to use for sending SMS messages.
- **Blocked:** The code is blocked due to an expired contract or compliance violations. These codes can't be used to send SMS messages.
- **Disabled:** The code is no longer available. You can't renew this code or use it to send SMS messages.

Request an International One-way Sending Code

Use an international one-way sending code to directly contact SMS recipients in several different countries at the same time. Follow these instructions to request a code for use in this sending activity. You can use the same code to send to many different countries, but each country has its own rules and limits. Make sure that each send follows these rules.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Select an existing long code. If you don't have a long code in your account yet, request a long code (link to current process).
3. Go to the Countries tab and click **Add Countries**.
4. Select the applicable countries and click **Add**.

Request a Location-Specific Sending Code

Salesforce supports SMS messaging in many countries. After you review the rules and limits for each country that you're sending from and sending to, you can request a sender code.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions with Marketing Cloud Next Growth or Advanced Edition and the Salesforce Message Credits - SMS add-on
Also required: The location-specific SMS add-on for each country that you want to send to. To verify which add-ons are available to your org, contact an account executive.

Not supported in: Government Cloud Plus

1. Before you start, confirm that you have a registered brand and campaign.
2. From Setup, in the Quick Find box, enter *SMS*, and then select **SMS Codes**.
3. Click **Request Code**.
4. Select the country, code type, and quantity that you want.
5. Click **Next**, and continue to follow the prompts.

If you encounter an error during the request, you can enter a different code type or try the request again after 24 hours.

You can save up to 10 drafts of your requests for brands, campaigns, and codes. Track your progress on the Open Requests tab of the SMS Codes page, where these statuses appear.

- **Inactive:** A code is available but you must provide more information before it can be activated. These codes can't be used to send SMS messages.
- **Active:** The code is available and ready to use for sending SMS messages.
- **Blocked:** The code is blocked due to an expired contract or compliance violations. These codes can't be used to send SMS messages.
- **Disabled:** The code is no longer available. You can't renew this code or use it to send SMS messages.

[Guide for Sending SMS Messages to Albania](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Albania. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Algeria](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Algeria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Argentina](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Argentina. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Australia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Australia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Austria](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Austria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and

applicable legal and industry requirements.

[Guide for Sending SMS Messages to Bahrain](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Bahrain. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Belarus](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Belarus. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Belgium](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Belgium. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Bosnia and Herzegovina](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Bosnia and Herzegovina. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Brazil](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Brazil. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Bulgaria](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Bulgaria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Canada](#)

Review these guidelines and restrictions for using sender codes for SMS sending in Canada.

[Guide for Sending SMS Messages to Chile](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Chile. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to China](#)

Review the guidelines and restrictions for sending SMS messages to recipients in China. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Colombia

Review the guidelines and restrictions for sending SMS messages to recipients in Colombia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Croatia

Review the guidelines and restrictions for sending SMS messages to recipients in Croatia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Cyprus

Review the guidelines and restrictions for sending SMS messages to recipients in Cyprus. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Czechia

Review the guidelines and restrictions for sending SMS messages to recipients in Czechia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Denmark

Review the guidelines and restrictions for sending SMS messages to recipients in Denmark. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Ecuador

Review the guidelines and restrictions for sending SMS messages to recipients in Ecuador. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Egypt

Review the guidelines and restrictions for sending SMS messages to recipients in Egypt. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Estonia

Review the guidelines and restrictions for sending SMS messages to recipients in Estonia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Finland

Review the guidelines and restrictions for sending SMS messages to recipients in Finland. This information is for general informational purposes only. This information doesn't, and isn't intended to,

constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to France](#)

Review the guidelines and restrictions for sending SMS messages to recipients in France. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Germany](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Germany. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Ghana](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Ghana. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Greece](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Greece. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Honduras](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Honduras. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Hong Kong](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Hong Kong. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Hungary](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Hungary. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Iceland](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Iceland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to India](#)

In India, the Telecom Regulatory Authority of India (TRAI) enforces strict Distributed Ledger Technology (DLT) guidelines to combat spam messages and streamline SMS campaigns. To send SMS messages in India, all businesses must register as a Principal Entity (PE) and get preapproval on their headers (sender IDs) and message templates.

[Guide for Sending SMS Messages to Indonesia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Indonesia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Ireland](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Ireland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Israel](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Israel. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Italy](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Italy. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Japan](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Japan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Jordan](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Jordan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Kenya](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Kenya. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Kuwait](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Kuwait. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and

applicable legal and industry requirements.

[Guide for Sending SMS Messages to Latvia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Latvia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Lebanon](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Lebanon. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Liechtenstein](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Liechtenstein. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Lithuania](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Lithuania. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Luxembourg](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Luxembourg. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Macau](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Macau. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Malaysia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Malaysia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Malta](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Malta. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Mexico](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Mexico. This

information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Morocco](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Morocco. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Mozambique](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Mozambique. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to the Netherlands](#)

Review the guidelines and restrictions for sending SMS messages to recipients in the Netherlands. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to New Zealand](#)

Review the guidelines and restrictions for sending SMS messages to recipients in New Zealand. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Nigeria](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Nigeria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Norway](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Norway. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Oman](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Oman. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Pakistan](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Pakistan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Peru](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Peru. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to the Philippines](#)

Review the guidelines and restrictions for sending SMS messages to recipients in the Philippines. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Poland](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Poland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Qatar](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Qatar. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Saudi Arabia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Saudi Arabia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Serbia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Serbia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Singapore](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Singapore. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Slovakia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Slovakia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Slovenia](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Slovenia. This information is for general informational purposes only. This information doesn't, and isn't intended to,

constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to South Africa

Review the guidelines and restrictions for sending SMS messages to recipients in South Africa. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to South Korea

Review the guidelines and restrictions for sending SMS messages to recipients in South Korea. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Spain

Review the guidelines and restrictions for sending SMS messages to recipients in Spain. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Sri Lanka

Review the guidelines and restrictions for sending SMS messages to recipients in Sri Lanka. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Sweden

Review the guidelines and restrictions for sending SMS messages to recipients in Sweden. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Switzerland

Review the guidelines and restrictions for sending SMS messages to recipients in Switzerland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Taiwan

Review the guidelines and restrictions for sending SMS messages to recipients in Taiwan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Thailand

Review the guidelines and restrictions for sending SMS messages to recipients in Thailand. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to the United Kingdom

Review the guidelines and restrictions for sending SMS messages to recipients in the United Kingdom. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to the United States](#)

Review these guidelines and restrictions for using sender codes for SMS sending in the United States.

[Guide for Sending SMS Messages to Vietnam](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Vietnam. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

[Guide for Sending SMS Messages to Zimbabwe](#)

Review the guidelines and restrictions for sending SMS messages to recipients in Zimbabwe. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Guide for Sending SMS Messages to Albania

Review the guidelines and restrictions for sending SMS messages to recipients in Albania. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	AL
International Dialing Code	355
Major Carriers	• Vodafone Albania • Telekom Albania • ALBtelecom
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Albania are regulated by [The Electronic and Postal Communications Authority \(AKEP\)](#). Consider using separate alphanumerical codes for marketing and transactional sends.

Guide for Sending SMS Messages to Algeria

Review the guidelines and restrictions for sending SMS messages to recipients in Algeria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	DZ
International Dialing Code	213
Major Carriers	• Mobilis

	• Ooredoo Algeria • Djezzy
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and fines. Algeria generally forbids content related, but not limited to, these products and services:

- Alcohol
- Drugs
- Gambling
- Politics

- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Algeria are regulated by [Regulatory Authority for Post and Telecommunications \(ARPT\)](#) and [Ministry of Post, Telecommunications, Technologies, and Digitalization \(MPTTN\)](#).

Guide for Sending SMS Messages to Argentina

Review the guidelines and restrictions for sending SMS messages to recipients in Argentina. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	AR
International Dialing Code	54
Major Carriers	• Claro Argentina • Personal • Telefonica Argentina
Alphanumeric Code Support	No
Unicode Support	No
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	12 weeks	--	--	--
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use an Argentina short code for two-way sends that support marketing and transactional sends. Network carriers require monthly sending rates of at least 100,000 sends per month to keep a short code active. We recommend planning your sending rate as soon as possible before procuring a short code. All short code programs must support HELP and STOP keyword requests. Include FIN and BAJA keywords on all short codes. Conduct marketing sends from Monday through Sunday, 9 AM to 8 PM (UTC-03:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Argentina generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling
- Politics

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Argentina are regulated by [Ente Nacional de Comunicaciones](#) and [Cámara de Informática y Comunicaciones de la República Argentina](#).

Guide for Sending SMS Messages to Australia

Review the guidelines and restrictions for sending SMS messages to recipients in Australia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	AU
International Dialing Code	61
Major Carriers	• Telstra • Optus • Vodafone Australia
Alphanumeric Code Support	Yes
Unicode Support	Yes

Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	--	1 week	1 week
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending.

Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Your codes require a minimum of 3 characters and can't exceed 11 characters.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and fines.

Best Practices and Compliance References

Telecommunications in Australia are regulated by these agencies:

- [Australian Mobile Telecommunications Association \(AMTA\)](#)
- [Australian Communications and Media Authority \(ACMA\)](#)
- [Australian Competition and Consumer Commission \(ACCC\)](#)
- [Industry Alliance Ltd Industry Code](#)

Consider using separate alphanumeric codes for marketing and transactional sends.

Guide for Sending SMS Messages to Austria

Review the guidelines and restrictions for sending SMS messages to recipients in Austria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	AT
International Dialing Code	43
Major Carriers	• T-Mobile Austria • Mobilkom • 3 Austria
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	1 week	2 weeks	2 weeks
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Austria generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Telecommunications in Austria are regulated by [Austrian Regulatory Authority for Broadcasting and Telecommunications \(RTR\)](#). Consider using separate alphanumerical codes for marketing and transactional sends.

Guide for Sending SMS Messages to Bahrain

Review the guidelines and restrictions for sending SMS messages to recipients in Bahrain. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BH
International Dialing Code	973
Major Carriers	• Batelco • Viva Bahrain • Zain Bahrain
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
--	------------	-------------------------	-----------------	-------------------

Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	1 week	--	1 week

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending marketing or transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Bahrain generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Bahrain are regulated by [Telecommunications Regulatory Authority \(TRA\)](#). Consider using separate alphanumeric codes for marketing and transactional sends.

Guide for Sending SMS Messages to Belarus

Review the guidelines and restrictions for sending SMS messages to recipients in Belarus. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BY
International Dialing Code	375

Major Carriers	• MTS Belarus • Velcome • LifeBelarus
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Belarus are regulated by [Ministry of Communications and Informatization of the Republic of Belarus \(MoCI\)](#). Consider using separate alphanumeric codes for marketing and

transactional sends.

Guide for Sending SMS Messages to Belgium

Review the guidelines and restrictions for sending SMS messages to recipients in Belgium. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BE
International Dialing Code	32
Major Carriers	• Proximus • Mobistar • Base
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	8 weeks	--	--	--
Comments	Requires pre-registration	--	--	--

SMS Code Provisioning Guidelines

You can use a Belgian short code for one-way and two-way sends. These codes support both marketing and transactional sends. Procure dedicated two-way short code services providing program details in advance.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Belgium generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Telecommunications in Belgium are regulated by [Belgian Institute for Postal services and Telecommunications \(BIPT\)](#).

Guide for Sending SMS Messages to Bosnia and Herzegovina

Review the guidelines and restrictions for sending SMS messages to recipients in Bosnia and Herzegovina. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BA
International Dialing Code	387
Major Carriers	- BH Telecom - M-Tel - Eronet
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No

Provisioning Time	--	--	--	1 week
-------------------	----	----	----	--------

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Bosnia and Herzegovina generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Telecommunications in Bosnia and Herzegovina are regulated by [Communications Regulatory Agency \(CRA\)](#) and [Federalni zavod za statistiku \(FZS\)](#).

Guide for Sending SMS Messages to Brazil

Review the guidelines and restrictions for sending SMS messages to recipients in Brazil. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BR
International Dialing Code	55
Major Carriers	• Claro Brazil • Vivo • TIM Brazil • Oi Movei
Alphanumeric Code Support	No
Unicode Support	No
Maximum Message Link	160

Concatenation Support	No
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	6 weeks	--	--	--
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use a Brazil short code for two-way sends that support marketing and transactional sends. Network carriers require monthly sending rates of at least 100,000 sends per month to keep a short code active. We recommend planning your sending rate as soon as possible before procuring a short code. Conduct marketing sends from Monday through Friday, 8 AM to 6 PM, and Saturday from 9 AM to 1 PM (UTC-03:00). You also can't send messages during national holidays.

Financial services customers must register full URLs used in messages before sending. Brazilian carriers can block these messages in order to implement additional fraud protection. When applying for a code, include sample content with URLs to prevent blocking these messages. Make sure your messages include the name of the business and a full list of URLs.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Brazil generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Gambling
- Politics
- Religion

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Brazil are regulated by these agencies:

- [It is Agência Nacional de Telecomunicações](#)
- [ABR Telecom](#)
- [Telebrasil](#)
- [Ministério da Ciência, Tecnologia, Inovações e Comunicações](#)

Guide for Sending SMS Messages to Bulgaria

Review the guidelines and restrictions for sending SMS messages to recipients in Bulgaria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	BG
International Dialing Code	359
Major Carriers	• M-Tel • BTC Mobile • Telenor Bulgaria
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	--	--	6 weeks

Comments	--	--	--	Requires pregistration
----------	----	----	----	---------------------------

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters. You can use a minimum of 3 spaces to a maximum of 11 spaces. Advanced registration for both marketing and transactional sends require a letter printed on corporate letterhead that is signed, dated, and rubber-stamped. Incomplete or erroneous documentation causes delays in the registration process.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Bulgaria generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Telecommunications in Bulgaria are regulated by [Communications Regulation Commission](#).

Guide for Sending SMS Messages to Canada

Review these guidelines and restrictions for using sender codes for SMS sending in Canada.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

The information provided doesn't, and isn't intended to, constitute legal advice. Instead, all information is for general informational purposes only. Consult your own independent legal counsel for guidance on its use cases and applicable legal and industry requirements. SMS Messaging in Canada is highly regulated by carriers and applicable laws. Salesforce supports the use of sanctioned, carrier-approved short codes and 10-digit long codes (10DLCs) for SMS messaging in Canada. Unified Messaging doesn't support MMS messaging.

General Guidelines and Deliverability

Overview	
Country	Canada
ISO 3166 Country Code	CA
International Dialing Code	1
Major Carriers	• Rogers Wireless • Telus • Bell
From Name Support	No
Unicode Support	Yes, with limitations
International Code Support	No, except 10DLC
Local Partner Required for Delivery	No
Message Length Maximum	160 characters
Concatenation Support	Yes, for private codes only • Dependent on aggregator route

Supported Codes

	Short Code	10DLC	From Name
Supported	Yes	Yes	No
Two-way Support	Yes	Yes	--
Provisioning Time	10-12 weeks	1-4 weeks	--
Comments	The timeline is an estimate only. Expect delays due to holidays and carrier network freeze periods, which vary by county and carrier, as well as the workload of the carrier's provisioning teams.	The timeline is an estimate only. Expect delays due to holidays and carrier network freeze periods, which vary by county and carrier, as well as the workload of the carrier's provisioning teams.	Messages sent with From Name are blocked.

SMS Code Provisioning Guidelines

Short codes are registered and applied for and approved by carriers for each campaign. Make sure you vet your brand before a code is allocated. Short code registration is completed with a Mobile Approved Partner. Check out the list of approved partners for CA private short code acquisition services.

- [Accenture](#)
- [Capgemini](#)
- [Cloud for Good](#)
- [Coastal Cloud](#)
- [Cognizant](#)
- [Deloitte](#)
- [Dentsu \(formerly Merkle and DEG\)](#)
- [IBM](#)
- [ListEngage](#)
- [Magna Technology Group](#)
- [Monks \(formerly Maverick Digital and Media.Monks\)](#)
- [Vivable](#)
- [Offprem Technology](#)
- [OSF Digital](#)
- [VML \(formerly Wunderman Thompson and Pierry Inc.\)](#)
- [Publicis Sapient \(a subsidiary of Publicis Groupe\)](#)
- [PwC](#)
- [Silverline](#)
- [Slalom](#)

For 10DLCs, you need to request three elements:

- [Brand request](#)—Share your company's details and how you plan to represent your brand in your messages.
- [Campaign request](#)—Provide sample messages and details about your specific messaging activities.
- [Code request](#)—Specify the nationality and type of number you want to use for sending messages.

Just like short codes, you must vet your brand before a 10DLC is allocated.

MMS Code Provisioning Guidelines for Marketing Cloud Engagement

Make sure that your Canada short code supports MMS. A short code that supports MMS automatically includes SMS services. If you want to add MMS capability to an existing SMS short code program, you must have a services agreement. To optimize MMS messaging, see [MMS Guidelines](#).

Messaging Requirements

Use a call to action to engage your users. For example, send a prompt to a user to opt in to receive offers or enter a contest.

A call to action must include:

- Program name
- Message frequency
- Link to customer terms and conditions with privacy policy and help information

Terms and conditions must include:

- “Text STOP to stop”, including bold STOP
- “Text HELP for help”, including bold HELP
- A description of how the user opts in
- How the call to action is delivered. For example: web, in-store signage



Note If you send a web form, text boxes can't be pre-checked.

- An opt-in keyword that, if not a web form, must be in bold
- Screenshots of the call to action and message flow

Limitations in Unicode Support

Unicode encoding is supported for SMS messages in Canada, but there are some limitations.

- Reduced character count–Unicode (UCS-2) encoding lets you send only 70 characters per message.
- Concatenation impact–Multi-part Unicode messages use more segments. For example, a 160-character message is split into three parts.
- Carrier filtering–Some CA carriers may filter, truncate, or fail to deliver messages if Unicode isn't used properly. Unicode-heavy content might also trigger spam filters.
- Unreliable delivery receipts–Delivery receipts may be unreliable with Unicode characters, especially when using 10DLC or shared short codes.

Use Unicode only when necessary, such as for names or text in non-Latin scripts. Keep messages short to avoid excessive segmentation. Avoid using emojis in critical alerts or regulatory messages. Use Unicode carefully because of the reduced message length and potential delivery issues. For critical communications, opt for GSM-7 encoding whenever possible.

Restricted Content

Carriers can restrict messaging with the listed content:

- Content related to sex, hate, alcohol, firearms, and tobacco (SHAFT)
- Content relating to illegal substances, including cannabis and cannabis-related products, such as cannabidiol (CBD), vaping products or devices, marijuana or cannabis, or dispensaries
- SPAM, fraud, phishing
- Lead-generation programs
- Deceptive programs
- High-risk financial services, such as payday loans, short-term loans, third-party home and auto loans, student loans, and debt collection

- Debt forgiveness, debt consolidation, debt reduction, and credit repair programs
- Illegal prescriptions or drug endorsements
- Work and investment opportunities, such as work-from-home programs, job alerts from third-party recruiting firms, and risk investment opportunities
- Carrier competitive promotions
- Fraudulent or misleading messages
- Gambling
- Profanity
- Depictions or endorsement of violence
- Lead generation indicating the sharing of collected information with third parties
- Short code programs that solicit charitable or political donations that don't comply with [Canadian Telecommunication Association](#) best practices.
- Abandoned shopping cart notifications without applicable consent
- Campaign types not in compliance with the [messaging principles and best practices](#), [Common Short Codes Infractions Guide](#), and any other legal regulatory body governing telecommunication systems in Canada

Short Code Audits

The Canadian Telecommunication Association conducts weekly short code audits to identify violations, which include any deviations from best practice and code of conduct guidelines, such as:

- Missing links to Terms and Conditions or Privacy Policy webpages
- Mandatory keywords (for example, STOP and HELP) not displayed or nonfunctional
- Failure to disclose that standard message and date rates may apply.
- Discrepancies between the short code's current use case and its originally approved program

The timely resolution of these audits is crucial, as failure to do so can result in short code suspension. Make sure that you maintain compliance and promptly address any audit notices.

Best Practice and Compliance References

- [WMC Global Resources for Canada](#)
- [Mobile Marketing Association Advertising Guidelines](#)

Guide for Sending SMS Messages to Chile

Review the guidelines and restrictions for sending SMS messages to recipients in Chile. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview	
ISO 3166 Country Code	CL

International Dialing Code	56
Major Carriers	• Telefonica Chile • Entrel PCS Chile • Claro Chile • Nextel Chile
Alphanumeric Code Support	No
Unicode Support	No
Maximum Message Link	160
Concatenation Support	No
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	Yes	No
Two-way Support	Yes	--	--	--
Provisioning Time	16 weeks	--	3 weeks	--
Comments	Requires preregistration	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Chile short or long code for two-way sends that support marketing and transactional sends. Network carriers require monthly sending rates of at least 100,000 sends per month to keep a short code active. We recommend planning your sending rate as soon as possible before procuring a short code. Conduct marketing sends from Monday through Friday, 9 AM to 8 PM (UTC-03:00 or -04:00, depending on the season).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Chile generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Chile is regulated by [Subsecretaría de Telecomunicaciones](#).

Guide for Sending SMS Messages to China

Review the guidelines and restrictions for sending SMS messages to recipients in China. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	CN
International Dialing Code	86
Major Carriers	• China Mobile • China Telecom • China Unicom
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	4 weeks	--	--	--
Comments	Requires pre-registration	--	--	--

SMS Code Provisioning Guidelines

Use a dedicated extended two-way short code for transaction and marketing sending. Both international and local enterprises use this kind of code. All messages must include a preregistered tag that ranges from 2 to 8 characters at the beginning of the message. This tag must be relevant to the enterprise or brand sending the message. To avoid blocked sends, register all content and URLs, including shortened URLs, before sending. Create the STOP opt-out keyword for marketing messages and include the opt-out response 拒收请回复R at the end of the message, which directs recipients to reply with R to opt out. Because Marketing Cloud Next doesn't permit single character keywords, inbound messages that contain the R keyword are translated to STOP.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. China regulates content related, but not limited to, these subjects:

- Adult
- Gambling
- Money lending
- Multi-level marketing
- Politics
- Real estate
- Religion
- Stock market trading

Best Practices and Compliance References

Telecommunications in China is regulated by [Ministry of Industry and Information Technology of the People's Republic of China](#).

Guide for Sending SMS Messages to Colombia

Review the guidelines and restrictions for sending SMS messages to recipients in Colombia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	CO
International Dialing Code	57

Major Carriers	• Telefonica Colombia • Tigo Colombia • Claro Colombia • Avantel
Alphanumeric Code Support	No
Unicode Support	No
Maximum Message Link	160
Concatenation Support	No
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	4 weeks	--	--	--
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use a Colombia short code for two-way sends that support marketing and transactional sends. Network carriers require monthly sending rates of at least 100,000 sends per month to keep a short code active. We recommend planning your sending rate as soon as possible before procuring a short code. Conduct marketing sends from Monday through Friday, 7 AM to 7 PM, Saturday 8 AM to 3 PM (UTC-05:00). Do not send marketing SMS messages on Sundays or public holidays.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Colombia generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Colombia are regulated by these agencies:

- [Comisión de Regulación de Comunicaciones](#)
- [Superintendencia de Industria y Comercio](#)
- [Ministerio de Tecnologías de la Información y las Comunicaciones](#)
- [Sistema de Información Unificado del Sector de las Telecomunicaciones](#)

Guide for Sending SMS Messages to Croatia

Review the guidelines and restrictions for sending SMS messages to recipients in Croatia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	HR
International Dialing Code	385
Major Carriers	• Hrvatski Telekom • VIPnet • Tele2 Croatia
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URLs	No
Long URLs in Message	No

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	--	--	1 week

Comments	--	--	--	Requires pregistration
----------	----	----	----	---------------------------

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Croatia blocks shortened URLs Use only complete URLs.

Best Practices and Compliance References

Telecommunications in Croatia are regulated by [Croatia Regulatory Authority for Network Industries \(HAKOM\)](#).

Guide for Sending SMS Messages to Cyprus

Review the guidelines and restrictions for sending SMS messages to recipients in Cyprus. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	CY
International Dialing Code	357
Major Carriers	• Cytamobile-Vodafone • Epic Cyprus • Primetel Cyprus
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	--	--	1 week
Comments	--	--	--	Requires pre-registration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Cyprus are regulated by [Office of Electronic Communications and Postal Regulation \(OCECPR\)](#).

Guide for Sending SMS Messages to Czechia

Review the guidelines and restrictions for sending SMS messages to recipients in Czechia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	CZ
International Dialing Code	420
Major Carriers	T-Mobile CZ

	• O2 Czech Republic • Vodafone CZ • Nordic Telecom
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	--	3 weeks	3 weeks
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use a Czechia long code for two-way sends or a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Two-way sends support marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters and spaces with a minimum of 3 characters and a maximum of 11 characters.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Czechia generally forbids content related, but not limited to, these products and services.

- Adult
- Alcohol
- Drugs
- Gambling
- Political
- Religion

- Tobacco

Best Practices and Compliance References

Telecommunications in Czechia are regulated by [Czech Telecommunication Office \(CTU\)](#) and [Association of Mobile Networks Operators \(APMS\)](#).

Guide for Sending SMS Messages to Denmark

Review the guidelines and restrictions for sending SMS messages to recipients in Denmark. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	DK
International Dialing Code	45
Major Carriers	• TDC Denmark • Telenor Denmark • Delia Mobile Denmark • 3 Denmark
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	--	2 weeks	1 week
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use a Denmark long code for two-way sends or a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Two-way sends support marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Denmark generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Denmark are regulated by [Danish Business Authority \(DBA\)](#).

Guide for Sending SMS Messages to Ecuador

Review the guidelines and restrictions for sending SMS messages to recipients in Ecuador. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	EC
International Dialing Code	593
Major Carriers	• Telefonica Ecuador • CNT Ecuador • Claro Ecuador
Alphanumeric Code Support	No
Unicode Support	No
Maximum Message Link	160
Concatenation Support	No
Shortened URL	Yes

Long URLs in Message	Yes
----------------------	-----

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	No	No
Two-way Support	Yes	No	--	--
Provisioning Time	12 weeks	--	--	--
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Only local business entities can use an Ecuador short code for two-way sends that support marketing and transactional sends. Otherwise, international businesses can only use an international long code for transaction purposes, such as MFA sends, social media notifications, or international financial company notifications. International customers sending messages that include URLs must get this content approved and allowlisted:

- Long code or Sender ID
- URL
- Message content

Network carriers require local companies maintain short code monthly sending rates of at least 100,000 sends per month to keep that code active. We recommend planning your sending rate as soon as possible before procuring a short code. Use separate codes for marketing and transactional sending.

Conduct marketing sends from Monday through Friday, 8 AM to 6 PM (UTC-05:00). Don't send marketing SMS messages on weekends.

Marketing content is initially delivered from the 9107 short code to Claro numbers only. Subsequent messages arrive from your short code. Make sure that your call-to-action messages refer to your short code initially to make sure that your initial reply is routed correctly.

Marketing SMS messages must include the enterprise or brand name in the message body. Opt-in can come from any channel, but you must demonstrate proof of opt-in for any complaint. STOP keywords must be set up on the short code for processing SMS opt-out requests. Include SMS HELP keyword messages in your program

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension,

cancellation, and potential fines. Ecuador generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion

Best Practices and Compliance References

Telecommunications in Ecuador are regulated by [Agencia de Regulación y Control de las Telecomunicaciones](#).

Guide for Sending SMS Messages to Egypt

Review the guidelines and restrictions for sending SMS messages to recipients in Egypt. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	EG
International Dialing Code	20
Major Carriers	• Vodafone Egypt • Orange Egypt • Etisalat Egypt • Telecom Egypt
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	2 weeks

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending marketing or transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all local alphanumeric code requests before you can send messages. Register separate alphanumeric codes for marketing and transactional sends. All messages must contain the enterprise, service, or brand name in the message content. Send all marketing messages from 7 AM to 7 PM (GMT+02:00).

Local enterprises register with an NOC letter, a local Egypt trade license (valid for at least one month) and a copy of a tax card. Print all letters on corporate letterheads, then sign, date, and rubber-stamp them.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Egypt generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Egypt are regulated by [National Telecom Regulatory Authority \(NTRA\)](#) and [Ministry of Communications and Information Technology \(MCIT\)](#).

Guide for Sending SMS Messages to Estonia

Review the guidelines and restrictions for sending SMS messages to recipients in Estonia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	EE
International Dialing Code	372
Major Carriers	• Telia Estonia • Elisa Estonia • Tele2 Estonia
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	--	3 weeks	3 weeks
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use an Estonia long code for two-way sends or a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Two-way sends support marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Estonia generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Estonia are regulated by [Tarbijakaitse ja Tehnilise Järelevalve Amet \(TTJA\)](#) and [Estonian Competition Authority \(ECA\)](#).

Guide for Sending SMS Messages to Finland

Review the guidelines and restrictions for sending SMS messages to recipients in Finland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	FI
International Dialing Code	358
Major Carriers	• Elisa Finland • Sonera • DNA Finland
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	Yes	Yes

Two-way Support	Yes	No	Yes	No
Provisioning Time	5 weeks	1 week	2 weeks	1 week
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Finland short or long code for two-way sends or a custom alphanumeric code with an international long code set up for one-way sending. Two-way sends support marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Finland generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Finland are regulated by [Finnish Communications Regulatory Authority \(FICORA\)](#).

Guide for Sending SMS Messages to France

Review the guidelines and restrictions for sending SMS messages to recipients in France. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	FI
International Dialing Code	33
Major Carriers	• DNA France • Elisa France • Sonera
Alphanumeric Code Support	Yes

Unicode Support	No
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	Yes
Two-way Support	Yes	--	--	No
Provisioning Time	12 weeks	--	--	1 week
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use a France custom alphanumeric code for one-way sending for marketing and transactional sends. You can also use a local short code for sending. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Register your alphanumeric code on the French Protected Sender ID list in advance to deploy your SMS code in this market. Confirm this registration via email or letter to ensure your sender is protected by using Marketing Cloud Next. All letters must be printed on corporate letterhead and signed, dated, and rubber-stamped. Incomplete or erroneous documentation causes delays in the registration process.

You can use a two-way short code services for marketing or transactional sending, but not both. Consider using a shared short code for marketing sends to improve time to send and cost savings. Marketing SMS messages must include an opt-out via short code, including a call-to-action at the end of the message such as "Nous avons reçu votre demande. Vous ne devriez plus recevoir de message de notre part. SMS non surtaxé.". Private short codes must include a contact text response such as "Service éditée par [company name], [company address]. [company email] SMS non surtaxé opéré par [carrier]". All short codes usage must be initiated by an MT send.

Marketing sends are banned on Sundays and public holidays. France enforces these curfews on all other days (UTC+01:00 or +02:00, depending on the season):

- Monday through Friday from 8 AM to 8 PM
- Saturday from 10 AM to 6 PM

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging.

Telecommunications in France are regulated by these organizations:

- [Autorité de Régulation des Communications Electroniques et des Postes \(ARCEP\)](#)
- [Agence Nationale des Fréquences \(ANFR\)](#)
- [Association Française pour le développement des services et usages Multimédias Multi-opérateurs](#)

Guide for Sending SMS Messages to Germany

Review the guidelines and restrictions for sending SMS messages to recipients in Germany. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	DE
International Dialing Code	49
Major Carriers	• O2 Germany • Telekom Germany • Vodafone Germany
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code

Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	1 week	4 weeks	1 week
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Germany long code for two-way sends or a custom alphanumeric code with an international long code set up for one-way sending. Two-way sends support marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Germany generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Germany are regulated by [Federal Network Agency for Electricity, Gas, Telecommunications, Post and Railway \(BNetzA\)](#) and [BITKOM](#).

Guide for Sending SMS Messages to Ghana

Review the guidelines and restrictions for sending SMS messages to recipients in Ghana. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	GH
International Dialing Code	233
Major Carriers	• MTN Ghana • Vodafone Ghana • Airtel Ghana

	Glo Mobile Ghana
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	2 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric codes before sending messages.

Local enterprises must provide a sender ID registration form and a copy of a local trade license that's valid for at least one month.

Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Ghana are regulated by [Ministry of Communications](#). Consider using separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to Greece

Review the guidelines and restrictions for sending SMS messages to recipients in Greece. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	GR
International Dialing Code	30
Major Carriers	• Cosmote • Vodafone Greece • Wind Hellas
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use a Greece alphanumeric code with an international long code set up for one-way sending. These codes support marketing and transactional sends. Alphanumeric codes can't be generic and must be

associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via web forms or preference centers.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Greece are regulated by [Hellenic Telecommunications and Post Commission \(EETT\)](#).

Guide for Sending SMS Messages to Honduras

Review the guidelines and restrictions for sending SMS messages to recipients in Honduras. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	HN
International Dialing Code	504
Major Carriers	• Tigo Honduras • Claro Honduras
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	No
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code

Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	6 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a Honduras alphanumeric code for sending one-way marketing and transactional messages, both locally and internationally. Recipients can opt out via a link, preference center, or another channel. Local carriers must approve all alphanumeric code requests before you deploy SMS messages.

Alphanumeric codes can't be generic. They must be associated with a brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces, with a minimum of 3 and a maximum of 11 characters.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Honduras generally forbids content related, but not limited to, adult, politics, religious and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Honduras are regulated by the [Comisión Nacional de Telecomunicaciones \(CONATEL\)](#).

Guide for Sending SMS Messages to Hong Kong

Review the guidelines and restrictions for sending SMS messages to recipients in Hong Kong. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	HK
International Dialing Code	852
Major Carriers	China Mobile HK

	• CSL HK • PCCW-HKT • 3 Hong Kong • SmarTone
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes, but we recommend using local long codes.	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	1 week	3 weeks	• 4 weeks for verified codes • 2 weeks for nonverified codes
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

With a connection rate of over 180%, Hong Kong is one of the most mobile-connected places in the Asia-Pacific region. For optimal results, use a Hong Kong long code. When you apply for a long code, estimate your monthly message volume to avoid delays.

You don't need prior opt-in consent from the recipient to send commercial electronic messages (CEMs), which include SMS messages. However, you must follow the guidelines set by the [Office of Communications Authority](#) and the [Unsolicited Electronic Message Ordinance \(UEMO\)](#):

- Include your company, organization, or brand name.
- Give recipients a way to unsubscribe at no cost, such as a URL or toll-free phone number.
- Honor unsubscribe requests.
- Cleanse your distribution lists against the [Do-Not-Call Registry](#).
- Don't send messages with misleading titles or text.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. You must check the Do-Not-Call Registry to make sure you don't send messages to any phone numbers that are on this list, unless you have explicit consent. Hong Kong generally forbids content related, but not limited to, adult, spam, and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Hong Kong are regulated by the [Office of the Communications Authority](#).

Guide for Sending SMS Messages to Hungary

Review the guidelines and restrictions for sending SMS messages to recipients in Hungary. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	HU
International Dialing Code	36
Major Carriers	• T-Mobile Hungary • Vodafone Hungary • Telenor Hungary
Alphanumeric Code Support	No
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	No
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	3 weeks	--
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Hungary two-way local long code for both marketing and transactional sends. A local shared short code replaces messages sent with alphanumeric characters or international long codes.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Hungary generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Hungary are regulated by [National Media and Infocommunications Authority \(NMHH\)](#).

Guide for Sending SMS Messages to Iceland

Review the guidelines and restrictions for sending SMS messages to recipients in Iceland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	IS
International Dialing Code	354
Major Carriers	Siminn

	• Vodafone Iceland • Nova
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use an Iceland alphanumeric code for one-way sends that handle both marketing and transactional sends. Manage opt-outs with a web form or preference center. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Iceland are regulated by [Electronic Communications Office of Iceland \(ECOI\)](#).

Guide for Sending SMS Messages to India

In India, the Telecom Regulatory Authority of India (TRAI) enforces strict Distributed Ledger Technology

(DLT) guidelines to combat spam messages and streamline SMS campaigns. To send SMS messages in India, all businesses must register as a Principal Entity (PE) and get preapproval on their headers (sender IDs) and message templates.

General Guidelines and Deliverability

India is the second-largest mobile market in the world. Messaging growth continues to accelerate as rural areas in India get mobile coverage for the first time. Approximately 40% of the population uses smart phones. More than half of mobile devices are feature phones.

Overview	
Country	India
ISO 3166 Country Code	IN
International Dialing Code	91
Major Carriers	• Vodafone Idea Limited • Airtel • Jio • BSNL • MTNL
From Name/Alphanumeric Sender Code Support	Yes, must comply with DLT guidelines
Unicode Support	Yes
International Code Support	Yes
Message Length Maximum	160 characters
Concatenation Support	Yes

Supported Codes

	Private/Dedicated Short Code	Long Code	Alpha	Alpha Preregistration Required
Marketing Cloud Next Supported	No	No	Yes	Yes: If local, DLT registration is required.
Marketing Cloud Engagement Supported	No	Yes	Yes	Yes: If local, DLT registration is required.
2-Way Support	No	No	--	--

Provisioning Time*	--	1 week for code provisioning. Doesn't include time to complete registration for domestic India SMS services.	--	Local registration is subject to carrier registration and approval timelines as part of the TRAI and DLT framework. International registration requires no additional time.
--------------------	----	---	----	---

Before you send SMS messages in India, link your account to the TRAI registry.

Step 1: Register in the DLT Portal

All businesses must register as a Principal Entity on a DLT portal that is provided by an Indian telecom operator. To complete the principal entity registration, you must provide these documents.

- GST Certificate
- PAN card
- Letter of Authorization

For more information, see [DLT Registration Guide](#).

Step 2: Register the Headers and Templates

After your principal entity is approved, register your Headers (6-character Sender IDs) and Message Templates (message content) in the DLT portal. After your templates are approved, download them in .csv format.

You can manage your headers and templates through one of these TRAI-authorized DLT portals.

- [ViIPower \(Vodafone Idea\)](#)
- [TrueConnect \(Reliance Jio\)](#)
- [Airtel DLT](#)
- [Tata DLT](#)



Note To avoid carrier rejection, all the variables in your templates must be tagged to `{#numeric#}`, `{#alphanumeric#}`, or `{#url#}` placeholders as per the 2026 TRAI guidelines. For more information, see the [Header Verification Guide](#) and [Template Verification Guide](#).

Step 3: Upload the .csv to Salesforce DLT Setup

After you download the approved .csv from the DLT portal, you must upload it to the **India DLT Headers & Templates** page within Salesforce Setup. For detailed steps, see [Upload DLT Headers and Templates](#).

Before you upload your DLT templates, keep these considerations in mind.

- Each tenant supports only one PEID. Make sure that you enter the ID correctly; it cannot be modified or updated after it's saved.
- Salesforce Setup doesn't automatically validate your entry against the Distributed Ledger Technology (DLT) registry. Double-check your registry details before saving.
- When uploading data via CSV, make sure that the file contains no more than 10,000 records per upload attempt.
- Don't alter the column structures or default content format of the CSV template. Editing the columns can introduce unsupported characters, corrupting the file, and causing template validation errors.



Note To make sure the records are successfully associated with your brand's regulatory profile, your CSV filename begins with the 19-digit Principal Entity ID (PEID). For example,

`1102233445566778899_file.csv`.

Compliance Requirements

For successful message delivery, adhere to these regulatory standards.

- Achieve high message throughput (MPS) by completing the DLT registration.
- Approvals for Principal Entity and SMS headers can take up to 4 days.
- Every template must include a valid `Consent_Type` categorized as `Implicit`, `Explicit`, or `Transactional` to align with recipient permissions.
- Promotional SMS messaging is permitted only between 10:00 AM and 9:00 PM. You can send transactional and OTP messages at any time.
- Strict adherence to TRAI guidelines is mandatory. When you send unapproved templates or use unregistered headers, carriers can block and fine you.

Marketing Cloud Engagement DLT Support

Marketing Cloud Engagement supports upload of DLT templates. Review these resources for more details.

- [DLT Template Setting for SMS Messages in India](#)
- [Use DLT Template in an SMS Message](#)

Troubleshoot DLT Template Errors

Identify and resolve DLT template issues during the upload or activation process.

Reason	Resolution
PEID mismatch	Verify that the 19-digit PEID in your CSV filename is an exact match for the PEID in the India DLT Headers & Templates page.
Encoding issues	DLT templates can't contain non-UTF-8 characters. Indian carriers reject special characters that aren't UTF-8 compliant.

Restricted Content

Messages that contain this content are forbidden:

- Adult or sexual content
- Political content
- Gambling content
- Religious content

Guide for Sending SMS Messages to Indonesia

Review the guidelines and restrictions for sending SMS messages to recipients in Indonesia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	ID
International Dialing Code	62
Major Carriers	• Telkomsel • Indosat Ooredoo • 3 Indonesia • XL Axiata
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes				
	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	• 2 weeks for domestic enterprises • 6 weeks for international enterprises
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Codes that don't provide traffic for three months are blocked and require that you reregister the code.

International enterprises must provide a sender ID registration form and a letter of appointment to request their alphanumeric code. Domestic enterprises must provide 5 letters of appointment, a copy of the company's tax ID, a copy of the company's business registration number, a screenshot and URL of the subscriber opt-in webpage, and copies of any trademark certificates that have been valid for at least one month. Financial services companies must also include a copy of their operating license from the Otoritas Jasa Keuangan (OJK), the Indonesian financial services authority. Print all letters on corporate letterhead, then sign, date, and rubber-stamp the copies.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Indonesia forbids SMS communications related, but not limited to, this content, products, and services:

- Adult
- Alcohol
- Drugs
- Gambling

- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Indonesia are regulated by [Kementerian Komunikasi dan Informatika Republik Indonesia \(Ministry of Communication and Information Technology\)](#). Consider using separate alphanumeric codes for marketing and transactional sends.

Guide for Sending SMS Messages to Ireland

Review the guidelines and restrictions for sending SMS messages to recipients in Ireland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	IE
International Dialing Code	353
Major Carriers	• Eir Telecom • Vodafone Ireland • 3 Ireland
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	3 weeks	1 week

Comments	--	--	Requires preregistration	Requires preregistration
----------	----	----	--------------------------	--------------------------

SMS Code Provisioning Guidelines

Use an Ireland alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Make sure these codes have a minimum of 3 characters and a maximum of 11 characters. You can also use local long codes for two-way sending for marketing and transactional sends.



Important To make sure that your SMS messages aren't labeled as "Likely Scam" or blocked, register your alphanumeric codes in the [ComReg SMS Sender ID Registry](#) before July 2, 2025. Starting July 3, 2025, SMS messages sent from unregistered sender IDs are automatically flagged as potential scams. From October 3, 2025, these messages are blocked and won't reach recipients. For details, see the [Implementation and Communications Plan for ComReg's SMS Sender ID Registry](#) and the [ComReg website](#). To register alphanumeric codes, follow the instructions in the [SMS Sender ID Registry Guide](#). During the registration process, assign Salesforce as the Third Party and authorize Sinch Sweden AB (reference ERAU10000802) as the Originator Participating Aggregator (OPA). After your sender IDs are approved, register them with Salesforce. Provide the list of approved sender IDs and the Sender ID Registry Account ID for your business in the format AC: SIDR-xxxxx to your account executive.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Ireland generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Ireland are regulated by [Commission for Communications Regulation](#).

Guide for Sending SMS Messages to Israel

Review the guidelines and restrictions for sending SMS messages to recipients in Israel. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	IL
International Dialing Code	972
Major Carriers	• Cellcom Israel • Pelephone • Partner • Hot Mobile
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	3 weeks	2 weeks
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending marketing or transactional sends. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. All messages must contain the enterprise, service, or brand name in the message content.

Local enterprises register with an international SMS code request form and an Israel long code request form.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Israel generally forbids content related, but not limited to, these products and services:

- Adult
- Drugs
- Gambling
- Politics

You can't send SMS messages to kosher mobile numbers, which use a combination of a kosher mobile phone and kosher SIM card. These phones received rabbinical approval and can only make and receive voice calls. Ensure that your contact list don't include kosher numbers as indicated by these exclusive number ranges:

Kosher Number Ranges

Operator	Exclusive number ranges
Bezeq	• 972 2 80X-XXXX • 972 3 80X-XXXX • 972 4 80X-XXXX • 972 8 80X-XXXX • 972 9 80X-XXXX
Pelephone	• 972 50 41X-XXXX
Cellcom	• 972 52 71X-XXXX • 972 52 76X-XXXX
Hot Mobile	• 972 53 31X-XXXX • 972 53 41X-XXXX
Partner	• 972 54 84X-XXXX • 972 54 85X-XXXX
Golan Telecom	• 972 58 32X-XXXX

Operator	Exclusive number ranges
Rami Levy	972 55 67X-XXXX
Cellact	972 55 71X-XXXX
Telzar	972 55 98X-XXXX
Veidan	972 73 724X-XXXX

Best Practices and Compliance References

Telecommunications in Israel are regulated by [Ministry of Communications](#).

Guide for Sending SMS Messages to Italy

Review the guidelines and restrictions for sending SMS messages to recipients in Italy. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	IT
International Dialing Code	39
Major Carriers	- TIM - Wind - Vodafone Italy 3 Italy
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes

Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	2 weeks	1 week
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use an Italy alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Make sure these codes have a minimum of 3 characters and a maximum of 11 characters. You can also use local long codes for two-way sending for marketing and transactional sends.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Italy generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Italy are regulated by [Communications Regulatory Authority](#) and [Italian Association for Information Technology](#).

Guide for Sending SMS Messages to Japan

Review the guidelines and restrictions for sending SMS messages to recipients in Japan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	JP
International Dialing Code	81
Major Carriers	• KDDI • DOCOMO • Softbank • Rakuten Mobile
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters and 70 Unicode/UCS-2 characters
Concatenation Support	Yes for alphanumeric or short codes using UCS 2 only
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	No	Yes
Two-way Support	Yes	No	--	No
Provisioning Time	5 weeks	1 week	--	1 week
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric GSM characters or spaces.

Japan also supports two-way communication with short codes. These codes can send messages that contain a maximum of 70 characters.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Japan generally forbids content related, but not limited to, gambling products and services.

Best Practices and Compliance References

Telecommunications in Japan are regulated by [Telecommunications Carriers Association \(TCA\)](#). Use separate alphanumerical codes for marketing and transactional sends.

Guide for Sending SMS Messages to Jordan

Review the guidelines and restrictions for sending SMS messages to recipients in Jordan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	JO
International Dialing Code	962
Major Carriers	• Zain Jordan • Orange Jordan • Umniah Jordan
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes

Two-way Support	--	--	--	No
Provisioning Time	--	--	--	2 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests. Use different codes for marketing and transactional sends. Otherwise, messages and codes are blocked. Marketing alphanumeric codes begin with the prefix *ADV* and have a limit of 11 GSM characters (including the prefix). Transactional alphanumeric codes must include 3 to 11 characters.

Local enterprises with headquarters in Jordan must include a local trade license that's valid for at least a month. Major brands may require additional documentation.

Send marketing messages from 8 AM to 9 PM (GMT+03:00) on weekdays. Don't send marketing messages on weekends (Friday or Saturday) or national holidays.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Jordan generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Jordan are regulated by these agencies:

- [Telecommunications Regulatory Commission \(TRC\)](#)
- [Ministry of Information and Communications Technology \(MoICT\)](#)

- [Information and Communications Technology Association - Jordan \(INTAJ\)](#)

Guide for Sending SMS Messages to Kenya

Review the guidelines and restrictions for sending SMS messages to recipients in Kenya. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	KE
International Dialing Code	254
Major Carriers	• Safaricom • Bharti Airtel Kenya • Telkom Kenya
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	3 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or

service. These codes can include only alphanumeric characters. Local carriers must approve and allowlist all alphanumeric codes before sending messages.

Local enterprises must provide a copy of a local trade license. International enterprises must provide a copy of a trade or business license. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

You can only send marketing messages from 6 AM to 8 PM (GMT+03:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Kenya generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling

Best Practices and Compliance References

Telecommunications in Kenya are regulated by [Communications Authority of Kenya \(CA\)](#). Consider using separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to Kuwait

Review the guidelines and restrictions for sending SMS messages to recipients in Kuwait. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	KW
International Dialing Code	965
Major Carriers	• Zain Kuwait • VIVA • Ooredoo Kuwait
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode

	characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	3 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests. Use different codes for marketing and transactional sends. Otherwise, messages and codes are blocked. Marketing alphanumeric codes begin with the prefix *AD* and have a limit of 11 characters. Transactional alphanumeric codes must include 3 to 11 characters.

Local enterprises with headquarters in Kuwait must include a local trade license that's valid for at least a month. Major brands may require additional documentation. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Send marketing messages from 7 AM to 7 PM (GMT+03:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Kuwait generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling

- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Kuwait are regulated by [Communication and Information Technology Regulatory Authority \(CITRA\)](#).

Guide for Sending SMS Messages to Latvia

Review the guidelines and restrictions for sending SMS messages to recipients in Latvia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LV
International Dialing Code	371
Major Carriers	• LMT • Tele2 Latvia • Bite Latvia • Triatel
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use an Latvia alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Latvia are regulated by [Public Utilities Commission](#).

Guide for Sending SMS Messages to Lebanon

Review the guidelines and restrictions for sending SMS messages to recipients in Lebanon. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LB
International Dialing Code	961
Major Carriers	• Touch • Alpha
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes				
	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	2 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters only. Local carriers must approve and allowlist all alphanumeric code requests. Alphanumeric codes must include 3 to 11 GSM characters. Include the brand name in all OTP messages.

Local enterprises with headquarters in Lebanon must include this documentations:

- Local trade license that's valid for at least a month
- Copy of the company's Chamber of Commerce Circular that's valid for the previous 12 months
- Ministry of Finance registration document

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Lebanon generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling
- Politics
- Religion

Best Practices and Compliance References

Telecommunications in Lebanon are regulated by [Telecommunications Regulatory Authority \(TRA\)](#) and [Ministry of Telecommunications \(MPT\)](#).

Use separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to Liechtenstein

Review the guidelines and restrictions for sending SMS messages to recipients in Liechtenstein. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LI
International Dialing Code	423
Major Carriers	• FL GSM • FL1 Liechtenstein • Orange Liechtenstein
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use a Liechtenstein alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via a web form or preference center.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Liechtenstein are regulated by [Office for Communications](#).

Guide for Sending SMS Messages to Lithuania

Review the guidelines and restrictions for sending SMS messages to recipients in Lithuania. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LI
International Dialing Code	370
Major Carriers	• Tele2 Lithuania • Telia Lithuania • Bite Lithuania
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No

Provisioning Time	--	--	3 weeks	1 week
-------------------	----	----	---------	--------

SMS Code Provisioning Guidelines

Use a Lithuania alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via a web form or preference center. You can also use a local long code for two-way sends that include marketing and transactional messaging.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Lithuania are regulated by [Communications Regulatory Authority](#).

Guide for Sending SMS Messages to Luxembourg

Review the guidelines and restrictions for sending SMS messages to recipients in Luxembourg. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LU
International Dialing Code	352
Major Carriers	• LuxGSM • Tango Luxembourg • Orange Luxembourg
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes

Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	1 week	--	1 week

SMS Code Provisioning Guidelines

Use a Luxembourg alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via a web form or preference center.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Luxembourg are regulated by [Institut Luxembourgeois de Régulation](#).

Guide for Sending SMS Messages to Macau

Review the guidelines and restrictions for sending SMS messages to recipients in Macau. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Code	MO
International Dialing Code	853

Major Carriers	• CTM Macau • China Telecom Macau • 3 Macau • SmarTone Macau
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	No	Yes
Two-way Support	No	No	--	No
Provisioning Time	--	1 week	--	1 week

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with your brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Macau generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Telecommunications in Macau are regulated by [Office for the Development of Telecommunications and Information Technologies](#). Consider using separate alphanumerical codes for marketing and

transactional sends.

Guide for Sending SMS Messages to Malaysia

Review the guidelines and restrictions for sending SMS messages to recipients in Malaysia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	MY
International Dialing Code	60
Major Carriers	• Digi • Maxis • Celcom • U Mobile • XOX Malaysia • TuneTalk
Alphanumeric Code Support	No
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes, except for Digi network
Shortened URLs	No
Long URLs in Message	No

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	Yes	No
Two-way Support	Yes	No	No	--
Provisioning Time	• 1 week for shared short codes • 8–16 weeks for	1 week	1 week	--

	private short codes			
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use international or local long codes set up for one-way sending. Manage opt-outs with a web link or customer preference center.

Malaysia also supports two-way marketing and transactional communication with short codes. Domestic enterprises must register a unique alphanumeric code that's associated with their brand or enterprise. Alphanumeric codes are used to allowlist local traffic and filter out non-registered senders. These codes can include alphanumeric characters and spaces. Local carriers must approve and allowlist all requests before SMS deployment. Local carriers deliver messages sent from approved alphanumeric codes using generic local short codes.

You can procure shared short codes with up to five allocated keywords. Banks and other financial institutions can't use shared short codes.

Begin all messages sent within Malaysia with the characters RM0. These characters count against the total number of characters in the message, and not all carriers support concatenation. We recommend that you limit messages to 160 characters (70 for Unicode), including the mandatory RM0 prefix. All messages must also include the enterprise or brand name.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Malaysia generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Gambling
- Religion
- Political
- Tobacco

Restrict marketing communications to 8 AM to 11 PM (GMT+08:00).

Best Practices and Compliance References

Telecommunications in Malaysia are regulated by [Malaysian Communications and Multimedia Commission](#).

Guide for Sending SMS Messages to Malta

Review the guidelines and restrictions for sending SMS messages to recipients in Malta. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	MT
International Dialing Code	356
Major Carriers	- GoMobile - Vodafone Malta 3G Telecoms Malta
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	1 week	--	1 week

SMS Code Provisioning Guidelines

Use a Malta alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or

service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via a web form or preference center.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Malta are regulated by [Malta Communications Authority](#).

Guide for Sending SMS Messages to Mexico

Review the guidelines and restrictions for sending SMS messages to recipients in Mexico. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	MX
International Dialing Code	52
Major Carriers	• Telefonica Mexico • Telcel • AT&T • Altan Redes
Alphanumeric Code Support	Yes
Unicode Support	No
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
--	------------	-------------------------	-----------------	-------------------

Supported	Yes	No	No	Yes
Two-way Support	Yes	--	--	No
Provisioning Time	16 weeks	--	--	12 weeks
Comments	Requires preregistration	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a Mexico short code for alphanumeric codes one-way sends. You can register up to 7 alphanumeric codes. Network carriers must approve and allowlist all alphanumeric codes before deployment. These codes must have a minimum of 3 and a maximum of 11 alphanumeric characters.

You can also use short codes for two-way sends marketing and transactional sends, but not all network carriers support these sends.

Network carriers require monthly sending rates of at least 100,000 sends per month to keep a short code active. We recommend planning your sending rate as soon as possible before procuring a short code. Conduct marketing sends from Monday through Friday, 9 AM to 8 PM (UTC-03:00 or -04:00, depending on the season).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Mexico generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Gambling
- Political
- Religion

Don't send messages during local business hours (UTC-06:00).

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging.

Telecommunications in Mexico are regulated by [Instituto Federal de Telecomunicaciones](#) and [Secretaría de Comunicaciones y Transportes](#).

Guide for Sending SMS Messages to Morocco

Review the guidelines and restrictions for sending SMS messages to recipients in Morocco. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	MA
International Dialing Code	212
Major Carriers	• IAM • Orange Morocco • Inwi
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	12 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters. Local carriers must approve and allowlist

all alphanumeric codes before sending messages.

Local enterprises must provide a copy of a local trade license. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Send marketing messages from 6 AM to 8 PM (GMT+01:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Morocco generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Political
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Morocco are regulated by [National Telecommunications Regulatory Agency \(ANRT\)](#). Consider using separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to Mozambique

Review the guidelines and restrictions for sending SMS messages to recipients in Mozambique. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	MZ
International Dialing Code	258
Major Carriers	• Vittel Mozambique • mCel • Vodacom Mozambique
Alphanumeric Code Support	Yes

Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	No
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	Yes
Two-way Support	--	No	--	No
Provisioning Time	--	1 week	--	1 week

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters and spaces.

Some carriers filter international SMS, so messages sent using alphanumeric codes don't arrive intact on some networks.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Mozambique are regulated by [Instituto Nacional das Comunicações de Moçambique \(INCM\)](#). Consider using separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to the Netherlands

Review the guidelines and restrictions for sending SMS messages to recipients in the Netherlands. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and

applicable legal and industry requirements.

Overview

ISO 3166 Country Code	NL
International Dialing Code	31
Major Carriers	• KPN Netherlands • Vodaphone Netherlands • T-Mobile Netherlands • Tele2 Netherlands
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	Yes	Yes
Two-way Support	Yes	No	Yes	No
Provisioning Time	10 weeks	1 week	3 weeks	1 week
Comments	Requires preregistration	Requires preregistration	Requires preregistration	

SMS Code Provisioning Guidelines

Use an alphanumeric code from the Netherlands for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also send two-way messages for marketing and transactional purposes via local short and long codes.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension,

cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in the Netherlands are regulated by [Authority for Consumers and Markets](#).

Guide for Sending SMS Messages to New Zealand

Review the guidelines and restrictions for sending SMS messages to recipients in New Zealand. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	NZ
International Dialing Code	64
Major Carriers	• Vodafone • Spark • 2degrees
Alphanumeric Code Support	No
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	10 weeks	--	--	--
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a two-way short code to send and receive marketing and transactional sends for this market. Offer support for your sends using a customer care email or toll-free phone number and a website that lists your terms and conditions.

All messages must contain your company, brand, or service name at the beginning of the message. Include an opt-out call to action at the end of the message.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. New Zealand generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling
- Tobacco

Best Practices and Compliance References

Telecommunications in New Zealand are regulated by these organizations:

- [Telecommunications Forum \(TCF\)](#)
- [Commerce Commission \(ComCom\)](#)
- [Department of International Affairs \(DIA\)](#)

Guide for Sending SMS Messages to Nigeria

Review the guidelines and restrictions for sending SMS messages to recipients in Nigeria. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	NG
International Dialing Code	234
Major Carriers	• MTN Nigeria • Glo Mobile • Airtel Nigeria • 9mobile

Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	8 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters. Local carriers must approve and allowlist all alphanumeric codes before sending messages.

Send marketing messages from 8 AM to 4 PM (GMT+01:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Nigeria generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling

Best Practices and Compliance References

Telecommunications in Nigeria are regulated by [Nigerian Communications Commission](#). Consider using

separate codes for marketing and transactional sends.

Guide for Sending SMS Messages to Norway

Review the guidelines and restrictions for sending SMS messages to recipients in Norway. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	NO
International Dialing Code	47
Major Carriers	• Telenor Norway • Telia Norway • ICE Communication
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	Yes	Yes
Two-way Support	Yes	No	Yes	No
Provisioning Time	3 weeks	1 week	3 weeks	1 week

SMS Code Provisioning Guidelines

Use a Norway alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also send two-way messages for marketing and transactional purposes via local short and long codes.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Norway generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Norway are regulated by [National Communications Authority](#).

Guide for Sending SMS Messages to Oman

Review the guidelines and restrictions for sending SMS messages to recipients in Oman. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	OM
International Dialing Code	968
Major Carriers	• Omantel • Ooredoo Oman
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No

Provisioning Time	--	--	--	3 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests. Use different codes for marketing and transactional sends. Otherwise, messages and codes are blocked. Marketing alphanumeric codes begin with the prefix *AD* and have a limit of 11 GSM characters. Transactional alphanumeric codes must include 3 to 11 GSM characters.

International enterprises must include a GCC country trade license (Saudi Arabia, Kuwait, UAE, or Qatar) if available. Local enterprises with headquarters in Oman must include a local trade license. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Send marketing messages from 7 AM to 7 PM (GMT+04:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Oman generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Oman are regulated by [Telecommunications Regulatory Authority \(TRA\)](#) and [Ministry of Transport, Communications, and Information Technology](#).

Guide for Sending SMS Messages to Pakistan

Review the guidelines and restrictions for sending SMS messages to recipients in Pakistan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	PK
International Dialing Code	92
Major Carriers	• Jazz • Telenor Pakistan • Zong • Ufone
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or

service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests before you can send messages.

Alphanumeric sends to customers on the Ufone and Telenor networks are delivered using a local short code.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Pakistan are regulated by [Telecommunications Regulatory Commission of Pakistan \(TRCSL\)](#). Consider using separate alphanumerical codes for marketing and transactional sends.

Guide for Sending SMS Messages to Peru

Review the guidelines and restrictions for sending SMS messages to recipients in Peru. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	PE
International Dialing Code	51
Major Carriers	• Telefonica Peru • Claro Peru • Nextel Peru • Bitel Peru
Alphanumeric Code Support	Yes
Unicode Support	No
Maximum Message Length	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes				
	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	Yes
Two-way Support	Yes	--	--	No
Provisioning Time	12 weeks for private codes 1 week for shared codes	--	--	10 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

When sending one-way messages, use an alphanumeric code for Peru's private short code owners, and a Peru short code for two-way messaging. Alphanumeric code registration is reserved for local enterprises only, meaning businesses with headquarters in Peru. Local carriers must approve all alphanumeric code requests before deploying SMS messages.

Alphanumeric codes can't be generic. They must be associated with a brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces, with a minimum of 3 and a maximum of 11 characters.

Provide program details upfront to obtain dedicated two-way short code services. Carriers require at least 300,000 monthly messages to keep a short code active.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Peru generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Peru are regulated by the [Organismo Supervisor de Inversión Privada en Telecomunicaciones \(OSIPTEL\)](#) and the [Ministerio de Transportes y Comunicaciones \(MTC\)](#).

Guide for Sending SMS Messages to the Philippines

Review the guidelines and restrictions for sending SMS messages to recipients in the Philippines. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	PH
International Dialing Code	63
Major Carriers	• Global Telecom • Smart
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	No
Long URLs in Message	Yes, but all links must be preregistered before sending

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric sender ID
Supported	No	No	Yes (Inbound MO only)	Yes
Two-way Support	--	--	No (Inbound MO only)	--
Provisioning Time	--	--	2 weeks	1 week
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric sender ID with an international long code set up for one-way sending. Manage opt-outs with a local long code. Alphanumeric sender IDs must be associated with the brand, enterprise, product, or service. These sender IDs can include only alphanumeric characters or spaces.

Local carriers must approve and allowlist all requests before deployment. Your code is deactivated if you don't use it to send messages for three months.

 **Important** Due to increased spam and fraud, two-way support on PH long codes is no longer available. Local long codes now only support inbound (MO) SMS. All outbound (MT) messages from numeric long codes are blocked. Therefore, conversational use cases aren't supported. While long codes can still receive STOP and HELP requests, the system can't send a confirmation text response.

Use a local long code to manage STOP and HELP requests for alphanumeric code sends. Include a call-to-action message by using the local long code number in the alphanumeric sends.

Register your codes with letters of authorization, a general information sheet demonstrating local ownership, and trademark certificates for alphanumeric sender IDs that differ from your enterprise name.

Banks and financial services must also include a local trade license and a regulatory industry license.

All messages must contain your company, brand, or service name at the beginning of that message. Include an opt-out call to action at the end of the message.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. The Philippines generally forbid content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Money Lending
- Peer-to-peer and OTT
- Tobacco

Send all marketing messages from Monday through Friday 7 AM to 7 PM and Saturday 8 AM to 3 PM (GMT+08:00). Don't send marketing messages on Sundays and public holidays.

Best Practices and Compliance References

Telecommunications in the Philippines are regulated by [National Telecommunications Commission \(NTC\)](#).

Guide for Sending SMS Messages to Poland

Review the guidelines and restrictions for sending SMS messages to recipients in Poland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	PL
International Dialing Code	48
Major Carriers	• Play • Orange Poland • Plus • T-Mobile Poland
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	Yes	Yes
Two-way Support	--	No	Yes	No
Provisioning Time	--	1 week	3 weeks	1 week
Comments	--	--	Requires preregistraion	--

SMS Code Provisioning Guidelines

Use a Poland alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also send two-way messages for marketing and transactional purposes via local long codes.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Poland generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Poland are regulated by [Office of Electronic Communication](#).

Guide for Sending SMS Messages to Qatar

Review the guidelines and restrictions for sending SMS messages to recipients in Qatar. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	QA
International Dialing Code	974
Major Carriers	• Vodafone Qatar • Ooredoo Qatar
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No

Provisioning Time	--	--	--	2 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests. Use different codes for marketing and transactional sends. Otherwise, messages and codes are blocked. Marketing alphanumeric codes begin with the prefix *AD* and have a limit of 11 GSM characters. Transactional alphanumeric codes must include 3 to 11 GSM characters.

International enterprises must include a GCC country trade license (Saudi Arabia, Kuwait, UAE, or Qatar) if available. Local enterprises with headquarters in Qatar must include a local trade license. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Send marketing messages from 7 AM to 7 PM (GMT+03:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Qatar generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Religion
- Tobacco

Best Practices and Compliance References

Telecommunications in Qatar are regulated by [Telecommunications Regulatory Authority \(TRA\)](#) and [Ministry of Transport, Communications, and Information Technology](#).

Guide for Sending SMS Messages to Saudi Arabia

Review the guidelines and restrictions for sending SMS messages to recipients in Saudi Arabia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	SA
International Dialing Code	966
Major Carriers	• STC • Mobily • Zain KSA
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	No
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	4–6 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. This code supports both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve

and allowlist all alphanumeric code requests. Use different codes for marketing and transactional sends. Otherwise, messages and codes are blocked. Marketing alphanumeric codes end with the suffix *AD* and have a limit of 11 GSM characters. Transactional alphanumeric codes must include 3 to 11 GSM characters.

International enterprises must include a copy of the trade or business license, certificate of incorporation, or similar document that's been valid for at least one month. Local enterprises with headquarters in Saudi Arabia must include a local trade license, delegation letters and KSA agreements attested to by the local Chamber of Commerce, a proof contract, and a copy of the Local Kingdom of Saudi Arabia trade license that's valid for at least one month. All enterprises must also include copies of any trademark certificates. Print all letters on corporate letterhead, then sign, date, and rubber-stamp them.

Local carriers must allowlist all URLs in messages sent over international routes. Locally registered alphanumeric codes don't need to register URLs. Domains in the URL must be associated with the enterprise, brand, product, or service. Register each URL and domain and make sure it's working so they can be validated.

Send marketing messages from 8 AM to 9 PM (GMT+03:00), and Fridays from noon to 9 PM (GMT+03:00).

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Saudi Arabia generally forbids content related, but not limited to, these products and services:

- Adult
- Alcohol
- Drugs
- Gambling
- Politics
- Tobacco

Best Practices and Compliance References

Telecommunications in Saudi Arabia are regulated by [Communications, Space, and Technology Commission](#).

Guide for Sending SMS Messages to Serbia

Review the guidelines and restrictions for sending SMS messages to recipients in Serbia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal

and industry requirements.

Overview

ISO 3166 Country Code	RS
International Dialing Code	381
Major Carriers	• Telekom Srbija • Yettel • VIP Mobile
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	2 weeks

SMS Code Provisioning Guidelines

Use a Serbia alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via web forms or preference centers.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Marketing sends requires an opt-out mechanism via the short code 5005. Include a footer in all message that resemble the example "STOP na 5005". Any mobile numbers that request STOP to 5005 are

excluded from future sends by local carriers.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging.

Telecommunications in Serbia are regulated by [Regulatory Agency for Electronic Communications and Postal Services](#).

Guide for Sending SMS Messages to Singapore

Review the guidelines and restrictions for sending SMS messages to recipients in Singapore. This information is for general informational purposes only. This information doesn't and isn't intended to constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	SG
International Dialing Code	65
Major Carriers	• SingTel • StarHub • M1 Singapore
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	Yes	Yes
Two-way Support	Yes	--	Yes	No
Provisioning Time	12 weeks	--	3 weeks	1 week
Comments	Requires SSIR portal	--	Requires SSIR portal	Requires SSIR portal

	preregistration		preregistration	preregistration
--	-----------------	--	-----------------	-----------------

SMS Code Provisioning Guidelines

Use a Singapore alphanumeric code for sending one-way messages, both locally and internationally. Use a Singapore long or short code for two-way messaging.

Alphanumeric codes can't be generic. They must be associated with a brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces, with a minimum of 3 and a maximum of 11 characters.

To make sure your SMS messages to Singapore aren't labeled as Likely Scam or blocked, register your alphanumeric code or preallocated short or long code in the [SMS Sender ID Registry \(SSIR\) Portal](#). To register the code, follow the instructions in the [SSIR Guide](#). For all codes, add Sinch Singapore Pte Ltd as the SMS aggregator or supplier. For long codes, provide the phone number without the 65 country code prefix. For example, register the number 6598233122 as 98233122. For details, see the [SSIR rules of registration](#).

After your code is approved, complete the [Singapore Letter of Authorisation \(LOA\)](#) and share it with your Salesforce account executive.

Even if your business isn't based in Singapore, you can sign up on the SSIR Portal after you get a local Unique Entity Number (UEN). You can obtain a UEN by registering with the [Accounting and Corporate Regulatory Authority \(ACRA\)](#). Register as a local subsidiary or foreign branch office, after paying the required fees.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Provide an opt-out option in marketing messages and communicate during business hours only. Make sure your contact lists exclude numbers listed in the national [Do Not Call \(DNC\) Registry](#) or establish explicit consent before sending messages. The [Monetary Authority of Singapore \(MAS\)](#) and the Association of Banks in Singapore (ABS) have enhanced digital banking security by removing clickable links in SMS messages. Therefore, all financial institutions must omit links in their SMS communications. Singapore generally forbids content related, but not limited to, adult, drugs, tobacco, money lending, and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Singapore are regulated by these organizations:

- [Infocomm Media Development Authority \(IMDA\)](#)
- [Government Technology Agency \(GovTech\)](#)
- [Personal Data Protection Commission \(PDPC\)](#)

- [Monetary Authority of Singapore \(MAS\)](#)
- [Singapore Network Information Centre \(SGNIC\) Pte Ltd](#)

Guide for Sending SMS Messages to Slovakia

Review the guidelines and restrictions for sending SMS messages to recipients in Slovakia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	SK
International Dialing Code	421
Major Carriers	• Orange Slovakia • Slovak Telecom • O2 Slovakia • 4ka Slovakia
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	3 weeks	--	6 weeks
Comments	--	Requires preregistration	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a Slovakia alphanumeric code for one-way sends that handle both marketing and transactional

sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. These codes require a minimum of 3 characters and a maximum of 11 characters. Manage opt-outs via web forms or preference centers. You can also use local two-way long codes for marketing and transactional sends.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging.

Telecommunications in Slovakia are regulated by [Regulatory Authority for Electronic Communications and Postal Services](#).

Guide for Sending SMS Messages to Slovenia

Review the guidelines and restrictions for sending SMS messages to recipients in Slovenia. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	SI
International Dialing Code	386
Major Carriers	• Telekom Slovenije • SIMobile • Telemach
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use a Slovenia alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. Manage opt-outs via web forms or preference centers.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging.

Telecommunications in Slovenia are regulated by [Agency for Communication Networks and Services of the Republic of Slovenia](#).

Guide for Sending SMS Messages to South Africa

Review the guidelines and restrictions for sending SMS messages to recipients in South Africa. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	ZA
International Dialing Code	27
Major Carriers	• Vodacom South Africa • Cell C • MTN South Africa

	• Telkom South Africa
Alphanumeric Code Support	No
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	No	No
Two-way Support	Yes	--	--	--
Provisioning Time	4 weeks	--	--	--
Comments	Requires preregistration	--	--	--

SMS Code Provisioning Guidelines

Use a local short code one- and two-way sending. These codes support both marketing and transactional sends. All messages delivered in this market are delivered using local long numbers. Any replies are mapped back to the original short code.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. South Africa generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling

Best Practices and Compliance References

Telecommunications in South Africa are regulated by these agencies:

- [Independent Communications Authority of South Africa \(ICASA\)](#)
- [Wireless Application Service Providers' Association \(WASPA\)](#)
 - [Detailed Guidelines to WASPA Code of Conduct](#)

Guide for Sending SMS Messages to South Korea

Review the guidelines and restrictions for sending SMS messages to recipients in South Korea. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	KR
International Dialing Code	63
Major Carriers	• SK Telecom • KT SK • LG UPlus
Alphanumeric Code Support	No
Unicode Support	Yes
Maximum Message Length	63 or 70, depending on LMS concatenation support
Concatenation Support	Yes, depending on carrier's LMS support
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	Yes	No	No
Two-way Support	--	No	--	--
Provisioning Time	--	1 week	--	--

SMS Code Provisioning Guidelines

Use an international long code set up for one-way sending. Use this code for both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. These sends

automatically include [국제발신] at the beginning of every message. Every message sends as Unicode with a maximum length of 63 characters. South Korea carriers append a short code of 001, 002, 006, 009, or 00777 to the beginning of each long code.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. South Korea generally forbids content related, but not limited to, adult and gambling products and services. Send messages only from 9 AM to 9 PM (GMT+09:00).

Best Practices and Compliance References

Telecommunications in South Korea are regulated by [Korea Internet and Security Agency](#) and [Korea Communications Commission](#).

Guide for Sending SMS Messages to Spain

Review the guidelines and restrictions for sending SMS messages to recipients in Spain. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	ES
International Dialing Code	34
Major Carriers	• Movistar Spain • Orange Spain • Vodafone Spain • Yoigo
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	Yes	Yes	Yes
Two-way Support	Yes	--	Yes	No
Provisioning Time	12 weeks	--	3 weeks	1 week
Comments	Requires preregistration	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Spain alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also use local short and long codes for marketing and transactional sends.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Spain are regulated by [Comisión Nacional de los Mercados y la Competencia](#).

Guide for Sending SMS Messages to Sri Lanka

Review the guidelines and restrictions for sending SMS messages to recipients in Sri Lanka. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	LK
International Dialing Code	94
Major Carriers	• Mobitel Sri Lanka

	• Dialog Telekom • Etisalat Sri Lanka • Hutchison Sri Lanka
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	6 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all alphanumeric code requests before you can send messages.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Sri Lanka are regulated by [Telecommunications Regulatory Commission of Sri Lanka \(TRCSL\)](#). Consider using separate alphanumerical codes for marketing and transactional sends.

Guide for Sending SMS Messages to Sweden

Review the guidelines and restrictions for sending SMS messages to recipients in Sweden. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	SE
International Dialing Code	46
Major Carriers	• Telia Sweden • Telenor Sweden • Tele2 Sweden • 3 Sweden
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	Yes	Yes
Two-way Support	Yes	--	Yes	No
Provisioning Time	6 weeks	--	3 weeks	1 week
Comments	Requires preregistration	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Sweden alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also use local short and long codes to send marketing and transactional sends.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Sweden are regulated by [Swedish Post and Telecom Authority](#).

Guide for Sending SMS Messages to Switzerland

Review the guidelines and restrictions for sending SMS messages to recipients in Switzerland. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	CH
International Dialing Code	41
Major Carriers	• Swisscom • Sunrise • Salt Switzerland
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	3 weeks	1 week
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a Switzerland alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also use a local long code to send marketing and transactional sends.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Switzerland generally forbids content related, but not limited to, adult and gambling products and services.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in Switzerland are regulated by [Federal Office of Communications](#) and [Federal Communications Commission](#).

Guide for Sending SMS Messages to Taiwan

Review the guidelines and restrictions for sending SMS messages to recipients in Taiwan. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Code	TW
International Dialing Code	886

Major Carriers	• Chunghwa Telecom • Taiwan Mobile • Far EasTone • T Star • APTG
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	No
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	No
Two-way Support	--	--	Yes	--
Provisioning Time	--	--	2 weeks	--
Comments	--	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use a local long code for both marketing and transactional two-way sends. Code requests must include an international code request form, a copy of a business registration or trading certificate, and a copy of the authorized individual's national ID card or passport. Submit callback numbers and complete URLs included in your messages to all carriers for allowlisting.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Taiwan generally forbids content related, but not limited to, these products and services:

- Adult

- Dating
- Political

Best Practices and Compliance References

Telecommunications in Taiwan are regulated by [National Communications Commission \(NCC\)](#).

Guide for Sending SMS Messages to Thailand

Review the guidelines and restrictions for sending SMS messages to recipients in Thailand. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	TH
International Dialing Code	66
Major Carriers	• Advanced Info Service (AIS) • TrueMove • DTAC
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160 GSM 03.38 characters or 70 Unicode characters
Concatenation Support	Yes
Shortened URLs	No
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	Yes	Yes
Two-way Support	--	--	Yes	No
Provisioning Time	--	--	4 weeks	2 weeks
Comments	--	--	Requires preregistration	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters or spaces. Local carriers must approve and allowlist all requests before SMS sends can occur. Alphanumeric codes that don't send messages for a 6-month time frame are blocked without notice and require re-registration. Submit a letter of authorization on corporate letterhead for alphanumeric codes. These letters are signed, dated, and rubber-stamped.

Use local long codes for two-way marketing and transactional sends.

Thailand allows only long URLs in SMS messages. Submit all URLs to carriers for allowlisting before sending.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Thailand generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling
- Money lending
- Political
- Religion
- Spam

Best Practices and Compliance References

Telecommunications in Thailand are regulated by [National Broadcasting and Telecommunications Commission \(NBTC\)](#).

Guide for Sending SMS Messages to the United Kingdom

Review the guidelines and restrictions for sending SMS messages to recipients in the United Kingdom. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	GB
International Dialing Code	44

Major Carriers	• EE • O2 UK • Vodaphone UK • 3 UK • Virgin Mobile UK
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Link	160
Concatenation Support	Yes
Shortened URL	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	Yes	No	Yes	Yes
Two-way Support	Yes	--	Yes	No
Provisioning Time	10 weeks	--	1 week	1 week
Comments	Requires preregistration	--	Requires preregistration	--

SMS Code Provisioning Guidelines

Use an United Kingdom alphanumeric code for one-way sends that handle both marketing and transactional sends. Alphanumeric codes can't be generic and must be associated with the brand, enterprise, product, or service. These codes can only use alphanumeric characters and spaces. You can also use a local short or long code to send marketing and transactional sends.

You can choose a UK short code from a list of available codes or receive a randomly allocated code. Any short code you request must come from these provided ranges:

- 60000-64999
- 65000-68999
- 78000-79999
- 80000-84999
- 85000-88999

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Consider using different alphanumeric codes for marketing and transactional messaging. Telecommunications in the United Kingdom are regulated by [Ofcom](#).

Guide for Sending SMS Messages to the United States

Review these guidelines and restrictions for using sender codes for SMS sending in the United States.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

The information provided doesn't, and isn't intended to, constitute legal advice. Instead, all information is for general informational purposes only. Consult your own independent legal counsel for guidance on its use cases and applicable legal and industry requirements. SMS messaging in the US is highly regulated by carriers and applicable laws. Salesforce supports the use of carrier-approved short codes and 10-digit long codes (10DLCs) for SMS messaging in the US.

General Guidelines and Deliverability

Overview	
Country	United States
ISO 3166 Country Code	US
International Dialing Code	1
Major Carriers	• AT&T • Sprint • T-Mobile • Verizon
From Name Support	No

Overview	
Unicode Support	Yes, with limitations
International Code Support	No, except 10DLC
Local Partner Required for Delivery	No
Message Length Maximum	160 characters
Concatenation Support	Yes (for private codes only) Dependent on aggregator route

Supported Codes

	Short Code (Random or Vanity)	10DLC	Toll-Free	From Name
Supported	Yes	Yes	No	No
Two-way Support	Yes	Yes	--	--
Provisioning Time	10–12 weeks	1–4 weeks	--	--
Comments	The timeline is an estimate only. Expect delays due to holidays and carrier network freeze periods, which vary by county, carrier, and the workload of the carrier's provisioning teams.	The timeline is an estimate only. Expect delays due to holidays and carrier network freeze periods, which vary by county and carrier, as well as the workload of the carrier's provisioning teams.	--	Messages sent with From Name are blocked.



Note The US doesn't support international messages, except for those coming from Canada. For example, you cannot send a message to a US phone number using a UK long code or a French short code. All telecom operators block messages from foreign numbers.

SMS Code Provisioning Guidelines

Short codes are registered and applied for and approved by carriers for each campaign. Make sure you vet your brand before a code is allocated. Short code registration is completed with a Mobile Approved

Partner. Check out the list of approved partners for US private short code acquisition services.

- [Accenture](#)
- [Capgemini](#)
- [Cloud for Good](#)
- [Coastal Cloud](#)
- [Cognizant](#)
- [Deloitte](#)
- [Dentsu \(formerly Merkle and DEG\)](#)
- [IBM](#)
- [ListEngage](#)
- [Magna Technology Group](#)
- [Monks \(formerly Maverick Digital and Media.Monks\)](#)
- [Viable](#)
- [Offprem Technology](#)
- [OSF Digital](#)
- [VML \(formerly Wunderman Thompson and Pierry Inc.\)](#)
- [Publicis Sapient \(a subsidiary of Publicis Groupe\)](#)
- [PwC](#)
- [Silverline](#)
- [Slalom](#)

For 10DLCs, you must request three elements:

- [Brand request](#)—Share your company's details and how you plan to represent your brand in your messages.
- [Campaign request](#)—Provide sample messages and details about your specific messaging activities.
- [Code request](#)—Specify the nationality and type of number that you want to use for sending messages.

Just like short codes, you must vet your brand before a 10DLC is allocated.

MMS Code Provisioning Guidelines

Make sure that your US short code supports MMS. A short code that supports MMS automatically includes SMS services. To add MMS capability to an existing SMS short code program, you must have a services agreement. All SMS codes procured through Salesforce support MMS by default. However, you should always verify the code capabilities before you launch a campaign.

Messaging Requirements

Use a call to action to engage your users. For example, send a prompt to a user to opt in to receive offers or enter a contest.

A call to action must include:

- Program name

- Message frequency
- Link to customer terms and conditions with privacy policy and help information

Terms and conditions must include:

- “Text STOP to stop,” including bold STOP
- “Text HELP for help,” including bold HELP
- A description of how the user opts in
- How the call to action is delivered. For example: web, in-store signage



Note If you send a web form, text boxes can't be pre-checked.

- An opt-in keyword that, if not a web form, must be in bold
- Screenshots of the call to action and message flow

Limitations in Unicode Support

Unicode encoding is supported for SMS messages in the US, but there are some limitations.

- Reduced character count–Unicode (UCS-2) encoding allows you send only 70 characters per message.
- Concatenation impact–Multi-part Unicode messages use more segments. For example, a 160-character message is split into three parts.
- Carrier filtering–Some US carriers may filter, truncate, or fail to deliver messages if Unicode isn't used properly. Unicode-heavy content might also trigger spam filters.
- Unreliable delivery receipts–Delivery receipts may be unreliable with Unicode characters, especially when using 10DLC or shared short codes.

Use Unicode only when necessary, such as for names or text in non-Latin scripts. Keep messages short to avoid excessive segmentation. Avoid using emojis in critical alerts or regulatory messages. Use Unicode carefully because of the reduced message length and potential delivery issues. For critical communications, opt for GSM-7 encoding whenever possible.

Restricted Content

Carriers can restrict messaging with the listed content:

- Content related to sex, hate, alcohol, firearms, and tobacco (SHAFT)
- Content relating to illegal substances, including cannabis and cannabis-related products, such as cannabidiol (CBD), vaping products or devices, marijuana or cannabis, or dispensaries
- SPAM, fraud, phishing
- Lead-generation programs
- Deceptive programs
- High-risk financial services, such as payday loans, short-term loans, third-party home and auto loans, student loans, and debt collection
- Debt forgiveness, debt consolidation, debt reduction, and credit repair programs
- Illegal prescriptions or drug endorsements
- Work and investment opportunities, such as work-from-home programs, job alerts from third-party

- recruiting firms, and risk investment opportunities
- Carrier competitive promotions
- Fraudulent or misleading messages
- Gambling
- Profanity
- Depictions or endorsement of violence
- Lead generation indicating the sharing of collected information with third parties
- Short code programs that solicit [charitable](#) or [political](#) donations that don't comply with Cellular Telecommunications and Internet Association (CTIA) best practices.
- Abandoned shopping cart notifications without applicable consent
- Campaign types not in compliance with the [Messaging Principles and Best Practices](#), [CTIA Short Code Monitoring Handbook](#), and any other legal regulatory body governing telecommunication systems in this country

Short Code Audits

The CTIA conducts weekly short code audits to identify violations, which include any deviations from best practice and code of conduct guidelines, such as:

- Missing links to Terms and Conditions or Privacy Policy webpages
- Mandatory keywords (for example, STOP and HELP) aren't displayed or nonfunctional
- Failure to disclose that standard message and date rates may apply
- Discrepancies between the short code's current use case and its originally approved program

The timely resolution of these audits is crucial, as failure to do so can result in short code suspension. Make sure that you maintain compliance and promptly address any audit notices.

Best Practice and Compliance References

- [WMC Global Resources for the United States](#), including the CTIA Short Code Monitoring Handbook
- [Mobile Marketing Association U.S. Consumer Best Practices for Messaging](#)

Guide for Sending SMS Messages to Vietnam

Review the guidelines and restrictions for sending SMS messages to recipients in Vietnam. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	VN
International Dialing Code	84

Major Carriers	• Viettel • Mobifone • Vinaphone
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	12–16 weeks
Comments	--	--	--	Requires preregistration

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way transactional sending. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters and spaces.

Local enterprises register their alphanumeric code by submitting this information:

- Sender ID registration form
- Trademark certificate, if the sender ID differs from the enterprise name
- Vietnamese trade license
- Operating license of the Department of Education (for local education brands)

For OTP content, local enterprises must supply this information:

- Screenshot of all OTP steps from the website or app
- Screenshot of website footer with company name, address, and business code
- Certificate of website domain name registration, including a letter of authorization for websites that

don't match the brand

International enterprises register their alphanumeric code by submitting this information:

- Sender ID Registration form that matches the trade license or the signature of a senior executive that appears on the enterprise's website
- Vietnamese letter of authorization
- Vietnamese registration form
- Copy of trade license, business license, certificate of incorporation, or similar document valid for at least one month
- Copy of a trademark certificate for all of a parent enterprise or holding company's brands, goods, or services

Print all letters on company letterhead. Sign, date, and rubber-stamp all letters.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines. Vietnam generally forbids content related, but not limited to, these products and services:

- Adult
- Gambling
- Political

Best Practices and Compliance References

Telecommunications in Vietnam are regulated by [Ministry of Information and Communication](#).

Guide for Sending SMS Messages to Zimbabwe

Review the guidelines and restrictions for sending SMS messages to recipients in Zimbabwe. This information is for general informational purposes only. This information doesn't, and isn't intended to, constitute legal advice. Consult your own independent legal counsel for guidance on use cases and applicable legal and industry requirements.

Overview

ISO 3166 Country Code	ZW
International Dialing Code	263
Major Carriers	• Econet • Net One

	Telecel
Alphanumeric Code Support	Yes
Unicode Support	Yes
Maximum Message Length	160
Concatenation Support	Yes
Shortened URLs	Yes
Long URLs in Message	Yes

Supported Codes

	Short Code	International Long Code	Local Long Code	Alphanumeric Code
Supported	No	No	No	Yes
Two-way Support	--	--	--	No
Provisioning Time	--	--	--	1 week

SMS Code Provisioning Guidelines

Use a custom alphanumeric code with an international long code set up for one-way sending. These codes support both marketing and transactional sends. Manage opt-outs with a web link or customer preference center. Alphanumeric codes must be associated with the brand, enterprise, product, or service. These codes can include only alphanumeric characters and spaces.

Restricted Content

You're responsible for complying with local rules and regulations. To ensure compliance, familiarize yourself with the legislation of the local market. Failure to comply can result in service suspension, cancellation, and potential fines.

Best Practices and Compliance References

Telecommunications in Zimbabwe are regulated by [Postal and Telecommunications Regulatory Authority of Zimbabwe \(POTRAZ\)](#). Consider using separate codes for marketing and transactional sends.

Messaging Considerations and Compliance

To improve your chances of receiving approval for your brand, campaign, and code requests, follow

these guidelines. Requests that don't meet these guidelines are likely to be rejected and could delay your marketing efforts.

- Include a valid business email address from your company's domain in all requests. Using a free email address such as Gmail or Outlook increases the likelihood of rejection.
- Include your company's physical address in all requests.
- Include a functional website in your request that doesn't include disallowed content in the content you plan to send messages to.
- Use content in your requests that is tailored to the audience you plan to send messages to.
- Use accurate and specific content for all sample messages, opt-in requests, and opt-out requests. Include as many sample messages as possible.
- Fill out all fields in the brand, campaign, and code requests. Missing information delays the request process.
- If you allow opt-ins from physical media, such as billboards or flyers, include images of the media in your request.

Long SMS Messages

When your SMS message gets a bit longer, we automatically split it into smaller segments to make sure it delivers smoothly. To keep things efficient and easy for your recipients to read, we recommend keeping plain text messages under five segments and Unicode (special character or emojis) messages under six segments.

A2P 10DLC Messaging Throughput and Trust Score

To control spam, businesses must register their brands and campaigns before sending messages. In response to registration, carriers raise message throughput rates based on the level of trust assigned to the sender. 10DLC throughput rates are assigned based on trust score and campaign type.

- **Trust Score:** A score from 0 to 100 is assigned by The Campaign Registry (TCR). Higher scores mean higher message limits. To secure the best trust score, Salesforce recommends that you submit for full brand vetting, even if you're eligible for Sole Proprietor limits.
- **Campaign Type:** The specific type of message such as customer support and marketing. All messages must use a registered 10DLC campaign type matching the content's use case.

Carrier-Specific Limits and Rules

Throughput limits vary by carrier and campaign type. AT&T and Verizon Wireless queue messages that exceed limits for later delivery, while T-Mobile and Sprint will result in an immediate hard failure (messages are dropped). If your message fails with error code 4601, you've exceeded the daily message limit. Don't resend the message within a 24-hour period; schedule it to be sent the next day.

AT&T and Verizon Wireless

Throughput is based on the campaign type or message class, and is measured per minute (TPM). AT&T assigns throughput per campaign, not per brand. Each campaign is assigned a message class, determining its specific throughput tier (TPM). Throughput applies to each campaign individually, regardless of the number of assigned numbers, and isn't shared between campaigns under the same brand.

Campaign Use Case	Trust Score	SMS Throughput (TPM)	MMS Throughput (TPM)
2FA, Authentication and Customer Care	76–100	4,500	2,400
Marketing and Mixed	51–75	2,400	1,200
Operations and Higher Education	1–50	240	150
Low-Volume Mixed	NA	75	50
Sole Proprietor	NA	15	50
Political and Elections	Required	4,500	2,400
Charity: Non-Profit 501(c)3	Required	2,400	1,200
Social Engagement	Required	9,000	2,400
Emergency Services and Public Safety	Required	4,500	2,400

T-Mobile and Sprint

Throughput is based on your brand's trust score and is applied as a daily message limit. This limit is shared across all campaigns and brands registered under the same EIN or Tax ID. After you reach the daily message limit, any additional sent messages will fail. Message limits reset daily at 12 AM Pacific Time.

Brand Score Level	Trust Score	Daily Message Limit (Total Messages)
Top	75–100	200,000
High Mid and Upper Mid	50–74	40,000
Low Mid and Lower Mid	25–49	10,000
Low	0–24	2,000

Brand Score Level	Trust Score	Daily Message Limit (Total Messages)
Sole Proprietor	NA	1000

Edge Cases and Minor Carriers Restrictions

Special use case: Throughput for charity use cases (K-12 Education) is fixed and isn't impacted by the trust score.

Minor carriers: Throughput for US Cellular uses the standard major network rate, but is limited to 8 Messages Per Second (MPS). For all other minor US carriers such as Clearsky and others, the rate is fixed at 1 MPS per phone number.

Sole Proprietor Limits

Sole proprietor brands (individuals or small businesses without a tax ID) are limited to 1 campaign and 1 phone number. Their fixed limits are:

- Total MPS: 2.25 MPS for major US networks.
- Daily Limit (T-Mobile): 1,000 messages per day.
- Per-Minute Limit (AT&T): 15 messages per minute.

See Also

[Knowledge Article: Unified Messaging SMS Rejection Codes](#)

Activate Your SMS Code

After your SMS code request is approved, your code appears in the SMS Codes section of Setup with an Inactive status. You must activate your SMS code to use it.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Click the code that you want to activate.
3. On the Consent tab, set your consent opt-in status to **Explicit** or **Double Opt-in**.
4. Enter your opt-in and keyword information.
5. Save your changes.
6. Activate the capabilities that you want to add to the code. These capabilities can require additional steps depending on how you configure your Salesforce org.

To send and receive SMS messages using Flow, in the Activate Send and Receive Messages via Flow section, click **Activate**.

7. To support agent and bot conversation via Service Cloud, in the Activate Access to Agent and Bot Conversational Support section, click **Configure** and complete these steps.
 - a. On the Messaging Settings page, in the Omni-Channel Routing section, click Edit and set the Omni-Channel Routing configuration to route service messages to queues, flows, or agents depending on your business needs.
 - b. Save your configuration.
 - c. Go to your SMS code details page and in the Activate Access to Agent and Bot Conversational Support section, click **Activate**.

Sample SMS Message and Related Information for Unified Messaging

Use this information to create your opt-in, opt-out, and help messages for your SMS campaigns. All keywords are case-insensitive.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

Sample SMS Message

For mixed or low-volume mixed use cases, provide sample messages for each sub use case. Marketing use cases require two sample use cases.

Sample SMS Message 1: Hey <name>, be the first to check out our latest holiday sale and get 30% OFF on everything: <https://example.com/VWXYZ>

Sample SMS Message 2: Hi <name>, let's celebrate your birthday together! 40% OFF on ALL accessories just for you: <https://example.com/VWXYZ>

Opt-in Flow Details

Describe how the opt-in experience for the subscriber takes place. If you use multiple opt-in methods, describe each separate interaction, including details on your call to action, messaging frequency, and a notice that messaging and data rates may apply. Web opt-in requires an image of the URL or link. Verbal opt-in requires a sample script.

All Opt-In Keywords and Confirmation Messages

Define the keywords that prompt the opt-in flow. Your opt-in confirmation message must include this information.

- Brand name
- Confirmation of opt-in to a recurring message campaign
- Instructions on receiving help (including a help keyword)
- Instructions on opting out (including a stop keyword)
- A notice that message and data rates may apply
- Information on messaging frequency

All Opt-Out Keywords and Confirmation Messages

Some keywords are included by default, such as STOP, QUIT, CANCEL, END, UNSUBSCRIBE, REVOKE, and OPT OUT. You can add keywords that allow your subscribers to stop receiving messages. Any subscriber who sends one of these keywords is removed from the campaign and receives no further messages. The opt-out keyword response message sends when someone opts out. The text must include the brand name and confirmation that no further messages will be sent.

All Help Keywords and Confirmation Messages

Some keywords are included by default, including HELP, that prompt the send of a help message when received. You can also add keywords that allow your subscribers to receive help messages, such as INFO. The help response message must have information to help subscribers or provide contact information for assistance. This message must include a brand name and a point of contact, such as a URL, phone number, or email address. You must also add opt-out language, frequency of messaging, and a notice that message and data rates may apply. Canadian campaigns must include the French keywords ARRET and AIDE. The INFO keyword must also include information in English and French.

Shared Terms, Conditions, and Privacy Policy URL

This link must include language indicating that the end user's personal information won't be shared or sold to third parties for marketing purposes. You can't hide consent for marketing messaging in shared terms and conditions or privacy policies. SMS opt-in consent is never shared with third-party companies. SMS consent can't be purchased or shared from third-party companies. Consult with your company's legal team to ensure your regulatory compliance.

Sample Brand and Campaign Requests

Use these examples to plan your brand and campaign requests before you begin the request process. You only have 30 minutes to complete the request, so we recommend that you gather all necessary information and copy that information into the form.

Brand Request

- Street Address: 123 Example Street
- City: San Francisco

- State: CA
- ZIP Code: 94069
- Country: United States
- Brand Website: <https://www.example.com>
- Support Email Address: support@example.com
- Support Phone Number: (800) 555-5555
- Brand Relationship: No business history
- Company Name: Northern Trail Outfitters
- SMS Brand Name: Glacier
- Country of Registration: United States
- Organization: Publicly Traded Company
- Website: <https://www.northerntrailoutfitters.com>
- EIN or Tax ID: XXXXXXXXX
- EIN Country of Origin: United States
- Industry: Retail
- Stock Symbol: NTOT
- Stock Exchange Name: NYSE

Campaign Request

- Brand: Glacier
- Description: This campaign shares discount coupons with subscribers
- Use Case: Marketing
- Sub Use Case: Discount Coupons
- Industry: Retail
- Sample SMS Messages:
 - Hey <name>, be the first to check out our latest holiday sale and get 30% OFF on everything:
<https://example.com/VWXYZ>
 - Hi <name>, let's celebrate your birthday together! 40% OFF on ALL accessories just for you:
<https://example.com/VWXYZ>
- Subscriber Opt-In: Yes
- Subscriber Opt-Out: Yes
- Subscriber Help: Yes
- More than 50 numbers required: No
- Direct Lending or Loan Arrangement: No
- Embedded Link: Yes
- Embedded Phone Number: No
- Age-Restricted Content: No
- Opt-in Options: Keywords, Web, Other
- Opt-in Flow Data: Consumers can opt in to our marketing promotion program either by texting JOIN to our phone number or by filling in the subscription form and providing us with their mobile number via our website <https://www.northerntrailoutfitters.com/signup>. The message frequency to the users will vary.
- Opt-in Keywords: JOIN
- Opt-in Confirmation Message: Glacier: Thanks for subscribing to our latest offers. Msg Frequency

varies. Msg&data rates may apply. Reply HELP for help, STOP to cancel

- Shared Terms, Conditions, and Privacy Policy URL: <https://www.northerntrailoutfitters.com/privacy>
- US Opt-out Keywords: STOP, QUIT, CANCEL, END, UNSUBSCRIBE, REVOKE, OPT OUT
- CA Opt-out Keywords: ARRET
- Opt-out Message: Glacier: You have been unsubscribed and will receive no more messages. Reply with "JOIN" to subscribe back.
- US Help Keywords: HELP, INFO
- CA Help Keywords: AIDE
- US Help Message: Glacier: For help, contact: www.northerntrailoutfitters.com. 2msgs/mth. StdMsg&DataRatesApply. Text STOP to cancel.
- CA Help Message: Glacier: Pour de l'aide, contactez: www.northerntrailoutfitters.com [EN]. 2msgs/mth. FraisStdDeMsgs&DonnéesS'appl. Répondez ARRET pour annuler.
- US and CA Info Message: Glacier: For help, contact: www.northerntrailoutfitters.com. | Glacier: Pour de l'aide, contactez: www.northerntrailoutfitters.com [EN].
- US STOP Messages
 - For subscription services - Glacier: You will no longer receive any further messages
 - For non-subscription services - Glacier: This is not a subscription service
- CA STOP Messages
 - For subscription services - Glacier: Vous ne recevrez plus de messages
 - For non-subscription services - Glacier: Ce n'est pas un service d'abonnement

SMS Engagement Data in Unified Messaging

Unified Messaging captures SMS engagement data in a data model object (DMO) in Data 360. Every send or interaction with your SMS messaging activities generates this data. You can use these fields to segment audiences or populate reports on your messaging activities.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

MessageEngagement DMO

This DMO contains information on eight different SMS engagement event types.

- Sent - SMS message delivered to aggregator
- Not_Sent - SMS message failed to arrive at aggregator
- Subscribe - recipient opted in to receiving SMS messages
- Unsubscribe - recipient opted out of receiving SMS messages
- Confirmation - confirmation message sent to recipient regarding an opt-in or opt-out request
- Help - recipient sent a message including a request for assistance using a specific help keyword
- Click - recipient clicked a link sent in an SMS message

- Undelivered - aggregator reports an error delivering the SMS message to a mobile number

All send types include this information.

Fields	Description
EventID	A unique identifier for the specific event
CreatedTime	A timestamp indicating when the record was created
EventDateTime	A timestamp indicating when the event occurred
BulkMessage	A unique identifier for the send entity associated with the event

Some fields in the MessageEngagement DMO are specific only to certain event types.

EventType	Field Name	Description	Values
All Inbound Events	RecipientPhoneNumber	Phone number where message was sent or received	
	SenderID	Short or long code where message was received	
	Message	Message text that was received	
Subscribe	EventType	Type of event that occurred	SUBSCRIBE
	Keyword	Opt-in keyword used to interpret SUBSCRIBE event	
Unsubscribe	EventType	Type of event that occurred	UNSUBSCRIBE
	Keyword	Keyword used to interpret UNSUBSCRIBE event	
	UnsubscribeSource	Source of unsubscribe request	
	UnsubscribeReason	Reason included in unsubscribe request	

EventType	Field Name	Description	Values
Help	EventType	Type of event that occurred	HELP
	Keyword	Keyword used to interpret HELP event	
Confirmation	ContactPointPhoneNumber OR MOPhoneNumber	Phone number where the confirmation message was received OR phone number where the confirmation message was sent	
	SenderID	Short or long code that received message and sent confirmation	
	Message	Message text received	
	EventType	Type of event that occurred	CONFIRMATION
	Keyword	Keyword used to interpret CONFIRMATION event	
	IndividualID	Unique identifier of recipient	
Click	EventType	Type of event that occurred	CLICK
	LinkName	Name or alias for clicked link	
	LinkURL	Full target URL of clicked link	
	ResolvedURL	Personalized URL for clicked link	
	RecipientPhone	Phone number associated with the clicked link	
	UserAgent	Browser-provided information about the device, OS, browser, and client used when	

EventType	Field Name	Description	Values
		the message was clicked. Salesforce doesn't guarantee the accuracy or completeness of this data. Use as reference only.	
	IndividualID	Unique identifier of recipient	
Undelivered	EventType	Type of event that occurred	UNDELIVERED
	MessageID	Unique identifier for the originating send	
	Message	Message text received	
	DeliveryErrorText	Available standard error text	
	DeliveryErrorCode	Standard error code mapped to supplier error code	

Sample Use Case

After the events take place, you can use the data captured to create segments for use in sending targeted messages. For example, you can create a segment of unified individuals based on who clicked links from your messages at least three times in the past month. Segment on the EventDateTime value associated with the Open event types, then collect the IndividualID values to determine who receives further messages.

Pause Traffic in a Unified SMS Channel

To troubleshoot your channel configurations, pause your messaging traffic. You can pause all traffic to the channel, or just pause sent or received messages via Flow and access to bots and human agents.

Available in: Lightning Experience

Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Click the SMS code that you want to deactivate.
3. Click **Deactivate** next to one or both applications.
4. Save your changes.

When traffic is paused, SMS can't be sent from or to the number in question. Agents and bots receive errors if they try to send messages, and automated outbound or campaign messages aren't delivered. Agents can mark open messaging sessions as inactive if you intend to resume traffic within 48 hours. The number is still associated with your channel in Salesforce, and it isn't available for use in another channel or with a different business service provider.

When you're ready to resume traffic, activate the capabilities on the same page in Setup. After 48 hours of paused traffic, all open sessions are ended. If traffic is resumed before 48 hours pass, agents and bots can continue to handle their open sessions.

Activate and Deactivate SMS Channels

You can activate or deactivate Short Message Service (SMS) channels in your sandbox and production orgs. However, the same SMS channel can't be activated in both orgs at the same time. SMS usage in the sandbox or production org will deduct from your SMS credits. Before activating the SMS code in a sandbox org, make sure that the code isn't being used in a production org.

Available in: Lightning Experience
Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Not supported in Government Cloud Plus

To activate or deactivate an SMS channels in your sandbox or production org.

1. In Setup, in the Quick Find box, enter *SMS Codes*, and then select **SMS Codes**.
2. Click the SMS code that you want to activate or deactivate.
3. Click **Activate for This Org** to activate the SMS code if the code was deactivated. Or, click **Deactivate for This Org** to deactivate the SMS code if it's already active.
The status changes to Activated for This Org or Deactivated for This Org based on the action you selected.

Set Up an SMS Conversation in Unified Messaging

When you set up Conversational SMS, recipients can reply to your marketing and service messages. Then, you can route those replies to people or bots that can address them. To set up a conversation, enable settings and create a flow.

Available in: Lightning Experience

Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

This feature is available only in countries that are supported by Digital Engagement for Service Cloud.

1. From Service Cloud, set up the bot or agent that you want to handle the conversation.
See [Create a Bot in Your Commerce Store](#) or [Set Up Agents](#).
2. Create a flow, and configure how you want the bot or agent to direct messages.
See [Route to an Enhanced Bot](#) or [Prepare to Route to an Agent](#).
3. Activate message routing in SMS settings.
 - a. From Setup, in the Quick Find box, enter *SMS*, and then select **SMS Codes**.
 - b. Select the code that you want to use for your conversations, and make sure that its consent requirements match your segment.
See [Manage SMS Consent in Unified Messaging](#).
 - c. From the sender code's Details tab, find the Capabilities section, and activate **Send and Receive Messages via Flow** and **Access to Agent and Bot Conversational Support**.
4. In Data 360, create a segment to target with conversational messaging.
See [Create a Segment](#).
5. In your flow, add two elements that monitor and route responses.
 - a. Add a Wait Until Event element.
 - b. In the Flow Action to Monitor field, select the original marketing or service SMS message.
 - c. Set the Content to Interaction field to **Responded to Message**.
 - d. Add a Forward Message to Bot or Agent element.
 - e. Configure the element to route messages to the correct place.
6. Update the flow with other elements or settings that you want, and then activate the flow.

Configure a Blockout Window for SMS and WhatsApp in Unified Messaging

To increase the chances that your messages are well-received by your customers, set a blockout window for when not to send SMS and WhatsApp messages.

Available in: Lightning Experience

Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

WhatsApp blockout windows can only be created if there is at least one WhatsApp Number added with an active Customer Conversation Engagement capability.

1. In Setup, in the Quick Find box, enter *Unified Messaging*.
2. Under Settings, search for *Blockout Window*.
3. Click **Add New** on the list view page.

4. Select the Channel.
5. Select the Subscription Type.
6. Configure the blackout window start and end times and time zone.
7. Save your work.

To edit an existing blackout window, select **Edit** in the dropdown list next to the blackout window you want to modify.

Unified Messaging Consent

To send messages to your subscribers, you must have their explicit consent. You can't transfer consent from one Unified Messaging number or channel to another. You can set different required consent levels for each application within a Unified Messaging number or channel. For example, in a unified SMS channel used for both service and marketing, change the consent requirements of your marketing interactions to require an explicit opt-in or double opt-in. You can manage how subscribers provide or withdraw that consent within Unified Messaging.

REQUIRED EDITIONS

Available in: Lightning Experience

Unified Messaging for Email and SMS is available in: Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next **Growth** and **Advanced** Editions

Unified Messaging for WhatsApp is available in: **Enterprise** and **Unlimited** Editions for Marketing Cloud Engagement **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

Unified Messaging uses communication subscriptions to manage consent. Each SMS code or WhatsApp channel number is mapped to one or more communication subscriptions. If a recipient opts in to a Unified Messaging channel, they opt in to all of the communication subscriptions mapped to that Unified Messaging channel. If a recipient opts out of a channel, they opt out of all communication subscriptions mapped to that channel. See [Understanding Consent Concepts in Marketing Cloud Next](#) and [Considerations for Managing Consent Data](#)

See Also

[Manage SMS Consent](#)

Inactive Unified Messaging Channels and Deprovisioning

Your Unified Messaging channel becomes inactive if your Salesforce Message Credits contract for that channel expires, you cancel your Salesforce contract, your contract no longer includes Data 360, or you

inactivate your Data 360 instance. When your channel is inactive, you can still review the configuration and tracking information, but all send activities cease immediately. To reactivate your channel, contact your Salesforce account executive.

Available in: Lightning Experience
Unified Messaging for Email and SMS is available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Not supported in Government Cloud Plus

After an account is inactive for 30 days due to an expired Salesforce Message Credits contract or 120 days because of an expired Salesforce or Data 360 contract, the channel is deprovisioned. The channel data is queued for deletion, but your engagement data and billing and usage information remain as long as you maintain an active Data 360 contract. All channel services (such as DKIM key retirement for email) are fully deprovisioned at this time.

If not renewed, SMS codes also become inactive but remain under Salesforce management for 30 days. After 30 days, all customer data (including operational and setup data and any applicable keywords) is queued for deletion, and Salesforce stops maintaining the SMS code.

If your Data 360 instance is deleted, Unified Messaging no longer works. Creating a new Data 360 tenant will not automatically restore Unified Messaging. To create the Data 360 tenant and restore Unified Messaging, contact Salesforce Customer Support.

Billing Considerations for Unified Messaging

When you send a message, Unified Messaging uses both messaging services and Data 360 services. In addition to Salesforce Message Credits, these activities also consume Data 360 credits.

Available in: Lightning Experience
Unified Messaging for email and SMS is available in: Salesforce Enterprise and Unlimited Editions for Service Cloud AND Enterprise and Unlimited Editions with Marketing Cloud Next Growth and Advanced Editions
Unified Messaging for WhatsApp is available in: Enterprise and Unlimited Editions for Marketing Cloud Engagement Growth and Advanced Editions
Unified Messaging for email is supported in Government Cloud Plus
Unified Messaging for Mobile Apps is available in: Enterprise and Unlimited Editions for Marketing Cloud Advanced Edition. Mobile App Messaging is available only in Marketing Cloud Next accounts

hosted in Germany and the United States.

Digital Wallet Card	Usage Type	Description	Notes
Salesforce Message Credits - Email	Email	Salesforce Message Credit usage is calculated based on the number of messages sent.	You're charged for all email messages sent from your account, whether they're delivered or not. Each email sent to a carbon copy (CC) recipient also consumes a Salesforce Message Credit.
Salesforce Message Credits - SMS	SMS	Salesforce Message Credit usage is calculated based on the number of messages sent.	You're charged for all mobile-originated (MO) and mobile-terminated (MT) messages, whether they're delivered or not. Billing rates differ based on country destination and the originating phone number. To determine subtype rates, review the rate card at Multipliers for Salesforce Message Credits.
Salesforce Message Credits - WhatsApp	WhatsApp	Salesforce Message Credit usage is calculated based on the number of messages sent.	Billing rates differ based on the subtype that each message falls into. To determine subtype rates, review the rate card at Multipliers for Salesforce Message Credits. You're charged for all messages delivered from your account.
Salesforce Message Credits - Mobile App	Mobile App	Salesforce Message Credit usage is based on the number of monthly active devices.	A device becomes a monthly active device after the first instance in the monthly billing window that it emits a registration or custom event to Salesforce. You're charged for all messages sent from your account, whether they're delivered or not.

Digital Wallet Card	Usage Type	Description	Notes
Data Services	- Email - SMS - WhatsApp	Each email, SMS, and WhatsApp messaging engagement event ingestion to Data 360 generates one record.	
Data Services	- Email - SMS - WhatsApp	Profile and consent checks at send time trigger email and SMS accelerated data queries.	
Data Storage	- Email - SMS - WhatsApp	Storing messaging engagement events in Data 360 consumes Data Storage credits.	