Caramba North

1,300 CONTIGUOUS ACRES · NORTH SIDE OF I-10 · PECOS COUNTY, TEXAS

A 1,300-acre parcel inside an already-forming power and data-center corridor: 32.7 GW of operating and queued capacity within 60 miles, and two hyperscale-scale campuses on the same north–south line through the property at 15.5 and 19.3 miles.

WITHIN 60 MI	PERMITTED WATER	TO SOLSTICE	TO WAHA HUB
32.7 GW	**47,418**	**15 mi**	**20 mi**
operating + ERCOT queue	AF/yr (42.3 MGD)	765 kV import terminus	gas supply quote in hand

Operating + ERCOT-queued capacity by radius

Cumulative, region-wide · EIA-860 + ERCOT queue

CUMULATIVE	
15 mi	0.5 GW
30 mi	8.9 GW
60 mi	32.7 GW
100 mi	53.5 GW



GW Ranch sits due north, Longfellow due south — the site is on the line between them.

Exhibit A · Cumulative operating + ERCOT-queued capacity by radius from the tract. Region-wide, not county-bounded.

Contents

Ordered from the region's numbers inward to the site's, then the same record again at drawing-set density — the corridor makes the case before the parcel does.

PART I · PAGES 01–22

Memorandum

03 **Positioning**
The corridor makes the case before the parcel does.

04 **The Property**
As-of-right industrial land; no rezoning path required.

05 **Transmission**
Fifteen miles from the 765 kV import terminus.

06 **Regional Power Cluster**
3,226 MW operating and 12,039 MW queued in-county.

07 **Water**
47,418 AF/yr permitted — two-thirds of district rights.

09 **Natural Gas**
A 15-year indicative quote at Waha index pricing.

10 **The Regional Pipeline**
Named large-load projects sit on one axis.

11 **Ring Analysis**
0.5 / 8.9 / 32.7 / 53.5 GW at 15 / 30 / 60 / 100 mi.

13 **GW Ranch**
7.65 GW air permit, under construction, 15.5 mi north.

15 **Longfellow**
Phased on-site gas generation, 19.3 miles south.

16 **ERCOT Queue Context**
A 474 GW backlog that triggered a state audit.

17 **Subsurface & Drilling**
Lowest new-drill count of seven Permian counties.

19 **The Diligence Platform**
Every figure traces to a cited public dataset.

20 **Methodology & Sources**
Distances are edge-to-edge; here is the arithmetic.

21 **Notices**
Preliminary and indicative; circulated under NDA.

22 **Appendix A**
Technical drawing set — sheets A-01 through A-13.

PART II · SHEETS A-01–A-13

Appendix A — Technical Drawing Set

A-01 Title sheet — index, ring analysis
A-02 The property — 1,300 ac, I-10 frontage
A-03 Transmission — 765 kV terminus
A-04 Regional power cluster — fleet + queue
A-05 Water — Middle Pecos GCD rights
A-06 Natural gas — Waha basis, supply quote
A-07 Corridor + ring analysis
A-08 GW Ranch — 7.65 GW, 15.5 mi
A-09 Longfellow — phased generation, 19.3 mi
A-10 Queue and policy context
A-11 Subsurface activity — drilling record
A-12 Diligence platform — source register
A-13 Methodology and notices

Four pages in Part I carry a single figure and one sentence; each opens the section that develops it. Figures set in mono come from the GIS data model described on page 19. Distances to the two anchors are edge-to-edge from the tract boundary — see page 20.

Positioning

Two hyperscale-scale campuses sit on the same north–south line through this property at 15.5 and 19.3 miles; the water and gas behind it are permitted, not applied for.

Caramba North is not a speculative land bet. It is a 1,300-acre parcel sitting inside an already-forming power and data-center corridor — with water and gas on contract-ready terms, not applications.

WHAT THE REGION CARRIES

Two hyperscale-scale projects — **7.65 GW** and **2 GW** announced — sit on the same north–south line through the property at **15.5** and **19.3** miles. Around them, **32.7 GW** of operating and ERCOT-queued capacity sits within 60 miles, in the state's highest-growth large-load pocket.

WHAT THE SITE CARRIES

A transmission, water and gas position that is already permitted rather than proposed: 15 miles from the western terminus of three PUCT-approved 765 kV import paths, **47,418 AF/yr** of permitted groundwater on adjacent affiliated lands, and an indicative **15-year** gas supply quote at Waha index pricing.

The state-level context is the frame, not the pitch: Texas' interconnection backlog reached roughly **474 GW** of pending requests, about 90% data-center driven, large enough to trigger a gubernatorial audit and a pause of the large-load review process in August 2026. Caramba North is positioned to benefit from the same infrastructure buildout without carrying the exposure of being the marginal, unproven project inside that queue.

OPERATING + QUEUED WITHIN 60 MILES

32.7 GW

region-wide; EIA-860 operating fleet plus ERCOT interconnection queue

QUEUED IN PECOS COUNTY ALONE

12,039 MW

39 projects, before counting the two feature anchors

ANNOUNCED CAPACITY UNDER CONSTRUCTION

79.3%

of the two profiled anchors' combined announced MW

NEW-DRILL WELLS WITHIN 5 MILES SINCE 2020

0

one within 10 miles, at 9.37 mi

The Property

As-of-right industrial land inside the fastest-growing load pocket in ERCOT — this is not a rezoning story.

ATTRIBUTE	DETAIL
ACREAGE	1,300 acres maximum contiguous
LOCATION	North side of Interstate 10, Pecos County, Texas
NEAREST CITY	≈ 5 miles from Fort Stockton — services and regional airport
ZONING	No county zoning ordinance; industrial and energy use as of right
ERCOT ZONE	Far West weather zone — the highest-growth large-load pocket in ERCOT
TRANSMISSION	15 miles to Solstice Substation; six substations within 10 miles (p. 05)
WATER	47,418 AF/yr permitted on adjacent affiliated lands (p. 08)
GAS	20 miles to the Waha hub; indicative 15-year supply quote (p. 09)

MAX CONTIGUOUS	TO FORT STOCKTON	ZONING	WEATHER ZONE
1,300 ac	≈ 5 mi	None	Far West



CARAMBA NORTH subject tract 1 GW RANCH 15.5 mi N 2 LONGFELLOW 19.3 mi S

Exhibit B · Site setting — tract, anchors, transmission, I-10. Anchors are markers at their disclosed site coordinates; only the subject position is drawn as a boundary.

Transmission

Fifteen miles from the delivery point of all three approved 765 kV Permian import lines — the transmission decision is already made, upstream of this site.

Substations by distance from the tract

Six local substations inside 10 miles; the 765 kV import terminus at 15

	(0 / 5 / 10 / 15 MILES)	
Fort Stockton Plant	2.0 mi	138 / 69 kV
Airport	3.3 mi	138 kV
Fort Stockton	5.4 mi	69 kV
16th Street	6.0 mi	138 / 69 kV
Northern Natural	7.0 mi	–
Gomez	9.7 mi	–
Solstice	15.0 mi	765 kV

Exhibit C · Distance profile, tract boundary to each substation. Solstice set apart in blue: it is the delivery point, not a local tap.

NEAREST SUBSTATION
2.0 mi
Fort Stockton Plant, 138 / 69 kV

INSIDE 10 MILES
6
local substations

HIGHEST VOLTAGE NEARBY
765 kV
at Solstice, 15 miles

SOLSTICE SUBSTATION — 15 MILES

Western terminus of three 765 kV Permian import paths approved by the PUCT on **April 24, 2025** (PBRP Docket No. 55718), developed by AEP and CPS Energy. The decision to move bulk power into this part of the Permian is already made, upstream of the site.

TO SOLSTICE
15 mi
765 kV import terminus

APPROVED PATHS
3
PUCT, Apr 24 2025

TPIT SUBSTATIONS
141
planned upgrades, ERCOT-wide

TPIT LINES
133
planned upgrades, ERCOT-wide

TPIT (Transmission Planning Improvement Tool) counts are the queue of *planned* ERCOT-wide grid upgrades, not built capacity — cited here as pipeline context only. Substation distances are straight-line from the tract boundary; voltages as recorded in the HIFLD and ERCOT layers.

Regional Power Cluster

12 GW is already queued in this county alone — before counting either of the two hyperscale campuses profiled on pages 14 and 15.

Pecos County operating capacity

Megawatts in service · EIA-860



3,226 MW operating today; 12,039 MW queued in this county alone.

Exhibit D · Pecos County operating capacity by technology (EIA-860).

NEAREST OPERATING STORAGE

1.9 mi

St. Gall Energy Storage I

ITS RATING

103 MW

battery storage

Operating capacity is the in-service EIA-860 fleet for Pecos County. The county's ERCOT queue is 3.7× its operating fleet before either feature anchor is counted; neither anchor appears in the queue totals on this page.

PECOS COUNTY — OPERATING	MW	PROJECTS
Solar	2,178	13
Wind	542	5
Battery storage	505	6
Gas	1	1
Total operating	**3,226**	**25**

QUEUE AND ADJACENT COUNTIES	MW	PROJECTS
Pecos County — ERCOT queue	12,039	39
Adjacent six counties — operating	7,022	–
Adjacent six counties — queued	24,585	–
Within 20 miles of the tract — queued	3,973	13

Adjacent six counties: Reeves, Crane, Ward, Upton, Ector and Crockett. Queue figures are ERCOT interconnection-queue positions, not committed capacity; operating figures are the EIA-860 fleet.

47,418 AF/yr

of permitted groundwater sit on adjacent affiliated lands — roughly two-thirds of all the industrial water rights the Middle Pecos district has issued.

42.3 million gallons per day, drawn from the Edwards-Trinity (Plateau) aquifer, whose recharge held through the 1950s drought of record. Detail follows on page 08.

Water

Two-thirds of the district's industrial water rights are already permitted to this position — the water conversation is closed, not open.

PARAMETER	DETAIL
PERMITTED VOLUME	47,418 acre-feet per year — 42.3 million gallons per day
HELD ON	Adjacent affiliated lands, permitted through the Middle Pecos GCD
DISTRICT SHARE	Roughly two-thirds of all Middle Pecos GCD industrial water rights
SOURCE	Edwards-Trinity (Plateau) aquifer
RECHARGE RECORD	Held through the 1950s drought of record

SHARE OF MIDDLE PECOS GCD INDUSTRIAL WATER RIGHTS

≈ TWO-THIRDS — PERMITTED TO THIS POSITION

REMAINDER OF DISTRICT INDUSTRIAL RIGHTS

Volumes are permitted rights held on adjacent affiliated lands, recorded with the Middle Pecos Groundwater Conservation District. The Edwards-Trinity (Plateau) aquifer is the producing source.

PERMITTED

47,418 AF/yr

acre-feet per year, Middle Pecos GCD

EQUIVALENT

42.3 MGD

million gallons per day

AQUIFER

Edwards-Trinity

Plateau; recharge held through the 1950s drought of record

The water conversation on this position is closed rather than open: the volume is permitted, not applied for, and it represents roughly two-thirds of the district's total industrial allocation. Closed-loop cooling on permitted non-potable groundwater is already the regional design pattern — see page 15.

Natural Gas

A signable 15-year gas quote at Waha basis — the same structural discount now drawing behind-the-meter generation into this corridor.

INDICATIVE SUPPLY QUOTE — TERMS IN HAND

PARAMETER	QUOTED TERM
VOLUME	200,000 MMBtu / day
TENOR	15 years
PRICING	Waha index
CIAC	$15–25 million
LEAD TIME	9–15 months
DISTANCE TO HUB	20 miles to Waha

Terms above are counterparty-supplied and indicative, not a binding offer.

TO WAHA HUB
20 mi

QUOTED VOLUME
200 MMcf/d
order of magnitude

QUOTED TENOR
15 yr

BASIS CONTEXT

Waha trades at a structural discount to Henry Hub, with negative prints recorded in 2024 and 2025 as Permian egress rebalances. That basis is the same economic signal now drawing behind-the-meter generation into this corridor — including the two campuses profiled on pages 14 and 15, both of which plan on-site gas generation rather than grid supply.

EGRESS PROJECTS REBALANCING PERMIAN BASIS

MATTERHORN | BLACKCOMB | HUGH BRINSON | GCX

SCHEDULE-CRITICAL VARIABLES

The CIAC range of **$15–25 million** and the **9–15 month** lead time are the two schedule-critical terms in the fuel path; both are quoted, so they can be diligenced rather than estimated.

> A signable 15-year quote at Waha index pricing is a different asset than a pipeline interconnect study. It converts the fuel question from a development risk into a commercial term, at a hub 20 miles away.

The Regional Pipeline

The named large-load projects in this corridor sit on one axis through the property — the site is inside the formation, not adjacent to it.

The named large-load and generation projects in this corridor do not sit scattered across the basin. They line up along the I-10 / Highway 18 axis that runs through the property, with the two feature anchors due north and due south of it.

QUEUED WITHIN 20 MILES

3,973 MW

13 ERCOT-queue projects

NEAREST OPERATING STORAGE

1.9 mi

St. Gall Energy Storage I — 103 MW

ANCHOR BEARINGS

19° / 188°

GW Ranch north, Longfellow south

Exhibit E · Regional map with callout rail. Geometry drawn from the GIS layers described on page 19: the Caramba North tract, HIFLD transmission, the ERCOT queue and TIGER highways. The two feature anchors are plotted as markers at their disclosed site coordinates — the same points every distance in this document is measured to — and the subject position is the only boundary drawn.



REGIONAL POWER CORRIDOR

CARAMBA NORTH
1,300 contiguous acres · as-of-right
I-10 frontage · 5 mi to Fort Stockton

1 GW Ranch
15.5 mi · under construction
7.65 GW TCEQ air permit · Amazon

2 Longfellow
19.3 mi · phase-1 site work
2 GW planned on-site gas generation

3 La Escalera Ranch
Apex Clean Energy — Pecos Flat
3.3 GW wind + solar + hydrogen

OPERATING + ERCOT QUEUE

15 mi	0.5 GW
30 mi	8.9 GW
60 mi	32.7 GW
100 mi	53.5 GW

LEGEND

- Transmission line (HIFLD)
- Substation
- ERCOT interconnection queue
- Interstate 10
- Distance ring from tract

32.7 GW

of operating and ERCOT-queued capacity sits within sixty miles of the tract. Caramba North is inside that radius, not adjacent to it.

0.5 GW within 15 miles · 8.9 GW within 30 · 53.5 GW within 100. Region-wide, computed from the EIA-860 operating fleet plus the ERCOT interconnection queue — not county-bounded. Detail follows on page 12.

Ring Analysis

Capacity compounds with radius – 0.5 GW at 15 miles, 32.7 GW at 60, 53.5 GW at 100 – and the tract sits at the centre of that gradient.

Operating + ERCOT-queued capacity by radius
Cumulative, region-wide · EIA-860 + ERCOT queue



GW Ranch sits due north, Longfellow due south — the site is on the line between them.

Exhibit A · Cumulative capacity by radius, with the two anchors plotted at true bearing and distance from the tract.

RADIUS FROM TRACT	OPERATING + QUEUED	INCREMENT
≤ 15 MILES	0.5 GW	–
≤ 30 MILES	8.9 GW	+8.4
≤ 60 MILES	32.7 GW	+23.8
≤ 100 MILES	53.5 GW	+20.8

Region-wide totals computed from the same EIA-860 operating fleet and ERCOT interconnection-queue layers used throughout; not county-bounded. Increments are the additional capacity captured by each successive ring. GW Ranch bears ≈19° (almost due north) and Longfellow ≈188° (almost due south) from the tract, so the property sits on the line between them rather than off to one side.

MATURITY OF THE TWO FEATURE ANCHORS

Announced capacity within 20 miles, by build status

Share of 9,650 MW combined announced



Exhibit F · 79.3% of the two anchors' combined announced MW is under construction; 20.7% is in planned / phase-1 status — the regional pipeline is majority-built, not majority-speculative.

79.3 %

of the two anchor campuses' combined announced capacity is already under construction – the pipeline on this axis is majority-built, not majority-proposed.

GW Ranch: 7.65 GW permitted, under construction, 15.5 mi north. Longfellow: 2 GW announced, phase-1 site work underway, 19.3 mi south. Both distances edge-to-edge from the tract boundary; basis on page 20.

GW Ranch

The largest air permit issued in the US this year sits fifteen miles up the same highway corridor — under construction, not announced.

ITEM	DETAIL
SITE	8,000 acres, Pecos County
DISTANCE	≈ 15.5 miles from the Caramba North tract boundary, edge-to-edge
OWNERSHIP	Amazon — ownership disclosed August 2026
DEVELOPER	Pacifico Energy Group remains power-plant developer and operator
GENERATION	35 gas turbines; 7.65 GW TCEQ air permit issued Jan / Feb 2026 — the largest in the US
STORAGE	1.8 GW battery storage
SOLAR	Up to 750 MW
BUILDINGS	Three data-center buildings of 189,000 sq ft each (Gensler design), ≈ $300M each
TARGET COMPLETION	December 2026
INVESTMENT	≈ $12 billion estimated total project investment
STATUS	Under construction

TCEQ's own record locates the site "~17 mi north of Fort Stockton on Highway 18" — a measurement from the town. The 15.5-mile figure above is measured from the Caramba North tract boundary; see page 20.

DISTANCE
15.5 mi
edge-to-edge, due north (≈19°)

AIR PERMIT
7.65 GW
TCEQ, issued Jan / Feb 2026

SITE
8,000 ac
Pecos County

TURBINES
35
natural gas

STORAGE
1.8 GW
battery

SOLAR
750 MW
up to

CLARIFICATION TO RETAIN

The 7.65 GW figure is a TCEQ **generation air permit**, not an ERCOT interconnection-queue position. Amazon has not disclosed an ERCOT filing and the project is off-grid initially. That distinction matters against the state-level queue context on page 16.

Longfellow

A second phased gas-generation campus twenty miles south — the corridor's demand for on-site power isn't one project deep.

ITEM	DETAIL
SITE	568 acres, Pecos County
DISTANCE	≈ 19.3 miles from the Caramba North tract boundary, edge-to-edge
ANNOUNCED	October 2025 — a 2 GW campus in 8 phases of 250 MW each
GENERATION	On-site natural gas planned: aero-derivative turbines with SCR and carbon-capture capability
COOLING	Closed-loop, on permitted non-potable groundwater
STATUS	Phase-1 site work underway; on-site generation build planned in phases
PERMITTING	No confirmed ERCOT queue position or TCEQ air-permit record found for this site as of August 2026

Longfellow's own public materials describe the location as "more than 25 miles outside of Fort Stockton." The 19.3-mile figure above is measured to the Caramba North tract boundary, which lies north of Fort Stockton — the two statements are consistent, and this distance should not be represented as shorter. See the methodology note on page 20. The permitting line is a statement of record status as searched, not a comment on the project.

DISTANCE
19.3 mi
edge-to-edge, due south (≈188°)

SITE
568 ac
Pecos County

ANNOUNCED
2 GW
October 2025

PHASING
8 × 250 MW
as announced

WHY IT BELONGS IN THIS DOCUMENT

Read purely as infrastructure, Longfellow is the second phased gas-generation campus inside twenty miles. It establishes that demand for on-site power in this corridor is not one project deep, and that closed-loop cooling on permitted non-potable groundwater is the regional design pattern — the same water position described on page 8.

Site dimensions and phasing as announced publicly in October 2025; generation and cooling design as described in the project's own public materials; permitting status as searched in August 2026.

ERCOT Queue Context

The statewide backlog reached roughly 474 GW and triggered a queue-processing pause — the demand signal is large enough to have created a policy problem.



Exhibit G · ERCOT interconnection queue, 2024 → 2026 (public reporting).

OF THE NOV 2025 QUEUE

77%

data centers targeting 2030 interconnection

OF THE AUG 2026 BACKLOG

≈ 90%

data-center driven

WHAT HAPPENED

ERCOT's large-load interconnection queue grew from **63 GW** at the end of 2024 to **226 GW** by November 2025 — nearly quadrupling in a year — with roughly **77%** of that load being data centers targeting 2030 interconnection. By August 2026 the statewide backlog of pending requests reached approximately **474 GW**, about **90%** data-center driven: more than five times the state's record peak demand, per Governor Abbott.

WHAT IT TRIGGERED

An August 3, 2026 directive to audit all ERCOT-queue data centers, and a pause of the "Batch Zero" large-load review process pending that audit.

WHY IT FRAMES THIS SITE

The 32.7 GW around Caramba North sits inside a state-level queue large enough to have created a policy problem. That is a different and more testable claim than "this area is growing." It also sharpens the distinction on page 14: GW Ranch is permitted through TCEQ and off-grid initially, so its capacity does not depend on the queue that is now paused.

Sources: Latitude Media, "ERCOT's large load queue has nearly quadrupled in a single year," December 3, 2025. Utility Dive, "Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers," August 2026.

115

new-drill wellbore events in Pecos County since 2020, against a 1,181 average across six comparable Permian counties.

Lowest of all seven by a wide margin — roughly 90% below the peer average. Zero new-drill wells within five miles of the tract; one within ten, at 9.37 miles. RRC wellbore records. Detail follows on page 18.

Subsurface & Drilling Activity

Pecos County has the lowest new-drilling count of seven comparable Permian counties since 2020 — roughly 90% below the peer average.

NEW-DRILL EVENTS, PECOS COUNTY SINCE 2020	NEW-DRILL SHARE OF RRC ACTIVITY	PEER-COUNTY AVERAGE	PECOS VS. PEER AVERAGE
115	**10%**	**1,181**	**≈ 90% below**
of 1,140 total RRC wellbore events	the other 90% are workovers and reworks	six comparable Permian counties	lowest of all seven counties

New-drill wellbore events since 2020

Pecos County vs. six comparable Permian counties · RRC dbf900



Pecos is the lowest of the seven — roughly 90% below the peer average.

PROXIMITY TO TRACT	NEW DRILLS
WITHIN 2 MILES	0
WITHIN 5 MILES	0
WITHIN 10 MILES	1
BEYOND 10 MILES	114

Nearest new-drill well since 2020 is 9.37 miles away. Beyond 10 miles the median distance is 19.9 miles and the mean 20.9 miles.

WELL STATUS INSIDE 10 MILES

83% of non-plugged wellbores within 10 miles are marginal or end-of-life production, against 60% at ≤2 miles and 62% at ≤5 miles — the closer ring is quieter still.

Exhibit H · New-drill wellbore events since 2020 — Pecos County against six comparable Permian counties (RRC dbf900).

The Diligence Platform

Every figure in this document is independently re-derivable from a cited public source — this isn't a broker's summary.

DATASET	PUBLISHER / SERIES
INTERCONNECTION	ERCOT GIS Report; ERCOT TPIT
TRANSMISSION SITING	PUCT dockets
GENERATING FLEET	EIA-860
AIR PERMITS	TCEQ
WELLS & PERMITS	RRC dbf900, production records, W-1
COMPLETIONS	FracFocus
GROUNDWATER	Middle Pecos GCD
INFRASTRUCTURE	HIFLD; USGS; BTS; Census TIGER

Every point, line and boundary in the platform carries a per-feature source popup naming its dataset, so any figure in this document can be traced back to the record it came from.

LAYER	REFRESH
RRC WELLS AND PERMITS	Weekly
ERCOT QUEUE AND TPIT	Monthly
EIA / USGS / OSM	Annually

WORKING TOOLS

Filters by county, depth, spud year, fuel and status; a time scrubber; and measure, share and print tools. The build is static and versioned, the deployed bundle is byte-verified on release, and access is logged.

BUILD
Static
versioned, byte-verified

ACCESS
Logged
credentials issued separately

PLATFORM
lrp-tx-gis.netlify.app
Credentials issued to the deal team separately.

Methodology & Sources

Distances here are edge-to-edge from the tract boundary — shorter than centroid-to-centroid, and stated in full so the figures can be checked.

DISTANCE METHODOLOGY

Distances to GW Ranch and Longfellow are measured **edge-to-edge**: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. Edge-to-edge is consistently the shorter of the two because the Caramba North tract has its own spatial extent. The edge-to-edge figures are the ones used everywhere else in this document; the centroid figures appear here and nowhere else.

SITE	EDGE-TO-EDGE	CENTROID-TO-CENTROID
GW RANCH	15.5 mi	17.3 mi
LONGFELLOW	19.3 mi	19.7 mi

Longfellow's own public site describes its location as more than 25 miles outside Fort Stockton, which is consistent with the longer of these figures; that distance should not be represented as shorter. The TCEQ record for GW Ranch places it "~17 mi north of Fort Stockton on Highway 18" — a measurement from the town, not from this tract.

VINTAGE

All figures are stated as of August 2026, on the refresh cadence set out on page 19.

CITED THIRD-PARTY REPORTING

Latitude Media, "ERCOT's large load queue has nearly quadrupled in a single year," December 3, 2025.

Utility Dive, "Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers," August 2026.

OTHER SOURCE CLASSES

TCEQ air-permit records for the GW Ranch generation permit; PUCT PBRP Docket No. 55718 for the 765 kV import approvals; Middle Pecos GCD for permitted groundwater; RRC dbf900 and W-1 records for wellbore activity. Public-data figures drawn from the GIS model on page 19 carry their citation in the platform's per-feature source popups.

> Where a figure is not in the GIS data model — ERCOT queue-growth totals, TCEQ permit language, news items — the source class is named at the point of use.

Notices

This memorandum is preliminary and indicative, circulated under NDA to a limited number of counterparties — read the clauses below as binding on its use.

01	CONFIDENTIALITY	This memorandum is confidential and has been prepared for a limited number of prospective counterparties under a non-disclosure agreement. It may not be reproduced or distributed, in whole or in part, without prior written consent.
02	NO OFFER	This memorandum is not an offer to sell, nor a solicitation of an offer to buy, any security or interest. No agreement or obligation arises from its delivery or from any discussion it prompts.
03	PRELIMINARY INFORMATION	The information here is preliminary and indicative. It has been drawn from sources believed to be reliable, but no representation or warranty, express or implied, is made as to its accuracy or completeness. Indicative commercial terms, including the gas supply quote on page 9, are counterparty-supplied and subject to change.
04	PUBLIC DATA	Public data reproduced in this memorandum is drawn from the datasets listed on page 19 and is re-derivable from those sources. Third-party transaction and policy reporting is sourced to the public reporting cited on page 20 and in the companion source register.
05	FORWARD-LOOKING STATEMENTS	Statements regarding planned capacity, construction timing, permitting status and regional development reflect information available as of August 2026 and are subject to change without notice.

Appendix A

Technical Drawing Set

The same facts as the body, re-set at drawing-set density: thirteen numbered sheets, each with its own title block, numbered tables and framed figure plates.

SHEETS A-01 – A-13 · SOURCE REGISTER AND DISTANCE BASIS ON SHEET A-13

OFFERING MEMORANDUM · DRAWING SET

Caramba North

1,300 ACRES · NORTH OF I-10 · PECOS COUNTY, TEXAS

Two hyperscale-scale power projects — 7.65 GW and 2 GW — sit at 15.5 and 19.3 miles on the same north–south line through this tract, inside a 60-mile radius holding 32.7 GW of operating and queued capacity.

1,300 ac	**15** mi	**47,418**	**32.7** GW
ACRES, MAX CONTIGUOUS	MILES TO 765 KV TERMINUS	AF/YR WATER PERMITTED	GW WITHIN 60 MILES

TBL 01.1 SHEET INDEX

SH	SECTION
A-01	Title sheet — index, ring analysis
A-02	The property — 1,300 ac, I-10 frontage
A-03	Transmission — 765 kV terminus
A-04	Regional power cluster — fleet + queue
A-05	Water — Middle Pecos GCD rights
A-06	Natural gas — Waha basis, supply quote
A-07	Corridor + ring analysis
A-08	GW Ranch — 7.65 GW, 15.5 mi
A-09	Longfellow — phased generation, 19.3 mi
A-10	Queue and policy context
A-11	Subsurface activity — drilling record
A-12	Diligence platform — source register
A-13	Methodology and notices

Operating + ERCOT-queued capacity by radius

Cumulative, region-wide · EIA-860 + ERCOT queue



GW Ranch sits due north, Longfellow due south — the site is on the line between them.

FIG 01.1 OPERATING + ERCOT-QUEUED CAPACITY BY RADIUS

BEARING NOTE

GW Ranch bears ~19° and Longfellow ~188° from the tract — the property sits on the line between them, not off to one side.

2.1 SITE PARAMETERS

The property

As-of-right industrial land inside the fastest-growing load pocket in ERCOT — this is a siting decision, not a rezoning story.



FIG 02.1 SITE SETTING — TRACT, I-10, FORT STOCKTON AND THE 765 KV TERMINUS

READING THIS SHEET SET

Only the tract is drawn as a boundary — it is the set's one surveyed polygon. The feature anchors are plotted on sheets A-07 and A-08 as numbered site points, keyed in TBL 07.2; distances are measured from the tract boundary (basis on sheet A-13).

TBL 02.1 SITE PARAMETERS

PARAMETER	VALUE
Acreage	1,300 ac max contiguous
Position	North side of I-10
County	Pecos County, Texas
Services	~5 mi to Fort Stockton
Air access	Regional airport, Fort Stockton
Zoning	No zoning ordinance in effect
Permitted use	Industrial / energy as of right
ERCOT zone	Far West weather zone

01 ENTITLEMENT

No zoning ordinance

Industrial and energy use are permitted as of right; there is no rezoning or use-variance step on the critical path.

02 LOAD POCKET

Far West weather zone

ERCOT's highest-growth large-load pocket by interconnection request volume.

2.2 TRANSMISSION POSITION

Transmission

Fifteen miles from the delivery point of all three PUCT-approved 765 kV Permian import paths — the transmission decision was made upstream of this site.



FIG 03.1 SUBSTATION AND 765 KV TERMINUS DISTANCES FROM THE TRACT BOUNDARY

6
SUBSTATIONS WITHIN 10 MI

2.0 mi
MILES TO NEAREST SUBSTATION

15 mi
MILES TO 765 KV TERMINUS

TBL 03.1 APPROVED 765 KV IMPORT PATH

ITEM	RECORD
Terminus	Solstice Substation — AEP / CPS Energy
Distance	15 mi from tract boundary
Paths	Three PUCT-approved 765 kV Permian import lines
Approval	Apr 24, 2025
Docket	PBRP Docket No. 55718

TBL 03.2 PLANNED GRID UPGRADES (PIPELINE, NOT COMMITTED)

CATEGORY	COUNT
Substation upgrades tracked ERCOT-wide	141
Line upgrades tracked ERCOT-wide	133

Source: ERCOT Transmission Planning Improvement Tool (TPIT). TPIT is the queue of planned upgrades; cite as pipeline context, not built or committed capacity.

2.3 GENERATION, OPERATING AND QUEUED

Regional power cluster

12,039 MW is already queued in Pecos County alone — before counting the two campuses on sheets A-08 and A-09 — against 3,226 MW operating today.

Pecos County operating capacity

Megawatts in service · EIA-860



3,226 MW operating today; 12,039 MW queued in this county alone.

FIG 04.1 PECOS COUNTY OPERATING CAPACITY BY TECHNOLOGY, WITH PROJECT COUNTS

3,226 MW
MW OPERATING, PECOS CO.

12,039 MW
MW QUEUED, PECOS CO.

39
QUEUED PROJECTS

TBL 04.1 CAPACITY BY GEOGRAPHY

GEOGRAPHY	OPERATING	QUEUED
Pecos County	3,226 MW	12,039 MW
Adjacent six counties	7,022 MW	24,585 MW
Within 20 mi of tract	–	3,973 MW

Adjacent counties: Reeves, Crane, Ward, Upton, Ector, Crockett. Within 20 mi: 13 queued projects.

TBL 04.2 PECOS COUNTY OPERATING FLEET

TECHNOLOGY	MW
Solar	2,178
Wind	542
Storage (BESS)	505
Gas	1

Tabulated form of FIG 04.1; project counts are carried on the figure. Gas is 1 MW across 1 project – below the resolution of the plotted bar.

NEAREST OPERATING STORAGE
St. Gall Energy Storage I — 103 MW BESS, 1.9 mi from the tract boundary.

2.4 WATER RIGHTS

Water

Roughly two-thirds of all Middle Pecos GCD industrial water rights are already permitted to this position — the water question is closed, not open.

MIDDLE PECOS GCD — PERMITTED INDUSTRIAL WATER RIGHTS

47,418 AF/yr = 42.3 MGD

SOURCE AQUIFER
Edwards–Trinity (Plateau)

RECHARGE RECORD
Held through the 1950s drought of record

LOCATION OF RIGHTS
Adjacent affiliated lands

FIG 05.1 PERMITTED INDUSTRIAL RIGHTS AS A SHARE OF THE DISTRICT

RIGHTS BASIS
The permitted volume sits on adjacent affiliated lands and is roughly two-thirds of all industrial water rights issued by the Middle Pecos Groundwater Conservation District.

TBL 05.1 PERMITTED VOLUME AND BASIS

PARAMETER	VALUE
Permitted volume	47,418 AF/yr
Daily equivalent	42.3 MGD
District share	~2/3 of GCD industrial rights
Aquifer	Edwards–Trinity (Plateau)
Holder	Adjacent affiliated lands
District	Middle Pecos GCD

01 STATUS

Permitted, not applied for

The volume above is a granted permit position, not a pending application in a district queue.

02 DROUGHT BASIS

1950s drought of record

Edwards–Trinity (Plateau) recharge held through the drought of record used for regional planning.

2.5 GAS SUPPLY

Natural gas

A signable 15-year supply quote at Waha-index pricing sits 20 miles from the tract — the same structural basis discount now drawing behind-the-meter generation into this corridor.



200,000
MMBTU / DAY
INDICATIVE QUOTE

15 yr
TERM
WAHA-INDEX PRICING

$15–25M
CIAC
CONTRIBUTION IN AID

9–15 mo
LEAD TIME
COUNTERPARTY-SUPPLIED

FIG 06.1 INDICATIVE SUPPLY SCHEMATIC — WAHA HUB TO DELIVERY POINT

BASIS CONTEXT

Waha prices at a structural discount to Henry Hub, with negative prints recorded in 2024–2025 as the Matterhorn, Blackcomb, Hugh Brinson and GCX pipelines rebalance Permian egress.

TBL 06.1 INDICATIVE SUPPLY TERMS (COUNTERPARTY-SUPPLIED)

TERM	VALUE
Volume	200,000 MMBtu/day
Contract term	15 years
Pricing	Waha-index
CIAC	$15–25M
Lead time	9–15 months
Hub distance	20 mi to Waha

Indicative and non-binding; supplied by the counterparty and subject to confirmation in diligence.

01 EGRESS BUILD-OUT

Four pipelines rebalancing

Matterhorn, Blackcomb, Hugh Brinson and GCX are shifting Permian egress; the basis discount is the reason on-site generation is being sited here.

2.6 REGIONAL PIPELINE

Corridor and ring analysis

32.7 GW of operating and queued capacity sits within 60 miles; Caramba North is inside that radius, not adjacent to it.



FIG 07.1 REGIONAL CORRIDOR — OPERATING FLEET, ERCOT QUEUE AND THE TWO NUMBERED ANCHOR SITES

TBL 07.1 CUMULATIVE CAPACITY BY RADIUS

RADIUS	OPERATING + QUEUE
Within 15 mi	0.5 GW
Within 30 mi	8.9 GW
Within 60 mi	32.7 GW
Within 100 mi	53.5 GW

Region-wide, computed from the same EIA-860 and ERCOT-queue layers used throughout; not county-bounded.

TBL 07.2 THE TWO FEATURE ANCHORS — MAP KEY

#	PROJECT	DISTANCE	BEARING
1	GW Ranch	15.5 mi	~19°
2	Longfellow	19.3 mi	~188°

Numbers key the markers on FIG 07.1 and FIG 08.1. Distances are edge-to-edge from the tract boundary; each anchor is plotted at its disclosed site point — see sheet A-13 for basis.

GEOMETRY

GW Ranch bears almost due north and Longfellow almost due south; the tract sits between them on a single north–south axis.

WITHIN 20 MILES

3,973 MW across 13 ERCOT-queue projects, before either anchor above is counted.

2.6A FEATURE ANCHOR · NORTH

GW Ranch

The largest air permit issued in the US this year — 7.65 GW — sits 15.5 miles up the same highway corridor, under construction rather than announced.



FIG 08.1 GW RANCH (MARKER 1) RELATIVE TO THE TRACT — 15.5 MI, BEARING ~19°

15.5 mi
MILES FROM TRACT

8,000 ac
SITE ACREAGE

7.65 GW
GW AIR PERMIT

TBL 08.1 SITE AND GENERATION RECORD

PARAMETER	RECORD
Site	8,000 ac, Pecos County
Ownership	Amazon; disclosed Aug 2026
Developer	Pacifico Energy Group (plant operator)
Generation	35 gas turbines · 7.65 GW TCEQ air permit, Jan / Feb 2026
Storage / solar	1.8 GW battery; up to 750 MW solar
Buildings	3 × 189,000 sq ft (Gensler)
Target completion	Dec 2026
Est. investment	~$12B total project
Status	Under construction

PERMIT CLASSIFICATION

The 7.65 GW figure is a TCEQ *generation* air permit, not an ERCOT interconnection queue position. No ERCOT filing has been disclosed; the project is off-grid initially. See sheet A-10 for the state-level audit context this sits inside.

2.6B FEATURE ANCHOR · SOUTH

Longfellow

A second phased gas-generation campus 19.3 miles south — the corridor's demand for on-site power is not one project deep.

FIG 09.1 ANNOUNCED PHASING — 8 PHASES AT 250 MW



FIG 09.2 BUILD STATUS OF THE TWO ANCHORS' COMBINED 9,650 MW

TBL 09.1 SITE AND GENERATION RECORD

PARAMETER	RECORD
Site	568 ac, Pecos County
Distance	19.3 mi from tract, edge-to-edge
Announced	Oct 2025 — 2 GW, 8 phases
Phase size	250 MW
Generation	On-site aero-derivative gas turbines
Emissions	SCR with carbon-capture capability
Cooling	Closed-loop, permitted non-potable groundwater
Status	Phase-1 site work underway

PERMITTING STATUS

No confirmed ERCOT queue position and no TCEQ air-permit record was found for this site as of Aug 2026. Stated as a fact about the permitting record, not as commentary on the project.

LOCATION BASIS

Longfellow's own public materials describe the location as more than 25 miles outside Fort Stockton; the 19.3 mi figure is measured to the Caramba North tract boundary, not to Fort Stockton.

3.0 MACRO FRAMING

Queue and policy context

The statewide backlog reached ~474 GW and triggered an audit and a queue-processing pause — the demand signal is large enough to have become a policy problem, which is a different claim than "this area is growing."



FIG 10.1 ERCOT LARGE-LOAD INTERCONNECTION QUEUE, GW PENDING

TBL 10.1 CHRONOLOGY

DATE	QUEUE	EVENT
End 2024	63 GW	Large-load queue baseline
Nov 2025	226 GW	Nearly quadrupled in a year; ~77% data centers targeting 2030 interconnection
Aug 3, 2026	–	Gubernatorial directive to audit all ERCOT-queue data centers; "Batch Zero" large-load review paused
Aug 2026	474 GW	Statewide pending requests, ~90% data-center-driven

Sources: Latitude Media, "ERCOT's large load queue has nearly quadrupled in a single year" (Dec 3, 2025); Utility Dive, "Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers" (Aug 2026).

01 SCALE REFERENCE

5× record peak demand

Gov. Abbott characterised the pending request volume as more than five times Texas' record peak demand.

02 POSITION

Inside the radius

The 32.7 GW within 60 miles of this tract sits inside the same state-level queue that produced the pause.

2.8 DRILLING AND WELLBORE RECORD

Subsurface activity

Pecos County records the lowest new-drill count of seven comparable Permian counties since 2020 — roughly 90% below the peer average.

New-drill wellbore events since 2020

Pecos County vs. six comparable Permian counties · RRC dbf900



Pecos is the lowest of the seven — roughly 90% below the peer average.

FIG 11.1 NEW-DRILL WELLBORE EVENTS SINCE 2020, PECOS VS. PEERS

115
NEW-DRILL EVENTS SINCE 2020

10%
SHARE OF 1,140 RRC EVENTS

9.37 mi
MILES TO NEAREST NEW DRILL

TBL 11.1 NEW-DRILL WELLS BY PROXIMITY RING

RING	WELLS
Within 2 mi	0
Within 5 mi	0
Within 10 mi	1
Beyond 10 mi	114

Median distance beyond 10 mi: 19.9 mi; mean 20.9 mi. RRC dbf900 / W-1 records since 2020.

TBL 11.2 MARGINAL / END-OF-LIFE SHARE OF NON-PLUGGED WELLBORES

RING	MARGINAL
Within 2 mi	60%
Within 5 mi	62%
Within 10 mi	83%

The closer ring is quieter than the wider one on both measures.

2.7 DATA PROVENANCE

Diligence platform

Every figure on these sheets is independently re-derivable from a cited public dataset — this is a source register, not a broker's summary.

TBL 12.1 SOURCE REGISTER — EVERY LAYER TRACES TO A CITED DATASET

PUBLISHER	DATASET	WHAT IT CARRIES	REFRESH
ERCOT	GIS Report · TPIT	Queue, planned upgrades	Monthly
PUCT	Dockets	Approved transmission paths	As filed
EIA	Form EIA-860	Operating generation fleet	Annual
TCEQ	Air permits	Permitted generation	As issued
RRC	dbf900 · production · W-1	Wellbore and drilling record	Weekly
FracFocus	Disclosure registry	Completion record	Weekly
Middle Pecos GCD	Permit register	Water rights	As issued
HIFLD	Transmission · substations	Grid infrastructure	Annual
USGS	Hydrogeology	Aquifer extent	Annual
BTS · Census TIGER	Roads · boundaries	Highways, county lines	Annual

FIG 12.1 PER-FEATURE SOURCE ATTRIBUTION BEHIND THE GIS PLATFORM

RE-DERIVABILITY

Each feature in the platform carries a source popup naming the dataset and vintage it was drawn from, so any figure on these sheets can be traced back to the published record it came from.

TBL 12.2 PLATFORM CAPABILITY

FUNCTION	DETAIL
Filters	County, depth, spud year, fuel, status
Time	Scrubber across the wellbore record
Tools	Measure, share, print
Popups	Per-feature source attribution
Build	Static, versioned
Release	Deployed bundle byte-verified
Access	Logged; credentials issued separately

PLATFORM ADDRESS

lrp-tx-gis.netlify.app — credentials issued to the deal team separately from this document.

01 REFRESH CADENCE

Weekly / monthly / annual

RRC weekly; ERCOT queue and TPIT monthly; EIA, USGS and OSM annually.

4.0 BASIS OF MEASUREMENT

Methodology and notices

Distances are measured edge-to-edge from the tract boundary; the centroid figures are longer and are used nowhere else in this set.

MEASUREMENT BASIS — EDGE-TO-EDGE VS. CENTROID

GW RANCH

15.5 mi (17.3 mi centroid)

LONGFELLOW

19.3 mi (19.7 mi centroid)

FIG 13.1 DISTANCE MEASUREMENT BASIS (§4)

DISTANCE METHODOLOGY (§4)

Distances to GW Ranch and Longfellow are measured edge-to-edge: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. This is consistently shorter than a straight centroid measurement because Caramba North's own tract has spatial extent. GW Ranch: 15.5 mi (vs. 17.3 mi centroid). Longfellow: 19.3 mi (vs. 19.7 mi centroid) — Longfellow's own public site describes its location as more than 25 miles outside Fort Stockton, consistent with the longer figure; this distance should not be represented as shorter.

TBL 13.1 SOURCE REGISTER — THIRD-PARTY REPORTING

REF	CITATION
R1	Latitude Media, “ERCOT's large load queue has nearly quadrupled in a single year,” Dec 3, 2025.
R2	Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers,” Aug 2026.
R3	TCEQ air-permit record, GW Ranch, Jan / Feb 2026.
R4	PUCT PBRP Docket No. 55718, approved Apr 24, 2025.

NOTICE TERMS OF DISTRIBUTION