

OFFERING MEMORANDUM • DRAWING SET

Caramba North

1,300 ACRES • NORTH OF I-10 • PECOS COUNTY, TEXAS

Two hyperscale-scale power projects — 7.65 GW and 2 GW — sit at 15.5 and 19.3 miles on the same north–south line through this tract, inside a 60-mile radius holding 32.7 GW of operating and queued capacity.

1,300 ac

ACRES, MAX CONTIGUOUS

15 mi

MILES TO 765 KV TERMINUS

47,418

AF/YR WATER PERMITTED

32.7 GW

GW WITHIN 60 MILES


TBL 01.1 SHEET INDEX

SH	SECTION
A-01	Title sheet — index, ring analysis
A-02	The property — 1,300 ac, I-10 frontage
A-03	Transmission — 765 kV terminus
A-04	Regional power cluster — fleet + queue
A-05	Water — Middle Pecos GCD rights
A-06	Natural gas — Waha basis, supply quote
A-07	Corridor + ring analysis

SH	SECTION
A-08	GW Ranch — 7.65 GW, 15.5 mi
A-09	Longfellow — phased generation, 19.3 mi
A-10	Queue and policy context
A-11	Subsurface activity — drilling record
A-12	Diligence platform — source register
A-13	Methodology and notices
A-14	Diligence platform — access and navigation
A-15	Method and source register

Operating + ERCOT-queued capacity by radius

Cumulative, region-wide • EIA-860 + ERCOT queue



GW Ranch sits due north, Longfellow due south — the site is on the line between them.

FIG 01.1 OPERATING + ERCOT-QUEUED CAPACITY BY RADIUS

BEARING NOTE

GW Ranch bears ~19° and Longfellow ~188° from the tract — the property sits on the line between them, not off to one side.

2.1 SITE PARAMETERS

The property

As-of-right industrial land inside the fastest-growing load pocket in ERCOT — this is a siting decision, not a rezoning story.




FIG 02.1 SITE SETTING — TRACT, I-10, FORT STOCKTON AND THE 765 KV TERMINUS

READING THIS SHEET SET

Only the tract is drawn as a boundary — it is the set's one surveyed polygon. The feature anchors are plotted on sheets A-07 and A-08 as numbered site points, keyed in TBL 07.2; distances are measured from the tract boundary (basis on sheet A-13).

TBL 02.1 SITE PARAMETERS

PARAMETER	VALUE
Acreage	1,300 ac max contiguous
Position	North side of I-10
County	Pecos County, Texas
Services	~5 mi to Fort Stockton
Air access	Regional airport, Fort Stockton
Zoning	No zoning ordinance in effect
Permitted use	Industrial / energy as of right
ERCOT zone	Far West weather zone

01 ENTITLEMENT

No zoning ordinance

Industrial and energy use are permitted as of right; there is no rezoning or use-variance step on the critical path.

02 LOAD POCKET

Far West weather zone

ERCOT's highest-growth large-load pocket by interconnection request volume.

2.2 TRANSMISSION POSITION

Transmission

— Fifteen miles from the delivery point of all three PUCT-approved 765 kV Permian import paths — the transmission decision was made upstream of this site.




FIG 03.1 SUBSTATION AND 765 KV TERMINUS DISTANCES FROM THE TRACT BOUNDARY

6

SUBSTATIONS WITHIN 10 MI

2.0 mi

MILES TO NEAREST SUBSTATION

15 mi

MILES TO 765 KV TERMINUS

TBL 03.1 APPROVED 765 KV IMPORT PATH	
ITEM	RECORD
Terminus	Solstice Substation — AEP / CPS Energy
Distance	15 mi from tract boundary
Paths	Three PUCT-approved 765 kV Permian import lines
Approval	Apr 24, 2025
Docket	PBRP Docket No. 55718


TBL 03.2 PLANNED GRID UPGRADES (PIPELINE, NOT COMMITTED)	
CATEGORY	COUNT
Substation upgrades tracked ERCOT-wide	141
Line upgrades tracked ERCOT-wide	133

Source: ERCOT Transmission Planning Improvement Tool (TPIT). TPIT is the queue of planned upgrades; cite as pipeline context, not built or committed capacity.

2.3 GENERATION, OPERATING AND QUEUED

Regional power cluster

12,039 MW is already queued in Pecos County alone — before counting the two campuses on sheets A-08 and A-09 — against 3,226 MW operating today.



2.4 WATER RIGHTS

Water

— Roughly two-thirds of all Middle Pecos GCD industrial water rights are already permitted to this position — the water question is closed, not open.




FIG 05.1 PERMITTED INDUSTRIAL RIGHTS AS A SHARE OF THE DISTRICT

RIGHTS BASIS

The permitted volume sits on adjacent affiliated lands and is roughly two-thirds of all industrial water rights issued by the Middle Pecos Groundwater Conservation District.

TBL 05.1 PERMITTED VOLUME AND BASIS	
PARAMETER	VALUE
Permitted volume	47,418 AF/yr
Daily equivalent	42.3 MGD
District share	~2/3 of GCD industrial rights
Aquifer	Edwards–Trinity (Plateau)
Holder	Adjacent affiliated lands
District	Middle Pecos GCD

01STATUS

Permitted, not applied for

The volume above is a granted permit position, not a pending application in a district queue.

02DROUGHT BASIS

1950s drought of record

Edwards–Trinity (Plateau) recharge held through the drought of record used for regional planning.

2.5 GAS SUPPLY

Natural gas

— A signable 15-year supply quote at Waha-index pricing sits 20 miles from the tract — the same structural basis discount now drawing behind-the-meter generation into this corridor.




FIG 06.1 INDICATIVE SUPPLY SCHEMATIC – WAHA HUB TO DELIVERY POINT

BASIS CONTEXT

Waha prices at a structural discount to Henry Hub, with negative prints recorded in 2024–2025 as the Matterhorn, Blackcomb, Hugh Brinson and GCX pipelines rebalance Permian egress.

TBL 06.1 INDICATIVE SUPPLY TERMS (COUNTERPARTY-SUPPLIED)

TERM	VALUE
Volume	200,000 MMBtu/day
Contract term	15 years
Pricing	Waha-index
CIAC	\$15–25M
Lead time	9–15 months
Hub distance	20 mi to Waha

Indicative and non-binding; supplied by the counterparty and subject to confirmation in diligence.

01

EGRESS BUILD-OUT

Four pipelines rebalancing

Matterhorn, Blackcomb, Hugh Brinson and GCX are shifting Permian egress; the basis discount is the reason on-site generation is being sited here.

2.6 REGIONAL PIPELINE

Corridor and ring analysis

32.7 GW of operating and queued capacity sits within 60 miles; Caramba North is inside that radius, not adjacent to it.




FIG 07.1 REGIONAL CORRIDOR – OPERATING FLEET, ERCOT QUEUE AND THE TWO NUMBERED ANCHOR SITES

TBL 07.1 CUMULATIVE CAPACITY BY RADIUS

RADIUS	OPERATING + QUEUE
Within 15 mi	0.5 GW
Within 30 mi	8.9 GW
Within 60 mi	32.7 GW
Within 100 mi	53.5 GW

Region-wide, computed from the same EIA-860 and ERCOT-queue layers used throughout; not county-bounded.

TBL 07.2 THE TWO FEATURE ANCHORS – MAP KEY

#	PROJECT	DISTANCE	BEARING
1	GW Ranch	15.5 mi	~19°
2	Longfellow	19.3 mi	~188°

Numbers key the markers on FIG 07.1 and FIG 08.1. Distances are edge-to-edge from the tract boundary; each anchor is plotted at its disclosed site point – see sheet A-13 for basis.

GEOMETRY

GW Ranch bears almost due north and Longfellow almost due south; the tract sits between them on a single north–south axis.

WITHIN 20 MILES

3,973 MW across 13 ERCOT-queue projects, before either anchor above is counted.

2.6A FEATURE ANCHOR · NORTH

GW Ranch

— The largest air permit issued in the US this year — 7.65 GW — sits 15.5 miles up the same highway corridor, under construction rather than announced.




FIG 08.1 GW RANCH (MARKER 1) RELATIVE TO THE TRACT — 15.5 MI, BEARING ~19°

15.5

mi

MILES FROM TRACT

8,000

ac

SITE ACREAGE

7.65

GW

GW AIR PERMIT

TBL 08.1 SITE AND GENERATION RECORD

PARAMETER	RECORD
Site	8,000 ac, Pecos County
Ownership	Amazon; disclosed Aug 2026
Developer	Pacifico Energy Group (plant operator)
Generation	35 gas turbines · 7.65 GW TCEQ air permit, Jan / Feb 2026
Storage / solar	1.8 GW battery; up to 750 MW solar
Buildings	3 × 189,000 sq ft (Gensler)
Target completion	Dec 2026
Est. investment	~\$12B total project
Status	Under construction

PERMIT CLASSIFICATION

The 7.65 GW figure is a TCEQ *generation* air permit, not an ERCOT interconnection queue position. No ERCOT filing has been disclosed; the project is off-grid initially. See sheet A-10 for the state-level audit context this sits inside.

2.6B FEATURE ANCHOR • SOUTH

Longfellow

— A second phased gas-generation campus 19.3 miles south — the corridor's demand for on-site power is not one project deep.



FIG 09.1 ANNOUNCED PHASING — 8 PHASES AT 250 MW




FIG 09.2 BUILD STATUS OF THE TWO ANCHORS' COMBINED 9,650 MW

TBL 09.1 SITE AND GENERATION RECORD

PARAMETER	RECORD
Site	568 ac, Pecos County
Distance	19.3 mi from tract, edge-to-edge
Announced	Oct 2025 — 2 GW, 8 phases
Phase size	250 MW
Generation	On-site aero-derivative gas turbines
Emissions	SCR with carbon-capture capability
Cooling	Closed-loop, permitted non-potable groundwater
Status	Phase-1 site work underway

PERMITTING STATUS

No confirmed ERCOT queue position and no TCEQ air-permit record was found for this site as of Aug 2026. Stated as a fact about the permitting record, not as commentary on the project.

LOCATION BASIS

Longfellow's own public materials describe the location as more than 25 miles outside Fort Stockton; the 19.3 mi figure is measured to the Caramba North tract boundary, not to Fort Stockton.

3.0 MACRO FRAMING

Queue and policy context

— The statewide backlog reached ~474 GW and triggered an audit and a queue-processing pause — the demand signal is large enough to have become a policy problem, which is a different claim than “this area is growing.”




FIG 10.1 ERCOT LARGE-LOAD INTERCONNECTION QUEUE, GW PENDING

TBL 10.1 CHRONOLOGY

DATE	QUEUE	EVENT
End 2024	63 GW	Large-load queue baseline
Nov 2025	226 GW	Nearly quadrupled in a year; ~77% data centers targeting 2030 interconnection
Aug 3, 2026	—	Gubernatorial directive to audit all ERCOT-queue data centers; “Batch Zero” large-load review paused
Aug 2026	474 GW	Statewide pending requests, ~90% data-center-driven

Sources: Latitude Media, “ERCOT’s large load queue has nearly quadrupled in a single year” (Dec 3, 2025); Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers” (Aug 2026).

01 SCALE REFERENCE

5× record peak demand

Gov. Abbott characterised the pending request volume as more than five times Texas’ record peak demand.

02 POSITION


Inside the radius

The 32.7 GW within 60 miles of this tract sits inside the same state-level queue that produced the pause.

2.8 DRILLING AND WELLBORE RECORD

Subsurface activity

— Pecos County records the lowest new-drill count of seven comparable Permian counties since 2020 — roughly 90% below the peer average.



TBL 11.1

NEW-DRILL WELLS BY PROXIMITY RING

RING	WELLS
Within 2 mi	0
Within 5 mi	0
Within 10 mi	1
Beyond 10 mi	114

Median distance beyond 10 mi: 19.9 mi; mean 20.9 mi. RRC dbf900 / W-1 records since 2020.

TBL 11.2

MARGINAL / END-OF-LIFE SHARE OF NON-PLUGGED WELLBORES

RING	MARGINAL
Within 2 mi	60%
Within 5 mi	62%
Within 10 mi	83%

The closer ring is quieter than the wider one on both measures.

FIG 11.1 NEW-DRILL WELLBORE EVENTS SINCE 2020, PECOS VS. PEERS

115

NEW-DRILL EVENTS SINCE 2020

10%

SHARE OF 1,140 RRC EVENTS

9.37 mi

MILES TO NEAREST NEW DRILL

2.7 DATA PROVENANCE

Diligence platform

— Every figure on these sheets is independently re-derivable from a cited public dataset — this is a source register, not a broker's summary.

TBL 12.1

SOURCE REGISTER — EVERY LAYER TRACES TO A CITED DATASET

PUBLISHER	DATASET	WHAT IT CARRIES	REFRESH
ERCOT	GIS Report · TPIT	Queue, planned upgrades	Monthly
PUCT	Dockets	Approved transmission paths	As filed
EIA	Form EIA-860	Operating generation fleet	Annual
TCEQ	Air permits	Permitted generation	As issued
RRC	dbf900 · production · W-1	Wellbore and drilling record	Weekly
FracFocus	Disclosure registry	Completion record	Weekly
Middle Pecos GCD	Permit register	Water rights	As issued
HIFLD	Transmission · substations	Grid infrastructure	Annual
USGS	Hydrogeology	Aquifer extent	Annual
BTS · Census TIGER	Roads · boundaries	Highways, county lines	Annual

FIG 12.1 PER-FEATURE SOURCE ATTRIBUTION BEHIND THE GIS PLATFORM

RE-DERIVABILITY

Each feature in the platform carries a source popup naming the dataset and vintage it was drawn from, so any figure on these sheets can be traced back to the published record it came from.

TBL 12.2

PLATFORM CAPABILITY

FUNCTION	DETAIL
Filters	County, depth, spud year, fuel, status
Time	Scrubber across the wellbore record
Tools	Measure, share, print
Popups	Per-feature source attribution
Build	Static, versioned
Release	Deployed bundle byte-verified
Access	Logged; credentials issued separately

PLATFORM ADDRESS

lrp-tx-gis.netlify.app — credentials issued to the deal team separately from this document.

01

REFRESH CADENCE

Weekly / monthly / annual

RRC weekly; ERCOT queue and TPIT monthly; EIA, USGS and OSM annually.

4.0 BASIS OF MEASUREMENT

Methodology and notices

Distances are measured edge-to-edge from the tract boundary; the centroid figures are longer and are used nowhere else in this set.




FIG 13.1 DISTANCE MEASUREMENT BASIS (§4)

DISTANCE METHODOLOGY (§4)

Distances to GW Ranch and Longfellow are measured edge-to-edge: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. This is consistently shorter than a straight centroid measurement because Caramba North's own tract has spatial extent. GW Ranch: 15.5 mi (vs. 17.3 mi centroid). Longfellow: 19.3 mi (vs. 19.7 mi centroid) — Longfellow's own public site describes its location as more than 25 miles outside Fort Stockton, consistent with the longer figure; this distance should not be represented as shorter.

TBL 13.1 SOURCE REGISTER — THIRD-PARTY REPORTING

REF	CITATION
R1	Latitude Media, “ERCOT's large load queue has nearly quadrupled in a single year,” Dec 3, 2025.
R2	Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers,” Aug 2026.
R3	TCEQ air-permit record, GW Ranch, Jan / Feb 2026.
R4	PUCT PBRP Docket No. 55718, approved Apr 24, 2025.

NOTICE TERMS OF DISTRIBUTION

Confidential offering memorandum prepared for a limited number of prospective counterparties under non-disclosure agreement. This is not an offer to sell or a solicitation of an offer to buy securities. Information is preliminary and indicative, drawn from sources believed reliable but not independently verified by the issuer of this document. Public data is drawn from the sources registered on sheet A-12; third-party transaction news is sourced to the public reporting cited above. Recipients should conduct their own diligence; the GIS platform referenced on sheet A-12 is provided for that purpose.

2.7 PLATFORM ACCESS

Diligence platform — access and navigation

Four named starting views open the platform directly onto the exhibits behind this set — every figure here is re-derivable in the map, not taken on trust.

TBL 14.1 ACCESS

ITEM	DETAIL
Address	lrp-tx-gis.netlify.app
Login	Business email address, plus the access password below
Password	LRP-Permian-2026
Client	Desktop Chrome, Edge or Safari; nothing to install
Session	Persists per browser; every sign-in is logged

CREDENTIAL HANDLING

The password above is issued to this deal team only. It, this memorandum and any saved view link stay inside the recipient organisation; access is logged by email address and session.

TBL 14.2 READING THE MAP

SIDEBAR	ZOOM
Layer groups, toggles, live feature counts	Wells and permits load as you zoom in
POPUPS	BASEMAPS
Attributes, with source and as-of date	Esri Imagery (default), Carto Light, NAIP
MEASURE / RESET	SHARE / PRINT
Distance and area; back to defaults	Copies the exact view; landscape PDF
FILTERS	VIEWS / TIME
County, depth, spud year, fuel, status	Pre-built views; 1964-present scrubber

LAYER GROUPS, IN SIDEBAR ORDER

Reference · Land & Deal · OXY — Occidental Footprint · Local Focal Points · Local Hyperscale DC & Power Campuses · Power Generation · Transmission & Grid · Pipelines · Energy Infrastructure · Permits · Oil & Gas Spud Wells · Projects

VIEWS SUGGESTED STARTING VIEWS

Sign in, then append the string below to lrp-tx-gis.netlify.app/ — view, layers and basemap restore exactly.

V1	SITE OVERVIEW CARTO LIGHT · ZOOM 8 The 1,300-acre tract on Esri World Imagery with the reference layers. Look at: the I-10 frontage along the south boundary, and Fort Stockton five miles west. No parameters — the bare address opens here.
V2	REGIONAL POWER & GRID CARTO LIGHT · ZOOM 8 The EIA-860 operating fleet, transmission at 100 kV and above, substations, the ERCOT queue and the named datacenter anchors. Look at: Solstice substation west of the tract, and how much of the queue sits inside the 60-mile ring on sheet A-07. #lat=31.15&lon=-102.90&zoom=8&layers=counties,county_labels,cities,tiger_highways,caramba_north,eia860_plants,eia860_battery,solar,transmission,substations,ercot_queue,dc_anchors&base=carto_light
V3	MIDSTREAM & PIPELINES CARTO LIGHT · ZOOM 9 HIFLD/EIA gas, crude and hydrocarbon-gas-liquids pipelines, the gas processing plants and the RRC large-diameter lines. Look at: the gas corridors running west toward the Waha hub, twenty miles out — the supply basis on sheet A-06. #lat=31.00&lon=-103.00&zoom=9&layers=counties,county_labels,cities,caramba_north,hifld_ng_pipelines,hifld_crude_pipe_lines,hifld_hgl_pipelines,hifld_ng_processing,rrc_pipelines&base=carto_light
V4	PERMITTING & DRILLING CARTO LIGHT · ZOOM 9 RRC drilling permits, the new-drill wellbore record from 1964 forward, and approved county tax abatements. Look at: the empty ring around the tract — no new-drill wellbore within five miles since 2020, the record set out on sheet A-11. #lat=31.00&lon=-103.00&zoom=9&layers=counties,county_labels,caramba_north,permits_permian6,tax_abatements,wells_permian6&base=carto_light

2.9 COMPANION SOURCE REGISTER

Method and source register

— Every figure in this memorandum resolves to a numbered public filing or to a dated dataset refresh — the register below is the whole of what the document rests on.

TBL 15.1 NUMBERED REFERENCES — PRIMARY FILINGS AND DATASETS

REF	CITATION
01	PUCT order approving three 765 kV Permian import paths, 24 Apr 2025 — PBRP Project No. 55718.
02	AEP Texas / CPS Energy, Howard–Solstice Transmission Line Project — PUCT Docket No. 59366.
03	ERCOT, Permian Basin Reliability Plan study, Jul 2024; plan approved Sep 2024.
04	ERCOT, Long-Term Load Forecast, Apr 2024.
05	Apex Clean Energy public disclosures, Pecos Flats project area.
06	EIA Form EIA-860, 2024 annual release, with Apr 2026 monthly detail.
07	ERCOT GIS Report — generator interconnection queue, Mar 2026 snapshot; Apr 2026 status report.
08	TCEQ air-permit filings, 2025–2026.
09	ERCOT queue entries INR 24INR0452–0455, 26INR0537, 30INR0018.
10	Middle Pecos Groundwater Conservation District — permit registry and district rules.
11	Railroad Commission of Texas, dbf900 Full Wellbore ASCII master file.
12	Railroad Commission of Texas, PDQ production records through May 2026.
13	FracFocus Chemical Disclosure Registry — Texas, 2011 to present.

Third-party press reporting is registered separately as R1–R4 on sheet A-13, alongside the §4 edge-to-edge distance basis; neither is repeated here.

SNAPSHOT DATA AS OF THIS ISSUE

ERCOT QUEUE	DRILLING & PRODUCTION	GIS LAYER COUNTS
21 Apr 2026	Through May 2026	Latest weekly refresh
Mar 2026 GIS Report; Apr status	RRC wellbore and PDQ records	39 layers in the published build

TBL 15.2 SOURCE REGISTER BY DOMAIN

DOMAIN	PUBLISHER / DATASET	REFRESH
County & highway reference	Census TIGER/Line 2023	Static
Rail	BTS North American Rail Network	Static
Plants, batteries, solar	EIA Form EIA-860	Annual
Wind	USGS / LBNL US Wind Turbine Database	Annual
Transmission & pipelines	EIA US Energy Atlas / HIFLD	Annual
Substations	OpenStreetMap	Annual
Interconnection queue	ERCOT GIS Report	Monthly
Planned grid upgrades	ERCOT TPIT	Monthly
Wellbore & permit record	RRC public datasets ^a	Weekly
Large-diameter pipelines	RRC digital pipeline data	Annual
Air permits	TCEQ	Annual
Tax abatements	County commissioners-court records	As filed ^b
Groundwater district	Middle Pecos GCD ^c	On publication

^a Wellbores from the RRC dbf900 wellbore master; drilling permits from the RRC end-of-month permit snapshots, 2018 to present. ^b Re-scraped from commissioners-court agendas as filed; the weekly refresh is configured, not yet in production. ^c The district management-zone boundary is digitised from the district's published map and is approximate.