


Caramba North

32.7 GW of operating and queued power sits within sixty miles. The corridor was built before this parcel was offered.

1,300 CONTIGUOUS ACRES • NORTH OF I-10
PECOS COUNTY, TEXAS • AUGUST 2026

Operating + ERCOT-queued capacity by radius
Cumulative, region-wide • EIA-860 + ERCOT queue



GW Ranch sits due north, Longfellow due south — the site is on the line between them.

IF THERE ARE ONLY FIVE MINUTES

Not a land bet. A position inside a corridor.

Two projects at hyperscale — 7.65 GW and 2 GW — sit on the same north-south line through the property, at 15.5 and 19.3 miles.

MAXIMUM CONTIGUOUS ACRES

1,300

North side of I-10, five miles from Fort Stockton. No county zoning ordinance — industrial and energy use as of right.

OPERATING + QUEUED, ≤60 MI

32.7 GW

Caramba North sits inside that radius, not adjacent to it. 53.5 GW within 100 miles.

OF ANCHOR CAPACITY BUILDING

79.3%

Share of the two anchors' combined announced megawatts already under construction rather than proposed.

Water and gas are already permitted rather than applied for: 47,418 AF/yr of Middle Pecos groundwater rights on adjacent affiliated lands, and an indicative 15-year, 200,000 MMBtu/day supply quote at Waha-index pricing. The site is fifteen miles from Solstice Substation, the western terminus of all three PUCT-approved 765 kV Permian import paths.

The line runs through the tract.

GW Ranch sits almost due north of Caramba North and Longfellow almost due south — the property is on the line between them, not off to one side.

WHAT IS ON THE MAP

- 1 GW Ranch**
15.5 mi north • under construction
- 2 Longfellow**
19.3 mi south • phase-1 site work

Both anchors are plotted at their disclosed site points. Caramba North is the only drawn boundary on the map — neither anchor's ranch parcel is outlined, because the disclosed locations are recorded as approximate.

≤ 30 MI

≤ 60 MI

8.9 GW 32.7 GW

Operating plus ERCOT-queued capacity, cumulative by radius from the tract. The dashed rings on the map are drawn at 10, 15 and 30 miles.

DRAWN FROM SOURCE GEOMETRY — HIFLD, ERCOT, PUCT, TIGER



TRANSMISSION

The decision was made upstream.

Fifteen miles from the delivery point of all three approved 765 kV Permian import paths — the transmission question was settled above this site, not at it.

TO SOLSTICE SUBSTATION

15 mi

AEP / CPS Energy. Western terminus of the PUCT-approved Permian import lines, approved 24 Apr 2025.

SUBSTATIONS WITHIN 10 MI

6

The nearest is two miles out at 138/69 kV — local delivery exists before any new build.

LOCAL SUBSTATIONS WITHIN TEN MILES

Fort Stockton Plant	138/69 kV	2.0 mi
Airport	138 kV	3.3 mi
Fort Stockton	69 kV	5.4 mi
16th Street	138/69 kV	6.0 mi
Northern Natural	—	7.0 mi
Gomez	—	9.7 mi

PBRP Docket No. 55718 · PUCT order 24 Apr 2025.

141 substation and 133 line upgrades are tracked ERCOT-wide under TPIT. That is the queue of *planned* grid work, not built capacity — read it as pipeline context.

WATER

The water conversation is closed, not open.

47,418 acre-feet per year — roughly two-thirds of every industrial water right the Middle Pecos Groundwater Conservation District has issued — is already permitted on adjacent affiliated lands.

ACRE-FEET PER YEAR, PERMITTED

47,418

Held on adjacent affiliated lands rather than sought through a pending application.

MILLION GALLONS PER DAY

42.3

The same right expressed at the rate a cooling load would actually draw it.

OF DISTRICT INDUSTRIAL RIGHTS

$\frac{2}{3}$

Approximate share of all Middle Pecos GCD industrial water rights sitting in this position.

The source is the Edwards–Trinity (Plateau) aquifer, which held recharge through the 1950s drought of record — the reference event West Texas water planning is still measured against.

NATURAL GAS

A signable quote, not an application.

An indicative supply quote is in hand at Waha-index pricing — the same structural basis discount now drawing behind-the-meter generation into this corridor.

MMBTU PER DAY, INDICATIVE

200,000

Counterparty-supplied terms: 15-year tenor, Waha-index pricing, CIAC \$15–25M, 9–15 month lead time.

TO THE WAHA HUB

20 mi

Close enough that the corridor's new generation is being sited against Waha basis rather than delivered gas.

WHY THE BASIS HOLDS

Waha trades at a structural discount to Henry Hub, and printed negative through 2024 and 2025 as Matterhorn, Blackcomb, Hugh Brinson and GCX rebalanced Permian egress. Associated gas keeps arriving whether or not the pipe is there to move it.

That discount is the reason on-site generation pencils here at all — and the reason both anchor campuses in this corridor are being built around their own gas turbines rather than around a queue position.


Quote terms are counterparty-supplied and indicative, not committed.

Two anchors, one line.

9,650 MW of announced capacity sits within twenty miles of the tract — and the larger share of it is already under construction.

1 GW RANCH • 15.5 MI NORTH

2 LONGFELLOW • 19.3 MI SOUTH



GW RANCH

15.5 MI NORTH · PECOS COUNTY

Under construction, not announced.

The largest air permit issued in the United States this year sits fifteen miles up the same highway corridor — and the buildings are already going up against a December 2026 target.

TCEQ AIR PERMIT

7.65 GW

Issued Jan/Feb 2026 across 35 gas turbines, plus 1.8 GW of battery storage and up to 750 MW of solar.

ACRE SITE

8,000

Three 189,000 sq ft data-center buildings, Gensler design, roughly \$300M each; ~\$12B estimated total project investment.

OWNERSHIP

Amazon disclosed ownership of the site in August 2026. Pacifico Energy Group, the prior owner, remains the power-plant developer and operator.

WHAT THE PERMIT IS — AND IS NOT

The 7.65 GW figure is a TCEQ generation air permit, not an ERCOT interconnection queue position. No ERCOT filing has been disclosed and the project is off-grid initially. That distinction matters against the state-level queue context that follows.

TCEQ record locates the site “~17 mi north of Fort Stockton on Highway 18”; the 15.5 mi figure here is measured edge-to-edge from the Caramba North tract.

LONGFELLOW

19.3 MI SOUTH · PECOS COUNTY

The corridor's demand for on-site power is not one project deep.

A second phased gas-generation campus twenty miles south of the tract, built around its own turbines and its own permitted non-potable groundwater.


568 acres, announced October 2025 as a 2 GW campus in eight 250 MW phases. Planned on-site generation is aero-derivative turbines with SCR and carbon-capture capability; cooling is closed-loop on permitted non-potable groundwater. Phase-1 site work is underway, with the on-site generation build planned in phases.

No confirmed ERCOT queue position or TCEQ air-permit record was found for this site as of August 2026 – stated as a fact about permitting status. Longfellow's own public materials place it more than 25 miles outside Fort Stockton.

PROJECT MATURITY

Announced capacity within 20 miles, by build status

Share of 9,650 MW combined announced



The regional pipeline around this tract is majority-built, not majority-speculative.

Share of 9,650 MW combined announced capacity across the two profiled anchors.

REGIONAL POWER CLUSTER

Twelve gigawatts
are queued in this
county alone.

And that is before counting either anchor campus — the county was already a generation county before the data centers arrived.

MW QUEUED · PECOS COUNTY

12,039


Across 39 ERCOT queue projects. 3,973 MW of it sits within twenty miles of the tract.

MW QUEUED · SIX ADJACENT

31,607

Reeves, Crane, Ward, Upton, Ector and Crockett add 24,585 MW queued on 7,022 MW operating.

PECOS COUNTY OPERATING CAPACITY



Megawatts in service · EIA-860. 3,226 MW operating today.

NEAREST OPERATING STORAGE

1.9 mi St. Gall Energy Storage I
103 MW BESS · operating

STATE-LEVEL CONTEXT

The demand signal became a policy problem.


ERCOT's large-load queue went from 63 GW to roughly 474 GW in twenty months, about 90% of it data centers — large enough to trigger a state audit and a pause of the Batch Zero review.

That is a different claim than “this area is growing.” The 32.7 GW around Caramba North sits inside a statewide queue that got big enough to create a regulatory problem. The distinction cuts both ways: it is why the corridor is real, and it is why a position with water and gas already permitted — rather than one more marginal interconnection request — is the safer place to stand.

Sources: Latitude Media, 3 Dec 2025; Utility Dive, Aug 2026. Full citations at the back.

ERCOT large-load interconnection queue

Gigawatts of pending requests · public reporting




~90% of the Aug 2026 backlog is data-center-driven — large enough to trigger a state audit and a queue pause.

Gov. Abbott's 3 Aug 2026 directive orders an audit of all ERCOT-queue data centers and pauses the “Batch Zero” large-load review pending its outcome. The backlog he cites is more than five times the state's record peak demand.

SUBSURFACE & DRILLING ACTIVITY

The quietest of the seven.

Pecos County recorded 115 new-drill wellbore events since 2020 against a peer average of 1,181 — roughly 90% below — and not one of them fell within five miles of this tract.



NEW DRILLS ≤5 MI

0

Since 2020. The nearest is 9.37 miles out; beyond ten miles the median is 19.9 mi.

MARGINAL ≤10 MI

83%

Share of non-plugged wellbores in end-of-life production — the near ring is quieter than the wide one.

115 new-drill events out of 1,140 total RRC wellbore events in the county since 2020 — a 10% new-drill share; the rest are workovers and reworks.

WHAT IS ACTUALLY BEING SOLD

Permitted adjacency.

Everything the corridor needs next is already permitted here rather than applied for — which is the one thing a queue position cannot buy.

THE DILIGENCE PLATFORM

Every point, line and boundary behind these figures traces to a cited public dataset — ERCOT GIS Report and TPIT, PUCT, EIA-860, TCEQ, RRC, FracFocus, Middle Pecos GCD, HIFLD, USGS, BTS and Census TIGER — with per-feature source popups. Every figure here is independently re-derivable.

LAND	1,300 contiguous acres, I-10 frontage, no zoning ordinance — industrial and energy use as of right, five miles from Fort Stockton services and its regional airport.
TRANSMISSION	Fifteen miles from Solstice Substation, the western terminus of all three PUCT-approved 765 kV Permian import paths; six substations inside ten miles.
WATER	47,418 AF/yr permitted on adjacent affiliated lands — about two-thirds of the district’s industrial rights — from the Edwards–Trinity (Plateau) aquifer.
GAS	An indicative 15-year, 200,000 MMBtu/day quote at Waha-index pricing, twenty miles from the hub.
CORRIDOR	9,650 MW announced within twenty miles, 79.3% of it under construction; 32.7 GW operating and queued within sixty.
SUBSURFACE	Zero new-drill wells within five miles since 2020, in the lowest-activity county of seven comparable Permian peers.

RRC refreshes weekly; ERCOT queue and TPIT monthly; EIA, USGS and OSM annually. Static, versioned build; deployed bundle byte-verified on release; access logged.

NOTES ON METHOD AND SOURCES

How the numbers were measured.

Distances here are edge-to-edge from the tract boundary, which is the shorter and the more conservative of the two conventions to defend.

DISTANCE METHODOLOGY

Distances to GW Ranch and Longfellow are measured edge-to-edge: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. Edge-to-edge is consistently shorter than a straight centroid measurement because Caramba North's own tract has spatial extent. GW Ranch: 15.5 mi (vs. 17.3 mi centroid). Longfellow: 19.3 mi (vs. 19.7 mi centroid) — Longfellow's own public site describes its location as more than 25 miles outside Fort Stockton, consistent with the longer figure; this distance should not be represented as shorter.

PUBLIC REPORTING CITED

Latitude Media, "ERCOT's large load queue has nearly quadrupled in a single year" (3 Dec 2025).

Utility Dive, "Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers" (Aug 2026).

PUCT Permian Basin Reliability Plan, Docket No. 55718, order of 24 Apr 2025.

DATA SOURCES

ERCOT GIS Report and TPIT · PUCT · EIA-860 · TCEQ · RRC dbf900, production and W-1 · FracFocus · Middle Pecos GCD · HIFLD · USGS · BTS · Census TIGER.

NOTICES

Confidential offering memorandum prepared for a limited number of prospective counterparties under non-disclosure agreement. This is not an offer to sell or a solicitation of an offer to buy any security. Information is preliminary and indicative, drawn from sources believed reliable but not independently verified. Public data is drawn from the sources listed above; third-party transaction news is sourced to the public reporting cited in the companion source register. Gas supply terms are counterparty-supplied and indicative.