


A 1,300-acre as-of-right industrial tract on the north-south line between two hyperscale-scale power campuses — 7.65 GW at 15.5 miles and a 2 GW phased build at 19.3 miles — inside a 60-mile radius carrying 32.7 GW of operating and queued capacity, with water and gas already permitted rather than applied for.

1,300 acres MAX CONTIGUOUS TRACT, I-10 NORTH SIDE	32.7 GW OPERATING + QUEUED WITHIN 60 MI	15.5 miles TO GW RANCH — 7.65 GW AIR PERMIT	19.3 miles TO LONGFELLOW — 2 GW PLANNED CAMPUS	47,418 AF / yr PERMITTED WATER — 42.3 MGD	115 wells NEW-DRILL SINCE 2020 — 90% BELOW PEER AVG
--	--	--	---	--	--

01

REGIONAL POWER GRAVITY · RING ANALYSIS

32.7 GW of operating and queued capacity sits within 60 miles; Caramba North is inside the radius, not adjacent to it.



CONTENTS

Twelve sections; every figure resolves to the source register on page 6.

01	Regional power gravity · ring analysis	1	05	Water	2	08	Subsurface and drilling activity	5
02	The property	2	06	Natural gas	2	09	The diligence platform	5
03	Transmission	2	07	Regional pipeline	4	10	Distance methodology	6
04	Regional power cluster	3	7A/7B	GW Ranch · Longfellow	4	11	Notices	6
						12	Source register	6

02

THE PROPERTY

As-of-right industrial land inside the fastest-growing load pocket in ERCOT — not a rezoning story.

ATTRIBUTE	VALUE	BASIS
Contiguous area	1,300 acres	Maximum contiguous assemblage
Location	I-10 north side	Pecos County, Texas
Services	~5 mi	Fort Stockton — services and regional airport
Entitlement	No zoning ordinance	Industrial and energy use as of right; no rezoning path required
ERCOT zone	Far West	Highest-growth large-load weather zone in ERCOT

03

TRANSMISSION

Fifteen miles from the delivery point of all three approved 765 kV Permian import lines — the transmission decision is already made, upstream of this site.

ATTRIBUTE	VALUE	BASIS
Solstice Substation	15 mi	Western terminus of three PUCT-approved 765 kV Permian import paths
Approval	Apr 24, 2025	PUCT PBRP Docket No. 55718
Substations ≤ 10 mi	6	Listed below — 138 kV and 69 kV local network
Nearest substation	2.0 mi	Fort Stockton Plant, 138/69 kV
TPIT upgrade queue	141 sub / 133 line	ERCOT-wide <i>planned</i> upgrades; pipeline context, not committed capacity

LOCAL SUBSTATIONS WITHIN TEN MILES

Six substations sit inside ten miles and the nearest is two — the local distribution network is already in place, not a greenfield extension.

SUBSTATION	DISTANCE	VOLTAGE	SUBSTATION	DISTANCE	VOLTAGE
Fort Stockton Plant	2.0 mi	138 / 69 kV	16th Street	6.0 mi	138 / 69 kV
Airport	3.3 mi	138 kV	Northern Natural	7.0 mi	—
Fort Stockton	5.4 mi	69 kV	Gomez	9.7 mi	—

05

WATER

Two-thirds of the district's industrial water rights are already permitted to this position — the water conversation is closed, not open.

ATTRIBUTE	VALUE
Permitted volume	47,418 AF/yr · 42.3 MGD
Share of district industrial rights	≈ two-thirds
Permit position	Adjacent affiliated lands
Source aquifer	Edwards-Trinity (Plateau)
Drought-of-record behaviour	Recharge held through the 1950s

06

NATURAL GAS

A signable 15-year gas quote at Waha basis — the same structural discount now drawing behind-the-meter generation into this corridor.

ATTRIBUTE	VALUE
Waha hub distance	20 mi
Indicative supply quote	200,000 MMBtu/day
Term / pricing	15 years · Waha index
CIAC	\$15 – 25 M
Lead time	9 – 15 months

GAS BASIS CONTEXT

Waha prices at a structural discount to Henry Hub, with negative prints recorded in 2024–2025 as the Matterhorn, Blackcomb, Hugh Brinson and GCX pipelines rebalance Permian egress. Supply terms above are a counterparty-supplied indicative quote, not a binding offer.

WHAT THE 765 KV APPROVAL MEANS HERE

The Permian import build is a decision already taken upstream of this tract: three paths approved, terminating 15 miles away. The site does not need a new line to be approved — it needs to be near one that already is.

READING THE TPIT COLUMN

141 substation and 133 line upgrades are tracked ERCOT-wide in the Transmission Planning Improvement Tool. These are **planned** upgrades, not built capacity, and are cited here as pipeline context only.

04


REGIONAL POWER CLUSTER

12 GW is already queued in this county alone — before counting the two hyperscale-scale campuses profiled on the next page.

MEASURE	CAPACITY	DETAIL
Operating, Pecos County	3,226 MW	Solar 2,178 MW (13) · Wind 542 MW (5) · BESS 505 MW (6) · Gas 1 MW (1)
ERCOT queue, Pecos County	12,039 MW	39 projects in this county alone
Operating, six adjacent counties	7,022 MW	Reeves, Crane, Ward, Upton, Ector, Crockett
Queued, six adjacent counties	24,585 MW	Same six-county ring
Queued within 20 mi	3,973 MW	13 projects
Nearest operating storage	103 MW	St. Gall Energy Storage I — 1.9 mi, BESS

Pecos County operating capacity

Megawatts in service · EIA-860



3,226 MW operating today; 12,039 MW queued in this county alone.


COMPOSITION OF THE OPERATING FLEET

The operating base is intermittent and storage-weighted — 2,178 MW solar, 542 MW wind, 505 MW BESS and 1 MW of gas. The queue is what changes that mix: **12,039 MW** filed in Pecos County and **24,585 MW** across the six adjacent counties, of which **3,973 MW** sits within 20 miles of the tract. Nearest operating storage is 1.9 miles from the boundary.

PECOS COUNTY OPERATING CAPACITY BY TECHNOLOGY

CORRIDOR GEOMETRY – TRACT, ANCHORS, TRANSMISSION AND QUEUE

The tract, both anchors, the 765 kV terminus and the bulk of the queued capacity all fall inside a thirty-mile frame, on one north-south line.



- 1 GW Ranch** — 15.5 mi north · 7.65 GW TCEQ air permit · under construction (\$7A)
- 2 Longfellow** — 19.3 mi south · 2 GW planned on-site gas generation · phase-1 site work (\$7B)

■ Subject tract (surveyed)

- Anchor site point

- Transmission (HIFLD)

- ERCOT queue

⌂ Rings at 10 / 15 / 30 mi

Markers 1 and 2 are plotted at each anchor's disclosed site point. The distances quoted are edge-to-edge from the Caramba North tract boundary, which is shorter than the plotted point-to-point spacing (methodology, §10).

REGIONAL DATA-CENTER AND POWER PIPELINE

07 79.3% of the two anchors' combined announced capacity is already under construction — the regional pipeline is majority-built, not majority-speculative.

9.65 GW

COMBINED ANNOUNCED • TWO ANCHORS

79.3%


GW RANCH • UNDER CONSTRUCTION

20.7%

LONGFELLOW • PLANNED, PHASE 1

Announced capacity within 20 miles, by build status

Share of 9,650 MW combined announced



Under construction
GW Ranch • 7,650 MW

Planned / phase 1
Longfellow • 2,000 MW

COMBINED ANNOUNCED MW, BY BUILD STATUS

PERMIT vs. QUEUE — READ CAREFULLY

The 7.65 GW figure at GW Ranch is a TCEQ **generation air permit**, not an ERCOT interconnection queue position. No ERCOT filing has been disclosed and the project is off-grid initially.

WHY THIS MATTERS TO THIS TRACT

Both anchors are being built around on-site generation rather than a grid interconnection award — the same water, gas and land conditions that made that possible at 15.5 and 19.3 miles apply to this tract.

WHAT THE 9.65 GW DOES NOT INCLUDE

This figure counts only the two profiled anchors. The ring analysis in §01 counts all operating and ERCOT-queued capacity by radius regardless of developer — **0.5 GW** within 15 mi, **8.9 GW** within 30 mi and **32.7 GW** within 60 mi.

GW RANCH

7A

The largest air permit issued in the US this year sits fifteen miles up the same highway corridor — under construction, not announced.

LONGFELLOW

7B

A second phased gas-generation campus twenty miles south — the corridor's demand for on-site power is not one project deep.

ATTRIBUTE	VALUE
Distance from tract	15.5 mi — edge-to-edge
Site	8,000 acres, Pecos County
Ownership	Amazon, disclosed Aug 2026; Pacifico Energy Group remains power-plant developer/operator
Generation	35 gas turbines • 7.65 GW
Permit	TCEQ air permit issued Jan/Feb 2026 — largest in the US
Storage and solar	1.8 GW BESS • up to 750 MW solar
Buildings	3 × 189,000 sq ft
Design / cost	Gensler; ~ \$300 M each; ~ \$12 B total project
Target completion	Dec 2026
Status	Under construction

ATTRIBUTE	VALUE
Distance from tract	19.3 mi — edge-to-edge
Site	568 acres, Pecos County
Announced	Oct 2025 — 2 GW across 8 phases
Phase size	250 MW
Generation planned	On-site natural gas: aero-derivative turbines with SCR and carbon-capture capability
Cooling	Closed-loop on permitted non-potable groundwater
Status	Phase-1 site work underway; on-site generation build planned in phases
Permitting record	No confirmed ERCOT queue position or TCEQ air-permit record found as of Aug 2026
Location note	Public materials describe the site as more than 25 mi outside Fort Stockton


CORRIDOR TIMELINE

Four of the five dated milestones in this corridor have already occurred; the fifth is a completion target, not an approval.



SUBSURFACE AND DRILLING ACTIVITY

08 Pecos County has the lowest new-drilling count of seven comparable Permian counties since 2020 — a 90%-below-peer-average level of activity, not merely quiet.



NEW-DRILL WELLBORE EVENTS SINCE 2020 — PECOS vs. SIX PEER PERMIAN COUNTIES · RRC dbf900

ACTIVITY BY RING FROM THE TRACT BOUNDARY

No new-drill wellbore has been recorded within five miles of the tract since 2020, and only one within ten.

RING FROM TRACT BOUNDARY	NEW-DRILL WELLS SINCE 2020	DETAIL
≤ 2 mi	0	No new-drill wellbore events recorded
≤ 5 mi	0	No new-drill wellbore events recorded
≤ 10 mi	1	Single event at 9.37 mi
> 10 mi	114	Median 19.9 mi · mean 20.9 mi
Pecos County total	115	Of 1,140 RRC events — 10% new-drill, 90% workover / rework

WELLBORE CONDITION WITHIN EACH RING	≤ 2 MI	≤ 5 MI	≤ 10 MI
Share of non-plugged wellbores in marginal or end-of-life production	60%	62%	83%

THE DILIGENCE PLATFORM

09 Every figure in this document is independently re-derivable from a cited public source — this is not a broker's summary.

ATTRIBUTE	SPECIFICATION
Data lineage	Every point, line and boundary traces to a cited public dataset; per-feature source popups
Source datasets	ERCOT GIS Report / TPIT · PUCT · EIA-860 · TCEQ · RRC dbf900, production, W-1 · FracFocus · Middle Pecos GCD · HIFLD · USGS · BTS · Census TIGER
Refresh cadence	RRC weekly · ERCOT queue and TPIT monthly · EIA, USGS, OSM annually
Query tools	Filters by county, depth, spud year, fuel and status; time scrubber; measure, share and print
Build and access	Static versioned build; deployed bundle byte-verified on release; access logged
URL	lrp-tx-gis.netlify.app — credentials issued to the deal team separately

DISTANCE METHODOLOGY

10 Distances here are measured edge-to-edge — the shorter and the more defensible of the two conventions, stated rather than assumed.

Distances to GW Ranch and Longfellow are measured edge-to-edge: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. Edge-to-edge is consistently shorter than a straight centroid measurement because the Caramba North tract has spatial extent of its own.

GW Ranch — 15.5 mi edge-to-edge (17.3 mi centroid-to-centroid).
Longfellow — 19.3 mi edge-to-edge (19.7 mi centroid-to-centroid).

Longfellow's own public materials describe its location as more than 25 miles outside of Fort Stockton, which is consistent with the longer figure; this distance should not be represented as shorter. The TCEQ record for GW Ranch locates that site approximately 17 miles north of Fort Stockton on Highway 18.

NOTICES

11 This document is an indicative technical summary issued under NDA — it is not an offer, and the figures are preliminary.

Confidential offering memorandum prepared for a limited number of prospective counterparties under non-disclosure agreement. This is not an offer to sell or a solicitation of an offer to buy any security. Information is preliminary and indicative, drawn from sources believed to be reliable but not independently verified by the issuer. Public data is drawn from the datasets listed in the diligence-platform section and the source register below. Third-party transaction and permitting news is sourced to the public reporting cited in that register. Recipients should conduct their own diligence.

SOURCE REGISTER

12 Every number above resolves to one of the rows below — public dataset, regulatory docket or cited report.

ITEM	SOURCE
GIS layer lineage	ERCOT GIS Report and TPIT; PUCT; EIA-860; TCEQ; RRC dbf900, production and W-1; FracFocus; Middle Pecos GCD; HIFLD; USGS; BTS; Census TIGER
Transmission approval	PUCT Permian Basin Reliability Plan, Docket No. 55718 — approved Apr 24, 2025
Planned grid upgrades	ERCOT Transmission Planning Improvement Tool (TPIT), monthly refresh
Operating generation	EIA-860 plant and capacity records
Queued generation	ERCOT interconnection queue, monthly refresh
GW Ranch air permit	TCEQ air-permit record, issued Jan/Feb 2026
GW Ranch ownership and campus detail	Public reporting, Aug 2026
Longfellow site detail	Project public materials and public reporting, Oct 2025 – Aug 2026
ERCOT queue growth	Latitude Media, “ERCOT's large load queue has nearly quadrupled in a single year,” Dec 3, 2025
Queue pause and audit	Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers,” Aug 2026
Water rights	Middle Pecos Groundwater Conservation District permit records
Gas supply terms	Counterparty-supplied indicative quote — not a binding offer
Wellbore activity	Railroad Commission of Texas dbf900, production and W-1 records; weekly refresh

FIGURE REGISTER

Each exhibit is reproducible from the layers named below.

FIGURE	PAGE	DERIVED FROM
Cumulative capacity by radius	1	EIA-860 operating capacity + ERCOT queue, radius from tract boundary
Pecos County operating capacity by technology	3	EIA-860 plant records, Pecos County
Corridor geometry	3	Surveyed tract boundary, disclosed anchor site points, HIFLD transmission, ERCOT queue, Census TIGER highways
Combined announced MW by build status	4	GW Ranch 7,650 MW under construction; Longfellow 2,000 MW planned
New-drill wellbore events since 2020	5	RRC dbf900 new-drill events, seven Permian counties