

OFFERING MEMORANDUM • DRAWING SET

Caramba North

1,300 ACRES • NORTH OF I-10 • PECOS COUNTY, TEXAS

Two hyperscale-scale power projects — 7.65 GW and 2 GW — sit at 15.5 and 19.3 miles on the same north-south line through this tract, inside a 60-mile radius holding 32.7 GW of operating and queued capacity.

1,300 ac

ACRES, MAX CONTIGUOUS

15 mi

MILES TO 765 KV TERMINUS

47,418

AF/YR WATER PERMITTED

32.7 GW

GW WITHIN 60 MILES

TBL 01.1 SHEET INDEX

SH	SECTION
01	Title sheet — index, ring analysis
02	The property — 1,300 ac, I-10 frontage
03	Transmission — 765 kV terminus
04	Regional power cluster — fleet + queue
05	Water — Middle Pecos GCD rights
06	Natural gas — Waha basis, supply quote
07	Corridor + ring analysis

SH	SECTION
08	GW Ranch — 7.65 GW, 15.5 mi
09	Longfellow — phased generation, 19.3 mi
10	Queue and policy context
11	Subsurface activity — drilling record
12	Diligence platform — source register
13	Methodology and notices




FIG 01.1 OPERATING + ERCOT-QUEUED CAPACITY BY RADIUS

BEARING NOTE

GW Ranch bears ~19° and Longfellow ~188° from the tract — the property sits on the line between them, not off to one side.

2.1 SITE PARAMETERS

The property

As-of-right industrial land inside the fastest-growing load pocket in ERCOT — this is a siting decision, not a rezoning story.




FIG 02.1 SITE SETTING — TRACT, I-10, FORT STOCKTON AND THE 765 KV TERMINUS

READING THIS SHEET SET

Only the tract is drawn as a boundary — it is the set's one surveyed polygon. The feature anchors are plotted on sheets 07 and 08 as numbered site points, keyed in TBL 07.2; distances are measured from the tract boundary (basis on sheet 13).

TBL 02.1 SITE PARAMETERS

PARAMETER	VALUE
Acreage	1,300 ac max contiguous
Position	North side of I-10
County	Pecos County, Texas
Services	~5 mi to Fort Stockton
Air access	Regional airport, Fort Stockton
Zoning	No zoning ordinance in effect
Permitted use	Industrial / energy as of right
ERCOT zone	Far West weather zone

01 ENTITLEMENT

No zoning ordinance

Industrial and energy use are permitted as of right; there is no rezoning or use-variance step on the critical path.

02 LOAD POCKET

Far West weather zone

ERCOT's highest-growth large-load pocket by interconnection request volume.

2.2 TRANSMISSION POSITION

Transmission

— Fifteen miles from the delivery point of all three PUCT-approved 765 kV Permian import paths — the transmission decision was made upstream of this site.




FIG 03.1 SUBSTATION AND 765 KV TERMINUS DISTANCES FROM THE TRACT BOUNDARY

6

SUBSTATIONS WITHIN 10 MI

2.0 mi

MILES TO NEAREST SUBSTATION

15 mi

MILES TO 765 KV TERMINUS

TBL 03.1 APPROVED 765 KV IMPORT PATH RECORD	
ITEM	RECORD
Terminus	Solstice Substation — AEP / CPS Energy
Distance	15 mi from tract boundary
Paths	Three PUCT-approved 765 kV Permian import lines
Approval	Apr 24, 2025
Docket	PBRP Docket No. 55718

TBL 03.2 PLANNED GRID UPGRADES (PIPELINE, NOT COMMITTED)	
CATEGORY	COUNT
Substation upgrades tracked ERCOT-wide	141
Line upgrades tracked ERCOT-wide	133

Source: ERCOT Transmission Planning Improvement Tool (TPIT). TPIT is the queue of planned upgrades; cite as pipeline context, not built or committed capacity.

2.3 GENERATION, OPERATING AND QUEUED

Regional power cluster

— 12,039 MW is already queued in Pecos County alone — before counting the two campuses on sheets 08 and 09 — against 3,226 MW operating today.




FIG 04.1 PECOS COUNTY OPERATING CAPACITY BY TECHNOLOGY, WITH PROJECT COUNTS



TBL 04.1CAPACITY BY GEOGRAPHY

GEOGRAPHY	OPERATING	QUEUED
Pecos County	3,226 MW	12,039 MW
Adjacent six counties	7,022 MW	24,585 MW
Within 20 mi of tract	—	3,973 MW

Adjacent counties: Reeves, Crane, Ward, Upton, Ector, Crockett. Within 20 mi: 13 queued projects.

TBL 04.2PECOS COUNTY OPERATING FLEET

TECHNOLOGY	MW
Solar	2,178
Wind	542
Storage (BESS)	505
Gas	1

Tabulated form of FIG 04.1; project counts are carried on the figure. Gas is 1 MW across 1 project — below the resolution of the plotted bar.


NEAREST OPERATING STORAGE

St. Gall Energy Storage I — 103 MW BESS, 1.9 mi from the tract boundary.

2.4 WATER RIGHTS

Water

— Roughly two-thirds of all Middle Pecos GCD industrial water rights are already permitted to this position — the water question is closed, not open.



2.5 GAS SUPPLY

Natural gas

— A signable 15-year supply quote at Waha-index pricing sits 20 miles from the tract — the same structural basis discount now drawing behind-the-meter generation into this corridor.




FIG 06.1 INDICATIVE SUPPLY SCHEMATIC – WAHA HUB TO DELIVERY POINT

BASIS CONTEXT

Waha prices at a structural discount to Henry Hub, with negative prints recorded in 2024–2025 as the Matterhorn, Blackcomb, Hugh Brinson and GCX pipelines rebalance Permian egress.

TBL 06.1 INDICATIVE SUPPLY TERMS (COUNTERPARTY-SUPPLIED)	
TERM	VALUE
Volume	200,000 MMBtu/day
Contract term	15 years
Pricing	Waha-index
CIAC	\$15–25M
Lead time	9–15 months
Hub distance	20 mi to Waha
Indicative and non-binding; supplied by the counterparty and subject to confirmation in diligence.	

01

EGRESS BUILD-OUT

Four pipelines rebalancing

Matterhorn, Blackcomb, Hugh Brinson and GCX are shifting Permian egress; the basis discount is the reason on-site generation is being sited here.

2.6 REGIONAL PIPELINE

Corridor and ring analysis

32.7 GW of operating and queued capacity sits within 60 miles; Caramba North is inside that radius, not adjacent to it.




FIG 07.1 REGIONAL CORRIDOR – OPERATING FLEET, ERCOT QUEUE AND THE TWO NUMBERED ANCHOR SITES

TBL 07.1 CUMULATIVE CAPACITY BY RADIUS	
RADIUS	OPERATING + QUEUE
Within 15 mi	0.5 GW
Within 30 mi	8.9 GW
Within 60 mi	32.7 GW
Within 100 mi	53.5 GW

Region-wide, computed from the same EIA-860 and ERCOT-queue layers used throughout; not county-bounded.

TBL 07.2 THE TWO FEATURE ANCHORS – MAP KEY			
#	PROJECT	DISTANCE	BEARING
1	GW Ranch	15.5 mi	~19°
2	Longfellow	19.3 mi	~188°

Numbers key the markers on FIG 07.1 and FIG 08.1. Distances are edge-to-edge from the tract boundary; each anchor is plotted at its disclosed site point – see sheet 13 for basis.

GEOMETRY

GW Ranch bears almost due north and Longfellow almost due south; the tract sits between them on a single north–south axis.

WITHIN 20 MILES

3,973 MW across 13 ERCOT-queue projects, before either anchor above is counted.

2.6A FEATURE ANCHOR • NORTH

GW Ranch

— The largest air permit issued in the US this year — 7.65 GW — sits 15.5 miles up the same highway corridor, under construction rather than announced.




FIG 08.1 GW RANCH (MARKER 1) RELATIVE TO THE TRACT — 15.5 MI, BEARING ~19°

15.5 mi

MILES FROM TRACT

8,000 ac

SITE ACREAGE

7.65 GW

GW AIR PERMIT

TBL 08.1 SITE AND GENERATION RECORD

PARAMETER	RECORD
Site	8,000 ac, Pecos County
Ownership	Amazon; disclosed Aug 2026
Developer	Pacifico Energy Group (plant operator)
Generation	35 gas turbines • 7.65 GW TCEQ air permit, Jan / Feb 2026
Storage / solar	1.8 GW battery; up to 750 MW solar
Buildings	3 × 189,000 sq ft (Gensler)
Target completion	Dec 2026
Est. investment	~\$12B total project
Status	Under construction

PERMIT CLASSIFICATION

The 7.65 GW figure is a TCEQ *generation* air permit, not an ERCOT interconnection queue position. No ERCOT filing has been disclosed; the project is off-grid initially. See sheet 10 for the state-level audit context this sits inside.

2.6B FEATURE ANCHOR • SOUTH

Longfellow

— A second phased gas-generation campus 19.3 miles south — the corridor's demand for on-site power is not one project deep.



FIG 09.1 ANNOUNCED PHASING — 8 PHASES AT 250 MW




FIG 09.2 BUILD STATUS OF THE TWO ANCHORS' COMBINED 9,650 MW

TBL 09.1 SITE AND GENERATION RECORD	
PARAMETER	RECORD
Site	568 ac, Pecos County
Distance	19.3 mi from tract, edge-to-edge
Announced	Oct 2025 — 2 GW, 8 phases
Phase size	250 MW
Generation	On-site aero-derivative gas turbines
Emissions	SCR with carbon-capture capability
Cooling	Closed-loop, permitted non-potable groundwater
Status	Phase-1 site work underway

PERMITTING STATUS

No confirmed ERCOT queue position and no TCEQ air-permit record was found for this site as of Aug 2026. Stated as a fact about the permitting record, not as commentary on the project.

LOCATION BASIS

Longfellow's own public materials describe the location as more than 25 miles outside Fort Stockton; the 19.3 mi figure is measured to the Caramba North tract boundary, not to Fort Stockton.

3.0 MACRO FRAMING

Queue and policy context

— The statewide backlog reached ~474 GW and triggered an audit and a queue-processing pause — the demand signal is large enough to have become a policy problem, which is a different claim than “this area is growing.”




FIG 10.1 ERCOT LARGE-LOAD INTERCONNECTION QUEUE, GW PENDING

TBL 10.1 CHRONOLOGY

DATE	QUEUE	EVENT
End 2024	63 GW	Large-load queue baseline
Nov 2025	226 GW	Nearly quadrupled in a year; ~77% data centers targeting 2030 interconnection
Aug 3, 2026	—	Gubernatorial directive to audit all ERCOT-queue data centers; “Batch Zero” large-load review paused
Aug 2026	474 GW	Statewide pending requests, ~90% data-center-driven

Sources: Latitude Media, “ERCOT’s large load queue has nearly quadrupled in a single year” (Dec 3, 2025); Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers” (Aug 2026).

01

SCALE REFERENCE

5× record peak demand

Gov. Abbott characterised the pending request volume as more than five times Texas’ record peak demand.

02

POSITION


Inside the radius

The 32.7 GW within 60 miles of this tract sits inside the same state-level queue that produced the pause.

2.8 DRILLING AND WELLBORE RECORD

Subsurface activity

— Pecos County records the lowest new-drill count of seven comparable Permian counties since 2020 — roughly 90% below the peer average.



TBL 11.1 NEW-DRILL WELLS BY PROXIMITY RING	
RING	WELLS
Within 2 mi	0
Within 5 mi	0
Within 10 mi	1
Beyond 10 mi	114
Median distance beyond 10 mi: 19.9 mi; mean 20.9 mi. RRC dbf900 / W-1 records since 2020.	
TBL 11.2 MARGINAL / END-OF-LIFE SHARE OF NON-PLUGGED WELLBORES	
RING	MARGINAL
Within 2 mi	60%
Within 5 mi	62%
Within 10 mi	83%
The closer ring is quieter than the wider one on both measures.	

FIG 11.1 NEW-DRILL WELLBORE EVENTS SINCE 2020, PECOS VS. PEERS

115

NEW-DRILL EVENTS SINCE 2020

10%

SHARE OF 1,140 RRC EVENTS

9.37 mi

MILES TO NEAREST NEW DRILL

2.7 DATA PROVENANCE

Diligence platform

— Every figure on these sheets is independently re-derivable from a cited public dataset — this is a source register, not a broker's summary.

TBL 12.1

SOURCE REGISTER — EVERY LAYER TRACES TO A CITED DATASET

PUBLISHER	DATASET	WHAT IT CARRIES	REFRESH
ERCOT	GIS Report · TPIT	Queue, planned upgrades	Monthly
PUCT	Dockets	Approved transmission paths	As filed
EIA	Form EIA-860	Operating generation fleet	Annual
TCEQ	Air permits	Permitted generation	As issued
RRC	dbf900 · production · W-1	Wellbore and drilling record	Weekly
FracFocus	Disclosure registry	Completion record	Weekly
Middle Pecos GCD	Permit register	Water rights	As issued
HIFLD	Transmission · substations	Grid infrastructure	Annual
USGS	Hydrogeology	Aquifer extent	Annual
BTS · Census TIGER	Roads · boundaries	Highways, county lines	Annual

FIG 12.1 PER-FEATURE SOURCE ATTRIBUTION BEHIND THE GIS PLATFORM

RE-DERIVABILITY

Each feature in the platform carries a source popup naming the dataset and vintage it was drawn from, so any figure on these sheets can be traced back to the published record it came from.

TBL 12.2

PLATFORM CAPABILITY

FUNCTION	DETAIL
Filters	County, depth, spud year, fuel, status
Time	Scrubber across the wellbore record
Tools	Measure, share, print
Popups	Per-feature source attribution
Build	Static, versioned
Release	Deployed bundle byte-verified
Access	Logged; credentials issued separately

PLATFORM ADDRESS

lrp-tx-gis.netlify.app — credentials issued to the deal team separately from this document.

01

REFRESH CADENCE

Weekly / monthly / annual

RRC weekly; ERCOT queue and TPIT monthly; EIA, USGS and OSM annually.

4.0 BASIS OF MEASUREMENT

Methodology and notices

Distances are measured edge-to-edge from the tract boundary; the centroid figures are longer and are used nowhere else in this set.




FIG 13.1 DISTANCE MEASUREMENT BASIS (§4)

DISTANCE METHODOLOGY (§4)

Distances to GW Ranch and Longfellow are measured edge-to-edge: from the nearest point on the Caramba North tract boundary to each site's disclosed location, rather than centroid-to-centroid. This is consistently shorter than a straight centroid measurement because Caramba North's own tract has spatial extent. GW Ranch: 15.5 mi (vs. 17.3 mi centroid). Longfellow: 19.3 mi (vs. 19.7 mi centroid) — Longfellow's own public site describes its location as more than 25 miles outside Fort Stockton, consistent with the longer figure; this distance should not be represented as shorter.

TBL 13.1 SOURCE REGISTER – THIRD-PARTY REPORTING	
REF	CITATION
R1	Latitude Media, “ERCOT's large load queue has nearly quadrupled in a single year,” Dec 3, 2025.
R2	Utility Dive, “Facing an estimated 474 GW of interconnection requests, Texas hits pause on data centers,” Aug 2026.
R3	TCEQ air-permit record, GW Ranch, Jan / Feb 2026.
R4	PUCT PBRP Docket No. 55718, approved Apr 24, 2025.

NOTICE TERMS OF DISTRIBUTION	
Confidential offering memorandum prepared for a limited number of prospective counterparties under non-disclosure agreement. This is not an offer to sell or a solicitation of an offer to buy securities. Information is preliminary and indicative, drawn from sources believed reliable but not independently verified by the issuer of this document. Public data is drawn from the sources registered on sheet 12; third-party transaction news is sourced to the public reporting cited above. Recipients should conduct their own diligence; the GIS platform referenced on sheet 12 is provided for that purpose.	