

Top Questions from

Bloomberg



Top interview questions asked by Bloomberg as voted by the community. We compile this list thoroughly so you can save time and get well-prepared for a Bloomberg interview. Completing this

Array and Strings

Bloomberg likes to ask simple, basic array questions. This is the most common type of questions one will encounter in Bloomberg's interview. We highly recommend you to practice First Unique Character

Linked List

Bloomberg asks pretty standard, basic linked list questions and nothing that is particularly tricky. We recommend Add Two Numbers.

Trees and Graphs

Bloomberg may ask questions related to Tree data structure, and these questions can appear quite often in the interview. We highly recommend Validate Binary Search Tree, and Populating Next Right

	Heap, Queue, Stack Any kind of problems which uses Heap, Queue, or Stack data structure goes here. We recommend the problem Meeting Rooms II.
	Sorting and Searching Top K Frequent These are frequently asked in Bloomberg interviews. We recommend the problem Sort Characters by Frequency and Top K Frequent Words.
0	Dynamic Programming Bloomberg does not ask a whole lot of Dynamic Programming questions. We recommend Longest Palindromic Substring.
0	Design These are some design questions for you to practice for your Bloomberg interview. We highly recommend LRU Cache.
	Others Here are some other questions for you to practice to get well-prepared for your Bloomberg interview.
Q	Discuss (/discuss/explore/bloomberg)

0 topics - share ideas and ask questions about this card

Introduction









Top interview questions asked by Bloomberg as voted by the community.

We compile this list thoroughly so you can save time and get well-prepared for a Bloomberg interview.

Completing this card should give you a good idea of the type of questions you would encounter in your Bloomberg interview.

Last updated: April 18, 2019

Array and Strings	
☐ Ӣ Two Sum	
☐ Ib Longest Substring Without Repeating	
☐ 励 3Sum	
☐ Ӣ Valid Anagram	
☐ Ӣ Spiral Matrix	

☐ Merge Sorted Array
☐ Ø Pascal's Triangle
☐ Ӣ Integer to English Words
☐ Move Zeroes
☐ ☑ First Unique Character in a String
☐ ☑ String Compression
☐ ☑ Subarray Sum Equals K
☐ Ӣ Candy Crush
Linked List
☐ Ӣ Add Two Numbers
☐ Merge Two Sorted Lists
☐ Ӣ Reverse Linked List II
☐

☐ Ӣ Reverse Linked List
☐ Ӣ Add Two Numbers II
Trees and Graphs
☐ Ӣ Validate Binary Search Tree
☐ Ӣ Construct Binary Tree from Preorder a
☐ Ӣ Flatten Binary Tree to Linked List
☐ Ӣ Populating Next Right Pointers in Eac
☐ Ӣ Populating Next Right Pointers in Eac
☐ Ӣ Binary Tree Right Side View
☐ Ӣ Number of Islands
☐ ⓓ Kth Smallest Element in a BST
☐ Ӣ Alien Dictionary
☐ Ӣ Decode String

☐ ☐ Flatten a Multilevel Doubly Linked List
Heap, Queue, Stack
☐ Ø Valid Parentheses
☐ Ӣ Trapping Rain Water
☐ Ø Sliding Window Maximum
☐ Meeting Rooms II
Sorting and Searching
Sorting and Searching
☐ Median of Two Sorted Arrays
☐ Median of Two Sorted Arrays ☐ Search in Rotated Sorted Array

Dynamic Programming	
☐ Ib Longest Palindromic Substring	
☐ Ӣ Maximum Subarray	
☐ Ø Word Break	
Design	
☐ ☑ LRU Cache	
☐ Moving Average from Data Stream	₽
Others	
☐ Ø Reverse Integer	
☐ ⓓ Word Search	
Copyright © 2019 LeetCode Help Center (/support/) Terms (/terms/) Privacy (/privacy/) = U	nited States