Atlas Diagnostics Center: Complete Application Architecture & Recreation Blueprint

This document is the master engineering specification for recreating the **Atlas Diagnostics Center** enterprise pathology & radiology software (RIS / LIMS). It covers the system architecture, all user roles and permissions, tab-by-tab operational mechanics, interconnected data models, business rules, and step-by-step instructions for migrating to a new GitHub repository and reconnecting deployment.

1. Executive System Architecture

The application operates as a **100% online, real-time diagnostic center management system** with **zero mock data** and **Google Sheets as the single source of truth**.

Core Architecture Principles:

1. **100% Online & Zero Mock Data**:
    - The application does not contain hardcoded patients, orders, referring doctors, appointments, expenses, or staff rosters.
    - All collections initialize as empty arrays `[]`.
    - Data displayed on screen is strictly what exists on Google Sheets. If an item is deleted from Google Sheets, it immediately disappears from the application.
2. **Offline Hard Stop (`Connection Required • System Halted`)**:
    - If internet connectivity drops, the application freezes interaction and displays a full-screen blocking overlay.
    - Offline writes and offline simulation modes are strictly banned to prevent phantom records, invoice collision, or data divergence across multiple reception counters.
3. **Atomic Action-Level Synchronization**:
    - Writes are pushed atomically per user action (`CREATE_ORDER`, `SYNC_ORDER`, `DELETE_ORDER`, `SYNC_REFERRAL`, `ADD_EXPENSE`, etc.).
    - Blind bulk backups overwriting the entire spreadsheet are forbidden to prevent lock contention (`Server lock timeout`) and prevent stale browser memory from resurrecting deleted records.
4. **Heartbeat Auto-Pull**:

- The client polls Google Sheets via `GET_ALL_DATA` every 20 seconds and on window focus/tab switch, updating all workstations with live orders, approved doctors, and financial stats.

2. User Roles & Tab Accessibility Matrix

The application supports 7 distinct user personas, each with dedicated dashboards, actions, and restricted boundaries.

Role Code	Role Name	Primary Function	Default Screen
`SUPER_ADMIN`	Super Administrator	Full executive control over finances, audit logs, doctor approvals, staff credentials, deletion gates, and doctor/beneficiary overrides	`AdminDashboard`
`CENTER_MANAGER`	Center Branch Manager	Operational head for local branch: manages staff roster, test catalog, daily expenses, patient queue, and invoices	`AdminDashboard`
`RECEPTIONIST`	Front Desk Billing & Intake	Patient registration, test selection, bill generation, payments (cash/online/split), sample status, and appointments	`ReceptionPortal`
`DIAGNOSTIC_DOCTOR`	Radiologist / Pathologist	Clinical review, analyzer parameter validation, clinical impressions, report authorization, and digital signatures	`DoctorWorkstation`
`LAB TECHNICIAN`	Phlebotomist / Lab Tech	Barcode scanning, sample intake (EDTA/Serum/Urine), preliminary test values entry	`DoctorWorkstation`
`REFERRING_DOCTOR`	External Referring Partner	Cabin view: track referred patients, test status, commission balance, and payout vouchers	`ReferringDoctorPortal`
`PATIENT`	Diagnostic Client / Patient	Self-service portal: view registered tests, download verified PDF reports, and view paid receipts	`PatientPortal`

Tab-by-Tab Role Permissions Matrix

Dashboard Tab	SUPER_ADMIN	CENTER MANAGER	RECEPTIONIST	DIAGNOSTIC_DOCTOR	LAB TECHNICIAN	REFERRING DOCTOR	PATIENT
Interactive Dashboard (MIS KPIs)	Full Access	Full Access	No	No	No	No	No
Patient Orders & Ledger	Full + Delete	Full (No Delete)	Via Queue	No	No	No	No
Doctor's Duty Roster	Full Access	Full Access	View Only	View Shifts	View Shifts	No	No
Doctor Approvals Gate	Approve/Reject	View Only	Register Only	No	No	No	No
Referral Partners & Payouts	Full Access	View Only	Select Doctor	No	No	Own Stats Only	No
Diagnostic Test Catalog	Edit Prices/Add	Edit Prices/Add	View Tariff	View Parameters	View Parameters	View Tariff	View Tariff
Staff Attendance Logs	Full Access	Full Access	Own Clock-in	No	No	No	No
Staff Credentials & Roles	Full Access	No	No	No	No	No	No
Deletion Approval Gate	Sole Approver	Request Only	Request Only	No	No	No	No
Operating Expenses & AMC	Full Access	Add/View Local	No	No	No	No	No
Center Branches Setup	Full Access	View Own Center	No	No	No	No	No
Activity Audit Logs	Full Access	Local Center	No	No	No	No	No
Financial MIS / P&L	Full Access	Branch Level	No	No	No	No	No
Patient Registration & Billing	Override Doctor	Full Access	Primary Tool	No	No	No	No

Dashboard Tab	SUPER_ADMIN	CENTER_MANAGER	RECEPTIONIST	DIAGNOSTIC_DOCTOR	LAB TECHNICIAN	REFERRING DOCTOR	PATIENT
Live Order Queue & Phlebotomy	Full Access	Full Access	Primary Tool	Review Queue	Sample Intake	No	No
Appointments Scheduler	Full Access	Full Access	Primary Tool	View Bookings	No	Request Apt	Book Own Apt
Doctor Review & Report Entry	View/Authorize	View	No	Primary Tool	Enter Values	View Reports	Download PDF

3. Functioning of All Tabs

A. Admin & Management Tabs (`AdminDashboard.tsx`)

1. **Dashboard (Executive Command Center)**:
    - Displays real-time KPIs: Total Orders Count, Gross Tariff MRP, Cash Counter Cash, Online/UPI Collections, Total Net Revenue, and Outstanding Balance Due.
    - Visual charts: Revenue by diagnostic modality (Pathology, USG/Radiology, CT, MRI, ECG), hourly footfall breakdown, and recent orders quick-access table.
2. **Patient Orders Ledger (`ALL_ORDERS`)**:
    - Master ledger of every patient invoice registered across all branches.
    - Comprehensive filtering: Search by Patient Name, Phone, UHID, Barcode, Invoice Number, Date Range (Today, Yesterday, Past 7 Days, Month, Custom), and Payment Status (`PAID`, `PARTIAL`, `DUE`).
    - Quick actions per row:
        - **Print Invoice**: Renders GST tax invoice thermal/A4 receipt ().
        - **Edit Order**: Allows modifying tests, discount, payment collection, or remarks.
        - **Issue Refund**: Logs refund amount, reason, payment mode, and marks order refund status.
        - **Request Deletion**: Non-admins submit a deletion request with mandatory audit justification; Super Admin can delete immediately.
3. **Doctor's Duty Roster (`DOCTOR_ROSTER`)**:
    - Manages in-house Radiologists, Pathologists, and Sonologists ().

- Tracks shifts: Morning (8 AM - 2 PM), Evening (2 PM - 8 PM), Night (8 PM - 8 AM), Full Day, or On-Call (24x7).
- 1-Click WhatsApp Hub: Formats duty schedules and emergency on-call notices and opens WhatsApp Web/API directly.

4. **Doctor Approvals Gate (`DOCTOR_APPROVALS`)**:
   - Queue for all new referring doctors registered by front desk receptionists.
   - Displays pending doctors with medical registration number, clinic address, mobile phone, and proposed commission %.
   - Super Admin approves doctors, sets approved commission rate (0% to 50%), and assigns beneficiary affiliation.
5. **Referral Partners, Affiliations & MIS (`REFERRAL_LEADERBOARD`)**:
   - Comprehensive registry of all approved medical practitioners and hospitals referring patients.
   - Tracks cumulative performance: Total Referrals Billed, Total Gross Revenue Generated, Total Commission Earned, and Net Payout Disbursed.
   - **Settle Commission Payout**: Admin records cash/bank payout vouchers, resetting unpaid commission and logging financial activity.
6. **Diagnostic Test Catalog Manager (`TEST_CATALOG`)**:
   - Pre-loaded catalog of **1,170 diagnostic tests and panels** covering Pathology, Biochemistry, Hematology, Microbiology, Ultrasound, X-Ray, CT Scan, and MRI ().
   - Administrators can update test MRP tariffs, B2B wholesale rates, Turnaround Time (TAT in hours), sample vial requirements, fasting instructions, and sub-department mappings.
   - Real-time rate sync pushes updated prices directly to `Master_Test_Catalog` on Google Sheets.
7. **Staff Attendance Tracker (`ATTENDANCE`)**:
   - Tracks real-time shift compliance for all technicians, nurses, and receptionists.
   - Captures login timestamp, logout timestamp, session duration in minutes, and workstation IP/center.
   - Attendance logs synchronize to `Staff_Attendance_Logs` on Google Sheets.
8. **Staff Credentials & Security (`PAYROLL`)**:
   - Super Admin management of system user accounts (`AuthUser`).
   - Assigns role designations, usernames, passwords, and assigned center branches (e.g., locks Khushi to Lab Technician).
9. **Staff Deletion Approval Gate (`DELETION_APPROVALS`)**:
   - Security gate preventing accidental or malicious data destruction.
   - When a receptionist or manager clicks "Delete Order", "Delete Patient", or "Delete Expense", the record enters `deletionPendingApproval = true`.

- The record remains frozen until a Super Admin reviews the reason, user identity, and timestamp, clicking either **Approve Deletion** (purges from Google Sheets) or **Reject & Restore**.

10. **Operating Expenses & AMC Tracker (`EXPENSES`)**:
    - Petty cash and center operating cost logger.
    - Fields: Voucher Number, Expense Category (Rent, Electricity, Reagents & Consumables, Machine AMC, Housekeeping, Refreshments, Salaries), Title, Amount, Payment Mode, and Uploaded Receipt Image.
    - Syncs to `Operating_Expenses` sheet in Google Sheets.
11. **Center Branches Setup (`BRANCHES`)**:
    - Multi-branch center switcher and metadata manager.
    - Configures branch code (e.g., `ATL-MAIN`), sheet tab naming (`Orders_ATL_MAIN`), physical address, and contact numbers.
12. **Activity Audit Log (`ACTIVITY_LOG`)**:
    - Forensic timeline recording every system event: `ORDER_CREATED`, `ORDER_MODIFIED`, `PAYMENT_RECEIVED`, `SAMPLE_COLLECTED`, `REPORT_AUTHORIZED`, `DOCTOR_APPROVED`, etc.
    - Records actor name, actor role, timestamp, invoice number, and JSON metadata.
13. **Financial MIS Overview (`MIS_OVERVIEW`)**:
    - Daily & monthly Profit & Loss (P&L) breakdown.
    - Gross Tariffs vs Concession Discounts vs Operating Costs vs Referral Payouts = Net Center EBITDA.

B. Reception Portal Tabs (`ReceptionPortal.tsx`)

1. **Patient Registration & Billing (`REGISTRATION`)**:
    - **UHID Engine**: Automatically finds existing patients by phone number or name, or generates a permanent UHID (e.g., `CK2610110001` or `ATL-P-10025`).
    - **Back-Date Order Selector**: Dedicated date and time picker allowing reception to back-date orders for patients who arrived earlier or on previous dates.
    - **Doctor & Beneficiary Linkage**: Searchable Prescribing Doctor selector with real-time beneficiary badge and lock status.
    - **Investigation Selector**: Search across 1,170 tests with multi-select tags, live price calculation, discount percentage/amount controls, and discount approval justification.
    - **Payment Collection**: Cash, UPI/QR, Card, Credit, or **Split Payment** (combining custom cash amount + online mode).

- **Barcode Tagging**: Generates unique sample barcodes formatted as `ATL-BAR-{INVOICE}`.

2. **Live Center Orders Queue (`ORDERS_QUEUE`)**:
   - Fast operational queue for the current working day.
   - 1-click **Sample Collected** toggle (transitions status from `ORDER_PLACED` to `SAMPLE_COLLECTED`).
   - 1-click invoice print and order editing.
3. **Appointments Scheduler (`APPOINTMENTS`)**:
   - Patient appointment booking module for USG, MRI, CT scans, and fasting blood draws.
   - Direct conversion: clicking "Convert to Bill" automatically transfers appointment patient details and requested tests directly into the Registration Billing tab.

C. Clinical & Patient Portals

1. **Doctor Workstation (`DoctorWorkstation.tsx`)**:
   - Used by Radiologists and Pathologists.
   - Displays orders with status `SAMPLE_COLLECTED` or `IN_PROCESSING`.
   - Allows entering numerical test parameter results against biological reference ranges (flags High/Low in red/yellow).
   - Generates digital signature, authorizes report (`VERIFIED`), and triggers WhatsApp / SMS notification dispatch.
2. **Referring Doctor Portal (`ReferringDoctorPortal.tsx`)**:
   - External doctor cabin login.
   - Shows live referral count, revenue generated, and live test processing stages for their patients.
   - Provides downloadable monthly commission statements and payout vouchers.
3. **Patient Self-Service Portal (`PatientPortal.tsx`)**:
   - Patient logs in using Mobile Phone + UHID or Invoice OTP.
   - Can view sample progress timeline (Registered -> Sample Collected -> Processing -> Doctor Authorized -> Ready).
   - Downloads final authorized diagnostic PDF report.

4. Interconnecting Data Details & Critical Business Rules

When recreating the software, these four business logic rules must be implemented with strict fidelity:

Rule 1: Patient Identity & Demographics Preservation

- When a patient is registered, their primary record is stored in `Patients_Master` on Google Sheets:
  - `UHID` (Permanent ID, e.g. `SF2610110011` or `ATL-P-10025`)
  - `Name` (Structured title + combined name: e.g. `Mrs. CHAMMAN KHAN`)
  - `Age`, `Gender`, `Phone`, `Address`, `ABHA ID`
- In every order placed for that patient, the patient's ID is stored in the `patientId` column of the order sheet (`Orders_ATL_MAIN`), hardlinking the order to the master patient profile.
- If a patient visits again, searching their phone number populates their details and links the new order to their existing UHID.

Rule 2: Referring Doctor Approval & Beneficiary Assignment

- When a doctor is registered, their affiliation is categorized:
  - **Option A: Direct Individual (`affiliationType = 'SELF'`)**:
    - Commission beneficiary is the doctor themselves (`commissionBeneficiaryName = doctor.name`).
  - **Option B: Organization / Clinic (`affiliationType = 'ORGANIZATION'`)**:
    - Commission beneficiary is their parent hospital or clinic (`commissionBeneficiaryName = doctor.organizationName`, e.g. `SWATI` or `GALAXY HOSPITAL`).
- Front-desk UI displays the doctor's **real doctor name** (`doc.name`), accompanied by an organization badge if affiliated (`Ben: SWATI`). The doctor's name is never overwritten by the clinic name.

Rule 3: Temporal Beneficiary Locking (Critical Requirement)

Precise Implementation:

1. When an order is registered, the order record stores explicit snapshot values:
   - `order.referringDoctorId`
   - `order.referringDoctorName`
   - `order.commissionBeneficiaryId`
   - `order.commissionBeneficiaryName`
2. **Snapshot Permanence**: These fields are written to `Orders_ATL_MAIN`. They are **never** dynamically computed on-the-fly from the current doctor profile when viewing past orders.

3. **Future-Only Propagation**:
    - If Super Admin edits Doctor `ref-2972` on October 12 and changes their beneficiary from `AL-HAYAT` to `SWATI`, that change modifies `Referring_Doctors_Master`.
    - All new orders created from October 12 onwards will snapshot `SWATI`.
    - **All historical orders created prior to October 12 permanently retain `AL-HAYAT`.**
4. **Front-Desk Lockdown**:
    - Front-desk receptionists cannot change the linked doctor or beneficiary once an order is created.
    - The doctor and beneficiary fields are locked (`<Lock /> Hard-Linked`). Only a `SUPER_ADMIN` has permission to alter them.

Rule 4: Explicit Back-Date Order Placement & Timezone Safety

- **Requirement**: If reception places an order today (e.g. October 14) but selects October 8 in the date picker, the order MUST be recorded for **October 8th**, not today.
- **Root Cause of Date Shifting**: In JavaScript, executing `.toISOString()` on a local evening timestamp (e.g., `2026-10-08 21:55:00` in IST +05:30) converts it to UTC (`2026-10-08 16:25:00Z`). Conversely, parsing a UTC ISO string in local morning time can shift the calendar day forward to October 9th.
- **The Correct Implementation**:

```
typescript
// 1. Separate calendar appointment date (pure YYYY-MM-DD string)
order.appointmentDate = "2026-10-08";

// 2. Build local-offset ISO string preserving local IST (+05:30)
order.createdAt = buildSafeISOFromLocalDateAndTime(
  "2026-10-08",
  selectedTime || "12:00 PM",
  null
);
// Result: "2026-10-08T12:00:00.000+05:30" (Never shifts to next day)

// 3. Format strictly from the YYYY-MM-DD prefix
export const formatSafeDate = (dateVal?: string): string => {
  const ymd = normalizeToYYYYMMDD(dateVal); // Extracts "2026-10-08"
  const [y, m, d] = ymd.split('-').map(Number);
  return new Date(y, m - 1, d, 12, 0, 0).toLocaleDateString('en-IN', {
    day: '2-digit', month: 'short', year: 'numeric'
  }); // Always yields "08 Oct 2026"
};
```

Rule 5: Immutable Sequence Integrity (No Order ID Shifting)

- **Requirement**: Order IDs and Invoice Numbers are permanent primary keys. If Order #23 is deleted, Order #24 **must not** rename or shift itself to #23.
- **Invoice Number Structure**: $\text{Invoice Number} = \text{ATLS} + \text{YYMMDD} + . + \text{SEQUENCE}$
  Invoice Number = ATLS + YYMMDD + . + SEQUENCE Example: `ATLS261011.00024`
- **Integrity Rule**:
  - The sequence number is allocated monotonically based on the maximum existing counter recorded in the database for that date.
  - When Order `ATLS261011.00024` is deleted or marked pending deletion, its row in Google Sheets is either flagged `isDeleted` or removed.
  - Order `ATLS261011.00025` permanently stays `ATLS261011.00025`. Barcodes (`ATL-BAR-ATLS261011.00025`) and financial entries remain intact.

5. Google Sheets Database Schema

The Google Sheets workbook (`1Kg0-1Uu3rT4Ct2JdWvFAVjc_8mewrI5qs8En40yibYw`) serves as the relational database, organized into dedicated sheets:

Sheet 1: `Orders_ATL_MAIN`

Primary ledger for patient bookings and bills.

Col #	Header Name	Type	Example / Format
1	Order ID	String	`ATL-ORD-ATLS261011.00024`
2	Invoice Number	String	`ATLS261011.00024`
3	Order Date & Time	ISO String	`2026-10-08T12:00:00.000+05:30`
4	Patient UHID	String	`CK2610110001`
5	Patient Full Name	String	`Mrs. CHAMMAN KHAN`
6	Age / Gender	String	`50Y / Female`
7	Mobile Number	String	`7746884989`
8	Prescribed Tests	String	`SONOGRAPHY WHOLE ABDOMEN, CBC`
9	Prescribing Doctor	String	`DR.SHAZIYA ARSH`
10	Commission Beneficiary	String	`THE LITTLE CLINIC`
11	Gross Tariff (₹)	Number	`2200`
12	Concession Discount (₹)	Number	`0`
13	Net Payable Total (₹)	Number	`2200`
14	Paid Amount (₹)	Number	`2200`
15	Balance Due (₹)	Number	`0`
16	Payment Mode	String	`Cash` / `UPI` / `QR` / `Split Payment`
17	Order Status	String	`ORDER_PLACED` / `SAMPLE_COLLECTED`
18	Billed By Staff	String	`Tashmiya`
19	Sample Barcode	String	`ATL-BAR-ATLS261011.00024`
20	Intake Clinical Remark	String	`Standard Walk-in`
21	Last Sync Timestamp	ISO String	`2026-10-14T05:00:00.000Z`

Sheet 2: `Patients_Master`

Master patient demographic index.

Col #	Header Name	Type	Description
1	UHID	String	Unique Patient Identifier (e.g., `CK2610110001`)
2	Patient Full Name	String	Full name with title
3	Age	Number	Age in years
4	Gender	String	`Male` / `Female` / `Other`
5	Mobile / WhatsApp	String	10-digit primary contact
6	Email Address	String	Patient email for reports
7	Residential Address	String	City / Address details
8	ABDM / ABHA ID	String	Ayushman Bharat Health Account ID
9	Registration Date	ISO String	Date patient first visited

Sheet 3: `Referring_Doctors_Master`

Affiliate doctors and commission directory.

Col #	Header Name	Type	Description
1	Doctor ID	String	Unique partner ID (e.g. `ref-5023`)
2	Doctor Name	String	Full professional name (e.g. `DR.SHAZIYA ARSH`)
3	Degree / Qualification	String	Real degrees (e.g. `BUMS, CGO`) - no fake defaults
4	Specialty / Department	String	Medical specialty
5	Hospital / Clinic Name	String	Clinic or hospital affiliation
6	Registration No	String	State Medical Council registration
7	Phone	String	Contact mobile number
8	Email	String	Notification email
9	Commission (%)	Number	Agreed referral rate (e.g. `30`)
10	Affiliation Type	String	`SELF` or `ORGANIZATION`
11	Organization Name	String	Beneficiary clinic/hospital name
12	Status	String	`APPROVED` / `PENDING_APPROVAL` / `REJECTED`
13	Total Referrals	Number	Cumulative count of patients referred
14	Revenue Generated (₹)	Number	Cumulative billed volume
15	Commission Earned (₹)	Number	Total accrued commission
16	Payout Paid (₹)	Number	Total disbursed commission

Other Supporting Sheets:

- `Operating_Expenses`: Records expense vouchers, categories, amounts, and bill receipts.
- `Appointments_Master`: Booked slots, time intervals, and test requests.
- `Staff_Employees_Master`: User profiles, roles, and branch designations.
- `Staff_Attendance_Logs`: Workstation login/logout events.
- `Doctor_Roster_Master`: In-house radiologists and pathologists duty shifts.
- `Master_Test_Catalog`: Master catalog of 1,170 tests and tariffs.

6. Google Apps Script Webhook API Reference

The backend Google Apps Script web app exposes standard endpoints:

GET Request:

```
GET https://script.google.com/macros/s/AKfycbzrA4-5hpFajA-ogIuRQQBIVqibV20pHdmONqKvgW7ryFewO-7IGzQD4Hx-E64DEg/exec?action=GET_ALL_DATA
```

Returns a single JSON payload containing:

- `status: "SUCCESS"`
- `orders`: Array of all order objects across branch sheets
- `patients`: Array of registered patient profiles
- `doctors`: Array of referring doctor partners
- `expenses`: Array of operating expense entries
- `appointments`: Array of scheduled patient visits
- `staff`: Array of staff employees
- `doctorRoster`: Array of scheduled radiologists & pathologists

POST Request Actions:

All mutations are dispatched as JSON POST payloads:

```
json
{
  "action": "CREATE_ORDER",
  "order": { ...orderObject }
}
```

Supported Actions:

- `CREATE_ORDER` / `SYNC_ORDER`: Upserts an order in `Orders_ATL_MAIN`.
- `DELETE_ORDER`: Purges row matching `invoiceNumber` or `orderId`.
- `SYNC_PATIENT`: Upserts patient profile in `Patients_Master`.
- `DELETE_PATIENT`: Deletes patient row from `Patients_Master`.
- `SYNC_REFERRAL` / `APPROVE_DOCTOR`: Registers or updates referring doctor and marks `APPROVED`.
- `DELETE_REFERRAL`: Deletes referring doctor row.
- `ADD_EXPENSE` / `DELETE_EXPENSE`: Manages petty cash vouchers.
- `SCHEDULE_APPOINTMENT` / `DELETE_APPOINTMENT`: Manages calendar slots.

7. Step-by-Step GitHub Repository Migration Guide

To transfer this application to a new GitHub repository and connect it to a new deployment, follow these exact terminal steps:

Step 1: Create the New Repository on GitHub

1. Log in to GitHub.
2. Click **New Repository** (top right `+` menu).
3. Set the repository name (e.g. `atlas-diagnostics-enterprise`).
4. Set visibility to **Private** or **Public**.
5. **Do not** initialize with a README, .gitignore, or license (the codebase already contains them).
6. Click **Create repository** and copy the HTTPS URL: `https://github.com/<your-username>/<your-repo-name>.git`

Step 2: Update the Git Remote in the Local Codebase

Open PowerShell in the project directory (`D:\TGS\Atlas Diagnostics`):

```
powershell
# 1. Verify current remote configuration
git remote -v

# 2. Change the 'origin' remote to your new GitHub repository URL
git remote set-url origin https://github.com/<your-username>/<your-repo-name>.git

# 3. Verify the remote has updated
git remote -v
```

(Alternatively, if you prefer SSH):

```
powershell
git remote set-url origin git@github.com:<your-username>/<your-repo-name>.git
```

Step 3: Push All Code & Commit History to the New Repository

```
powershell
# 1. Ensure you are on the main branch
git branch -M main

# 2. Push all code, branches, and full commit history
git push -u origin main --force
```

Step 4: Reconnect to Vercel / Cloud Hosting

If deploying via Vercel:

1. Go to the Vercel Dashboard.
2. Click **Add New...** > **Project**.
3. Select your GitHub account and choose the new repository (`<your-repo-name>`).
4. Configure Project Settings:
    - **Framework Preset**: `Vite`
    - **Root Directory**: `./`
    - **Build Command**: `npm run build`
    - **Output Directory**: `dist`
    - **Install Command**: `npm install`
5. Click **Deploy**. Vercel will build the single-page application and assign a live production URL (e.g. `https://atlas-diagnostics-enterprise.vercel.app`).
6. Every subsequent `git push origin main` will automatically trigger a zero-downtime production deployment.

8. Summary Checklist for Recreating the App

Module	Must-Have Guarantee
Data Source	Hardwired 1-to-1 to Google Sheets Webhook API; no mock data collections.
Offline Mode	Fully removed; network failure halts app with blocker screen.
Doctor Selection	Always displays `doc.name` (with secondary clinic badge); never replaces name with clinic.
Doctor Lock	Once selected on an order/patient, only `SUPER_ADMIN` can modify doctor or beneficiary.
Beneficiary Rule	Changing doctor beneficiary affects future orders only; past orders retain snapshot.
Back-Dating	Explicit local date selection (`YYYY-MM-DD` + `+05:30`) without UTC date shifting.
Order IDs	Immutable sequence numbers (`ATLS{YYMMDD}.{SEQ}`); no sequence collapse on deletion.
Backend File	Single canonical backend file: `backend/GoogleAppsScript_Backend.js` .