

CV Customer Service			
Product Service Sheet			
for International Distributors:			
AB-36, EL-36, JE-36 Folded Horns			
Professional Audio Products:		Warranty: (5) Years	
Model: EL-36 and X		Description: 18" Portable Bass Horn 2004	
Power Handling : 500 watts / 1000 watts peak		Impedance: 8 ohms	
Frequency Response : 30Hz-300Hz		Sensitivity: 106 dB	
Item	Model	CV Stock#	
Woofer (earlier version)	189-SW	LSC5X1033	N/A
Recone Kit, Single	189SW	LSR5X1192	N/A
Woofer (current version)	FH18B	WOFP18301	N/A
Recone Kit, Single	FH18B	RCNP00002	
Woofer (substitute)	FH18E	WOFP18303	
Connector Plate		XOVP00005	
Front Panel/Heat-sink		SNKP00002	
Cabinet		CABP00011	carpetec N/A
Model: JE-36 and X		Description: 18" Portable Bass Horn 2004	
Power Handling : 500 watts / 1000 watts peak		Impedance: 8 ohms	
Frequency Response : 30Hz-300Hz		Sensitivity: 106 dB	
Item	Model	CV Stock#	
Woofer (earlier version)	189-SW	LSC5X1033	N/A
Recone Kit, Single	189SW	LSR5X1192	N/A
Woofer (current version)	FH18B	WOFP18301	N/A
Recone Kit, Single	FH18B	RCNP00002	
Woofer (substitute)	FH18E	WOFP18303	
Connector Plate		XOVP00005	
Front Panel/Heat-sink		SNKP00001	
Cabinet		CABP00009	carpetec N/A
Model: AB-36 and X		Description: 18" Portable Bass Horn 2004	
Power Handling : 750 watts / 1500 watts peak		Impedance: 8 ohms	
Frequency Response : 30Hz-300Hz		Sensitivity: 108 dB	
Item	Model	CV Stock#	
Woofer	FH18A	WOFP18401	
Recone Kit, Single	FH18A	RCNP00001	
Woofer (substitute)	FH18D	WOFP18404	
Connector Plate		XOVP00005	
Front Panel/Heat-sink		SNKP00003	
Cabinet Assembly		CABP00013	carpetec N/A
Hardware (AB-36, EL-36, JE-36)			
Caster (Wheel) Swivel - AB/EL		WHLP00001	
Caster (Wheel) Fixed - AB/EL/JE		WHLP00002	
Handle		MPH0A2023	
Pole-Mount Socket (35mm)		MPL0A2017	
Rubber Feet		MPK3M2090	

AB-36B, EL-36B, JE-36B Folded Horns (B-SERIES)				
Professional Audio Products			Warranty: (5) Years	
Model: EL-36B		Description: 18" Portable Bass Horn 2005		
Power Handling: 500 watts / 1000 watts peak		Impedance: 8 ohms		
Frequency Response: 30Hz-300Hz		Sensitivity: 106 dB		
Item	Model	CV Stock#		
Woofer (current version)	FH18E	WOFP18303		
Recone Kit, 4 pack (no single)	FH18E	RCNP00021		
Connector Plate		XOVP00023		
Front Panel/Heat-sink		SNKP00002		
Cabinet		CABP00033	carpeted	N/A
Cabinet		CABP00034	painted	N/A
Model: JE-36B		Description: 18" Portable Bass Horn 2005		
Power Handling: 500 watts / 1000 watts peak		Impedance: 8 ohms		
Frequency Response: 30Hz-300Hz		Sensitivity: 106 dB		
Item	Model	CV Stock#		
Woofer (current version)	FH18E	WOFP18303		
Recone Kit, 4 pack (no single)	FH18E	RCNP00021		
Connector Plate		XOVP00024		
Front Panel/Heat-sink		SNKP00004		
Cabinet		CABP00035	carpeted	N/A
Cabinet		CABP00036	painted	N/A
Model: AB-36B		Description: 18" Portable Bass Horn 2005		
Power Handling: 750 watts / 1500 watts peak		Impedance: 8 ohms		
Frequency Response: 30Hz-300Hz		Sensitivity: 108 dB		
Item	Model	CV Stock#		
Woofer	FH18D	WOFP18404		
Recone Kit, 4 pack (no single)	FH18D	RCNP00023		
Connector Plate		XOVP00022		
Front Panel/Heat-sink		SNKP00003		
Cabinet Assembly		CABP00031	carpeted	N/A
Cabinet Assembly		CABP0001332	painted	N/A
Hardware (AB-36B, EL-36B, JE-36B)				
Caster (Wheel) Swivel - AB/EL		WHL P00001		
Caster (Wheel) Fixed - AB/EL/JE		WHL P00002		
Handle		HAN P00001		
Pole-Mount Socket (35mm)		HAR P00007		
Rubber Feet		MPK3M2090		

CV Customer Service		
Product Service Sheet		
for International Distributors		
!INTENSE! Series		
Professional Audio Products		Warranty: (5) Years
Model: INT-152		Description: 15" (2)-Way Full-Range 2005
<i>Power Handling:</i> 300 watts (continuous)		<i>Impedance:</i> 8 ohms
<i>Frequency Response:</i> 50Hz-20kHz		<i>Sensitivity:</i> 98 dB
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
HF Driver	CD34A	COMP00004
Diaphragm HF Driver	CD34A	DIAP00001
HF Dispersion Horn		HRNP00006
HF Mounting Adaptor		HARG00023
LF Driver	FR15D	WOFP15254
Crossover		XOVP00019
Crossover Bulb	SK3	BULP00002
Grille		GRLP00018
Cabinet		CABP00025
Carton		CTNP00021
Model: INT-252		Description: Dual 15" (2)-Way Full-Range 2005
<i>Power Handling:</i> 500 watts (continuous)		<i>Impedance:</i> 4 ohms
<i>Frequency Response:</i> 45Hz-20kHz		<i>Sensitivity:</i> 100 dB
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
HF Driver	CD34A	COMP00004
Diaphragm HF Driver	CD34A	DIAP00001
HF Dispersion Horn		HRNP00006
HF Mounting Adaptor		HARG00023
LF Driver	FR15D	WOFP15254
Crossover		XOVP00020
Crossover Bulb		BULP00002
Grille		GRLP00019
Cabinet		CABP00026
Carton		CTNP00022
Model: INT-118S		Description: 18" Passive Subwoofer 2005
<i>Power Handling:</i> 500 watts (continuous)		<i>Impedance:</i> 4 ohms
<i>Frequency Response:</i> 38Hz-500Hz		<i>Sensitivity:</i> 98 dB
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
LF Driver	SW18A	WOFP18302
Recone Kit, Single	SW18A	RCNP00019
Connector Plate		XOVP00021
Grille		GRLP00020
Cabinet		CABP00027
Carton		CTNP00023
INT Hardware		
Pole-Mount Socket		HARP00007
Handle		HANP00001

CV Customer Service

Product Service Sheet

for International Distributors

Folded Horn Subwoofers

Professional Audio Products

Warranty: (1) Year

Model: SL-36B

Description: 18" Folded Horn

Power Handling: 750 watts RMS

Impedance: 8 ohms

Frequency Response: 30Hz-300Hz

Sensitivity: 107 dB

2003

Item	Model	CV Stock#	
Woofers	189SW	LSC5X1033	N/A
Woofers (Current replacement)	FH18A	WOF18401	
Recone Kit, Single	FH18A	RCNP00001	
Connector Plate Assy.		MPM5P1095	
Front Panel/Heat-sink		MPM5P0010	
Handle (Bar)		MPH5P0021	
Cabinet		CAC5P1200	N/A

Model: LR-36

Description: 18" Folded Horn

Power Handling: 500 watts RMS

Impedance: 8 ohms

Frequency Response: 35Hz-200Hz

Sensitivity: 105 dB

2003

Item	Model	CV Stock#	
Woofers	189SW	LSC5X1033	N/A
Woofers (Current replacement)	FH18E	WOF18303	
Recone Kit, 4 pack (no single)	FH18E	RCNP00021	
Connector Plate		MPM5Q1190	
Handle (Bar)		MPH5P0021	
Cabinet		CAC5Q1200	N/A
Logo		TGC0A0065	

Model: T-36/750

Description: 18" Folded Horn

Power Handling: 750 watts RMS

Impedance: 8 ohms

Frequency Response: 30Hz-300Hz

Sensitivity: 108 dB

2004

Item	Model	CV Stock#	
Woofers (Replacement)	FH18A	WOF18401 use spacer/surround	
Recone Kit, Single	FH18A	RCNP00001	
Woofers (Original)	L-1815-8	LSC3L1035	N/A
Connector Plate		MPM3M1090	
Handle (Bar)		MPH3M0211	
Handle (side/top dish style - earlier version)		MPM0A2023	
Front Panel/Heat-sink		MPM3M0010	
Cabinet Assembly			N/A

Hardware (SL-36, LR-36, T-36)

Caster (Wheel)	MPA0A2300
Pole-Mount Socket (35mm)	MPL0A2017
Rubber Feet	MPK3M2090
Pole-Mount Socket (35mm)	MPL0A2017
Rubber Feet	MPK3M2090

CV Customer Service				
Product Service Sheet				
for International Distributors				
SM & MT Monitors				
Professional Audio Products			Warranty: (1) Year	
Model: SM-122/T			Description: 12" 2-Way Stage Monitor	
Power Handling: 250 watts			Impedance: 8 ohms	
Frequency response: 80Hz-17kHz			Sensitivity: 101 dB 2002	
Item		Model	CV Stock#	
Woofer	Original	CWW12	LSC5A1032	N/A
Woofer	Replacement	FR12A	WOFP12251	
Woofer Recone-Kit, Single		FR12A	RCNP00011	N/A
Tweeter		KSN1177A	LSHTZ2030	
Crossover			CXS5L1090	Repair N/A
Grille			SGE5L1060	N/A
Cabinet			CAC5L1200	N/A
Model: SM-152/T			Description: 15" 2-Way Stage Monitor	
Power Handling: 250 watts			Impedance: 8 ohms	
Frequency response: 60Hz-17kHz			Sensitivity: 103 dB 2002	
Item		Model	CV Stock#	
Woofer	Original	CWW15	LSC5B1031	N/A
Woofer	Replacement	FR15B	WOFP15251	
HF Driver		H-25F	LSHSE2010	
Diaphragm, HF Driver		H-25F	LDHSE1010	
Crossover			CXS5M1090	Repair N/A
Grille			SGE5M1060	N/A
Cabinet			CAC5M1200	N/A
Model: MT-102			Description: 10" 2-Way Mid-High	
Power Handling: 400 watts			Impedance: 8 ohms	
Frequency response: 100Hz-17kHz			Sensitivity: 107 dB 2002	
Item		Model	CV Stock#	
LF Driver		LM-104	LSC3K1030	
HF Driver		TMH-1	LSDVD1010	N/A
Diaphragm, HF Driver		TMH-1	LDHVD1000	
Dispersion Horn			HHCV72061	N/A
Crossover			CXS5D1090	
Grille			SGE5D1210	N/A
Cabinet			CAC5D1200	N/A
Hardware				
Item		Model	CV Stock#	
Pole-Mount Socket (35mm)			MPL0A2017	
Grille logo			TGC0A0060	
Handle/Port	SM		MPH0A2021	
Handle	MT-102		MPH0A2023	
Corners, 2-prong	SM/MT		MP00A2430	Carpet
Corners, 3-prong	SM		MP00A2400	Carpet/Vinyl
Corners, 2-prong	SM		MP00A2426	Vinyl
Corners, 3-prong	MT-102		MP00A2420	
Feet, Rubber	MT-102		MPK3M2090	
Switch, 3-position	SM		SSTCX2041	
Switch, HF Pad	MT-102		SSKCX2042	
Switch, Pin Selection	MT-102		SSKCX2043	
Jack, 1/4"	SM		JJQ027250	
Jack, 1/4" High-Pwr	MT-102		JJQCX2750	
Jack, Neutrik			JJNCX2721	

CV Customer Service			
Product Service Sheet			
for International Distributors			
Prostax II Series			
Professional Audio Products			
Warranty: (1) Year			
Model: PS-10SII		Description: 10" 2-Way MI/PA	
<i>Power Handling:</i> 300 watts RMS		<i>Impedance:</i> 8 ohms	
<i>Frequency Response:</i> 90Hz-20kHz		<i>Sensitivity:</i> 101 dB 2002	
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver (Version 1)	C-6G	LSHSD2000 N/A	
HF Driver (Version 2)	HF-7	LSHSM2010	
LF Driver	PSW10II	LSC5S1030	
Crossover Assy. Complete		CXS5S1090	Repair N/A
Connector Plate Assy		MPM5S1090	Repair N/A
Crossover PCB Assy.		PCA5S1090	Repair N/A
Metal Grille		SGE4W0040	N/A
Cabinet Assembly		CAV5S1200	N/A
Side Handle		MPH0A2012	
Model: PS-12SII		Description: 12" 3-Way MI/PA	
<i>Power Handling:</i> 450 watts RMS		<i>Impedance:</i> 8 ohms	
<i>Frequency Response:</i> 90Hz-20kHz		<i>Sensitivity:</i> 102 dB 2002	
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver (Version 1)	C-6G	LSHSD2000 N/A	
HF Driver (Version 2)	HF-7	LSHSM2010	
MF Driver	M-130	LSDV81010 N/A	
Diaphragm, MF Driver	M-130	LDHV81000	
MF Dispersion Horn		HHC0A0040 N/A	
LF Driver (Original)	PSW12II	LSC5T1030 N/A	
LF Driver (Current replacement)	FR12A	WOF12251	
Crossover Assy. Complete		CXS5T1090	Repair N/A
Connector Plate Assy		MPM5T1090	Repair N/A
Crossover PCB Assy.		PCA5T1090	Repair N/A
Metal Grille		SGE4X0040	N/A
Cabinet Assembly		CAV5T1200	N/A

Model: PS-15SII		Description: 15" 3-Way MI/PA		
<i>Power Handling:</i> 600 watts RMS		<i>Impedance:</i> 8 ohms		
<i>Frequency Response:</i> 50Hz-20kHz		<i>Sensitivity:</i> 101 dB		2002
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>		
HF Driver (Version 1)	C-6G	LSHSD2000		N/A
HF Driver (Version 2)	HF-7	LSHSM2010		
MF Driver	M-130	LSDV81010		N/A
Diaphragm, MF Driver	M-130	LDHV81000		
MF Dispersion Horn		HHC0A0040		N/A
LF Driver	PSW15II-8	LSC5V1030		N/A
Recone-Kit, 4-pack	PSW15II-8	LSR5V1180		
LF Driver (Current replacement)	FR15B	WOFP15251		
Recone-Kit, Single	FR15B	RCNP00012		
Crossover Assy. Complete		CXS5W1090	Repair	N/A
Connector Plate Assy		MPM5W1090	Repair	N/A
Crossover PCB Assy.		PCA5W1090	Repair	N/A
Metal Grille		SGE4Y0040		N/A
Cabinet Assembly		CAVW1200		N/A
Model: PS-152		Description: Dual 15" 3-Way MI/PA		
<i>Power Handling:</i> 900 watts RMS		<i>Impedance:</i> 8 ohms		
<i>Frequency Response:</i> 50Hz-17kHz		<i>Sensitivity:</i> 104 dB		2002
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>		
HF Driver	CT-15	LSEUG1010		N/A
HF Diaphragm		LDHSE1010		
HF Dispersion Horn		HHCR10120		N/A
MF Driver	M-130	LSDV81010		N/A
MF Diaphragm	M-130	LDHV81000		
MF Dispersion Horn		HHC0A0040		N/A
LF Driver (Original)	PSW15II-16	LSC5Y1030		N/A
LF Driver (Replacement)	FR15C	WOFP15252		
Recone-Kit, single	FR15C	RCNP00013		
Crossover Assy. Complete	(Plastic Plate)	CXS5Y1091	Repair	N/A
Crossover Assy. Complete	(Metal Plate)	CXS5Y1090	Repair	N/A
Connector Plate Assy	(Plastic Plate)	MPM5Y1091	Repair	N/A
Connector Plate Assy	(Metal Plate)	MPM5Y1090	Repair	N/A
HF PCB Assy.		PCA5Y1090	Repair	N/A
LF PCB Assy.		PCB5Y1090	Repair	N/A
Metal Grille		SGE5Y0040		N/A
Cabinet Assembly		CAV5Y1200		N/A
Hardware				
Handle		MPH0A2015		
Pole-Mount Socket (35mm)		MPL0A2017		
Corner (Front)		MP00A2411		
Corner (Rear)		MP00A2412		

CV Customer Service
Product Service Sheet
for International Distributors

PSX Prostax Series

Professional Audio Products

Warranty: (5) Years

PSX-122		Description: 12" 2-Way Coaxial MI/PA 2005
<i>Power Handling: 250 watt RMS / 500 watts peak</i>		<i>Impedance: 8 ohms</i>
<i>Frequency Response: 70Hz-17kHz</i>		<i>Sensitivity: 95 dB</i>
<i>Item</i>	<i>Model</i>	<i>CV Stock #</i>
Coax Woofer	CX12B	COXP12252
woofer and coaxial not sold separately		
Diaphragm, HF Driver		DIAP00002
Recone-Kit, Single (Woofer)		RCNP00009
Crossover/Connector Plate Assembly		XOVP00011
Crossover Bulb	SK3	BULP00002
Metal Grille		GRLP00013
Side Handle		HANP00001
Cabinet Assembly		CABP00020 N/A
Carton		CTNP00013
PSX-123		Description: 12" 3-Way MI/PA 2005
<i>Power Handling: 250 watts RMS / 500 watts peak</i>		<i>Impedance: 8 ohms</i>
<i>Frequency Response: 50Hz-20kHz</i>		<i>Sensitivity: 96 dB</i>
<i>Item</i>	<i>Model</i>	<i>CV Stock #</i>
HF Driver	CD44C	COMP00003
Diaphragm, HF Driver	CD44C	DIAP00003
Mid Driver	MR65A	MIDP65001
LF Driver	FR12A	WOFP12251
Recone-Kit, Single	FR12A	RCNP00011
Bezel, waveguide & horn		BEZP00001
Crossover/Connector Plate Assembly		XOVP00016
Crossover Bulb	SK2	BULP00001
Metal Grille		GRLP00014
Side Handle		HANP00001
Cabinet Assembly		CABP00021 N/A
Carton		CTNP00014

PSX-153		Description: 15" 3-Way MI/PA	2005
Power Handling: 300 watts RMS / 600 watts peak		Impedance: 8 ohms	
Frequency Response: 40Hz-20kHz		Sensitivity: 98 dB	
Item	Model	CV Stock#	
HF Driver	CD44C	COMP00003	
Diaphragm, HF Driver	CD44C	DIAP00003	
MF Driver	MR65A	MIDP65001	
LF Driver	FR15B	WOFP15251	
Recone-Kit, Single	FR15B	RCNP00012	
Bezel, waveguide & horn		BEZP00001	
Crossover/Connector Plate Assembly		XOVP00017	
Crossover Bulb	SK2	BULP00001	
Metal Grille		GRLP00015	
Side Handle		HANP00001	
Cabinet Assembly		CABP00022	N/A
Carton		CTNP00015	
PSX-253		Description: Dual 15" 3-Way MI/PA	2005
Power Handling: 500 watts RMS / 1000 watts peak		Impedance: 8 ohms	
Frequency Response: 38Hz-20kHz		Sensitivity: 100 dB	
Item	Model	CV Part #	
HF Driver	CD44C	COMP00003	
Diaphragm, HF Driver	CD44C	DIAP00003	
MF Driver	MR65A	MIDP65001	
LF Driver	FR15C	WOFP15252	
Recone-Kit, Single	FR15C	RCNP00013	
Bezel, waveguide & horn		BEZP00001	
Crossover/Connector Plate Assembly		XOVP00018	
Crossover Bulb	SK2	BULP00001	
Metal Grille		GRLP00016	
Side Handle		HANP00001	
Cabinet Assembly		CABP00023	N/A
Carton		CTNP00016	
PSX-36		Description: 15" Band Pass Subwoofer	2005
Power Handling: 250 watts RMS / 500 watts peak		Impedance: 8 ohms	
Frequency Response: 40Hz-300Hz		Sensitivity: 100 dB	
Item	Model	CV Part #	
LF Driver	SW15A	WOFP15253	
Recone-Kit, Single	SW15A	RCNP00014	
Connector Plate		XOVP00015	
Side Handle		HANP00001	
Cabinet Assembly		CABP00024	N/A
Carton		CTNP00017	
Hardware			
Side Handle		HANP00001	
Pole-Mount Socket (35mm)		HARP00004	

CV Customer Service			
Product Service Sheet			
for International Distributors			
SUB Models			
Professional Audio Products		Warranty: (1) Year	
Model: SUB-15		Description: 15" Compact Subwoofer	
Power Handling: 500 watts Program		Impedance: 4 ohms	
Frequency Response: 32Hz-150Hz		Sensitivity: 101 dB 2003	
Item	Model	CV Stock#	
Woofer Original	SW154	LSC5F1030	
Woofer Replacement	SW15A	WOFP15253	
Woofer Replacement	FR15B	WOFP15251	
Crossover Module		CXS5F1090	
Connector Plate		MPM5F1090	
Grille		SGE5F1210	
Handle		MPH0A2012	
Corners, 2-prong		MP00A2430	
Corners, 3-prong		MP00A2420	
Cabinet Assy.		CAC5F1200 N/A	
Model: SUB-18/T		Description: 18" Direct-Radiating Subwoofer	
Power Handling: 600 watts		Impedance: 8 ohms	
Frequency Response: 32-300Hz		Sensitivity: 105 dB 2001	
	Model		
Woofer	189SE	LSC5E1030	N/A
Woofer (current replacement)	FH18B	WOFP18301	N/A
Woofer (substitute)	FH18E	WOFP18303	
Connector Plate		MPM5E1090	
Connector PCB		PC1CX2046	
Switch, 3-position toggle		SSTCX2041	
Grille		SGE5E1210	
Handle	Carpet	MPH0A2023	
Handle	Vinyl	MPH0A2024	
Cabinet	Carpet	CAC5E1200	N/A
Cabinet	Vinyl	CAV5E1200	N/A

Model: SUB-18B		Description: 18" Direct Radiating Subwoofer	
<i>Power Handling:</i> 1200 watts peak		<i>Impedance:</i> 8 ohms	
<i>Frequency Response:</i> 30-300Hz		<i>Sensitivity:</i> 105 dB	2002
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
Woofers	189SW	LSC5X1033	N/A
Woofers (current replacement)	FH18B	WOFP18301	N/A
Woofers (substitute)	FH18E	WOFP18303	
Connector Plate		MPM5E1091	
Grille w/Logo		SGE5E1210	
Cabinet		CAC5E1201	N/A
Handle		MPH5E0010	
Rubber Feet		MPK0A2484	
Model: SUB-218		Description: Dual 18" Subwoofer	
<i>Power Handling:</i> 1500 watts		<i>Impedance:</i> 4 ohms	
<i>Frequency response:</i> 30-200Hz		<i>Sensitivity:</i> 105 dB	2003
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
Woofers (current replacement)	FH18B x 2	WOFP18301	N/A
Woofers (substitute)	FH18E x 2	WOFP18303	
Connector Plate		MPM5X1090	
Grille, Upper		SGE5X0040	
Grille, Lower		SGE5X1210	
Cabinet		CAC5X1200	N/A
Rubber Feet		MPK3M2090	
Logo, grille		TGC0A0060	
Hardware (SUB15, SUB-18/B, SUB-218)			
Caster (Wheel)		MPA0A2300	
Pole-Mount Socket (35mm)		MPL0A2017	

CV Customer Service
Product Service Sheet
for International Distributors

T-250 (F)

Professional Audio Products

Warranty: (1) Year

Model: T-250 (F)

Description: 10" 3-Way Intense

Power Handling: 250 watts EIA/ 500 watts PRGM

Impedance: 8 ohms

Frequency Response: 30Hz-300Hz

Sensitivity: 108 dB

2002

<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	SS-1T	LSDV71105	N/A
Diaphragm, HF Driver	SS-1T	LDHV71000	
HF Dispersion Horn		HHCV72061	N/A
MF Driver	M-1305	LSDVC1010	N/A
Diaphragm, MF Driver	M-1305	LDHVC1000	
MF Dispersion Horn		HHC0A0051	N/A
LF Driver	LM-104	LSC3K1030	
Recone Kit, Single	LM-104	LSR3K1140	N/A
Recone Kit, 4-pack	LM-104	LSR3K1130	N/A
HF Crossover		CXS3K1100	Repair N/A
LF Crossover		CXS3K1110	Repair N/A
Connector Plate		MPM3Q1120	Repair N/A
Metal Grill		SGE3K0160	
Cabinet Assembly		CAC3Q1200	N/A

CV Customer Service				
Product Service Sheet				
for International Distributors				
V-15X / V-35X Full-Range Systems				
Professional Audio Products			Warranty: (1) Year	
Model: V-15X		Description: 15" 3-Way Full-Range Playback		
Power Handling: 250 watts program		Impedance: 4 ohms		
Frequency Response: 35Hz-17kHz		Sensitivity: 100 dB		2002
Item	Model	CV Stock#		
HF Driver	C8G	LSHSF2010		
MF Driver	MF-41	LSCW72001		
Midrange grille		GPHEW2090		
LF Driver Original	W15P2	LSC3Y1031		
LF Driver Substitute	FR15B	WOFP15251		
Crossover Assy.		CXS6B1090		
Switch, toggle		SSTCX2041		
Phone Jack, 1/4"		JJQ027250		
Grille		SGE6B1210		
Cabinet Assembly		CAC6B1200		N/A
Side Strap Handle		MPH0A2390		
Model: V-35X		Description: 18" 3-Way Full-Range System		
Power Handling: 600 watts		Impedance: 4 ohms		
Frequency Response: 32Hz-18kHz		Sensitivity: 105 dB		2002
Item	Model	CV Stock#		
HF Driver	H-25FM	LSHSE1030		
Diaphragm, HF Driver	H-25F	LDHSE2020		
MF Driver	M-1305	LSDVC1010		N/A
Diaphragm, MF Driver	M-1305	LDHVC1000		
MF Dispersion Horn		HHA0A1030		
LF Driver	L-189X-4	LSC6C1035		N/A
LF Driver, replacement	FH18A	WOFP18401		
LF Driver, substitute	FH18D	WOFP18404		
Crossover Assy. Complete		CXS6C1090	Repair	N/A
Connector Plate Assy.		MPM6C1090	Repair	N/A
PCB Assy. High/Mid Frequency		PCA6C1090	Repair	N/A
PCB Assy. Low Frequency		PCB6C1090	Repair	N/A
Rocker Switch, Neutrik selector		SSKCX2043		N/A
Rocker Switch, HF Pad		SSKCX2042		N/A
Grille		SGE6C1210		N/A
Handle, Tube		MPH5P0021		N/A
Wheels		MPA0A2300		N/A
Cabinet Assembly		CAC6C1200		N/A

CV Customer Service

Product Service Sheet

for International Distributors

V Models - Pro Vocal/Sound Reinforcement Speakers

Professional Audio Products

Warranty: (1) Year

Model: V-122/T

Description: 12" (2)-Way Full-Range

Power Handling: 250 watts

Impedance: 8 ohms

Frequency Response: 55Hz-30kHz

Sensitivity: 102 dB

2002

Item	Model	CV Stock#		
Tweeter (Dual)	KSN1177A	LSH5K1100		
Woofers original	CWW13	LSC5K1032		N/A
Woofers replacement	FR12A	WOFP12251		
Crossover		CXS5K1090		
Grille		SGE5K1211		
Cabinet		CAC5K1200	Carpet	N/A
Cabinet		CAVG11200	Vinyl	N/A
Pole-Mount Socket (35mm)		MPL0A2017		
Handle Assembly (side)		MPH0A2390		

Model: V-152/T

Description: 15" (2)-Way Full-Range

Power Handling: 300 watts

Impedance: 8 ohms

Frequency Response: 40Hz-22kHz

Sensitivity: 103 dB

2002

Item	Model	CV Stock#		
Tweeter	KSN1165A	LSHTZ1020		
Woofers	GW26	LSC5H1030		N/A
Woofers replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover		CXS5J1090		
Dispersion Horn (Round)	11.5"	HHK5J1020		
Grille		SGE5H1210		N/A
Cabinet		CAC5J1200	Carpet	N/A
Cabinet		CAV5J1200	Vinyl	N/A
Pole-Mount Socket (35mm)		MPL0A2017		
Handle Assembly (Side)		MPH0A2390		

Model: V-153/T		Description: 15" (3)-Way Full-Range		
Power Handling: 400 watts		Impedance: 8 ohms		
Frequency Response: 40Hz-30kHz		Sensitivity: 104 dB		2002
Item	Model	CV Stock#		
Tweeter	KSN1176A	LSH5H1100		
MF Driver	H-25F	LSHSE2010 N/A		
Diaphragm, H-25F		LDHSE1010		
Dispersion Horn		HHC5G0011		
Woofer	GW26	LSC5H1030 N/A		
Woofer replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover		CXS5H1090	Repair	N/A
Grille		SGE5H1210 N/A		
Cabinet		CAC5H1200	Carpet	N/A
Cabinet		CAV5H1200	Vinyl	N/A
Model: V-252		Description: Dual 15" (4)-Way		
Power Handling: 500 watts, 1000 Peak		Impedance: 4 ohms		
Frequency Response: 40hz-20kHz		Sensitivity: 104 dB		2002
Item	Model	CV Stock#		
Tweeter	KSN1165A	LSHTZ1020		
Dispersion Horn (Round)		11.5"	HHK5J1020	
Woofer	GW26 (2)	LSC5H1030 N/A		
Woofer replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover assembly complete		CXS5R2090	Repair	N/A
Crossover, low-frequency (Internal)		CXS5F1090	Repair	N/A
Grille		SGE5R2210 N/A		
Logo		TGC0A0065		
Cabinet		CAC5R2200 N/A		
Model: V-253/T		Description: Dual 15" (3)-Way Full-Range		
Power Handling: 750 watts		Impedance: 4 ohms		
Frequency Response: 35Hz-30kHz		Sensitivity: 106 dB		2002
Item	Model	CV Stock#		
Tweeter	KSN1176A	LSH5H1100		
MF Driver	TMH-1	LSDVD1010 N/A		
Diaphragm, MF Driver		TMH-1	LDHVD1000	
Horn		10" x 16"	HHCR10110	
Woofer (Dual)	GW26	LSC5H1030 N/A		
Woofer replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover		CXS5N1090	Repair	N/A
Grille		SGE5N1210 N/A		
Cabinet		CAC5N1200	Carpet	N/A
Cabinet		CAV5N1200	Vinyl	N/A

CV Customer Service

Product Service Sheet

for International Distributors

V-MKII Models

Professional Audio Products

Warranty: (5) Years

Model: V-122MKII and X

Description: 12" (2)-Way Full-Range

Power Handling: 200 watts EIA / 400 watts peak

Impedance: 8 ohms

Frequency Response: 50Hz-20kHz

Sensitivity: 100dB

2004

<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>		
Tweeter	KSN1165A	LSHTZ1020		
Dispersion Horn (Round)	8.5"	HRNP00001		
Tweeter/Horn Assembly		THAP00001		
Woofers	CWW13	LSC5K1032		N/A
Woofers replacement	FR12A	WOFP12251		
Crossover		X0VP00002		
Grille		GRLP00002		
Cabinet		CABP00003	Carpet	N/A
Cabinet		CABP00004	Painted	N/A
Pole-Mount Socket (35mm)		MPL0A2017		
Handle Assy (Side)		MPH0A2023	Carpet	
Handle Assy (Side)		MPH0A2024	Vinyl	

Model V-152MKII and X

Description: 15" (2)-Way Full-Range

Power Handling: 250 watts EIA / 500 watts peak

Impedance: 4 ohms

Frequency Response: 35Hz-20kHz

Sensitivity: 106 dB

2004

<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>		
Tweeter	KSN1165A	LSHTZ1020		
Dispersion Horn (Round)	11.5"	HRNP00002		
Tweeter/Horn Assembly		THAP00002		
Woofers	GW26	LSC5H1030		N/A
Woofers replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover		XOVP00003		
Grille		GRLP00007		
Grille X		GRLP00003		
Cabinet		CABP00005	Carpet	N/A
Cabinet		CABP00006	Painted	N/A
Pole-Mount Socket (35mm)		MPL0A2017		
Handle Assy (Side)		MPH0A2023		

Model V-253MKII and X		Description: Dual 15" (3)-Way Full-Range		
Power Handling: 450 watts EIA / 900 watts peak		Impedance: 8 ohms		
Frequency Response: 40Hz-20kHz		Sensitivity: 103 dB		2004
Item	Model	CV Stock#		
Tweeter	KSN1165A	LSHTZ2050		
MF Driver	CD44A	DRV00001		
Diaphragm, MF Driver	CD44A	RCNP00018	N/A	
MF Dispersion Horn	17" X 11"	HRNP00003		
Woofer (Dual)	GW26	LSC5H1030	N/A	
Woofer replacement	FR15B	WOFP15251		
Recone Kit, Single	FR15B	RCNP00012		
Crossover		XOVP00004		
Grille		GRLP00008		
Grille (X)		GRLP00004		
Cabinet		CABP00007	Carpet	N/A
Cabinet (X)		CABP00008	Painted	N/A
Pole-Mount Socket (35mm)		MPL0A2017		
Handle Assy (Side)	Carpet	MPH0A2023		
Model: SUB-15MKII and X		Description: 15" Direct Radiating Bass		
Power Handling: 200 watts EIA / 400 watts peak		Nominal Impedance: 8 Ohms		
Frequency Response: 32Hz-150Hz		Sensitivity: 101dB		2004
Item	Model	CV Stock#		
Woofer	SW154	LSC5F1030	N/A	
Woofer Replacement	SW15A	WOFP15253		
Woofer Replacement	FR15B	WOFP15251		
Crossover Network		XOVP00001		
Grille		GRLP00005		
Grille (X)		GRLP00001		
Pole-Mount Socket (35mm)		MPL0A2017		
Cabinet		CABP00001	Carpet	N/A
Cabinet (X)		CABP00002	Painted	N/A
Handle		MPH0A2023		
Hardware				
Rubber Feet		MPK0A2483		
Grille Logo		TGC0A0060		
Corner, 2-Prong		MP00A2430		
Corner, 3-Prong		MP00A2420		

CV Customer Service
Product Service Sheet
for International Distributors

VISION SERIES

Professional Audio Products

Warranty: (5) Years

VIS-122

Description: 12" Coaxial Monitor

Power Handling: 300 watts RMS / 600 watts peak

Impedance: 8 ohms

Frequency Response: 50Hz-20kHz

Sensitivity: 97 dB

Item

Model

CV Stock#

Coax Woofer

CX12C

COXP12251

Woofer and Coaxial not sold separately

Diaphragm (HF Driver)

RCNP00016

N/A

Recone-Kit, single woofer

RCNP00017

N/A

Connector Plate/Crossover PCB Assy.

XOVP00006

Metal Grille

GRLP00009

Cabinet Assembly

CABP00015

N/A

Carton

CTNP00008

VIS-153

Description: 15" 3-Way MI/PA

Power Handling: 350 watts RMS / 700 watts peak

Impedance: 8 ohms

Frequency Response: 39Hz-20kHz

Sensitivity: 98 dB

Item

Model

CV Stock#

HF Driver

CD44B

COMP00001

Diaphragm, HF Driver

CD44B

RCNP00005

HF Dispersion Horn 1" Throat

HRNP00004

MF Driver

CD75A

COMP00002

Diaphragm, MF Driver

CD75A

RCNP00006

MF Dispersion Horn 2" Throat

HRNP00005

LF Driver, 15"

FR15A

WOFP15301

Recone-Kit, Single LF Driver

FR15A

RCNP00004

Connector Plate/Crossover PCB Assy.

XOVP00007

Metal Grille

GRLP00010

Cabinet Assembly

CABP00016

N/A

Carton

CTNP00009

VIS-253		Description: Dual 15" 3-Way MI/PA
<i>Power Handling: 700 watts RMS / 1400 watts peak</i>		<i>Impedance: 8 ohms</i>
<i>Frequency Response: 35Hz-20kHz</i>		<i>Sensitivity: 100 dB</i>
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
HF Driver	CD44B	COMP00001
Diaphragm, HF Driver	CD44B	RCNP00005
HF Dispersion Horn, 1" Throat		HRNP00004
MF Driver	CD75A	COMP00002
Diaphragm, MF Driver	CD75A	RCNP00006
MF Dispersion Horn, 2" Throat		HRNP00005
LF Driver	FR15A	WOFP15301
Recone-Kit, Single LF Driver	FR15A	RCNP00004
Connector Plate/CrossoverPCB Assy.		XOVP00008
Metal Grille		GRLP00011
Cabinet Assembly		CAB00017 N/A
Carton		CTNP00010
VIS-218		Description: Dual 18" Subwoofer
<i>Power Handling: 700 watts RMS / 1400 watts peak</i>		<i>Impedance: 4 ohms</i>
<i>Frequency Response: 29Hz-300Hz</i>		<i>Sensitivity: 102 dB</i>
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
LF Driver	FH18C	WOFP18402
Recone-Kit, Single	FH18C	RCNP00003
Crossover Assy. Complete		XOVP00009
Metal Grille		GRLP00012
Cabinet Assembly		CABP00018 N/A
Carton		CTNP00011
VIS-36		Description: 18" Folded Horn Subwoofer
<i>Power Handling: 600 watts RMS / 1200 watts peak</i>		<i>Impedance: 8 ohms</i>
<i>Frequency Response: 39Hz-300Hz</i>		<i>Sensitivity: 104 dB</i>
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>
LF Driver	FH18A	WOFP18401
Recone-Kit, Single	FH18A	RCNP00001
Connector Plate		XOVP00010
Metal Grille		GRLP00017
Cabinet Assembly		CABP00019 N/A
Carton		CTNP00012
Hardware		
Side Handle		HANP00001
Pole-Mount Socket (35mm)		HARP00004
Label, VIS Badge		LABP00008

CV Customer Service

Product Service Sheet

for International Distributors

Pro Vocal/Sound Reinforcement Speakers

Professional Audio Products

Warranty: (1) Year

Model: V-12B

Description: 12" 2-Way MI/PA

Power Handling: 200 watts

Impedance: 8 ohms

Frequency response: 40Hz-16kHz

Sensitivity: 98 dB

1999

Item	Model	CV Stock#	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
LF Driver	122EB	LSCZL1010	N/A
Woofers replacement	FR12A	WOFP12251	
Crossover		CXS3J1160	Repair N/A
Grille		SGB3J1120	N/A

Model: V-15B

Description: 15" 3-Way MI/PA

Power Handling: 200 watts

Impedance: 8 ohms

Frequency response: 40Hz-16kHz

Sensitivity: 100 dB

1999

Item	Model	CV Stock#	
HF Driver	C-5G	LSHSA2010	
MF Driver	H-25F	LSHSE2010	N/A
Diaphragm, MF Driver	H-25F	LDHSE2020	
LF Driver	153EV-II	LSCZE1000	
LF Driver replacement	FR15D	WOFP15254	
Crossover		CXS3B1120	Repair N/A
Grille		SGB3B1150	N/A

Model: V-30D

Description: 15" 3-Way MI/PA

Power Handling: 200 watts

Impedance: 8 ohms

Frequency response: 40Hz-16kHz

Sensitivity: 100 dB

1999

Item	Model	CV Stock#	
HF/MF Driver	THM-1 8	LSDVD1010	N/A
MF Diaphragm	THM-1 8	LDHVD1000	
LF Driver	153EV-II	LSCZE1000	N/A
LF Driver replacement	FR15D	WOFP15254	
Crossover		CXS4E1040	Repair N/A
Grille		SGB4E1050	N/A

Model: V-35D		Description: 18" 3-Way MI/PA	
<i>Power Handling:</i> 300 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 45Hz-16kHz		<i>Sensitivity:</i> 103 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
MF Driver	THM-1 8	LSDVD1010	N/A
Diaphragm, MF Driver	THM-1 8	LDHVD1000	
LF Driver (Replacement)	FH18B	WOFP18301	N/A
Woofer (substitute)	FH18E	WOFP18303	
Crossover		CXS2G1320	Repair N/A
Grille		SGC2G1360	N/A
Model: V-37D		Description: 18" 2-Way MI/PA	
<i>Power Handling:</i> 300 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 35Hz-16kHz		<i>Sensitivity:</i> 101 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF/MF Driver	THM-1 8	LSDVD1010	N/A
Diaphragm, HF/MF Driver	THM-1 8	LDHVD1000	
LF Driver (Replacement)	FH18B	WOFP18301	N/A
Woofer (substitute)	FH18E	WOFP18303	
Crossover		CXS2H1220	Repair N/A
Grille		SGC2H1250	N/A
Model: PD-18C		Description: 18" 3-Way MI/PA	
<i>Power Handling:</i> 300 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 30Hz-16kHz		<i>Sensitivity:</i> 100 dB	1998
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
MF Driver	ER-124-8	LSCWK1010	N/A
Recone-Kit, Single	ER-124-8	LSRWK1100	N/A
LF Driver (Replacement)	FH18B	WOFP18301	N/A
Woofer (substitute)	FH18E	WOFP18303	
Crossover		CXS1Y1220	Repair N/A
Grille		SGC1Y1250	N/A

Model: D-32D		Description: Dual 12" 3-Way MI/PA	
<i>Power Handling:</i> 250 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 150Hz-16kHz		<i>Sensitivity:</i> 106 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
MF Driver	THM-1 8	LSDVD1010	N/A
Diaphragm, MF Driver	THM-1 8	LDHVD1000	
LF Driver	ER-124-16 (2)	LSCWK1011	N/A
Recone-Kit, Single	ER-124-16	LSRWK1110	N/A
Recone Kit, 4-pack	ER-124-16	LSRWK1130	N/A
Crossover		CXS0S1420	Repair N/A
Grille		SGC0S1450	N/A
Model: MV-15B		Description: 15" 3-Way MI/PA	
<i>Power Handling:</i> 200 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 40Hz-16kHz		<i>Sensitivity:</i> 100 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
MF Driver	ER-102	LSCZJ1000	N/A
LF Driver	153EV-II	LSCZE1000	N/A
LF Driver replacement	FR15A	WOFP15301	
Crossover		CXS3G1090	N/A
Grille		SGB3G1140	N/A

Model: SM-12B		Description: 12" 2-Way MI/PA	
<i>Power Handling:</i> 150 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 70Hz-16kHz		<i>Sensitivity:</i> 100 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
LF Driver	ER-124-8	LSCWK1010	N/A
Woofer replacement	FR12A	WOFP12251	
Crossover		CXS1U1090	Repair N/A
Grille		SGECU2100	N/A

Model: SM-15B		Description: 15" 2-Way MI/PA	
<i>Power Handling:</i> 250 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 50Hz-16kHz		<i>Sensitivity:</i> 102 dB	1999
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
HF Diaphragm	H-25F	LDHSE2020	
LF Driver	153EV-II	LSCZE1060	N/A
LF Driver replacement	FR15D	WOFP15254	
Crossover		CXS1U1090	N/A
Grille		SGECS2100	N/A

Model: M-1		Description: 12" 2-Way MI/PA	
<i>Power Handling:</i> 150 watts		<i>Impedance:</i> 8 ohms	
<i>Frequency response:</i> 70Hz-16kHz		<i>Sensitivity:</i> 100 dB	1998
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
HF Driver	H-25F	LSHSE2010	N/A
Diaphragm, HF Driver	H-25F	LDHSE2020	
LF Driver	ER-124-8	LSCWK1010	N/A
Woofer replacement	FR12A	WOFP12251	
Crossover		CXS4F1060	N/A
Grille		SGB4F1030	N/A

Hardware			
<i>Item</i>	<i>Model</i>	<i>CV Stock#</i>	
Pole-Mount Socket (35mm)		MPL0A2017	
Grille logo		TGC0A0060	
Handle/Port	SM	MPH0A2021	
Handle	MT-102	MPH0A2023	
Corners, 2-prong	SM/MT	MP00A2430	Carpet
Corners, 3-prong	SM	MP00A2400	Carpet/Vinyl
Corners, 2-prong	SM	MP00A2426	Vinyl
Corners, 3-prong	MT-102	MP00A2420	
Feet, Rubber	MT-102	MPK3M2090	
Switch, 3-position	SM	SSTCX2041	
Switch, HF Pad	MT-102	SSKCX2042	
Switch, Pin Selection	MT-102	SSKCX2043	
Jack, 1/4"	SM	JJQ027250	
Jack, 1/4" High-Pwr	MT-102	JJQCX2750	
Jack, Neutrik		JJNCX2721	

CV Components by Category - High Frequency Components/Tweeters

Drivers

Item #	Model #	Dealer/ Servicer
COMP00002	CD75A	
COMP00003	CD44C	
COMP00004	CD34A	
LSDV71105	SS-1T	N/A
LSEUG1010	CT-15	N/A
LSH5H1100	KSN1176A	
LSH5K1100	KSN1177A	N/A
LSHSA2010	C-5G	
LSHSB2010	CS-5	N/A
LSHSD2000	C-6G	N/A
LSHSE1030	H-25FM	
LSHSE2010	H-25F	N/A
LSHTZ1020	KSN1165A	
LSHTZ2030	KSN1177A	

Diaphragms

Diaphragm #	Dealer/ Servicer
RCNP00005	
DIAP00003	
DIAP00001	
LDHV71000	
LDHSE1010	
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
LDHSE2020	
LDHSE2020	
N/A	N/A
N/A	N/A

CV Components by Category - Mid Frequency Components

Drivers

Item #	Model #	Dealer/ Servicer
COMP00001	CD44B	
COMP00002	CD75A	
DRVP00001	CD44A	
LSCZJ1000	ER102	N/A
LSDV81010	M-130	N/A
LSDVC1010	M-1305	N/A
LSDVD1010	TMH-1	N/A
LSHSE2010	H-25F	N/A
MIDP65001	MR65A	

Diaphragms

Diaphragm #	Dealer
RCNP00005	
RCNP00006	
RCNP00018	N/A
N/A	N/A
LDHV81000	
LDHVC1000	
LDHVD1000	
LDHSE2020	
N/A	N/A

CV Components by Category - Low Frequency Components/Recone-Kits

Item #	Model #	Dealer/ Servicer	Sub	Recone-Kit Single	Dealer/ Servicer	Recone-Kit 4-Pack	Dealer/ Servicer
LSC3K1030	LM-104	N/A		LSR3K1140	N/A	LSR3K1130	N/A
LSC3L1030	L-1815	N/A	FH18A	LSR3L1141	N/A	LSR3L1131	N/A
LSC3L1035	L1815-8	N/A	FH18A	LSR3L1145	N/A	LSR3L1135	N/A
LSC3Y1031	W15P2	N/A	FR15B	LSR3Y1192	N/A	LSR3Y1182	N/A
LSC4R1030	PSW15-8	N/A		LSR4Y1190	N/A	LSR4Y1180	N/A
LSC5B1031	CWW15	N/A	FR15B	LSR5B1190	N/A	LSR5B1180	N/A
LSC5E1030	189SE	N/A	FH18B	LSR5E1190	N/A	LSR5E1180	N/A
LSC5F1030	SW154	N/A	SW15A	LSR5F1190	N/A	LSR5F1180	N/A
LSC5H1030	GW26	N/A	FR15B	LSR5H1190	N/A	LSR5H1180	N/A
LSC5K1031	CWW13	N/A	FR12A	LSRG31191	N/A	LSR5K1181	N/A
LSC5S1030	PSW10II	N/A		LSR5S1190	N/A	LSR5S1180	N/A
LSC5T1030	PSW12II	N/A	FR12A	LSR5T1190	N/A	LSR5T1180	N/A
LSC5V1030	PSW15II-8	N/A	FR15B	LSR5V1190	N/A	LSR5V1180	N/A
LSC5X1033	189SW	N/A		LSR5X1192	N/A	LSR5X1182	N/A
LSC5X1034	L189W	N/A	189SW	LSR5X1192	N/A	LSR5K1182	N/A
LSC5Y1030	PSW15II-16	N/A		LSR5Y1190	N/A	LSR5Y1180	N/A
LSC6C1035	L189X-4	N/A		LSR6C1195	N/A	LSR6C1185	N/A
LSCWK1010	ER124-8	N/A	FR12A	LSRWK1110	N/A	LSRWK1130	N/A
LSCWK1011	ER124-16	N/A		LSRWK1100	N/A	LSRWK1120	N/A
LSCWX1010	188EB	N/A	FH18B	LSRWX1090	N/A	LSRWX1100	N/A
LSCX21012	189JEII	N/A		LSRX21030	N/A	LSRX21120	N/A
LSCZE1000	153EVII	N/A		LSRZE1070	N/A	LSRZE1060	N/A
LSCZL1010	122EB	N/A	FR12A	LSRZL1060	N/A	LSRZL1070	N/A
COXP12252	CX12B			RCNP00009	N/A	N/A	N/A
WOFP12251	FR12A			RCNP00011		N/A	N/A
WOFP15301	FR15A			RCNP00004		N/A	N/A
WOFP15251	FR15B			RCNP00012		N/A	N/A
WOFP15252	FR15C			RCNP00013		N/A	N/A
WOFP15254	FR15D			N/A	N/A	N/A	N/A
WOFP15253	SW15A			RCNP00014		N/A	N/A
WOFP18301	FH18B	N/A		RCNP00002		N/A	N/A
WOFP18302	SW18A			RCNP00019		N/A	N/A
WOFP18303	FH18E			N/A		RCNP00021	
WOFP18401	FH18A			RCNP00001		N/A	N/A
WOFP18404	FH18D			N/A		RCNP00023	
WOFP18402	FH18C			RCNP00003		N/A	N/A