Identity and concept

DevothaPortfolio - UI and UX design, SWE 3409 Individual Assignment 2

My name is TUYISINGIZE Devotha.

APP NAME	DevothaPortfolio
STUDENT	TUYISINGIZE Devotha, registration number 25/27747
VERIFICATION CODE	MOB-A2-7747
ANDROID PACKAGE	rw.ac.ines.ug2527747.devothaportfolio
INSTITUTION	INES-Ruhengeri, Mobile Application Development (SWE 3409)
TECHNOLOGY	React Native, Expo SDK 54 and TypeScript; React Navigation; AsyncStorage

Concept

A recruiter meets me through a small Android app instead of a paper CV. The app opens on the sentence "My name is TUYISINGIZE Devotha.", then shows who I am, what I can do and two real systems I built. It must work in a meeting with no internet, so everything is stored on the phone.

Intended recruiter

An internship or innovation-challenge reviewer in Rwanda who has about two minutes, may be holding a mid-range Android phone with large system text, and wants evidence rather than claims. Each skill therefore names where I used it, and each project states the problem and my own contribution.

Visual direction

Deep field green with harvest amber on a warm cream background. It reflects my work in agriculture and education, feels calm and professional, and keeps strong contrast. Large rounded cards, one clear action per card, and an initials avatar (amber disc with "TD") when no photo is chosen.

Scope

Five bottom tabs (Home, Skills, Projects, Edit, About) and one stack route for Project Details. The editor changes headline, biography, primary skill, availability and profile photo; the data is saved locally and restored after a restart.

User flow and information architecture

How a visitor moves through the app and how data is saved



Profile media flow (Edit tab)



Saved-state flow

1. The user changes the profile and taps Save; valid data is written to AsyncStorage under one key. 2. A chosen photo is copied from the temporary cache to the app document folder, and only its local path is saved. 3. Closing and reopening the app loads the saved profile, checks that the photo file still exists, and shows it on Home. 4. Reset to defaults deletes the stored data and the photo file, so the original text and initials avatar return. No account, server or internet connection is involved at any step.

Annotated wireframes (1 of 2)

Home, Skills and education, Projects list, and an empty state

Home



1. First sentence: "My name is TUYISINGIZE Devotha." in a large bold header.
2. Profile photo, or the amber initials avatar when none is chosen.
3. Verification code MOB-A2-7747 in an amber-outlined card.
4. Featured project cards open Project Details. Whole card is the touch target.

Skills and education



1. Seven skill cards from reusable SkillCard. Each shows an icon, name and where it was used. The skill chosen as "primary" in the editor gets an amber outline.
2. Timeline built from reusable TimelineItem rows: period, title, place and detail.

Projects list

1. Two project cards: title, one-line summary, technology chips and a "View details" cue. Tapping pushes Project Details onto the stack.
2. Tab bar stays visible so the visitor can switch sections at any time.

Empty state



1. Empty state (reusable EmptyState): icon, short title and a plain instruction. The same component is used on Skills and when a project id is not found. In the normal build the lists are never empty.

Annotated wireframes (2 of 2)

Project Details, Profile Editor, validation errors and permission feedback

Project Details (stack route)



1. Back arrow in the header and the Android Back button both return to the project list. The list and tab state are kept.
2. Cards follow the brief: problem, then my own contribution.
3. Technology used appears as wrapping chips, so long lists never overflow or truncate.

Profile Editor



1. Photo card: preview, Take photo, Choose from gallery. After a photo exists the labels change to Replace and a red Remove button appears.
2. Controlled fields with label, helper text and character counter.
3. Availability is a radio group of four options.
4. Save is blocked while any rule fails; a banner confirms a successful save.

Validation error state



1. Banner summarises the problem and says nothing was saved.
2. Field-level message under the headline: red border, tinted background, plain words.
3. A second rule fires on the primary skill. Rules: headline 10-80 characters, biography 40-300, skill 2-40 with a letter, availability chosen.

Permission and cancellation states



1. Permission denied: a red message explains what happened and offers Open Settings when the system will not ask again. The gallery option still works.
2. Cancelled picker: a blue info message confirms nothing changed, so the user is never left unsure.

Visual and accessibility decisions

Colour, type, spacing, labels and large-text behaviour

Colour and contrast (WCAG AA needs 4.5:1 for normal text)

	PAIR	USED FOR	RATIO
Aa	Body text on cream background	text / background	13.3:1 AA pass
Aa	Muted text on cream background	helper text, labels	5.5:1 AA pass
Aa	White on primary green	header, primary button	7.9:1 AA pass
Aa	Light text on green hero	headline on Home	7.0:1 AA pass
Aa	Dark green on amber	initials avatar	5.5:1 AA pass
Aa	Dark brown on amber tint	availability chip	8.1:1 AA pass
Aa	Dark green on green tint	technology chips	9.9:1 AA pass
Aa	Red on error tint	validation messages	5.4:1 AA pass
Aa	Blue on info tint	info banners	7.3:1 AA pass

Typography

System font (Roboto on Android) so text is crisp and familiar. Scale: title 26, section heading 20, card heading 17, body 16, helper text 14. Bold for names and actions, regular for explanations. Body line height is 24 for comfortable reading.

Spacing and touch targets

A 4-point scale (4, 8, 12, 16, 24, 32). Screens have 16 padding and 16 gaps between cards. Every button, input and option is at least 48 high, above the 44-48 recommended target size. Primary actions are full width.

Accessible labels

Buttons, project cards, avatars, timeline rows and the verification code carry accessibilityLabel or role. Inputs expose their label and helper text as a hint. Errors and banners are live regions, so a screen reader announces them. Section titles use the header role. Colour is never the only signal: errors also have text and an icon.

Large-text behaviour

Text uses scalable units and no fixed heights, so cards grow with the system font size. Content sits in vertical scroll views, chips and options wrap onto new lines, and buttons allow multi-line labels. Only the five short tab labels have a fixed size (11) so the tab bar keeps its shape. Check the result in the test log with Android Font size set to the largest value.