

Heuristics

Anuj Pathania

Lesson Objectives (Learning Goals)

1. Define and differentiate between different optimization problems.
2. Calculate and appreciate a problem's state space.
3. Recognize the vital role of Heuristics in exploring the state space.
4. Abstract out the shape (properties) of a state space.

Optimization Fundamentals

Company produces two types of Chocolate A and B.

- A requires 1 unit of milk and 3 units of choco.
 - A sells for 6 Euro.
- B requires 1 unit of milk and 2 units of choco.
 - B sells for 5 Euro.

Company has 5 units of milk and 12 units of choco.

How many units of A and B should be produce to maximize sale?

Optimization Fundamentals

Maximize Profit $P = 6A + 5B$

Such That,

$$A + B \leq 5 \quad [\text{Limited Milk Supply}]$$


$$3A + 2B \leq 12 \quad [\text{Limited Coco Supply}]$$

$$A \geq 0 \ \& \ B \geq 0 \quad [\text{Non-Negative Chocolate Production}]$$

Linear
Programming

Optimization Fundamentals

- What is an optimization problem?
 - The problem of finding the best solution among all the feasible solutions.
 - Can be continuous or discrete.



Optimization Fundamentals

- What is an optimization variable?
 - Variable whose value can be optimized to solve the optimization problem.
 - Also known as decision variable.

A & B

Optimization Fundamentals

- What is an objective function?
 - A mathematical function which quantizes the quality of a solution.
 - Must be satisfied, maximized, or minimized.

Maximize Profit $P = 6A + 5B$

Optimization Fundamentals

- What is a constraint?
 - Mathematical equalities and inequalities that defines the domain of optimization variables.
 - Feasible solution must satisfy the constraints.

Such That,

$$A + B \leq 5 \quad [\textit{Limited Milk Supply}]$$

$$3A + 2B \leq 12 \quad [\textit{Limited Coco Supply}]$$

$$A \geq 0 \ \& \ B \geq 0 \quad [\textit{Non-Negative Chocolate Production}]$$

Three Types of Optimization Problems


1. Free Optimization Problem (FOP)
2. Constraint Optimization Problem (COP)
3. Constraint Satisfaction Problem (CSP)

Free Optimization Problem (FOP)



Bunch of (X,Y) coordinates. Can you find the linear equation that best captures relationship between X & Y?


Free Optimization Problem (FOP)



$$\text{Minimize } \frac{\sum (y_{\text{actual}} - y_{\text{predicted}})^2}{n}$$

Easily solved using linear regression by minimizing Mean Square Error.

Constraint Optimization Problem (COP)



Objective: Maximize €
Constraint: Weight < 15 kg.

Choose boxes that maximize the € value while weight is less than capacity of bag (One Dimensional Knapsack).

Constraint Satisfaction Problem (CSP)

5	3			7				
6			1	9	5			
	9	8					6	
8				6				3
4			8		3			1
7				2				6
	6					2	8	
			4	1	9			5
				8			7	9



5	3	4	6	7	8	9	1	2
6	7	2	1	9	5	3	4	8
1	9	8	3	4	2	5	6	7
8	5	9	7	6	1	4	2	3
4	2	6	8	5	3	7	9	1
7	1	3	9	2	4	8	5	6
9	6	1	5	3	7	2	8	4
2	8	7	4	1	9	6	3	5
3	4	5	2	8	6	1	7	9

Solve Sudoku exactly without violating Sudoku row, column, and box constraint.

Summary: Three Types of Optimization Problems

	No Constraint	Constraint
No Satisfaction	Free Optimization Problem (FOP)	Constraint Optimization Problem (COP)
Satisfaction		Constraint Satisfaction Problem (CSP)

Poll

Are there any satisfiable problem that have no constraints?


Yes or No

Questions?

State Space




On or Off




Set of all possible configurations of a problem.

Exponential State Space




State Space



N-Queen Puzzle.

State Space



8-Queen Puzzle.

1st Queen: 64 Squares

2nd Queen: 63 Squares

3rd Queen: 62 Squares

4th Queen: 61 Squares

5th Queen: 60 Squares

6th Queen: 59 Squares

7th Queen: 58 Squares

8th Queen: 57 Squares

Total Ways = $64 * 63 * 62 * 61 * 60 * 59 * 58 * 57 = 4426165368 = \binom{64}{8}$


$$\binom{n}{k} = \frac{n!}{(n-k)!}$$

Where,


n is number of squares

k is number of queens

State Space



8-Queen Problem: $\binom{64}{8} = 4426165368$




9-Queen Problem: $\binom{81}{9} = 260887834350$


State Space

Queens	Squares	State Space	Approximate Time to Solve
8	64	4426165368	4.42 Seconds
9	81	260887834350	4.34 Minutes
10	100	17310309456440	4.8 Hours
11	121	1276749965026540	14.77 Days
12	144	103619293824707000	39.40 Months
13	169	9176358300744340000	290.78 Years
14	196	8805305163833490000000	27 902.92 Years
15	225	910055678111775000000000	2 883 854.02 Years
16	256	1007875160202230000000000000	319 383 187 Years
17	289	119073904434449000000000000000	$3.77330493 \times 10^{10}$ Years
18	324	14948249233419500000000000000000	$4.73691552 \times 10^{12}$ Years
19	361	1987086705354380000000000000000000	$6.29683229 \times 10^{14}$ Years
20	400	27883609836709000000000000000000000000	$8.83597149 \times 10^{16}$ Years

Factorial (N-Queen) State Space



Summary: State Space Comparison



Questions?

Coffee Break!
(10 Mins)

Computer Algorithm

Algorithm is a sequence of well-defined steps a computer can follow in order to solve a problem.



6 5 3 1 8 7 2 4

Bubble Sort: An algorithm to sort a set of number.

- Step 1: Iteratively compare adjacent pair of numbers.
- Step 2: Swap numbers if not in correct order.
- Step 3: Repeat until there is no more swapping.

Computational Complexity

2,1,3,4,5,6,7,8,9,10

Best-Case

Bubble Sort (1 Step)

1,2,3,4,5,6,7,8,9,10

10,9,8,7,6,5,4,3,2,1

Worst-Case

Bubble Sort (≤ 100 Steps)

Primary Focus on Worst-Case

Problem Complexity

Worst Case Complexity: Big O Notation $\rightarrow O(\dots)$




$O(n^{\dots})$
Polynomial



$O(\dots^n)$
Exponential



“n” is the length of the input.

Polynomial vs Exponential



As computers get faster, even very large polynomial problems solve quickly. However, exponential problems remain intractable even with small inputs.

Fast Algorithms



What's the Solution?

Heuristics

Smart and fast algorithms that provide a near-optimal solution in a reasonable amount of time for COP problems.

Sudoku is Special!

5	3			7				
6			1	9	5			
	9	8					6	
8				6				3
4			8		3			1
7				2				6
	6					2	8	
			4	1	9			5
				8			7	9

Difficult To
Solve



5	3	4	6	7	8	9	1	2
6	7	2	1	9	5	3	4	8
1	9	8	3	4	2	5	6	7
8	5	9	7	6	1	4	2	3
4	2	6	8	5	3	7	9	1
7	1	3	9	2	4	8	5	6
9	6	1	5	3	7	2	8	4
2	8	7	4	1	9	6	3	5
3	4	5	2	8	6	1	7	9

Easy to Check

Chess is Harder!



Difficult To
Solve



Difficult To
Check

Is this (E4) the best chess opening for White?

Heuristics in Chess

Good Opening (+0.16)



Bad Opening (-0.75)



Chess engines use heuristic objective functions to score positions.

Summary: Problem Difficulty and Heuristics




Chess

Hard

5	3			7				
6			1	9	5			
	9	8					6	
8				6				3
4			8		3			1
7				2				6
	6					2	8	
			4	1	9			5
				8			7	9

Sudoku

???



Sorting

Easy


Poll

What's your estimate of the difficulty of
Sudoku puzzle?


Easy as Sorting or Hard as Chess

Questions?

Convex State-Space (Global Minima)




Gradient Descent to Global Minima




Minimize $y = x^2$


Gradient Ascent to Global Maxima




Non-Convex State-Space (Local Minima)



Gradient Descent to Local Minima



Turn **On** All Switches



3 Switches $\rightarrow 2^3$ or 8 States

Summary: Global Minima vs Local Minima

	Exploration Difficulty	Minima	Solution Quality
Convex State-Space	Easy	Global Minima	Optimal
Non-Convex State-Space	Hard	Local Minima	Sub-Optimal

Questions?