

leetcode.com/problems/delete-and-earn/submissions/1833488931/?language=C%2B%2B

Problem List < > ✕

Description | Accepted ✕ | Editorial | Solutions | Submissions

All Submissions

Accepted 52 / 52 testcases passed
@RanOnBIE submitted at Nov 18, 2025 23:40

Runtime 0 ms | Beats 100.00%
Memory 15.73 MB | Beats 83.87%

Analyze Complexity

Code | C++

```
class Solution {
public:
    int deleteAndEarn(vector<int>& nums) {
        if (nums.empty()) return 0;
    }
};
```

Code

```
1 class Solution {
2 public:
3     int deleteAndEarn(vector<int>& nums) {
4         if (nums.empty()) return 0;
5         int maxnum = *max_element(nums.begin(), nums.end());
6         vector<int> points(maxnum + 1, 0);
7
8         // Convert nums into points array where points[x] = total sum of x's
9         for (int x : nums) {
10             points[x] += x;
11         }
12
13         // House Robber DP
14         vector<int> dp(maxnum + 1, 0);
15         dp[0] = 0;
16         dp[1] = points[1];
17
18         for (int i = 2; i <= maxnum; i++) {
19             dp[i] = max(dp[i - 1], dp[i - 2] + points[i]);
20         }
21
22         return dp[maxnum];
23     }
24 };
25
26
27
```

Saved

Testcase > Test Result

2340
18-11-2025

Count and Say - LeetCode | LeetCode solutions request

leetcode.com/problems/count-and-say/submissions/1833487078/?language=C%26%2B

Problem List < > ✖

Description | Accepted | Editorial | Solutions | Submissions


All Submissions

Accepted 30 / 30 testcases passed
@TheOwl01E submitted at Nov 18, 2025 23:38

Editorial Solution

Runtime 7 ms | Beats 17.99%
Memory 9.75 MB | Beats 82.68%

Analyze Complexity



Code | C++

```
class Solution {
public:
    string countAndSay(int n) {
        string s = "1";
```

```
1 class Solution {
2 public:
3     string countAndSay(int n) {
4         string s = "1";
5
6         for (int k = 2; k <= n; k++) {
7             string temp = "";
8             int count = 1;
9
10            for (int i = 1; i < s.size(); i++) {
11                if (s[i] == s[i - 1]) {
12                    count++;
13                } else {
14                    temp += to_string(count) + s[i - 1];
15                    count = 1;
16                }
17            }
18            temp += to_string(count) + s.back();
19            s = temp;
20        }
21        return s;
22    }
23 };
```

Saved

Ln 26, Col 1

Testcase > Test Result

23°C Mostly cloudy

144Hz Adaptive SYNC

leetcode.com/problems/binary-search-tree-iterator/submissions/1833482766/language=C%28%28

Problem List < > Submit

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 61 / 61 testcases passed
0fluOw0RE submitted at Nov 18, 2025 23:34

Editorial Solution

Runtime 1 ms | Beats 80.97%
Memory 31.92 MB | Beats 66.84%

Analyze Complexity

Code | C++

```
class BSTIterator {
public:
    stack<TreeNode*> st;

    BSTIterator(TreeNode* root) {
        pushLeft(root);
    }

    // Return next smallest number
    int next() {
        TreeNode* node = st.top();
        st.pop();
        int val = node->val;
        if (node->right) {
            pushLeft(node->right);
        }
        return val;
    }

    // Return whether we have a next smallest number
    bool hasNext() {
        return !st.empty();
    }
};

private:
void pushLeft(TreeNode* node) {
    while (node) {
```

Testcase Test Result

23°C Mostly cloudy

Problem List < > ✕

Description | Accepted ✕ | Editorial | Solutions | Submissions

All Submissions

Accepted 47 / 47 testcases passed
@TheOwlE submitted at Nov 18, 2025 23:33

Editorial Solution

Runtime 0 ms | Beats 100.00%
Memory 31.23 MB | Beat: 80.05%

Analyze Complexity



Code C++

```
class Solution {
public:
    int search(vector<int>& nums, int target) {
        int left = 0, right = nums.size() - 1;
```

Code

```
1 class Solution {
2 public:
3     int search(vector<int>& nums, int target) {
4         int left = 0, right = nums.size() - 1;
5
6         while (left <= right) {
7             int mid = left + (right - left) / 2;
8
9             if (nums[mid] == target)
10                return mid;
11             else if (nums[mid] < target)
12                left = mid + 1;
13             else
14                right = mid - 1;
15         }
16         return -1; // not found
17     }
18 }
19
20
```

Testcase Test Result

23°C Mostly cloudy

ASUS

23:33 18-11-2025

leetcode.com/problems/design-add-and-search-words-data-structure/submissions/1833478503/?language=C%26%26

Problem List < > ✕


Description | Accepted ✕ | Editorial | Solutions | Submissions

All Submissions

Accepted 29 / 29 testcases passed
@TheOwl001 submitted at Nov 18, 2025 23:30

Runtime 310 ms | Beats: 84.29%
Memory 563.24 MB | Beats: 51.60%

Analyze Complexity



Code | C++

```
class WordDictionary {
public:
    struct TrieNode {
        bool isEnd;
        TrieNode* children[26];
    };
    TrieNode* root;
```

```
1 class WordDictionary {
2 public:
3     struct TrieNode {
4         bool isEnd;
5         TrieNode* children[26];
6     };
7     TrieNode() {
8         isEnd = false;
9         for (int i = 0; i < 26; i++) children[i] = nullptr;
10    }
11    TrieNode* root;
12
13    WordDictionary() {
14        root = new TrieNode();
15    }
16
17    void addWord(string word) {
18        TrieNode* node = root;
19        for (char c : word) {
20            int idx = c - 'a';
21            if (!node->children[idx]) {
22                node->children[idx] = new TrieNode();
23            }
24            node = node->children[idx];
25        }
26        node->isEnd = true;
27    }
28}
```

Testcase Test Result

23°C Mostly cloudy

144Hz Adaptive SYNC

ASUS

Problem List < > ✕

Submit

98

ENG

23:23

18-11-2025

Description | Accepted ✕ | Editorial | Solutions | Submissions

← All Submissions


Accepted 128 / 128 testcases passed
0ftrOw0ME submitted at Nov 18, 2025 23:23

Editorial Solution

Runtime
15 ms | Beats 71.44%

Memory
24.90 MB | Beats 85.72%

Analyze Complexity



Code | C++

```
class Solution {
public:
    vector<vector<string>> groupAnagrams(vector<string>& strs) {
        unordered_map<string, vector<string>> mp;
```

Code

C++ v Auto

```
1 class Solution {
2 public:
3     vector<vector<string>> groupAnagrams(vector<string>& strs) {
4         unordered_map<string, vector<string>> mp;
5
6         for (string s : strs) {
7             string key = s;
8             sort(key.begin(), key.end());
9             mp[key].push_back(s);
10        }
11
12        vector<vector<string>> result;
13        for (auto &p : mp) {
14            result.push_back(p.second);
15        }
16
17        return result;
18    }
19 };
20
```

Saved

Ln 20, Col 1

Testcase > Test Result

leetcode.com/problems/word-pattern/submissions/1833468078/?language=C%2B%2B

Problem List < > 🔍

Submit C++ Enter

Description | Accepted x | Editorial Solutions Submissions

All Submissions

Accepted 44 / 44 testcases passed
@Ph0en1x submitted at Nov 18, 2025 23:21

Editorial Solution

Runtime 0 ms | Beats 100.00%
Memory 8.88 MB | Beats 38.66%

Analyze Complexity

100%
50%
0%

1ms 2ms 3ms 4ms

Code | C++

```
class Solution {
public:
    bool wordPattern(string pattern, string s) {
        vector<string> words;
        string temp;
```

```
1 class Solution {
2 public:
3     bool wordPattern(string pattern, string s) {
4         vector<string> words;
5         string temp;
6         stringstream ss(s);
7
8         // Split string into words
9         while (ss >> temp) {
10             words.push_back(temp);
11         }
12
13         if (words.size() != pattern.size())
14             return false;
15
16         unordered_map<char, string> mp1;
17         unordered_map<string, char> mp2;
18
19         for (int i = 0; i < pattern.size(); i++) {
20             char c = pattern[i];
21             string w = words[i];
22
23             if (mp1.count(c) && mp1[c] != w) return false;
24             if (mp2.count(w) && mp2[w] != c) return false;
25
26             mp1[c] = w;
27             mp2[w] = c;
28         }
```

Saved In 33, Col 1

Testcase > Test Result

23°C Mostly cloudy 23:21 18-11-2025

leetcode.com/problems/ransom-note/submissions/1833465054/rango/

Problem List < > ✕

Description | Accepted ✕ | Editorial | Solutions | Submissions

All Submissions

Accepted 130 / 130 testcases passed
09wOwM submitted at Nov 18, 2025 23:19

Runtime 0 ms | Beats 100.00%
Memory 11.70 MB | Beats 89.33%

Analyze Complexity



Code | C++

```
class Solution {
public:
    bool canConstruct(string ransomNote, string magazine) {
        vector<int> freq(26, 0);
```

```
1 class Solution {
2 public:
3     bool canConstruct(string ransomNote, string magazine) {
4         vector<int> freq(26, 0);
5
6         for (char c : magazine)
7             freq[c - 'a']++;
8
9         for (char c : ransomNote) {
10             if (freq[c - 'a'] == 0)
11                 return false;
12             freq[c - 'a']--;
13         }
14
15         return true;
16     }
17 };
```

Testcase | Test Result

23°C Mostly cloudy

ASUS

144Hz Adaptive Sync

ENG IN 18-11-2025 23:20

leetcode.com/problems/isomorphic-strings/submissions/1833469550/?language=C%2B%2B

Problem List < > ✕

Submit Ctrl Enter

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 47 / 47 testcases passed
0fheOw0fE submitted at Nov 18, 2025 23:22

Editorial Solution

Runtime 0 ms | Beats 100.00%
Memory 9.17 MB | Beats 92.94%

Analyze Complexity



Code | C++

```
class Solution {
public:
    bool isIsomorphic(string s, string t) {
        if (s.size() != t.size()) return false;
        unordered_map<char, char> mp1;
        unordered_map<char, char> mp2;
        for (int i = 0; i < s.size(); i++) {
            char a = s[i], b = t[i];
            if (mp1.count(a) && mp1[a] != b) return false;
            if (mp2.count(b) && mp2[b] != a) return false;
            mp1[a] = b;
            mp2[b] = a;
        }
        return true;
    }
};
```

Testcase > Test Result

leetcode.com/problems/prefix-and-suffix-search/submissions/1833480330/?language=C%26%2B

Problem List < > ✕

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 17 / 17 testcases passed
OFhrOw0fE submitted at Nov 18, 2025 23:32

Editorial Solution

Runtime 850 ms | Beats 13.71%
Memory 292.02 MB | Beats 42.40%

Analyze Complexity

Code | C++

```
class WordFilter {
public:
    unordered_map<string, int> mp;

    WordFilter(vector<string>& words) {
```

```
1 class WordFilter {
2 public:
3     unordered_map<string, int> mp;
4
5     WordFilter(vector<string>& words) {
6         for (int index = 0; index < words.size(); index++) {
7             string &w = words[index];
8             int n = w.size();
9
10            // Store every prefix + 'a' + every suffix
11            for (int i = 0; i <= n; i++) {
12                string prefix = w.substr(0, i);
13                for (int j = 0; j <= n; j++) {
14                    string suffix = w.substr(n - j, j);
15                    mp[prefix + "a" + suffix] = index;
16                }
17            }
18        }
19    }
20
21    int f(string pref, string suff) {
22        string key = pref + "a" + suff;
23        return mp.count(key) ? mp[key] : -1;
24    }
25 };
26
```

Testcase > Test Result

23:32 18-11-2025

leetcode.com/problems/peeking-iterator/submissions/1833462898/?language=C%2B%2B

Problem List < > ✕

Description | Accepted ✕ | Editorial | Solutions | Submissions

All Submissions

Accepted 15 / 15 testcases passed
GfR0w0rE submitted at Nov 18, 2025 23:16

Editorial Solution

Runtime 3 ms | Beats 54.94%
Memory 12.07 MB | Beats 70.46%

Analyze Complexity



Code | C++

```
class PeekingIterator : public Iterator {
private:
    bool hasPeeked;
    int peekVal;

public:
    PeekingIterator(const vector<int>& nums) : Iterator(nums) {
        hasPeeked = false;
    }

    int peek() {
        if (!hasPeeked) {
            peekVal = Iterator::next();
            hasPeeked = true;
        }
        return peekVal;
    }

    int next() {
        if (hasPeeked) {
            hasPeeked = false;
            return peekVal;
        }
        return Iterator::next();
    }

    bool hasNext() const {
        return hasPeeked || Iterator::hasNext();
    }
};
```

Testcase | Test Result

23:16 18-11-2025

Problem List < > ✕

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 54 / 54 testcases passed
@FhuOwDfE submitted at Nov 18, 2025 23:13

Editorial Solution

Runtime 26 ms | Beats: 97.49%
[Analyze Complexity](#)

Memory 137.16 MB | Beats: 37.68%

```

C++
class TimeMap {
public:
    unordered_map<string, vector<pair<int, string>>> mp;

    TimeMap() {}

    void set(string key, string value, int timestamp) {
        mp[key].push_back({timestamp, value});
    }

    string get(string key, int timestamp) {
        if (mp.count(key)) return "";

        auto &arr = mp[key];
        int left = 0, right = arr.size() - 1;
        string ans = "";

        while (left <= right) {
            int mid = (left + right) / 2;
            if (arr[mid].first <= timestamp) {
                ans = arr[mid].second;
                left = mid + 1;
            } else {
                right = mid - 1;
            }
        }

        return ans;
    }
};

```

Ln 31, Col 1

Testcase Test Result

leetcode.com/problems/valid-palindrome/submissions/1833458348/?language=C%26%2B

Problem List < > ✕

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 487 / 487 testcases passed
@PurOw01E submitted at Nov 18, 2025 23:12

Editorial Solution

Runtime 0 ms | Beats 100.00%
Memory 10.06 MB | Beats 41.87%

Analyze Complexity

75%
50%
25%
0%

1ms 2ms 3ms 4ms 5ms 6ms

Code C++

```
class Solution {
public:
    bool isPalindrome(string s) {
        int left = 0, right = s.size() - 1;

        while (left < right) {
            while (left < right && !isalnum(s[left])) left++;
            while (left < right && !isalnum(s[right])) right--;

            if (tolower(s[left]) != tolower(s[right]))
                return false;

            left++;
            right--;
        }

        return true;
    }
};
```

Saved

Testcase > Test Result

leetcode.com/problems/number-of-recent-calls/submissions/1833460548/?language=C%2B%2B

Problem Link < > ✖

Description | Accepted ✖ | Editorial | Solutions | Submissions

All Submissions

Accepted 68 / 68 testcases passed
@Purush submitted at Nov 18, 2023 23:14

Editorial Solution

Runtime 25 ms | Beats: 23.75%
Memory 64.06 MB | Beats: 92.77%

Analyze Complexity



Code | C++

```
class RecentCounter {  
public:  
    queue<int> q;  
  
    RecentCounter() {}  
  
    int ping(int t) {  
        q.push(t);  
        while (!q.empty() && q.front() < t - 3000) {  
            q.pop();  
        }  
        return q.size();  
    }  
};
```

Saved | 1st, Col. 1

Testcase Test Result

leetcode.com/problems/custom-sort-string/submissions/1833464226/?language=C%2B%2B

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 41 / 41 testcases passed
@HrOwNE submitted at Nov 18, 2025 23:17

Runtime: 0 ms | Beats 100.00%
Memory: 8.30 MB | Beats 74.06%

Analyze Complexity



Code | C++

```
class Solution {
public:
    string customSortString(string order, string s) {
        vector<int> freq(26, 0);
```

```
1 class Solution {
2 public:
3     string customSortString(string order, string s) {
4         vector<int> freq(26, 0);
5
6         for (char c : s)
7             freq[c - 'a']++;
8
9         string result = "";
10
11        // Add characters in the order specified
12        for (char c : order) {
13            int count = freq[c - 'a'];
14            result.append(count, c);
15            freq[c - 'a'] = 0;
16        }
17
18        // Add remaining characters not in order
19        for (int i = 0; i < 26; i++) {
20            if (freq[i] > 0) {
21                result.append(freq[i], char('a' + i));
22            }
23        }
24
25        return result;
26    }
27 };
28
```

Testcase Test Result

23°C Mostly cloudy 23:18 18-11-2025

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 311/311 testcases passed

OFhrOw0fIE submitted at Nov 18, 2025 23:05

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

9.58 MB | Beats 73.45%



Interval (ms)	Performance (%)
0-1	28
1-2	8
2-3	10
3-4	28
4-5	15
5-6	5
6-7	2
7-8	2
8-9	2
9-10	2
10-11	2
11-12	2
12-13	2
13-14	2
14-15	2
15-16	2
16-17	2
17-18	2
18-19	2
19-20	2
20-21	2
21-22	2
22-23	2
23-24	2
24-25	2

Code | C++

```
class Solution {
public:
    string multiply(string num1, string num2) {
        if (num1 == "0" || num2 == "0") return "0";
```

Code

C++

Auto

Ln 31, C

```
1 class Solution {
2 public:
3     string multiply(string num1, string num2) {
4         if (num1 == "0" || num2 == "0") return "0";
5
6         int n1 = num1.size(), n2 = num2.size();
7         vector<int> result(n1 + n2, 0);
8
9         for (int i = n1 - 1; i >= 0; i--) {
10             for (int j = n2 - 1; j >= 0; j--) {
11                 int mul = (num1[i] - '0') * (num2[j] - '0');
12                 int sum = mul + result[i + j + 1];
13
14                 result[i + j + 1] = sum % 10;
15                 result[i + j] += sum / 10;
16             }
17         }
18
19         string ans = "";
20         int i = 0;
21
22         while (i < result.size() && result[i] == 0) i++;
23
24         for (; i < result.size(); i++) {
25             ans.push_back(result[i] + '0');
26         }
27
28         return ans;
29     }
30 }
```

Testcase

Test Result

Problem List < > ✖

Submit

98 0 0 0 0 0 Premium

Description | Accepted × | Editorial | Solutions | Submissions

← All Submissions

Accepted 56 / 56 testcases passed
0FhrOw0lFE submitted at Nov 18, 2025 22:58

Editorial Solution

Runtime 0 ms | Beats 100.00%
[Analyze Complexity](#)

Memory 7.95 MB | Beats 51.68%

100% 50% 0%

1ms 2ms 3ms 4ms 5ms 6ms

Code | C++

```
class Solution {
public:
    pair<int, int> parse(string s) {
        int plusPos = s.find('+');
        int iPos = s.find('i');
    }
};
```

</> Code

C++ v Auto

```
1 class Solution {
2 public:
3     pair<int, int> parse(string s) {
4         int plusPos = s.find('+');
5         int iPos = s.find('i');
6         int real = stoi(s.substr(0, plusPos));
7         int imag = stoi(s.substr(plusPos + 1, iPos - plusPos - 1));
8         return {real, imag};
9     }
10
11     string complexNumberMultiply(string num1, string num2) {
12         auto p1 = parse(num1);
13         auto p2 = parse(num2);
14
15         int a = p1.first, b = p1.second;
16         int c = p2.first, d = p2.second;
17
18         int real = a * c - b * d;
19         int imag = a * d + b * c;
20
21         return to_string(real) + "+" + to_string(imag) + "i";
22     }
23 };
24
```

Saved

Ln 24, Col 1

Testcase | >... Test Result

22
18-11-20

leetcode.com/problems/design-underground-system/submissions/1833439011/?language=C%2B%2B

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 57 / 57 testcases passed
OFtuOw0fE submitted at Nov 18, 2025 22:55

Runtime 21 ms | Beats 85.81%
Memory 68.15 MB | Beats 52.29%

Analyze Complexity



Code | C++

```
class UndergroundSystem {
public:
    unordered_map<int, pair<string, int>> checkInData; // id -> {stationName, t}
    unordered_map<string, pair<int, int>> travelData; // "start-end" -> {totalTime, count}

    UndergroundSystem() {}

    void checkIn(int id, string stationName, int t) {
        checkInData[id] = {stationName, t};
    }

    void checkOut(int id, string endStation, int t) {
        auto &checkInInfo = checkInData[id];
        string startStation = checkInInfo.first;
        int startTime = checkInInfo.second;

        string route = startStation + "-" + endStation;
        int travelTime = t - startTime;

        travelData[route].first += travelTime;
        travelData[route].second += 1;

        checkInData.erase(id);
    }

    double getAverageTime(string startStation, string endStation) {
        string route = startStation + "-" + endStation;
        auto &data = travelData[route];
    }
};
```

Saved In 33, Col 1

Testcase | Test Result

22°C Monthly cloudy 22:55 18-11-2025

leetcode.com/problems/subrectangle-queries/submissions/1833430702/?language=C%2B%2B

Problem List < > >> Submit Ctrl Enter

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 52 / 52 testcases passed
0FheOw0fE submitted at Nov 18, 2025 22:47

Runtime 21 ms | Beats 87.25%
Memory 25.35 MB | Beats 78.19%

Analyze Complexity

Code | C++

```
class SubrectangleQueries {
public:
    vector<vector<int>>> rectangle;

    SubrectangleQueries(vector<vector<int>>> rectangle) {

    }

    void updateSubrectangle(int row1, int col1, int row2, int col2, int newValue) {
        for (int r = row1; r <= row2; ++r) {
            for (int c = col1; c <= col2; ++c) {
                rectangle[r][c] = newValue;
            }
        }
    }

    int getValue(int row, int col) {
        return rectangle[row][col];
    }
};
```

Saved

Testcase Test Result

22:53 18-11-2025

leetcode.com/problems/design-parking-system/submissions/1833428036/?language=C%2B%2B

Problem List < > <> Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 102 / 102 testcases passed
0FhrOwOIE submitted at Nov 18, 2025 22:45

Editorial Solution

Runtime 4 ms | Beats 78.10%
Memory 38.55 MB | Beats 99.70%

Analyze Complexity

Code | C++

```
class ParkingSystem {
public:
    int big, medium, small;
```

```
1 class ParkingSystem {
2 public:
3     int big, medium, small;
4
5     ParkingSystem(int big, int medium, int small) {
6         this->big = big;
7         this->medium = medium;
8         this->small = small;
9     }
10
11     bool addCar(int carType) {
12         if (carType == 1) {
13             if (big > 0) { big--; return true; }
14         } else if (carType == 2) {
15             if (medium > 0) { medium--; return true; }
16         } else {
17             if (small > 0) { small--; return true; }
18         }
19         return false;
20     }
21 };
22
```

Saved Ln 22

leetcode.com/problems/design-browser-history/submissions/1833437806/?language=C%2B%2B

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions


All Submissions

Accepted 73 / 73 testcases passed
0FhrOw0fE submitted at Nov 18, 2025 22:54

Editorial Solution

Runtime 23 ms | Beats 67.96%
Memory 62.56 MB | Beats 86.12%

Analyze Complexity



Code | C++

```
class BrowserHistory {
public:
    vector<string> history;
```

```
1 class BrowserHistory {
2 public:
3     vector<string> history;
4     int curr;
5
6     BrowserHistory(string homepage) {
7         history.push_back(homepage);
8         curr = 0;
9     }
10
11     void visit(string url) {
12         history.erase(history.begin() + curr + 1, history.end());
13         history.push_back(url);
14         curr++;
15     }
16
17     string back(int steps) {
18         curr = max(0, curr - steps);
19         return history[curr];
20     }
21
22     string forward(int steps) {
23         curr = min((int)history.size() - 1, curr + steps);
24         return history[curr];
25     }
26 };
27
```

Saved Ln 27, Col 1

leetcode.com/problems/min-stack/submissions/1853441300/?language=C++&from=tab_new_submission

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 32 / 32 testcases passed
@RusOwOIE submitted at Nov 18, 2025 22:57

Editorial Solution

Runtime 1 ms | Beats 73.55%
Memory 23.23 MB | Beats 79.24%

Analyze Complexity



Code | C++

```
class MinStack {
public:
    stack<long long> st;
    long long minVal;
```

```
1 class MinStack {
2 public:
3     stack<long long> st;
4     long long minVal;
5
6     MinStack() {
7         minVal = LLONG_MAX;
8     }
9
10    void push(int val) {
11        if (st.empty()) {
12            st.push(0);
13            minVal = val;
14        } else {
15            long long diff = val - minVal;
16            st.push(diff);
17            if (diff < 0) {
18                minVal = val;
19            }
20        }
21    }
22
23    void pop() {
24        if (st.empty()) return;
25        long long diff = st.top();
26        st.pop();
27    }
28 }
```

Testcase Test Result

ENG IN 18-11-2

leetcode.com/problems/add-strings/submissions/163545542/?language=C++26

Problem List < > Submit

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 317 / 317 testcases passed
0FhrOw0IfE submitted at Nov 18, 2025 23:01

Runtime 0 ms | Beats 100.00%
Memory 9.20 MB | Beats 57.10%

Analyze Complexity



Code | C++

```
class Solution {
public:
    string addStrings(string num1, string num2) {
        int i = num1.size() - 1;
        int j = num2.size() - 1;
```

```
1 class Solution {
2 public:
3     string addStrings(string num1, string num2) {
4         int i = num1.size() - 1;
5         int j = num2.size() - 1;
6         int carry = 0;
7         string result = "";
8
9         while (i >= 0 || j >= 0 || carry) {
10             int a = (i >= 0) ? num1[i--] - '0' : 0;
11             int b = (j >= 0) ? num2[j--] - '0' : 0;
12
13             int sum = a + b + carry;
14             result.push_back((sum % 10) + '0');
15             carry = sum / 10;
16         }
17
18         reverse(result.begin(), result.end());
19         return result;
20     }
21 };
22
```

Saved

Testcase Test Result

leetcode.com/problems/string-compression/submissions/1833456057/?language=C%2B%2B

Problem List < > Submit

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 77 / 77 testcases passed
OthaOwDME submitted at Nov 10, 2025 23:10

Runtime 0 ms | Beats 100.00%
Memory 13.95 MB | Beats 13.53%

100% 50% 0% 1ms 2ms 3ms 4ms

Code | C++

```
class Solution {
public:
    int compress(vector<char>& chars) {
        int n = chars.size();
        int write = 0; // index where we write compressed chars
        int read = 0; // index to read original chars

        while (read < n) {
            char curr = chars[read];
            int count = 0;

            // count occurrences of current char
            while (read < n && chars[read] == curr) {
                read++;
                count++;
            }

            // write current char
            chars[write++] = curr;

            // write count if more than 1
            if (count > 1) {
                string cnt = to_string(count);
                for (char c : cnt) {
                    chars[write++] = c;
                }
            }
        }

        return write;
    }
};
```

Testcase | Test Result

1 cm of rain

23:10 10-11-2025