

[SQL Worksheet]*



Aa



```
1 CREATE TABLE student1 (
2   ... id NUMBER,
3   ... name VARCHAR2(30)
4 );
5
6 CREATE TABLE student2 (
7   ... id NUMBER,
8   ... name VARCHAR2(30)
9 );
10 INSERT INTO student1 VALUES (1, 'Sai');
11 INSERT INTO student1 VALUES (2, 'Rishi');
12 INSERT INTO student1 VALUES (3, 'Akshaya');
13
14 INSERT INTO student2 VALUES (3, 'Akshaya');
15 INSERT INTO student2 VALUES (4, 'Swathi');
16 INSERT INTO student2 VALUES (5, 'Ravi');
17
18 COMMIT;
19 SELECT * FROM student1
20 UNION
21 SELECT * FROM student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download



Execution time: 0.031 seconds

	ID	NAME
1	1	Sai
2	2	Rishi
3	3	Akshaya
4	4	Swathi
5	5	Ravi

[SQL Worksheet]*      Aa 

```
1 CREATE TABLE student1 (
2     ... id NUMBER,
3     ... name VARCHAR2(30)
4 );
5
6 CREATE TABLE student2 (
7     ... id NUMBER,
8     ... name VARCHAR2(30)
9 );
10
11 INSERT INTO student1 VALUES (1, 'Sai');
12 INSERT INTO student1 VALUES (2, 'Reena');
13 INSERT INTO student1 VALUES (3, 'Arjun');
14
15 INSERT INTO student2 VALUES (3, 'Arjun');
16 INSERT INTO student2 VALUES (4, 'Neha');
17 INSERT INTO student2 VALUES (5, 'Ravi');
18
19 COMMIT;
20
21 SELECT * FROM student1
22 INTERSECT
23 SELECT * FROM student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download ▼

Execution time: 0.011 seconds

	ID	NAME
1	3	Arjun

[SQL Worksheet]*      Aa 

```
1 CREATE TABLE student1 (
2     ... id NUMBER,
3     ... name VARCHAR2(30)
4 );
5
6 CREATE TABLE student2 (
7     ... id NUMBER,
8     ... name VARCHAR2(30)
9 );
10
11 INSERT INTO student1 VALUES (1, 'Sai');
12 INSERT INTO student1 VALUES (2, 'Reena');
13 INSERT INTO student1 VALUES (3, 'Arjun');
14
15 INSERT INTO student2 VALUES (3, 'Arjun');
16 INSERT INTO student2 VALUES (4, 'Neha');
17 INSERT INTO student2 VALUES (5, 'Ravi');
18
19 COMMIT;
20
21 SELECT * FROM student1
22 MINUS
23 SELECT * FROM student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download



Execution time: 0.009 seconds

	ID	NAME
1	1	Sai
2	2	Reena

[SQL Worksheet]*



Aa



```
1 CREATE TABLE student1 (
2     ... id NUMBER,
3     ... name VARCHAR2(30)
4 );
5
6 CREATE TABLE student2 (
7     ... id NUMBER,
8     ... name VARCHAR2(30)
9 );
10
11 INSERT INTO student1 VALUES (1, 'Sai');
12 INSERT INTO student1 VALUES (2, 'Reena');
13 INSERT INTO student1 VALUES (3, 'Arjun');
14
15 INSERT INTO student2 VALUES (3, 'Arjun');
16 INSERT INTO student2 VALUES (4, 'Neha');
17 INSERT INTO student2 VALUES (5, 'Ravi');
18
19 COMMIT;
20 CREATE VIEW student_view AS
21 SELECT id, name
22 FROM student1;
23 SELECT * FROM student_view;
24
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download



Execution time: 0.016 seconds

	ID	NAME
1	1	Sai
2	2	Reena
3	3	Arjun

[SQL Worksheet]* ▼



Aa ▼



```
1  SET SERVEROUTPUT ON;
2
3  DECLARE
4      A NUMBER(2) := 3;
5      B NUMBER(2) := 10;
6      C NUMBER;
7  BEGIN
8      C := A + B;
9      DBMS_OUTPUT.PUT_LINE('C = ' || C);
10 END;
11 /
```

Query result

Script output

DBMS output

Explain Plan

SQL history



SQL> DECLARE

```
  A NUMBER(2) := 3;
  B NUMBER(2) := 10;
  C NUMBER;...
```

[Show more...](#)

C = 13

PL/SQL procedure successfully completed.

Elapsed: 00:00:00.006

[SQL Worksheet]* ▼



Aa ▼



```
1  SET SERVEROUTPUT ON;
2
3  DECLARE
4      Emp_Name VARCHAR2(20);
5      Emp_Dob  DATE;
6      Emp_Sal  NUMBER(5) := 13000;
7
8  BEGIN
9      Emp_Name := 'Likitha';
10     Emp_Dob  := DATE '2006-08-12';
11     DBMS_OUTPUT.PUT_LINE('Employee Name : ' || Emp_Name);
12     DBMS_OUTPUT.PUT_LINE('Date of Birth : ' || Emp_Dob);
13     DBMS_OUTPUT.PUT_LINE('Employee Salary : ' || Emp_Sal);
14
15 END;
16 /
```

```
SQL> DECLARE
      Emp_Name VARCHAR2(20);
      Emp_Dob  DATE;
      Emp_Sal  NUMBER(5) := 13000;...
Show more...
```

```
Employee Name : Likitha
Date of Birth  : 12-AUG-06
Employee Salary : 13000
```

PL/SQL procedure successfully completed.

Elapsed: 00:00:00.006

[SQL Worksheet]* ▼



Aa ▼



```
1  SET SERVEROUTPUT ON;
2
3  DECLARE
4      Emp_Name VARCHAR2(20);
5
6  BEGIN
7      Emp_Name := 'Kalyani';
8      DBMS_OUTPUT.PUT_LINE('Name: ' || Emp_Name);
9
10 END;
11 /
```

```
SQL> DECLARE
      Emp_Name VARCHAR2(20);
```

```
BEGIN...
```

```
Show more...
```

```
Name: Kalyani
```

```
PL/SQL procedure successfully completed.
```

```
Elapsed: 00:00:00.005
```
