

Activities

Terminal

Apr 20 5:28 PM

administrator@administrator: ~/record_11249A078

```
administrator@administrator: $ mkdir record_11249A078
administrator@administrator: $ cd record_11249A078
administrator@administrator: ~/record_11249A078 $ cat>file2.txt
os lab
os record
operating systems^C
administrator@administrator: ~/record_11249A078 $ pwd
/home/administrator/record_11249A078
administrator@administrator: ~/record_11249A078 $ ls
file2.txt
administrator@administrator: ~/record_11249A078 $ mkdir -p cse
administrator@administrator: ~/record_11249A078 $ rmdir cse
administrator@administrator: ~/record_11249A078 $ touch file3.txt
administrator@administrator: ~/record_11249A078 $ cp file2.txt file3.txt
administrator@administrator: ~/record_11249A078 $ mv file3.txt copied.txt
```

Command 'mv' not found, did you mean:

```
command 'mob' from snap mob-sh (4.2.0)
command 'npv' from snap npv (0.41.0)
command 'nog' from deb mzeofgalious (0.62.dfsg2-4build2)
command 'nv' from deb coreutils (8.30-3ubuntu2)
command 'mod' from deb monodoc-base (6.8.0.105+dfsg-2)
command 'ncv' from deb scotch (6.0.9-1)
command 'noc' from deb qtchooser (66-2build1)
command 'npv' from deb npv (0.32.0-1ubuntu1)
command 'nev' from deb gpm (1.20.7-5)
command 'mvv' from deb mmv (1.01b-19build1)
command 'non' from deb non (1.3.4-1)
```

See 'snap info <snapname>' for additional versions.

```
administrator@administrator: ~/record_11249A078 $ mv file3.txt copied.txt
administrator@administrator: ~/record_11249A078 $ rm file3.txt
rm: cannot remove 'file3.txt': No such file or directory
administrator@administrator: ~/record_11249A078 $ mkdir -p new
```

Activities Terminal

Apr 20 5:28 PM

administrator@administrator: ~/record_11249A078

```
administrator@administrator: $ mv file3.txt copied.txt
administrator@administrator: $ rm file3.txt
rm: cannot remove 'file3.txt': No such file or directory
administrator@administrator: ~/record_11249A078$ mkdir -p cse
administrator@administrator: ~/record_11249A078$ rmdir cse
administrator@administrator: ~/record_11249A078$ touch file3.txt
administrator@administrator: ~/record_11249A078$ cp file2.txt file3.txt
administrator@administrator: ~/record_11249A078$ mv file3.txt copied.txt
```

Command 'mov' not found, did you mean:

- command 'mob' from snap mob-sh (4.2.0)
- command 'npv' from snap npv (0.41.0)
- command 'mog' from deb mazeofgalious (0.62.dfsg2-4build2)
- command 'mv' from deb coreutils (8.30-3ubuntu2)
- command 'ncv' from deb scotch (6.0.9-1)
- command 'moc' from deb qtchooser (66-2build1)
- command 'non' from deb non (1.3.4-1)
- command 'nod' from deb nonodoc-base (6.8.0.105+dfsg-2)
- command 'nev' from deb gpm (1.20.7-5)
- command 'npv' from deb npv (0.32.0-1ubuntu1)
- command 'nmv' from deb nmv (1.01b-19build1)

See 'snap info <snapname>' for additional versions.

```
administrator@administrator:~/record_11249A078$ mv file3.txt copied.txt
administrator@administrator:~/record_11249A078$ rm file3.txt
rm: cannot remove 'file3.txt': No such file or directory
administrator@administrator:~/record_11249A078$ rm file2.txt
administrator@administrator:~/record_11249A078$ file file1.txt
file1.txt: cannot open 'file1.txt' (No such file or directory)
administrator@administrator:~/record_11249A078$ stat file1.txt
stat: cannot stat 'file1.txt': No such file or directory
administrator@administrator:~/record_11249A078$ ps
```

PID	TTY	TIME	CMD
2272	pts/0	00:00:00	hash



administrator@administrator: ~/record_11249A078

2445 pts/0 00:00:00 ps

administrator@administrator: ~/record_11249A078\$ top

top - 17:22:10 up 1:44, 1 user, load average: 0.00, 0.00, 0.00
Tasks: 185 total, 1 running, 184 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.1 us, 0.0 sy, 0.0 ni, 99.9 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 7823.8 total, 6325.6 free, 565.9 used, 932.3 buff/cache
MiB Swap: 2048.0 total, 2048.0 free, 0.0 used, 6899.1 avail Mem

PID	USER	PR	NI	VRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1377	adminis+	20	0	294016	43304	23724	S	1.0	0.5	0:10.23	Xorg
2370	adminis+	20	0	812832	48968	38032	S	0.7	0.6	0:01.04	gnome-t+
2446	adminis+	20	0	11856	3748	3248	R	0.7	0.0	0:00.03	top
54	root	20	0	0	0	0	I	0.3	0.0	0:00.85	kworker+
1505	adminis+	20	0	4034728	223032	83736	S	0.3	2.8	0:18.74	gnome-s+
1	root	20	0	167440	11400	8312	S	0.0	0.1	0:00.81	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.00	kthreadd
3	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_gp
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_par+
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	slub_fl+
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	netns
8	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker+
10	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	mm_perc+
11	root	20	0	0	0	0	S	0.0	0.0	0:00.00	rcu_tas+
12	root	20	0	0	0	0	S	0.0	0.0	0:00.00	rcu_tas+
13	root	20	0	0	0	0	S	0.0	0.0	0:00.03	ksoftir+
14	root	20	0	0	0	0	I	0.0	0.0	0:00.82	rcu_sch+

administrator@administrator: ~/record_11249A078\$ htop

Command 'htop' not found, but can be installed with:

sudo snap install htop # version 3.4.1, or
sudo apt install htop # version 2.2.0-2build1

See 'snap info htop' for additional versions.

administrator@administrator: ~/record_11249A078

```
administrator@administrator: $ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
administrator@administrator: $ pkill
pkill: no matching criteria specified
Try 'pkill --help' for more information.
administrator@administrator: ~/record_11249A078$ jobs
administrator@administrator: ~/record_11249A078$ fg
bash: fg: current: no such job
administrator@administrator: ~/record_11249A078$ bg
bash: bg: current: no such job
administrator@administrator: ~/record_11249A078$ uptime
17:22:52 up 1:45, 1 user, load average: 0.00, 0.00, 0.00
administrator@administrator: ~/record_11249A078$ whoami
administrator
administrator@administrator: ~/record_11249A078$ free

```

	total	used	free	shared	buff/cache	available
Mem:	8011572	579736	6480020	121236	951816	7067508
Swap:	2097148	0	2097148			

```

administrator@administrator: ~/record_11249A078$ df

```

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
udev	3958312	0	3958312	0%	/dev
tmpfs	801160	1540	799620	1%	/run
/dev/sda2	490617784	24255788	441366516	6%	/
tmpfs	4005784	0	4005784	0%	/dev/shm
tmpfs	5120	4	5116	1%	/run/lock
tmpfs	4005784	0	4005784	0%	/sys/fs/cgroup
/dev/loop0	128	128	0	100%	/snap/bare/5
/dev/loop2	56832	56832	0	100%	/snap/core18/2999
/dev/loop1	56832	56832	0	100%	/snap/core18/2979
/dev/loop3	75776	75776	0	100%	/snap/core22/2292
/dev/loop4	75776	75776	0	100%	/snap/core22/2339
/dev/loop7	528640	528640	0	100%	/snap/gnome-42-2204/226
/dev/loop9	66432	66432	0	100%	/snap/gtk-common-themes/1514
/dev/loop6	93952	93952	0	100%	/snap/gtk-common-themes/1535
/dev/loop5	224256	224256	0	100%	/snap/gnome-3-34-1804/66
/dev/loop8	544128	544128	0	100%	/snap/gnome-42-2204/247

administrator@administrator: ~/record_11249A078

```
/dev/loop13    49280    49280     0 100% /snap/snapd/25935
/dev/sda1      523248    8880    514368 2% /boot/efi
tmpfs          801156     20    801136 1% /run/user/1000
```

```
administrator@administrator: ~/record_11249A078$ who
```

```
administrator :0          2026-04-20 15:42 (:0)
```

```
administrator@administrator: ~/record_11249A078$ whoami
```

```
administrator
```

```
administrator@administrator: ~/record_11249A078$ free
```

	total	used	free	shared	buff/cache	available
Mem:	8011572	578184	6481288	121236	952100	7069060
Swap:	2097148	0	2097148			

```
administrator@administrator: ~/record_11249A078$ df
```

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
udev	3958312	0	3958312	0%	/dev
tmpfs	801160	1540	799620	1%	/run
/dev/sda2	490617784	24255788	441366516	6%	/
tmpfs	4005784	0	4005784	0%	/dev/shm
tmpfs	5120	4	5116	1%	/run/lock
tmpfs	4005784	0	4005784	0%	/sys/fs/cgroup
/dev/loop0	128	128	0	100%	/snap/bare/5
/dev/loop2	56832	56832	0	100%	/snap/core18/2999
/dev/loop1	56832	56832	0	100%	/snap/core18/2979
/dev/loop3	75776	75776	0	100%	/snap/core22/2292
/dev/loop4	75776	75776	0	100%	/snap/core22/2339
/dev/loop7	528640	528640	0	100%	/snap/gnome-42-2204/226
/dev/loop9	66432	66432	0	100%	/snap/gtk-common-themes/1514
/dev/loop6	93952	93952	0	100%	/snap/gtk-common-themes/1535
/dev/loop5	224256	224256	0	100%	/snap/gnome-3-34-1804/66
/dev/loop8	544128	544128	0	100%	/snap/gnome-42-2204/247
/dev/loop10	13312	13312	0	100%	/snap/snap-store/1113
/dev/loop14	12544	12544	0	100%	/snap/snap-store/1216
/dev/loop11	223744	223744	0	100%	/snap/gnome-3-34-1804/93
/dev/loop12	49536	49536	0	100%	/snap/snapd/26302
/dev/loop13	49280	49280	0	100%	/snap/snapd/25935
/dev/sda1	523248	8880	514368	2%	/boot/efi
tmpfs	801156	20	801136	1%	/run/user/1000

administrator@administrator: ~/record_11249A078

```
administrator@administrator: ~/record_11249A078 $ du
8
administrator@administrator: ~/record_11249A078 $ du
8
administrator@administrator: ~/record_11249A078 $ tac file2.txt
tac: failed to open 'file2.txt' for reading: No such file or directory
administrator@administrator: ~/record_11249A078 $ tac copied.txt
os record
os lab
administrator@administrator: ~/record_11249A078 $ more copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ head
^C
administrator@administrator: ~/record_11249A078 $ head copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ tail copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ grep "os" copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ wc copied.txt
 2  4 17 copied.txt
administrator@administrator: ~/record_11249A078 $ sort copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ uniq copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ grep "os" copied.txt
os lab
os record
administrator@administrator: ~/record_11249A078 $ wc copied.txt
 2  4 17 copied.txt
```


Activities

Terminal

Apr 20 3:25 PM



administrator@administrator: ~/record_11249A078

os lab

os record

administrator@administrator: ~/record_11249A078\$

\$ uniq copied.txt

os lab

os record

administrator@administrator: ~/record_11249A078\$

grep "os" copied.txt

os lab

os record

administrator@administrator: ~/record_11249A078\$ wc copied.txt

2 4 17 copied.txt

administrator@administrator: ~/record_11249A078\$ sort copied.txt

os lab

os record

administrator@administrator: ~/record_11249A078\$ uniq copied.txt

os lab

os record

administrator@administrator: ~/record_11249A078\$ cut copied.txt

cut: you must specify a list of bytes, characters, or fields

Try 'cut --help' for more information.

administrator@administrator: ~/record_11249A078\$ paste file1.txt copied.txt

paste: file1.txt: No such file or directory

administrator@administrator: ~/record_11249A078\$ tr copied.txt

tr: missing operand after 'copied.txt'

Two strings must be given when translating.

Try 'tr --help' for more information.

administrator@administrator: ~/record_11249A078\$ nano copied.txt

administrator@administrator: ~/record_11249A078\$ y

y: command not found

administrator@administrator: ~/record_11249A078\$ ls -l

total 4

-rw-rw-r-- 1 administrator administrator 17 Apr 20 17:20 copied.txt

administrator@administrator: ~/record_11249A078\$ chmod copied.txt

chmod: missing operand after 'copied.txt'

Try 'chmod --help' for more information.

administrator@administrator: ~/record_11249A078\$

