

administrator@administrator: ~/record_11249A134 🔍 ≡ − □ ×

```
administrator@administrator:~/record_11249A134$ sed 's/unix/linux/3 g' sed.txt
unix
linux
2
greek
s
hlo
os
lab
record
administrator@administrator:~/record_11249A134$ sed -E 's/([A-Z])/(\\1)/g' sed.txt
unix
linux
2
greek
s
hlo
os
lab
record
administrator@administrator:~/record_11249A134$ sed '3s/unix/linux/' sed.txt
unix
linux
2
greek
s
hlo
os
lab
record
administrator@administrator:~/record_11249A134$ sed 's/unix/linux/p' sed.txt
linux
linux
linux
2
greek
s
hlo
```

administrator@administrator: ~/record_11249A134

🔍 ≡ − □ ×

```
administrator@administrator:~/record_11249A134$ cat >grep.txt
linux commands programs
by using Linux commands doing record
it is a root
error
main
cat
printf
fail
^C
administrator@administrator:~/record_11249A134$ grep -l "Linux" grep.txt
^C
administrator@administrator:~/record_11249A134$ grep -i "linux" grep.txt
linux commands programs
by using Linux commands doing record
administrator@administrator:~/record_11249A134$ grep -n "root" grep.txt
3:it is a root
administrator@administrator:~/record_11249A134$ grep -c "error" grep.txt
1
administrator@administrator:~/record_11249A134$ grep -l "main" grep.txt
grep.txt
administrator@administrator:~/record_11249A134$ grep -v "root" grep.txt
linux commands programs
by using Linux commands doing record
error
main
cat
printf
fail
administrator@administrator:~/record_11249A134$ grep -w "error" grep.txt
error
administrator@administrator:~/record_11249A134$ grep -r "printf" grep.txt
printf
administrator@administrator:~/record_11249A134$ grep -o "error" grep.txt
error
administrator@administrator:~/record_11249A134$ grep -e"error" grep.txt
error
administrator@administrator:~/record_11249A134$ awk '{print}' grep.txt
linux commands programs
```


administrator@administrator: ~/record_11249A134 🔍 ≡ − □ ×

administrator@administrator:~/record_11249A134\$ sed 's/unix/linux/'sed.txt

sed: -e expression #1, char 14: unknown option to 's'

administrator@administrator:~/record_11249A134\$ sed 's/unix/linux/' sed.txt

linux

linux

2

greek

s

hlo

os

lab

record

administrator@administrator:~/record_11249A134\$ sed 's/unix/linux/2' sed.txt

unix

linux

2

greek

s

hlo

os

lab

record

administrator@administrator:~/record_11249A134\$ sed 's/unix/linux/g' sed.txt

linux

linux

2

greek

s

hlo

os

lab

record

administrator@administrator:~/record_11249A134\$ sed 's/unix/linux/3 g' sed.txt

unix

linux

2

greek

s