

administrator@administrator: ~/record_11249A134

```
administrator@administrator:~$ mkdir record_11249A134
mkdir: cannot create directory 'record_11249A134': File exists
administrator@administrator:~$ cd record_11249A134
administrator@administrator:~/record_11249A134$ cat >file2.txt
os record preparation
name lahari
reg 11249A134
s5 section
^C
administrator@administrator:~/record_11249A134$ pwd
/home/administrator/record_11249A134
administrator@administrator:~/record_11249A134$ ls
file1.txt  file2.txt
administrator@administrator:~/record_11249A134$ mkdir -p cse
administrator@administrator:~/record_11249A134$ rmdir cse
administrator@administrator:~/record_11249A134$ touch file3.txt
administrator@administrator:~/record_11249A134$ cp file2.txt file3.txt
administrator@administrator:~/record_11249A134$ mv file3.txt copied.txt
```

Command 'mv' not found, did you mean:

```
command 'mpv' from snap mpv (0.41.0)
command 'mob' from snap mob-sh (4.2.0)
command 'mpv' from deb mpv (0.32.0-1ubuntu1)
command 'mev' from deb gpm (1.20.7-5)
command 'mod' from deb monodoc-base (6.8.0.105+dfsg-2)
command 'moc' from deb qtchooser (66-2build1)
command 'mv' from deb coreutils (8.30-3ubuntu2)
command 'mev' from deb scotch (6.0.9-1)
command 'mmv' from deb mmv (1.01b-19build1)
command 'mog' from deb mazeofgalious (0.62.dfsg2-4build2)
command 'mon' from deb mon (1.3.4-1)
```

See 'snap info <snapname>' for additional versions.

```
administrator@administrator:~/record_11249A134$ mv file3.txt copied.txt
administrator@administrator:~/record_11249A134$ rm file3.txt
rm: cannot remove 'file3.txt': No such file or directory
administrator@administrator:~/record_11249A134$ cp file2.txt
```

administrator@administrator: ~/record_11249A134

🔍 ≡ — □ ×

```
administrator@administrator:~/record_11249A134$ mkdir -p cse
administrator@administrator:~/record_11249A134$ rmdir cse
administrator@administrator:~/record_11249A134$ touch file3.txt
administrator@administrator:~/record_11249A134$ cp file2.txt file3.txt
administrator@administrator:~/record_11249A134$ mv file3.txt copied.txt
```

Command 'mv' not found, did you mean:

```
command 'mpv' from snap mpv (0.41.0)
command 'mob' from snap mob-sh (4.2.0)
command 'mpv' from deb mpv (0.32.0-1ubuntu1)
command 'mev' from deb gpm (1.20.7-5)
command 'mod' from deb monodoc-base (6.8.0.105+dfsg-2)
command 'moc' from deb qtchooser (66-2build1)
command 'mv' from deb coreutils (8.30-3ubuntu2)
command 'mcv' from deb scotch (6.0.9-1)
command 'mmv' from deb mmv (1.01b-19build1)
command 'mog' from deb mazeofgalious (0.62.dfsg2-4build2)
command 'mon' from deb mon (1.3.4-1)
```

See 'snap info <snapname>' for additional versions.

```
administrator@administrator:~/record_11249A134$ mv file3.txt copied.txt
administrator@administrator:~/record_11249A134$ rm file3.txt
rm: cannot remove 'file3.txt': No such file or directory
administrator@administrator:~/record_11249A134$ rm file2.txt
administrator@administrator:~/record_11249A134$ file file1.txt
file1.txt: ASCII text
administrator@administrator:~/record_11249A134$ stat file1.txt
  File: file1.txt
  Size: 24          Blocks: 8          IO Block: 4096   regular file
Device: 802h/2050d Inode: 13895195    Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1000/administrator)   Gid: ( 1000/administrator)
Access: 2026-04-20 15:09:36.158218888 +0530
Modify: 2026-04-20 15:09:24.518218664 +0530
Change: 2026-04-20 15:09:24.518218664 +0530
 Birth: ~
administrator@administrator:~/record_11249A134$
```

administrator@administrator: ~/record_11249A134

🔍 ≡ − □ ×

Modify: 2026-04-20 15:09:24.518218664 +0530

Change: 2026-04-20 15:09:24.518218664 +0530

Birth: -

administrator@administrator:~/record_11249A134\$ ps

PID	TTY	TIME	CMD
4102	pts/0	00:00:00	bash
4507	pts/0	00:00:00	ps

administrator@administrator:~/record_11249A134\$ top

```
top - 15:23:33 up 48 min,  1 user,  load average: 0.49, 0.17, 0.10
Tasks: 217 total,  2 running, 215 sleeping,  0 stopped,  0 zombie
%Cpu(s):  1.7 us,  0.5 sy,  0.0 ni, 97.8 id,  0.0 wa,  0.0 hi,  0.0 st,  0.0 st
MiB Mem : 7826.4 total, 4692.0 free, 1361.2 used, 1773.1 buff/cache
MiB Swap: 2048.0 total, 2048.0 free,  0.0 used. 6041.7 avail Mem
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
3477	adminis+	20	0	1395.4g	360720	140332	S	3.0	4.5	1:16.17	chrome
1458	adminis+	20	0	3987140	230704	83552	S	2.3	2.9	0:57.38	gnome-+
3313	adminis+	20	0	32.6g	155836	104348	S	2.0	1.9	0:36.16	chrome
1331	adminis+	20	0	298152	47012	23940	S	1.3	0.6	0:23.04	Xorg
3318	adminis+	20	0	32.4g	117100	94420	S	0.7	1.5	0:07.77	chrome
4094	adminis+	20	0	813016	49400	38332	S	0.7	0.6	0:01.63	gnome-+
636	avahi	20	0	8528	3548	3224	S	0.3	0.0	0:02.84	avahi-+
1503	adminis+	20	0	162884	6528	5884	S	0.3	0.1	0:00.22	at-spi+
3270	adminis+	20	0	32.7g	272060	189296	S	0.3	3.4	0:20.70	chrome
1	root	20	0	167580	11516	8400	S	0.0	0.1	0:00.83	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.00	kthrea+
3	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_gp
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_pa+
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	slub_f+
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	netns
8	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworke+

administrator@administrator:~/record_11249A134\$ htop

Command 'htop' not found, but can be installed with:

```
sudo snap install htop # version 3.4.1, or
sudo apt install htop # version 2.2.0-2build1
```


administrator@administrator: ~/record_11249A134

🔍 ≡ − □ ×

```
sudo snap install htop # version 3.4.1, or
sudo apt install htop # version 2.2.0-2build1
```

See 'snap info htop' for additional versions.

```
administrator@administrator:~/record_11249A134$ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
administrator@administrator:~/record_11249A134$ pkill
pkill: no matching criteria specified
Try 'pkill --help' for more information.
administrator@administrator:~/record_11249A134$ jobs
administrator@administrator:~/record_11249A134$ fg
bash: fg: current: no such job
administrator@administrator:~/record_11249A134$ bg
bash: bg: current: no such job
administrator@administrator:~/record_11249A134$ uptime
 15:24:06 up 48 min,  1 user,  load average: 0.42, 0.20, 0.11
administrator@administrator:~/record_11249A134$ who
administrator :0                2026-04-20 14:35 (:0)
administrator@administrator:~/record_11249A134$ whoami
administrator
```

```
administrator@administrator:~/record_11249A134$ free
              total        used        free      shared  buff/cache   available
Mem:           8014224       1385268       4826832       165376     1802124     6209052
Swap:          2097148           0       2097148
```

```
administrator@administrator:~/record_11249A134$ df
Filesystem      1K-blocks      Used Available Use% Mounted on
udev             3959636          0    3959636   0% /dev
tmpfs             801424         1640     799784   1% /run
/dev/sda2        490617784    32868420  432753884   8% /
tmpfs            4007112       32192     3974920   1% /dev/shm
tmpfs             5120           4         5116   1% /run/lock
tmpfs            4007112          0     4007112   0% /sys/fs/cgroup
/dev/loop0         128          128           0 100% /snap/bare/5
/dev/loop3        75776       75776           0 100% /snap/core22/2411
/dev/loop1        56832       56832           0 100% /snap/core18/2979
/dev/loop2        56832       56832           0 100% /snap/core18/2999
/dev/loop5        223744     223744           0 100% /snap/gnome-3-34-1804/93
/dev/loop7        116006     116006           0 100% /snap/snap/1
```

administrator@administrator: ~/record_11249A134

🔍 ≡ — □ ×

```
sudo snap install htop # version 3.4.1, or
sudo apt install htop # version 2.2.0-2build1
```

See 'snap info htop' for additional versions.

```
administrator@administrator:~/record_11249A134$ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
administrator@administrator:~/record_11249A134$ pkill
pkill: no matching criteria specified
Try 'pkill --help' for more information.
administrator@administrator:~/record_11249A134$ jobs
administrator@administrator:~/record_11249A134$ fg
bash: fg: current: no such job
administrator@administrator:~/record_11249A134$ bg
bash: bg: current: no such job
administrator@administrator:~/record_11249A134$ uptime
 15:24:06 up 48 min,  1 user,  load average: 0.42, 0.20, 0.11
administrator@administrator:~/record_11249A134$ who
administrator :0                2026-04-20 14:35 (:0)
administrator@administrator:~/record_11249A134$ whoami
administrator
```

```
administrator@administrator:~/record_11249A134$ free
              total        used        free      shared  buff/cache   available
Mem:           8014224       1385268       4826832        165376       1802124       6209052
Swap:          2097148           0       2097148
```

```
administrator@administrator:~/record_11249A134$ df
Filesystem      1K-blocks      Used Available Use% Mounted on
udev             3959636          0   3959636   0% /dev
tmpfs            801424         1640    799784   1% /run
/dev/sda2       490617784    32868420 432753884   8% /
tmpfs           4007112        32192   3974920   1% /dev/shm
tmpfs            5120           4        5116   1% /run/lock
tmpfs           4007112          0   4007112   0% /sys/fs/cgroup
/dev/loop0        128          128          0 100% /snap/bare/5
/dev/loop3       75776        75776          0 100% /snap/core22/2411
/dev/loop1       56832        56832          0 100% /snap/core18/2979
/dev/loop2       56832        56832          0 100% /snap/core18/2999
/dev/loop5       223744       223744          0 100% /snap/gnome-3-34-1804/93
/dev/loop7       116006       116006          0 100% /snap/snap/1
```

administrator@administrator: ~/record_11249A134

🔍 ☰ − □ ×

```
15:24:06 up 48 min,  1 user,  load average: 0.42, 0.20, 0.11
```

```
administrator@administrator:~/record_11249A134$ who
```

```
administrator :0                2026-04-20 14:35 (:0)
```

```
administrator@administrator:~/record_11249A134$ whoami
```

```
administrator
```

```
administrator@administrator:~/record_11249A134$ free
```

	total	used	free	shared	buff/cache	available
Mem:	8014224	1385268	4826832	165376	1802124	6209052
Swap:	2097148	0	2097148			

```
administrator@administrator:~/record_11249A134$ df
```

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
udev	3959636	0	3959636	0%	/dev
tmpfs	801424	1640	799784	1%	/run
/dev/sda2	490617784	32868420	432753884	8%	/
tmpfs	4007112	32192	3974920	1%	/dev/shm
tmpfs	5120	4	5116	1%	/run/lock
tmpfs	4007112	0	4007112	0%	/sys/fs/cgroup
/dev/loop0	128	128	0	100%	/snap/bare/5
/dev/loop3	75776	75776	0	100%	/snap/core22/2411
/dev/loop1	56832	56832	0	100%	/snap/core18/2979
/dev/loop2	56832	56832	0	100%	/snap/core18/2999
/dev/loop5	223744	223744	0	100%	/snap/gnome-3-34-1804/93
/dev/loop7	116096	116096	0	100%	/snap/msds/4
/dev/loop4	224256	224256	0	100%	/snap/gnome-3-34-1804/66
/dev/loop6	66432	66432	0	100%	/snap/gtk-common-themes/1514
/dev/loop8	544128	544128	0	100%	/snap/gnome-42-2204/247
/dev/loop10	49280	49280	0	100%	/snap/snapd/25935
/dev/loop15	49536	49536	0	100%	/snap/snapd/26382
/dev/loop12	75776	75776	0	100%	/snap/core22/2339
/dev/loop9	13312	13312	0	100%	/snap/snap-store/1113
/dev/loop13	93952	93952	0	100%	/snap/gtk-common-themes/1535
/dev/loop14	528640	528640	0	100%	/snap/gnome-42-2204/226
/dev/loop11	12544	12544	0	100%	/snap/snap-store/1216
/dev/sda1	523248	8880	514368	2%	/boot/efi
tmpfs	801420	52	801368	1%	/run/user/1000

```
administrator@administrator:~/record_11249A134$ du
```

```
12      .
```

```
administrator@administrator:~/record_11249A134$
```


administrator@administrator: ~/record_11249A134

🔍 ≡ − □ ×

```
administrator@administrator:~/record_11249A134$ du
12      .
administrator@administrator:~/record_11249A134$ tac file2.txt
tac: failed to open 'file2.txt' for reading: No such file or directory
administrator@administrator:~/record_11249A134$ tac copied.txt
s5 section
reg 11249A134
name lahari
os record preparation
administrator@administrator:~/record_11249A134$ more copied.txt
os record preparation
name lahari
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ head
^C
administrator@administrator:~/record_11249A134$ head copied.txt
os record preparation
name lahari
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ tail copied.txt
os record preparation
name lahari
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ grep "os" copied.txt
os record preparation
administrator@administrator:~/record_11249A134$ wc copied.txt
 4   9 64 copied.txt
administrator@administrator:~/record_11249A134$ sort copied.txt
name lahari
os record preparation
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ uniq copied.txt
os record preparation
name lahari
reg 11249A134
```

■ administrator@administrator: ~/record_11249A134 🔍 ≡ - □ ×

```
name lahari
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ grep "os" copied.txt
os record preparation
administrator@administrator:~/record_11249A134$ wc copied.txt
 4  9 64 copied.txt
administrator@administrator:~/record_11249A134$ sort copied.txt
name lahari
os record preparation
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ uniq copied.txt
os record preparation
name lahari
reg 11249A134
s5 section
administrator@administrator:~/record_11249A134$ cut copied.txt
cut: you must specify a list of bytes, characters, or fields
Try 'cut --help' for more information.
administrator@administrator:~/record_11249A134$ paste file1.txt copied.txt
hello  os record preparation
os      name lahari
os lab record  reg 11249A134
          s5 section
administrator@administrator:~/record_11249A134$ tr copied.txt
tr: missing operand after 'copied.txt'
Two strings must be given when translating.
Try 'tr --help' for more information.
administrator@administrator:~/record_11249A134$ nano copied.txt
administrator@administrator:~/record_11249A134$ ls -l
total 8
-rw-rw-r-- 1 administrator administrator 64 Apr 20 15:20 copied.txt
-rw-rw-r-- 1 administrator administrator 24 Apr 20 15:09 file1.txt
administrator@administrator:~/record_11249A134$ chmod copied.txt
chmod: missing operand after 'copied.txt'
Try 'chmod --help' for more information.
administrator@administrator:~/record_11249A134$
```