

LINUX COMMANDS

1. pwd

```
ghost@LAPTOP-HNSF11IH:~$ pwd
/home/ghost
```

2. ls

```
ghost@LAPTOP-HNSF11IH:/mnt$ ls
ws1  wslg
```

3. cd

```
ghost@LAPTOP-HNSF11IH:/$ cd mnt/
ghost@LAPTOP-HNSF11IH:/mnt$
```

4. mkdir

```
ghost@LAPTOP-HNSF11IH:~$ mkdir Temp
ghost@LAPTOP-HNSF11IH:~$ ls
Temp
```

5. rmdir

```
ghost@LAPTOP-HNSF11IH:~$ rmdir Temp
ghost@LAPTOP-HNSF11IH:~$ ls
ghost@LAPTOP-HNSF11IH:~$
```

6. cat

```
ghost@LAPTOP-HNSF11IH:~$ cat sample.txt
Hello World!
```

7. mv

```
ghost@LAPTOP-HNSF11IH:~$ mv sample.txt Temp/
ghost@LAPTOP-HNSF11IH:~$ ls
Temp
ghost@LAPTOP-HNSF11IH:~$ cd Temp/
ghost@LAPTOP-HNSF11IH:~/Temp$ ls
sample.txt
```

8. rm

```
ghost@LAPTOP-HNSF11IH:~/Temp$ ls
sample.txt
ghost@LAPTOP-HNSF11IH:~/Temp$ rm sample.txt
ghost@LAPTOP-HNSF11IH:~/Temp$ ls
ghost@LAPTOP-HNSF11IH:~/Temp$
```

9. ps

```
ghost@LAPTOP-HNSF11IH:~/Temp$ ps
  PID TTY          TIME CMD
  183 pts/0        00:00:00 bash
  240 pts/0        00:00:00 ps
```

10. who

```
ghost@LAPTOP-HNSF11IH:~/Temp$ who
ghost    pts/1        2026-04-21 11:49
```

11. whoami

```
ghost@LAPTOP-HNSF11IH:~/Temp$ whoami
ghost
```

12. date

```
ghost@LAPTOP-HNSF11IH:~/Temp$ date
Tue Apr 21 12:06:44 PM UTC 2026
```

13. echo

```
ghost@LAPTOP-HNSF11IH:~/Temp$ echo Hello
Hello
```

14. head

```
ghost@LAPTOP-HNSF11IH:/mnt/c/Users/aksha/Downloads$ head sample.txt
1
2
3
4
5
6
7
8
9
10
```

15. tail

```
ghost@LAPTOP-HNSF11IH:/mnt/c/Users/aksha/Downloads$ tail sample.txt
11
12
13
14
15
16
17
18
19
20ghost@LAPTOP-HNSF11IH:/mnt/c/Users/aksha/Downloads$
```

16. wc

```
ghost@LAPTOP-HNSF11IH:/mnt/c/Users/aksha/Downloads$ wc sample.txt
19 20 69 sample.txt
```

17. find

```
ghost@LAPTOP-HNSF11IH:/mnt/c/Users/aksha/Downloads$ find sample.txt
sample.txt
```

GREP COMMANDS

1. -e

```
ghost@LAPTOP-HNSF11IH:~$ grep "th" a.txt  
this is Bash  
and as your already know, thIS IS also baSH
```

2. -i

```
ghost@LAPTOP-HNSF11IH:~$ grep -i "BASH" a.txt  
this is Bash  
This is also bash  
and THis IS aLSO bASH  
and as your already know, thIS IS also baSH
```

3. -l

```
ghost@LAPTOP-HNSF11IH:~$ grep -l "bash" a.txt b.txt  
a.txt
```

4. -v

```
ghost@LAPTOP-HNSF11IH:~$ grep -v -i "bash" a.txt  
Hello  
world
```

5. -c

```
ghost@LAPTOP-HNSF11IH:~$ grep -c -i "bash" a.txt  
4
```

AWK COMMANDS

1. \$n

```
ghost@LAPTOP-HNSF11IH:~$ awk '{print$1}' a.csv
eid,
001,
002,
003,

ghost@LAPTOP-HNSF11IH:~$ awk '{print$3}' a.csv
exp
5
8
7
```

2. -F

```
ghost@LAPTOP-HNSF11IH:~$ awk -F ',' '{print$1}' a.csv
eid
001
002
003
```

3. NR

```
ghost@LAPTOP-HNSF11IH:~$ awk -F ',' '{print "Line",NR,": ", $1}' a.csv
Line 1 : eid
Line 2 : 001
Line 3 : 002
Line 4 : 003
```

4. NF

```
ghost@LAPTOP-HNSF11IH:~$ awk -F ',' '{print "Field: ",NF," ", "Element: ",$NF}' a.csv
Field: 3 Element: exp
Field: 3 Element: 5
Field: 3 Element: 8
Field: 3 Element: 7
```