

[SQL Worksheet]*



Aa



```
1 CREATE TABLE Student (
2     ... Student_ID INT,
3     ... Name VARCHAR(20),
4     ... Dept_ID INT
5 );
6
7 CREATE TABLE Department (
8     ... Dept_ID INT,
9     ... Dept_Name VARCHAR(20)
10 );
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
Student_ID INT,
Name VARCHAR(20),
Dept_ID INT...
```

[Show more...](#)



Table STUDENT created.

Elapsed: 00:00:00.012

```
SQL> CREATE TABLE Department (
      Dept_ID INT,
      Dept_Name VARCHAR(20)
    )
```



Table DEPARTMENT created.

[SQL Worksheet]* ▼



Aa ▼



```
11  INSERT INTO Student VALUES (1, 'Ravi', 10);
12  INSERT INTO Student VALUES (2, 'Sita', 20);
13  INSERT INTO Student VALUES (3, 'Ram', 10);
14
15  INSERT INTO Department VALUES (10, 'CSE');
16  INSERT INTO Department VALUES (20, 'ECE');
```



Query result

Script output

DBMS output

Explain Plan

SQL history



SQL> INSERT INTO Student VALUES (1, 'Ravi', 10)



1 row inserted.

Elapsed: 00:00:00.108

SQL> INSERT INTO Student VALUES (2, 'Sita', 20)



1 row inserted.

Elapsed: 00:00:00.002

SQL> INSERT INTO Student VALUES (3, 'Ram', 10)





```
11 INSERT INTO Student VALUES (1, 'Ravi', 10);
12 INSERT INTO Student VALUES (2, 'Sita', 20);
13 INSERT INTO Student VALUES (3, 'Ram', 10);
14
15 INSERT INTO Department VALUES (10, 'CSE');
16 INSERT INTO Department VALUES (20, 'ECE');
17
18 SELECT Student.Name, Department.Dept_Name
19 FROM Student
20 INNER JOIN Department
21 ON Student.Dept_ID = Department.Dept_ID;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download ▼ Execution time: 0.033 seconds

	NAME	DEPT_NAME
1	Ravi	CSE
2	Ravi	CSE
3	Sita	ECE
4	Sita	ECE
5	Ram	CSE

[SQL Worksheet]*



Aa



```
22  
23 CREATE TABLE Student1 (  
24   ... Name VARCHAR(20)  
25 );  
26  
27 CREATE TABLE Student2 (  
28   ... Name VARCHAR(20)  
29 );
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
SQL> CREATE TABLE Student1 (  
      Name VARCHAR(20)  
    )
```



Table STUDENT1 created.

Elapsed: 00:00:00.011

```
SQL> CREATE TABLE Student2 (  
      Name VARCHAR(20)  
    )
```



Table STUDENT2 created.

Elapsed: 00:00:00.007

[SQL Worksheet]* ▼



Aa ▼



```
30  
31 INSERT INTO Student1 VALUES ('Ravi');  
32 INSERT INTO Student1 VALUES ('Sita');  
33 INSERT INTO Student1 VALUES ('Ram');  
34  
35 INSERT INTO Student2 VALUES ('Sita');  
36 INSERT INTO Student2 VALUES ('Kiran');  
37 INSERT INTO Student2 VALUES ('Anu');
```

Query result

Script output

DBMS output

Explain Plan

SQL history



SQL> INSERT INTO Student1 VALUES ('Ravi')



1 row inserted.

Elapsed: 00:00:00.113

SQL> INSERT INTO Student1 VALUES ('Sita')



1 row inserted.

Elapsed: 00:00:00.002

SQL> INSERT INTO Student1 VALUES ('Ram')



[SQL Worksheet]*



Aa



```
38  
39 SELECT Name FROM Student1  
40 UNION  
41 SELECT Name FROM Student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



1 row inserted.

Elapsed: 00:00:00.003



```
SQL> SELECT Name FROM Student1  
      UNION  
      SELECT Name FROM Student2
```



NAME

Ravi

Sita

Ram

Kiran

Anu

Elapsed: 00:00:00.008

5 rows selected.

[SQL Worksheet]*



Aa



```
40 UNION
41 SELECT Name FROM Student2;
42
43 SELECT Name FROM Student1
44 INTERSECT
45 SELECT Name FROM Student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Sita
Ram
Kiran
Anu



Elapsed: 00:00:00.002
5 rows selected.

```
SQL> SELECT Name FROM Student1
      INTERSECT
      SELECT Name FROM Student2
```



NAME

Sita

Elapsed: 00:00:00.004
1 rows selected.

[SQL Worksheet]*



Aa



```
46  
47 CREATE VIEW Student_View AS  
48 SELECT Student_ID, Name  
49 FROM Student;  
50  
51 SELECT * FROM Student_View;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



1	Ravi
2	Sita
3	Ram
1	Ravi
2	Sita
3	Ram
1	Ravi
2	Sita
3	Ram
1	Ravi
2	Sita
3	Ram
1	Ravi
2	Sita
3	Ram
1	Ravi
2	Sita
3	Ram



Elapsed: 00:00:00.002
30 rows selected.

[SQL Worksheet]*



Aa



```
50
51 SELECT * FROM Student_View;
52
53 SELECT *
54 FROM Student_View
55 WHERE Student_ID = 1;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
SQL> SELECT *
      FROM Student_View
      WHERE Student_ID = 1
```



STUDENT_ID	NAME
------------	------

1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi
1	Ravi

Elapsed: 00:00:00.006
11 rows selected.

[SQL Worksheet]*



Aa



```
54 FROM Student_View
55 WHERE Student_ID = 1;
56
57 SELECT Name FROM Student1
58 MINUS
59 SELECT Name FROM Student2;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
1      Ravi
1      Ravi
1      Ravi
```



Elapsed: 00:00:00.001
12 rows selected.

```
SQL> SELECT Name FROM Student1
      MINUS
      SELECT Name FROM Student2
```



```
NAME
-----
Ravi
Ram
```

Elapsed: 00:00:00.003
2 rows selected.