INDEX

SRI CHANDRASEKHARENDRA SARASWATHI VISWA MAHAVIDYALAYA

(UNIVERSITY ESTABLISHED UNDER SECTION 3 OF UGC Acr 1956)
ENATHUR, KANCHIPURAM -631 561

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Name : V.s.k.pavan.p.r.charyulu

Reg. No: 11249A393

Class : 11 B.E. (CSE)

Subject Code: BCSF183P60
Subject Name : DATA STRUCTURE AND ALGORITHMS LAB

SRI CHANDRASEKHARENDRA SARASWATHI VISWA MAHAVIDYALAYA

(UNIVERSITY ESTABLISHED UNDER SECTION 3 OF UGC Acr 1956)
ENATIWR, KANCHIPURAM - 631 561

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this is the bonafide record ofwcxkdone by

Mr.,'Ms. V.S.K.pavan.p.r.charyulu

with Reg: 11249A393 Of II-B.E.(CSE) in the DATA STRUCTURE AND ALGORITHMS LAB (BCSFI 83P60) during the academic year 2025 - 2026.

Station : Enathur
Date:

Staff-in-charge Head of the Department

Submitted for the Practical examination held on _____

Examiner-1 Examiner-2

INDEX

9(D)	Merge Sort	17-10-25	43	
10	Implementation of Hashings	07-11-25	46	

Linear search

EXPERIMENT NO:1(A)

DATE:08-08-25

Aim: To write a linear search program

Algorithm: l.start the program
2.read n and array elements
3.read search element key
4.traverse array and compare each element with key
5.if found ,print position and stop
6.else print "not found"
7.stop the program

Program:

```
#include <stdio.h>

int main() { int arr[100], n, key, i,
   found = O;

  // Input: size of array printf("Enter
  number of elements: 'I); scanf("%d",
  &n);

 // Input: array elements
 printf("Enter %d elements:\n", n) ;
 for (i = O; i < n; i++) { scanf("%d",
 &arr[i]);


 // Input: element to search
 printf("Enter element to search: 'I );
 scanf("%d", &key);

 // Linear search for (i = O; i < n; i++) { if (arr[i]
 key) { printf("EIement found at position
 %d\n", ifound = I; break;



 if (!found) { printf("EIement not found in the
    array.\n");


 return O;
```

Output:

5 10 20 30 40 50 Found at position 3

Result:

Thus, a program that finds the element in an array using linear search is written and executed successfully

Date: 08/08/25 Binary search

Exercise: I(b)

Aim: To search an element in a sorted array using binary search.

Algorithm:

1. Start the program
2. Input sorted array and key
3. Set low=O, high=n-l
4. Repeat while low<=high
5. Find mid=(low+high)/2
6. If a[mid]==key, print found
7. If a[mid]>key, set high=mid-l, else low=mid+l

Porgram:

```
#include <stdio.h>



Int main() {
```

Stop

Program:

```
Int arr[100], n, key, low, high, mid;

// Input size Printf("Enter number of
elements: '\n.
Scanf("%d", &n);

// Input sorted array

Printf("Enter %d elements (in sorted order):\n", n);

For (int I = 0; I < n; i++) {

   Scanf("%d", &arr[i]);



// Key to search Printf("Enter

element to search: "),

Scanf("%d", &key);

Low = O;

High = n — 1;

// Binary Search While

(low        high) {
```

```
Mid = (low + high) /
2;


    If (arr[mid]      key) {
   Printf("Element found at position %d\n", mid + 1);
       Return 0;


    Else if (arr[mid] < key) {
       Low = mid + 1;


    Else {
       High = mid — 1;


  Printf("Element not found in the array.\n");
Return O;
```

Stop

Program:

Exercise no: 2. IMPLEMENTATION OF STACK

DATE: 16-08-25

Aim : To implement stack using array.

Algorithm:

1. Start
2. Initialize top = -1
3. Push adds element if not full
4. Pop removes element if not empty
5. Display prints all elements

6.stop the program

Program : #include <stdio.h>

#define MAX 5

Int stack[MAX];

Int top = -1;

// Function declarations

Void push();

Void pop();

```
Void peek();

Void display();


Int main() {
    Int choice;


    While (1) {
            intf("\n---STACK MENU ---\n"),
        Printf("l. Push\n");
        Printf("2. Pop\n");
        Printf("3. Peek\n");
        Printf("4.Display\n");
        Printf("5. Exit\n");
        Printf("Enter your choice:");
        Scanf("%d" &choice);


         Stop
```

Program:

```
    Switch (choice) {
        Case 1: push(); break;
        Case 2: pop(); break;
        Case 3: peek(); break;
        Case 4: display(); break;
        Case 5: return O;
        Default: printf("Invalid choice! Try again.\n");
    Return 0;
Void push() {
    Int value;
   If (top    MAX — 1) {
```

```
        Printf("Stack Overflow! Cannot push.\n");
    } else {
        Printf("Enter value to push: u),
        Scanf("%d", &value);
        Stack[++top] = value;
        Printf("%d pushed into stack.\n", value);
Void pop() {
    If (top      -1) {
        Printf("Stack Underflow! Nothing to pop.\n");
    } else {
   Printf("%d popped from stack.\n", stack[top--]);


Void peek() {
    If (top== -1) {


        Stop
```

Program:

```
        Printf("Stack is empty.\n");

    } else {

        Printf("Top element = %d\n", stack[top]);
Void display() {

    If (top      -1) {

        Printf("Stack is empty.\n");

    } else {

        Printf("Stack elements:\n");

        For (int I = top; I >= O; i--) {
            Printf("%d\n", stack[i]);
```

Result: Thus , a program that implements stack using array is written and executed successfully

Stop

Exercise:3	Implementation of application of stack
Date:16-08-25	

Aim: To reverse a string using stack.

Algorithm:

1. Start
2. Read string
3. Push all characters into stack
4. Pop and print each character

and executed successfully

Program:

```
#include <stdio.h>
#include <string.h>
#define MAX 100
Char stack[MAX];

Int top = -1;
Void push(char c) {

   If (top    MAX — 1) {

       Printf("Stack Overflow\n");

   } else {

      Stack[++top] = c;
```

5. stop

```
Char pop() {
   If (top      -1) {
      Return '\O'; // Empty
   } else {
      Return stack[top--];


Int isMatchingPair(char open, char close) {
   If (open          && close        ')') return 1;
   If (open      '{' && close   '}' ) return 1;
```

and executed successfully

```
   If (open              && close - T) return 1;
   Return 0;
Int isBalanced(char exp[]) {

 For (int I = O; I < strlen(exp); i++)
                                                {
     Char c = exp[i];

   If (c== '(' || c == '{' || c == '[') {

       PushO;
    Else if (c      )' || c == '}' || c == ']') {

       Char popped = pop();

       If (!isMatchingPair(popped, c)) {
```

5. stop

```
        Return O; // Not balanced
```

```
If (top == -1)

    Return 1;

  Return O;
Int main() {

  Char expression[MAX];
 Printf("Enter an expression: ");

  Scanf("%s", expression);
  If (isBalanced(expression))
```

and executed successfully

```
 Printf("Expression is Balanced\n");
  Else
   Printf("Expression is NOT Balanced\n");
Return O;
```

Output:
hello
olleh

Result: Thus a program that reverses a string using stack is written

5. stop

Exercise:4	Implementation of queue
Date:22-08-25	

Aim: To implement a queue using an array.

Algorithm:

1. start
2. Initialize front=0, rear=-l
3. Enqueue inserts at rear
4. Dequeue removes from front

and executed successfully

Program:

```
#include <stdio.h> #define MAX 5 int queue[MAX], front=0, rear=-l; void enqueue(int x){ f(rear<MAX-1 ) queue[++rear]=x; } void dequeue(){ if(front<=rear) front++; } void display(){ for(int i=front;i<=rear;i++) printf("%d ",queue[i]); } int main(){ enqueue(10); enqueue(20); enqueue(30); display(); printf("\n"); dequeue(); display(); return 0;
```

Output:

10 20 30
20 30

Result: Thus the program that implementation of queue using array is written

Exercise:5	Implementation of Singly Linked List

5. Stop

Date:22-08-25	

Aim: To implement a singly linked list.

Algorithm:

1. start
2. Create nodes dynamically
3. Link them sequentially
4. Traverse to display elements

and executed successfully

Program:

```
#include <stdio.h> #include <stdlib.h> struct node{int data;struct node*next;}; int main(){ struct node *head=NULL,*temp,*newnode; for(int i=0;i<3;i++){ newnode=(struct node*)malloc(sizeof(struct node)); scanf("%d" &newnode->data); newnode->next=NULL; if(head==NULL) head=temp=newnode; else{temp->next=newnode;temp=newnode;}

   temp=head; while(temp){printf("%d ",temp->data);temp=temp->next;} return 0;
```

Output:

10 20 30
10 20 30

Result : Thus the program that implementation of singly linked list is written

5. Stop

Exercise:6	Implementation of Doubly Linked List
Date:05-09-25	

Aim: To implement a doubly linked list.

Algorithm:

1. Start
2. Create doubly linked nodes
3. Connect prev and next pointers
4. Traverse forward to display

Program:

#include <stdio.h> #include <stdlib.h> struct node{int data;struct node *prev,*next;}; int main(){ struct node *head=NULL,*temp,*newnode; for(int i=0;i<3;i++){ newnode=(struct node*)malloc(sizeof(struct node)); scanf("%d",&newnode->data); newnode->next=NULL;

and executed successfully

```
if(head==NULL){newnode->prev=NULL;head=temp=newnode;}
else{newnode->prev=temp;temp->next=newnode;temp=newnode;}

        temp=head; while(temp){printf("%d ",temp->data);temp=temp->next;} return 0;
```

Output:

10 20 30

10 20 30

Result: Thus a program that implements a doubly linked list is written

5. Stop

Exercise:7	Perform Traversal on a Binary Search Tree
Date:05-09-25	

Aim: To create and traverse a Binary Search Tree.

Algorithm:

1. Start
2. Insert elements following BST rule Perform inorder traversal
3.

Stop

Program:

```
#include <stdio.h> #include <stdlib.h> struct node{int data;struct node*left,*right;}; struct node*insert(struct node*r,int val){ if(r==NULL){r=(struct node*)malloc(sizeof(struct node));r->data=val;r->left=r->right=NULL;} else if(val<r->data)r->left=insert(r->left,val); else r->right=insert(r->right,val); return r;

void inorder(struct node*r){if(r){inorder(r->left);printf("%d ",r->data);inorder(r->right);}} int main(){ struct node*root=NULL;int n,x; scanf("%d" &n); for(int i=0;i<n;i++){scanf("%d" &x);root=insert(root,x);} inorder(root); return 0;
```

Output:

40 20 60 10 30
10 20 30 40 60

Result: Thus , a program that performs creation and traversion in a Binary Search Tree is written and executed successfully

Exercise:8	Implementation of graph search algorithms
Date:12-09-25	

Aim: To perform BFS and DFS traversal on a graph

Algorithm:

1. Start
2. Input adjacency matrix
3. Use queue for BFS, recursion for DFS
4. Stop

Program:

```
#include <stdio.h> int
n,a[10][10],visited[10];
void dfs(int v){int i;visited[v]=l ;printf("%d
",v);for(i=0;i<n;i++)if(a[v][i]&&!visited[i])dfs(i);} void bfs(int
v){ int q[1 0],f=0,r=-1 ,i; visited[v]=l ; q[++r]=v; while(f<=r){
v=q[f++]; printf("%d ",v); for(i=0;i<n;i++)
if(a[v][i]&&!visited[i]){q[++r]=i;visited[i]=l ;}


int main(){ scanf("%d" &n); for(int i=0;i<n;i++)for(int
   j=0;j<n;j++)scanf("%d",&a[i][j]); for(int
   i=0;i<n;i++)visited[i]=0; dfs(0);
   printf("\n"); for(int
   i=0;i<n;i++)visited[i]=0;

   bfs(0);
   return 0;
```

Output:

o 1 1 0

1 0 1 1

1 1 0 0

o 1 0 0

o 1 2 3

o 1 2 3

Result: Thus, a program that performs BFS and DFS traversal on a graph is written and executed successfully

Exercise:9(A)	Sort Given Numbers using Selection Sort
Date:10-10-25	

Aim: To sort an array using selection sort.

Algorithm:

1. Start
2. Repeat for i=0 to n-l
3. Find min element index
4. Swap with a[i]
5.

Program:

```
#include <stdio.h>
int main(){
int n,i,j,min,temp;
scanf("%d" &n);
int a[n];
for(i=0;i<n;i++)
scanf("%d",&a[i]);
for(i=0;i<n-1 ;i++){
min=i;
for(j=i+l ;j<n;j++)
if(a[j]<a[min])
min=j;
temp=a[i];a[i]=a[min];a[min]=temp;

for(i=0;i<n;i++)
printf("%d ",a[i]);
return 0;
```

Output:

64 25 12 22 11
11 12 22 25 64

Result: Thus,a program that sorts using array .selection sort is written and executed successfully

Exercise:9(b)	
Date:10-10-25	Heap sort

Aim: To sort array using heap sort

Algorithm:

1. Start
2. Swap root with last element
3. Heapify reduced heap
4.

Program:

```
#include <stdio.h> void heapify(int
al], int n, int i){ int largest=i,l=2*i+1
,r=2*i+2,temp;
if(l<n&&a[l]>a[largest])     largest=l;
if(r<n&&a[r]>a[largest]) largest=r;

if(largest!=i){temp=a[i];a[i]=a[largest];a[largest]=temp;heapify(a,n,lar

ge st);}
```

Stop

```
void heapSort(int al], int n){ for(int i=n/2-1 ;i>=0;i--)
   heapify(a,n,i); for(int i=n-l ;i>=0;i--){int
   t=a[0];a[0]=a[i];a[i]=t;heapify(a,i,0);}

int main(){ int n;scanf("%d",&n);int
   a[n]; for(int i=0;i<n;i++) scanf("%
   heapSort(a,n); for(int i=0;i<n;i++)
   printf("%d ",a[i]); return 0;
```

Output:

5

4 103 5 1

13 4 5 10

Result: Thus a program that sorts arrays using heap sort is written and executed successfully

Exercise:9(c)	
Date:17-10-25	Quick sort

Aim: To sort an array using quick sort.

Algorithm:

1. Start
2. Choose pivot
3. Partition array

4. Recursively sort left and right
5.

Program:

```
#include <stdio.h> void swap(int*a,int*b){int t=*a;*a=*b;*b=t;} int partition(int a[],int low,int high){ int pivot=a[high],i=low-l ; for(int j=low;j<high;j++) if(a[j]<pivot){i++;swap(&a[i],&a[j]);}
swap(&a[i+l],&a[high]);return i+l ;

void quickSort(int a[],int low,int high){ if(low<high){int pi=partition(a,low,high);quickSort(a,
}                                                    low, pi-l );quickSort(a,pi+1 , high);}
int main(){ int n;scanf("%d",&n);int
   a[n]; for(int i=0;i<n;i++) scanf("%d"
   &a[i]); quickSort(a,0,n-1); for(int
   i=0;i<n;i++) printf("%d ",a[i]); return
   0;
```

Output:

```
5
64 25 12 22 11
11 12 22 25 64
```

Result: Thus the program that sorts arrays using quick sort is written and executed successfully

Stop

Exercise:9(d)	
Date:17-10-25	Merge sort

Aim: To sort an array using merge sort.

Algorithm:

1. Start
2. Divide array into halves
3. Recursively sort halves
4. Merge sorted halves
5.

Program:

```
#include <stdio.h> void
merge(int a[],int l,int m,int r){ int
nl=m-l+l ,n2=r-m,i,j,k; int
L[n11.R[n for(i=0;i<n 1
;i++)L[i]=a[l+i];
for(j=0;j<n2;j++)R[j]=a[m+1 +j];

   while(i<n1&&j<n2) a[k++]=(L[i]<=R[j])?L[i++]:R[j++];

   while(i<n 1 )a[k++]=L[i++];
   while(j<n2)a[k++]=R[j++];
```

```
void mergeSort(int a[],int l,int r){
   if(l<r){int          m=(l+r)/2;mergeSort(a,l,m);mergeSort(a,m+1
,r);merge(a,l,m,r);}
```

Stop

```
int main(){ int n;scanf("%d",&n);int
 a[n]; for(int i=0;i<n;i++) scanf("%d"
 &a[i]); mergeSort(a,0,n-1); for(int
 i=0;i<n;i++) printf("%d ",a[i]); return
 0;
```

Output:

5

64 25 12 22 11

11 12 22 25 64

Result: Thus the program that sorts arrays using merge sort written and executed successfully

Exercise:10	Implementation of Hashing
Date:07-11-25	

Aim: To implement hashing using linear probing.

Algorithm:

1. Start
2. Initialize hash table with -1
3. For each key, compute index=key%size
4. If occupied, probe next index

Program:

```
#include <stdio.h> #define SIZE 10 int main(){ int hash[SlZE];for(int i=0;i<SlZE;i++)hash[i]=-1 ; int n,key,index; scanf("%d" &n); for(int i=0;i<n;i++){ scanf("%d",&key); index=key%SlZE; while(hash[index]!=-l) index=(index+l )%SIZE; hash[index]=key;

for(int i=0;i<SlZE;i++) printf("%d ",hash[i]);
return 0;
```

Output:

12 22 32 42 52

-1 12 22 32 42 52 -1 -1 -1 -1

Result: Thus the program to implement of hashing is written and executed successfully