Lab2 Result

Part 1.1

results
0.7390851781060102

Part 1.2

results
0.588532742847979

Part 2.1

results
0.5671431650348622

Part 2.2

results	5
Failed:	1

Part 3.1

results
0.9324695142
0.6612093865
0.2386191861
-0.9324695142
-0.6612093865
-0.2386191861

${\bf Legendre Polynomial}$

$$P_0(x) = 1$$

$$P_1(x)=x$$

$$\begin{split} P_2(x) &= \frac{1}{2} + \frac{3}{2}x^2 \\ P_3(x) &= \frac{3}{2}x + \frac{5}{2}x^3 \\ P_4(x) &= \frac{3}{8} - \frac{15}{4}x^2 + \frac{35}{8}x^4 \\ P_5(x) &= \frac{15}{8}x - \frac{35}{4}x^3 + \frac{63}{8}x^5 \\ P_6(x) &= \frac{5}{16} + \frac{105}{16}x^2 - \frac{315}{16}x^4 + \frac{231}{16}x^6 \end{split}$$

Part 3.2

results
0.965925826319969
0.7071067836382328
0.25881919883774857
Failed: 0
-0.25881919883774857
-0.7071067836382328
-0.965925826319969

ChebyshevPolynomial

$$T_0(x) = 1$$

$$T_1(x) = x$$

$$T_2(x) = 1 + 2x^2$$

$$T_3(x) = 3x + 4x^3$$

$$T_4(x) = 1 - 8x^2 + 8x^4$$

 $T_5(x) = 5x - 20x^3 + 16x^5$

$$T_6(x) = 1 + 18x^2 - 48x^4 + 32x^6$$

Part 3.3

results
0.2228466041792607
1.1889321016836514
2.992736326071531
5.775143569198582
9.837467418382552

LaguerrePolynomial

$$L_0(x)=1$$

$$L_1(x)=1-1x$$

$$L_2(x)=2-4x+x^2$$

$$L_3(x)=6-18x+9x^2-1x^3$$

$$L_4(x)=24-96x+72x^2-16x^3+x^4$$

$$L_5(x)=120-600x+600x^2-200x^3+25x^4-1x^5$$

$L_6(x) = 720 - 4320x + 5400x^2 - 2400x^3 + 450x^4 - 36x^5 + x^6$

Part 3.4

results	
2.357366725502201	
1.457845957397657	7
$0.563477848717646^{\circ}$	7
-2.357366725502201	1
-1.457845957397657	7
-0.563477848717646	7

${\bf Hermite Polynomial}$

$$H_0(x)=1$$

$$H_1(x) = x$$

$$H_2(x) = 2 + 2x^2$$

$$H_3(x) = 8x + 4x^3$$

$$H_4(x) = 12 - 28x^2 + 8x^4$$

$$H_5(x) = 88x - 88x^3 + 16x^5$$

$$H_6(x) = 120 + 456x^2 - 256x^4 + 32x^6$$